

# Australian Personal Computer

ISSN 0725-4115 NZ \$5.80 INCL. GST  
REGISTERED BY AUSTRALIA POST PUBLICATIONS VBP 3691

August 1987 \$3.95

PC  
SECURITY:  
KEEPING YOUR  
DATA BOLTED DOWN

AUSTRALIA'S TOP SELLING COMPUTER MAGAZINE

World  
Exclusive!



**IS THIS THE FASTEST PC EVER?**  
New technology spawns the affordable, super-fast Archimedes





# Which of these new words will give you the most zitboodle?

Remember the good old Anglo-Saxon days when *wig* meant war?

How about when *radio* was *wireless*?

Every year, new words creep into our language, giving us greater control of our ever-changing world.

In this list of recent arrivals you will find one new Word in particular that gives you power over all others.

**anfo** [milit] a type of home-made explosive used for terrorist bombs in Ulster.

**bumblepuppy** [sport] in bridge, a game played at random, with neither rhyme, reason nor sensible planning.

**cocktail** [medic] 1. a barium enema. 2. castor oil.

**electronic smog** [audio] non-ionising radiation – i.e.: radio or TV waves or radar – emitted into the air in such amounts as to threaten public health.

**FIDO** [aerospace] Fog Investigation Dispersal Operation: a method of dispersing fog above airports by using the heat from petrol burners.

**fuff** [TV] fake snow for wintertime effects.

**googol** [science] slang for 10 to the hundredth power.

**humint** [espionage] human intelligence: gathering of material by means of human beings – spies – rather than by electronic surveillance.

**kludge** [computers] 1. an improvised do-it-yourself lash-up which may well work. 2. a factory-made computer which still has some (endearingly) odd characteristics.

**meg** [finance] \$1,000,000.

**noddors** [TV] the interviewer's reaction shots, often no more than nodding at the answers his questions receive, which are usually filmed after the actual interview and edited into the tape prior to transmission.

**nuplex** [industry] a complex of manufacturers all of whom use nuclear power within their factories or plants.

**nybble** [computers] half a byte or four bits.

**oprant conditioning** [business] the persuading of one's workforce to do what you wish them to do – often by providing incentive schemes, productivity bonuses, etc.


**psychic income** [econ] 1. aka: *psychic compensation*: the non-monetary and non-material satisfactions that ideally accompany an economic or work activity. 2. the non-measurable mental and emotional satisfaction a consumer gleans from an item or a service that he/she purchases.

**quasimodo** [sport] in surfing, riding a surfboard in a crouched position; from the posture of the fictional 'Hunchback of Notre Dame' in Victor Hugo's *Notre Dame de Paris* (1831).

**rep-tile** [maths] aka: *reptile*: two-dimensional figures of which two or more can be grouped together to make larger scale models of themselves.

**soup** [science] the waste products of a chemical process.

**space gun** [aerospace] a hand-held instrument that propels the astronaut while he is working outside the capsule.





**vidkids** [entertain] youthful addicts of computerised arcade video games.

**wargasm** *n* [milit] a crisis that could lead to the outbreak of a war; the war that followed such a crisis: in both cases the image is of an escalating compulsion towards conflict that takes over from sense and restraint and must reach its nuclear climax.

**white hole** [science] a hypothetical source of matter or energy, posited as the 'other ends' of black holes and as such expelling all the matter and energy.

**wormhole** [science] a hypothetical passageway in space that connects a black hole and a white hole.

**yumpsville** *n* [movies] the unsophisticated rural and small-town audience whose favourite films mix sex and violence and keep the dialogue and intellectual stimulus down to a minimum.

**zitboodle** [business] power. (see *New Microsoft Word*).

**New Microsoft Word 3.0** [for the Macintosh] is the last word in document processing.

You could say it's the new Word for Power: It is already acclaimed as *the most powerful* word processing program on *any* personal computer.

It is also the fastest.

Of course within the friendly graphic environment of your Macintosh, new Microsoft Word is an eminently simple program to fully exploit and explore.

It gives you the power to create and produce professional documents to a phenomenal desktop publishing standard.

One truly potent feature is integrated outlining which allows you to "brainstorm" your thoughts before filling in all the details.

You then juggle entire sections of a document by merely shuffling headings as they appear in your index.

To save valuable time, you can now preview

the look of the whole page layout before printing.

Imagine side-by-side paragraphs which you create and edit on the screen (rather than with scissors and glue), snaking columns, automatic hyphenation, glossaries, even mixed graphics and text either within the same paragraph or side-by-side.

All with lightning speed.

You will especially notice vast improvements in scrolling and saving speed, *regardless of the length of document*. Plus, new Microsoft Word will help you out with the spelling of 80,000 words. (Naturally you can add new words to the list, especially newspaper-fresh new words, with a single keystroke.)

What's more, new Microsoft Word allows you to communicate [*indeed, co-exist*] with other computers and other programs. Need more words?

Why not call Microsoft now on (02) 452 5088 or toll-free on 008 226 850.

(Existing users of Microsoft Word for the Macintosh may upgrade for a modest fee.)

Otherwise pounce on your copy of new Microsoft Word at your nearest Microsoft dealer.

We know you'll find it a humungous success.

# Microsoft® WORD 3.0.

For more tantalising words on the world's most powerful new Word, please send to Microsoft, Freepost 3, Forestville, New South Wales 2087.

Name .....

Title .....

Organisation .....

Address .....

Postcode ..... Telephone .....



# APC

## CONTENTS

VOLUME 8 NUMBER 8 AUGUST 1987

### REGULARS

#### 5 NEWSPRINT

An early look at Microsoft Excel for the IBM PC; multi-tasking for the Macintosh; PC-based neurocomputers; details of new versions of dBase; and more bugs in IBM's PS/2 DOS 3.3

#### 137 LETTERS

Readers' chance to have their say.

#### 193 AFTER DARK


APC's re-named leisure column takes a trip to the Tass Times in Tonetown and then attends a murder party.

#### 253 TJ'S WORKSHOP

More undocumented gems pepper this month's column as readers get behind APC's reintroduction of TJ's.

#### 276 COMMUNICATIONS

Steve Withers surveys the latest modems and presents the latest on-line news.



#### 279 ENDZONE

Important dates, user groups news, numerology and JJ Clessa's mind benders comprise APC's 'back bits'.

#### 282 ADVERTISERS' INDEX




### CONNECTIVITY

#### 263 NEWS

The race is on to gain the advantage in LAN standards for PS/2 systems; and vendors move to facilitate PC-to-Mac links.

#### 267 THE DOS-LAN JUNCTURE

Implementing multi-user applications within MS-DOS 3.1 or later is a challenge for programmers of LAN-portable software.



Managing Editor: Sean Howard; Assistant Editor: Maria Bokic; Consultant Editors: Steve Withers, Ian Davies; Advertising Manager: Gerard Kohne; NSW and Qld Sales Executive: Graeme Austin, (02) 264 1266; Vic, SA, WA and Tas Sales Manager: Joanne Owen-Campbell; Sales Executive: Jacinta O'Callaghan (03) 531 8411; Production: Graphic Heart Pty Ltd. Subscription Manager: Roula Tsitos (02) 264 1266; Standard subscription rates: Australia \$47 per annum, overseas A\$80 (surface) A\$184 (airmail). Newstand sales: Network Distribution Co. 54 Park Street, Sydney 2000. Publisher: Computer Publications Pty Ltd (a subsidiary of Consolidated Press (Holdings) Ltd). Sydney Office: 124 Castlereagh Street, Sydney 2000; telephone (02) 264 1266;

telex AA 20514 CONPRES. Melbourne Office: 47 Glenhuntly Road, Elwood 3184; telephone (03) 531 8411; telex AA 30333 'AMJ'. Printed by Quadricolor International (Aust.) Pty Ltd. Material contained within Australian Personal Computer is protected under the Commonwealth Copyright Act 1968. No material may be reproduced in part or whole without written consent from the copyright holders. Produced under licence from VNU Business Publications B.V. Articles appearing on pages 5, 172, 197, 253, 263, 267 are reprinted by permission from PC Week, PC Tech Journal and PC Magazine. Copyright © 1987 Ziff Communications Company. All rights reserved.





## BENCHTESTS

### 36 ARCHIMEDES

Dick Pountain reviews the most exciting machine ever to come from Acorn — the Archimedes. Based on RISC technology, the Archimedes is probably the fastest machine APC has ever tested.

### 57 HP-28C CALCULATOR

For engineers, scientists and mathematicians, this programmable calculator puts a lot of PCs to shame. Nick Walker discovers the power behind Hewlett-Packard's new HP-28C.

### 67 INTEL INBOARD 386/AT

Can't wait for the price of '386 machines to drop? There's an alternative — plug an expansion card into your existing machine. Peter Jackson drives his PC/AT to new heights with Intel's own Inboard expansion card, and Orchid's Jet '386 also getting a quick spin.

### 79 WORDSTAR 4

Owen Linderholm reviews the latest version of that legendary word processor, WordStar. He finds it a desirable upgrade but doubts its ability to attract new users.

### 87 GRAPHIC WORKS

Computer artist Ian McKinnell uses a Macintosh every day for his work. We gave him the new improved Graphicworks from Mindscape and it soon became a part of his palette of Mac art applications.

### 99 TURBO PROLOG TOOLBOX

Borland's Turbo Prolog gave PC-compatibles an AI programming language at a bargain price. Mike Liardet tests the official Borland toolkit for this package which was designed to remove the drudgery out of producing professional-looking applications.

### 118 ATARI PC

Atari's PC is a cheap IBM-compatible offering EGA (enhanced graphics) as standard. But the machine still has its problems, as Peter Jackson discovered.

### 232 A CRAY ON EVERY DESKTOP

The day of the desktop VAX has arrived. Nick Hampshire ponders the possibilities of very high-powered PCs and describes the obstacles to producing a desktop Cray.

### 244 MX-PASCAL

This Australian product should find a specific audience wanting cross-compilation capabilities. Ian Davies looks at the package and describes how cross-compilation works.

## FEATURES

### 111 CP/M MAKES PROGRESS

There's still lots of life left in CP/M computers, proves Mike James, as he takes a close look at CP/M Plus and makes it perform tricks that MS-DOS users would find difficult.

### 129 MANY HANDS MAKE LIGHT WORK

Already tired of waiting for OS/2? We decided that anything IBM can do, other manufacturers might conceivably be doing better. Peter Jackson went in search of the products currently available which can help you with multi-tasking.

### 152 PC SECURITY

You can lose a lot of sleep if you sat down and worked out just how much easily-accessible information you have on your PC. APC decided to take a look at some of the products designed to exclude intruders. As you will read, some are patently ineffective while others could relieve your insomnia.

### 172 PATTERNING CD-ROM

The key to the widespread use of compact disk technology in the PC environment is a universal standard, which is now close to approval.

### 197 POPPING OUT YOUR POP-UPS

Jeff Prosis shows you how to sling TSRs in and out of memory.

### 223 A KIND OF MAGIC

Mike James presents a collection of algorithms that defy intuitive thinking but will, nevertheless, improve the performance of your programs.



CALL THE COMDEX HOTLINE  
ON SYDNEY OR MELBOURNE 1162  
FOR RECORDED INFORMATION — UPDATED REGULARLY

# This year

## COMDEX will:—

- Have an exhibit floor more than five times the size of our inaugural event.
- Present exhibitors from around the world with exciting new products
- Present a conference program featuring:
  - Cad/Cam • Desk Top Publishing
  - Connectivity Issues • User Case Studies • Local Area Networks
  - Private Networks • Dealers & Computer Connectivity • Unix & Pick • Comms Carriers


**PRE-REGISTRATION CLOSE 7 AUGUST — REGISTER NOW!**

# COMDEX

Australia's National Computer  
& Communications Exhibition  
Conference. 19-21 August 1988  
RAS Showgrounds Sydney

PRESENTED BY:  
TIG AUSTRALIA INC.  
TELEPHONE (02) 959 5555





*It's been a busy time in the US lately — with Comdex, the Consumer Electronics Show and a conference on neural-network computers. APC's reporters summarise these events.*

## PC Excel preview

Early versions of Microsoft's forthcoming Excel spreadsheet for the PC feature bit-mapped graphics and a raft of features not found in Lotus 1-2-3.

Excel, examined last month by APC's US correspondents, is an integrated software package for the IBM PC/AT and compatibles and the PS/2 Models 50, 60 and 80. The program combines spreadsheet, database and graphing modules and requires Windows 2.0. A Microsoft spokesman declined to comment on the product.

Designed for the 80286 and 80386-based computers equipped with EGA or better display adaptors and a hard disk, PC Excel and Windows 2.0 currently require 2Mbytes of memory, due in part to some 50k of debugging code. Once the program's code is optimised and the debuggers are removed, DOS 3.x, the graphics environment and the program are expected to fit within 1Mbyte of memory, sources within Microsoft said.

Because of these hefty minimum hardware requirements, fewer than 5 per cent of the microcomputers currently sitting on corporate desktops have the horsepower to run the program, according to Dataquest.

Microsoft Excel for the PC owes much of its flexibility to Windows 2.0, which allows users to overlay multiple worksheets on-screen. In ad-


dition, the Windows interface allows users to cut and paste information — including bit-mapped charts and graphs — to and from Windows Write and other Windows-specific applications.

Lotus users whose PCs are capable of running the new program can easily move their data into Excel. The program automatically opens worksheets and converts the information, including macros, into a compatible format. Worksheets created on the Macintosh version of Excel can also be read by the PC product.

Another important feature from the Mac version of Excel that is expected in the PC version is the ability to link information in multiple spreadsheets. Enhanced by a Window 2.0 feature, Dynamic Data Exchange, it could be possible for some users — such as stock-brokers or analysts — to create worksheets containing real-time values obtained from on-line or other information services.

With Excel for the PC, Microsoft has implemented a number of features pioneered on its line of Macintosh products, such as the ability to choose between short and long menus by pointing and clicking on a selection in the program's menu bar.

Both Excel and the new version of Windows can be used with mouse pointing devices or keyboard commands.



The ability to save information in a variety of formats, including Microsoft's SYLK format, Lotus .WKS and .WK1 formats, Ashton-Tate's .DBF, Excel's own XL, as well as .DIF and ASCII, is provided in the program under a 'Save As' function.

Excel's worksheet — 256 rows by 16,384 columns — are about twice as large as worksheets in Lotus 1-2-3 release 2.01. A microcomputer with sufficient memory would allow the creation of PC Excel worksheets with more than 4 million cells.

Excel also differs from 1-2-3 in the way it stores and displays macros. 1-2-3 stores macros within worksheets. Excel, on the other hand, has two types of worksheets — one for spreadsheets and one for macros.

Macro worksheets can contain multiple entries and can be organised according to

specific applications by users. For example, a real estate agent might put together a set of mortgage macros and a set of normal business-operation macros, and store them in separate worksheets.

Because Excel for the PC generates bit-mapped graphics, it is possible to use multiple fonts of different sizes in its worksheets, database and its charting modules.

The program also allows users to colour-stripe rows and columns or code individual cells, allowing users, for example, to build spreadsheets where negative numbers appear in red and positive numbers appear in black.

While the price of PC Excel has not been set, sources within Microsoft expect it to be comparable to Lotus 1-2-3, which retails for \$970.

Some sources said it is likely that Microsoft will



bundle Windows 2.0 with Excel when it is released, possibly within the next three months.

## Apple readies multi-tasking for Mac

Apple is putting the finishing touches on an extension to its Macintosh operating system that will allow users to run several Mac and DOS programs concurrently, according to industry analysts and Apple sources.


The multi-tasking extension, code-named Juggler but expected to be called MultiFinder, is designed for Apple's current line of Macintoshes, the SE and II. The module will be released along with a new version of the Mac's operating software, called Finder 6.0, sources said. Juggler will not run with earlier Finder versions.

Juggler and Finder 6.0 will for the first time allow multi-tasking of Mac and MS-DOS applications on the Mac SE and II when equipped with AST Research's 8086 or 80286-based coprocessor cards, according to sources close to AST.

In addition, providing that an application program is rewritten to support Juggler (a task developers said is relatively easy), the new operating system will allow one program to update information in another.

For example, data from a DOS program running under the control of the DOS coprocessor card could update a Macintosh graphics program running in a session under the Macintosh's own processor.

The availability of a multi-tasking operating system for the Macintosh — particularly one that works with Apple's top-of-the-line Mac II and runs DOS applications — could significantly increase corporate Mac sales, said Peter Teige, an industry analyst for market-re-



**IDEAssociates has released its IDEComm 5251 MC board providing 5251 terminal emulation and communications between IBM PS/2 series machines and System 3X hosts. The board supports the new Micro Channel and hence will run on the Model 50, 60 or 80 PS/2.**

**The IDEComm makes heavy use of surface mount technology, placing it alongside IBM, Compaq and Apple. IDEAssociates claims that surface mount is essential to meet the Micro Channel physical requirements.**

**The board supports a wide range of IBM and third-party communications programs including File Support Utility, File Transfer Utility, Omnilink and DecisionLink. Emulation of the IBM 5219 printer is also provided. The 5251 model 11, 5291 model 1 or 2, and 5259 model 1 terminals may be emulated through configuration options.**

**The 5251 MC is priced at \$2200 and is available immediately through IDEAssociates, on (02) 959 4554.**

searcher Dataquest.

"The availability of Apple's multi-tasking operating system not only increases the Macintosh's functionality, it could also help to heighten the perception among many corporate users that Apple is a technological leader," Mr Teige said.

An Apple spokesman declined to comment on the report.

Finder 6.0 and the multi-tasking extension could be announced as early as August but are not likely to be shipped until early October, the sources said. Even so, a 1987 release would beat OS/2, Microsoft and IBM's announced multi-tasking operating system, to market by many months.

The current test version of Juggler and Finder 6.0 —

distributed to software and hardware developers in early June — contains more than 170k of software code. Of that, Juggler represents about 40k.

Finder 6.0 will include a memory map to help users keep track of how much memory Juggler and their programs are using, said Apple sources.

The multi-tasking extension for the new operating system can be attached or detached as needed, using installation software supplied by Apple, sources said.

Demonstrated by Apple officials to Macintosh developers at an Apple-sponsored seminar earlier this year, Juggler is a replacement for Switcher, a public-domain program.

Switcher allows Macintosh

users to partition memory into segments, then suspend one program in order to work on another.

But, unlike Switcher, which allows only one program to be on screen at a time, Juggler allows users to have multiple programs running simultaneously in on-screen windows.

Bill Steinberg, a technician who has seen Juggler, said he believes it's a logical extension to the Mac's operating system and is an 'evolutionary' step above Switcher.

But because the version of Juggler he saw was incomplete, he said, "It's still too early to pass judgment about the program's effectiveness."

## GEM will gain multi-tasking ability

Digital Research (DRI) is expected late this year to introduce a version of its GEM graphics environment that will let users run multiple programs simultaneously, according to sources close to the company.

Frank Iveson, DRI's vice president of worldwide marketing, declined to comment on the reports. But he conceded that DRI is 'interested' in bringing together GEM and the company's operating systems for the 80386 microprocessor — Concurrent DOS 386 and FLEX OS 386 — both of which feature multi-tasking and multi-user capabilities.

Sources close to DRI said there is much more than interest in the works, and DRI is well along in its development efforts for true multi-tasking version of GEM and that the product is likely to be delivered sometime late in the fourth quarter of this year.

When it is delivered, sources said, Concurrent GEM will let users simultaneously run multiple applications such as word processors, desktop publishing programs, spreadsheets,



# \$3636

## WHAT YOU GET:

- 6/8 MHz 80286 O Wait State
- 1 Mb AT
- Small Footprint
- 20 Mb Hard Disc
- 1.2 Mb Floppy Drive
- 200 Watt Power Supply
- Easy Word Processing Software
- Monochrome screen/graphics
- Phoenix B10S
- 12 months warranty
- MS/DOS

**Telecomputing**  
**PCS**

Telecomputing PCS Pty Ltd  
Sydney 02 439 5966  
Melbourne 03 696 2333





and presentation graphics programs.

Still under development, the new version of GEM differs from the approach taken by other vendors, such as Microsoft with its Windows, where the environment is directly tied to a control program. DRI's implementation will be designed to work as a shell for its own '286 or '386 multi-tasking operating systems as well as Microsoft's OS/2, sources said.

The new version of GEM is expected to require a greater hardware investment than DRI's existing graphics environment. Concurrent GEM is expected to require either a '286 or '386-based computer with a hard disk, Video Graphics Array (VGA)-compatible display adaptor, and at least 1Mbyte of memory.

DRI could find some difficulty in marketing its new version of GEM, which will compete for desktops with IBM's OS/2 with the Presentation Manager, said a spokesman for the market research firm InfoCorp in California. "But the longer it takes Microsoft to deliver OS/2, the greater the chances of DRI's success are."

## Electronic dictionary, thesaurus, dBase search

Proximity Technologies, a longtime supplier of computer-based linguistic technology, recently introduced exclusive versions of Merriam-Webster's thesaurus and dictionary for PC users.

The firm has also brought out a program that lets users perform free-form searches for information that resides in Ashton-Tate dBase files.

The new programs are part of Proximity's effort to introduce a range of language-skills tools that will eventually include a grammar-checking package and



**Export dollars. That's what it's all about. Well, that and meeting government offset commitments.**

**Anyway, as we all know, the IBM Wangaratta factory is now busily rolling PS/2s off the end of the production line. And with all those PS/2s flooding into the international market, what do us here in Australia do for machines? We import them, that's what.**

**Recently, TNT filled an entire 747 full of 3000 PS/2s and other components, manufactured in Boca Raton, Florida, and destined for Sydney. The shipment comprised 38 containers totalling more than 80,000 kgs, and took only two hours to unload. Unless the Wangaratta facility can pump out 1500 PCs per hour, it looks like we have a balance of trade problem.**

a multi-lingual version of the thesaurus, according to Roy Semplenski, the company's vice president of marketing.

Proximity's Webster Electronic Dictionary provides full definitions for 80,000 words, Mr Semplenski said. The memory-resident package, slated for delivery in September, lets PC users look up the definitions of words online while they are working in a particular word processor, he said.

The dictionary, priced at \$US89.95, requires a PC with a hard disk drive and 80k of memory.

Proximity's new Webster Electronic Thesaurus program, also a memory resident package, incorporates 470,000 synonym responses for 40,000 entry points, or look-up words.

The thesaurus — which competes with similar offerings from Borland, Reference Software and Microlytics —

provides a larger word base and allows users to get the proper inflection for each synonym requested, Mr Semplenski claimed.

The Proximity thesaurus also provides the proper word tense based on the inflection requested by the user. The \$US89.95 program works with 29 word processors and requires 80k of memory.

Friendly Finder, the third program unveiled by Proximity, is a software implementation of its search technology that lets users query dBase files for information even if they can't recall the exact name of the file.

Friendly Finder's search technology was previously implemented in hardware and was sold to select OEMs, Mr Semplenski said. This program will be available in mid-August for \$US89.95. All three programs will be available

from select US computer dealers.

APC knows of no Australian distributor for Proximity products, but users of many popular word processors will have used the firm's dictionary, as Proximity has sold it to major software developers for use in spell checkers.

Proximity Technologies is a private company that specialises in linguistic products for both users and computer makers. The firm is located at 3511 N.E. 22nd Ave, Fort Lauderdale, Fla. 33308 (305) 566 3511.

## Add-in merges dBase files with 1-2-3 data

A new Lotus 1-2-3 add-in program from PC Publishing enables 1-2-3 users to query dBase files from their spreadsheets.

Called Deja!, the package is targeted to users of both 1-2-3 and dBase who want to merge dBase information with 1-2-3 worksheet data without having to leave either program, said Isaac Assayag, president of PC Publishing.

The program requires Lotus 1-2-3 release 2.0 or higher to operate.

Deja! is built using a compatible version of the 1-2-3 add-in tool kit so users can access the software by a function key without leaving the worksheet environment, Mr Assayag explained.

However, unlike most 1-2-3 add-in programs, Deja was written using an add-in tool kit designed by PC Publishing instead of the one offered directly by Lotus.

"Before developing any add-in program, we decided to create our own add-in tool kit and to write it in C language," Mr Assayag said. "This gave us the ability to write Deja! in C using the power and flexibility of this language."

PC Publishing also plans to offer the C version of the tool kit, which is not en-



# WE'RE JUST IN TIME!



## WESTERN DIGITAL

### STORAGE MANAGEMENT

- Controller cards & chip sets to suit XT/AT, SCSI and ESDI

### COMMUNICATION PRODUCTS

- Data Security, packet switching and Starlan

## WANGTEK "We back you up"

- Streaming Cartridge Tape Drives
- 5.25" and 3.5" form factor
- 0-125 Mbyte with XT/AT, SCSI and QIC 02 interface

## MINISCRIBE

- Winchester Disk Drives
- 5.25" and 3.5" form factor
- Up to 110 Mbytes formatted
- New:** 40 Mbyte 5.25" half height, 3650 fast stepper and 3053 voice coil.

## CHINON Mini Floppy Disk Drives

- 5.25" and 3.5" Form Factor
- 500 Kbyte — 2.0 Mbytes unformatted
- New:**
  - 3.5" F354L (1.0 Mbyte) 5V single supply CMOS
  - 3.5" F357 (1.0 and 2.0 Mbyte) switchable
  - 3.5" F354EI (complete with 5.25" mounting hardware)

**Due October** — Chinon optical scanner

## FARADAY

- XT/AT/PS2 Chip Sets

## PARADISE

- CGA/EGA Cards

**NOTE: NEW PRODUCT RELEASE DATES ARE SUBJECT TO VARIATION**



For further information contact:

**J.I.T. (AUSTRALIA) PTY. LTD.**

Melbourne: (03) 720 1333

Sydney: (02) 938 4399

Adelaide: (08) 373 0254



*I freely forecast a fight over the office Amiga in a month or so, for use as a word processing tool.*

*This is a complete turnaround from my opinion of only a month ago, when I didn't know that the Word Perfect Corporation was about to produce Word Perfect for the Amiga; and would have said that the Amiga couldn't be taken seriously because it lacked a useful word processor.*

*It now has the best word processor in the world.*

*Oddly enough, this same month also produced another breakthrough: VIP Professional, a Lotus 1-2-3*


*compatible spreadsheet for the Amiga. Combined, the two might start serious buying of the Commodore machine for the first time.*

*Word Perfect has (in its normal IBM PC form) only one overriding disqualification for the title of Best Word Processor In The World — its crazy command format.*

*There's no need to try to explain what I mean by 'crazy'. The program would be unusable if it didn't come with a little plastic template that you fit onto your function keys, to remind you which button to push. And if you hit function key three, twice, you see the same info on screen. Apart from those aids, it really is hard to learn.*

*On the Amiga, the need for all this disappears, and you have the ability to use the mouse and pull-down windows for all functions.*

*I played with an early copy at Comdex in Atlanta, and it really is intuitive.*



*There are people who still argue that a mouse isn't ideal for editing. Most of them have never used a properly designed mouse interface, and of the few who have, they have been working on an old Macintosh which actually forced you to use the mouse, even if all you wanted to do was move back one word.*

*That's not true on the Amiga Word Perfect, where the mouse is very well designed but the cursor keys and extended cursor keys are all available.*

*Best of all, if you actually have learned Word Perfect commands, they are still*

*there in all their esoteric glory; and when a beginner gets stuck, an expert will be able to say: 'Newspaper columns? Oh, easy: press function key seven with the ALT key, then select 4 from the menu, then go to function key eight with the Alt key, and select a new heading . . .'*

*And it will all work even if the beginner is working on an Amiga, and the expert trained on an IBM PC.*

*Sourceware expects the product for around \$695 and I warmly urge Amiga buyers to obtain a copy, sight unseen, immediately.*

*The spreadsheet is something I have no first-hand experience of, but Amiga specialist publications have praised it. It is available through a Canadian outfit, ISD Marketing, 2651 John Street, Unit 3, Markham, Ontario, Canada L3R 2W5, tel: (416) 479 1880. VIP Professional is said to run all Lotus macros and worksheets unchanged.*

*Guy Kewney*

dorsed by Lotus, as a separate product in August.

Once loaded into memory, Deja! allows 1-2-3 users to browse, modify and update dBase records from 1-2-3, then transfer them to the worksheet to do financial analysis.

Deja! has a user interface that resembles 1-2-3, and it is fully compatible with 1-2-3's macro language. In addition, the program adds 11 new functions to 1-2-3 that allow users to directly access data from the database with a worksheet cell formula.

Deja! is available now in the US at an introductory price of \$US99.95. After August 31, the package will sell for \$US129.95.

PC Publishing is a small,

start-up company specialising in Lotus after-market products.

It is located at 1801 Ave of the Stars, #507, Los Angeles, Calif 90067 (800) 634 4555.

## **The instruction that went away**

The new Acorn Archimedes is 'the fastest micro in the world', according to Acorn. It uses a reduced instruction set computer, the Acorn Risc Machine (ARM) as its central processor, and costs \$3500 (upwards).

There are two important questions about the ARM: first, why did Acorn do it; and second, how? If Hewlett-Packard, IBM and Texas Instruments have all

worked hard on RISC machines, why has Acorn produced the fastest machine in the world? The 'why' is easily dealt with.

If you wanted an easy illustration of what the advantages of RISC technology are, the Incident of the Intermittent Instruction on the Intel 80386 would have been exactly what you would have invented.

The Intel 80386 is the most powerful general purpose micro in the PC family, amazingly fast, with a wealth of different machine code instructions all doing an amazing number of different things on an amazing amount of data.

Some time last year, it became apparent that, on some chips, at certain

temperatures and under certain circumstances, the instruction which takes two 32-bit binary numbers and multiplies them would yield errors.

What is more interesting, however, is the fact that these chips had been emerging from the Intel production line since the end of 1986, and being plugged into computers, and used, without any programs ever reporting sick.

'The operating system doesn't use that instruction, nor do we know of any applications programs which use it,' commented someone at Intel. The company is offering to exchange provable faulty chips for working ones. It is also hoping to produce a program guaranteed to



**NOW VGA COMPATIBLE  
(640 x 480 RESOLUTION)**



*The less  
chips on the  
board the  
better.  
28% less  
will do nicely.*

*Higher resolution means  
sharper characters.  
More brilliant colors.  
And more information  
on the screen.*

*Does the card work with your  
current software? It should.*


*If you count the pixels, you should come up with 640 by 480. And 752 by 410.*

## How to choose an EGA card.

First and foremost, look for high resolution. At least 37% higher than "standard" EGA. Like the resolution you get with the new VEGA Deluxe™ card. (Remember, though, for more than 640 x 350, you'll need a Multi-Sync® or equivalent monitor.)

Next, look for 100% compatibility with every other video standard: EGA, CGA, Hercules and MDA. As well as an autoselect capability when used with compatible monitors.

Naturally, the card should include high-resolution drivers for Microsoft Windows, Lotus (with 120 columns and 43 lines), for 1-2-3 and Symphony. And software support from packages like AutoCAD, Windows, GEM, Dr. Halo, EASYCAD, EGA Paint, In-A-Vision, Windows Draw and Windows Graph. And, of course, a full two year warranty. All of which



*Make sure you choose a short card.  
Like the VEGA Deluxe.*

you get with the VEGA Deluxe.

In fact, with over 200,000 EGA boards already shipped, the VEGA Deluxe makes choosing easy.

Just contact your distributor listed below.

**VIDEO SEVEN**  
*We make a clear difference.*

**Tech Pacific Pty Ltd:** 119 Ferrars Street, South Melbourne, Vic 3205. Tel: (03) 690 9055, Fax: (03) 690 8283 • **Sydney:** Tel: (02) 319 2622 • **Wellington (NZ):** Tel: (4) 736820  
**Dimension Graphics Pty Ltd:** 201 Miller Street, North Sydney, NSW 2060. Telephone: (02) 929 5855, Telex: AA25693 • **Melbourne:** Telephone: (03) 51 3353

High resolution modes require TTL color monitors capable of 25 KHZ and 29.4 KHZ. Trademarks: VEGA Deluxe—Video Seven Inc., Hercules—Hercules Computer Technology, MultiSync—NEC Home Electronics (USA) Inc., EASYCAD—Evolution Computing, EGA Paint—Rix SoftWorks Inc., GEM—Digital Research Corp., Dr. Halo—Media Cybernetics, In-A-Vision, Windows Draw, Windows Graph—Micrografix Inc.; Registered trademarks: IBM—International Business Machines Corp., Video Seven—Video Seven Inc., Lotus 1-2-3, Symphony—Lotus Development Corp., Microsoft—Microsoft Corp. Video Seven reserves the right to change specifications without notice.



use the instructions in a way that will cause the error, if the chip is faulty.

Today, companies which sell machines using the chip, say that Intel is pulling enough good ones out of the batch and there appears to be no problem.

This is precisely the problem with a 'CISC — complex instruction set computer' which made theorists suggest looking at RISC — reduced instruction set computer — technology.

On the rare occasions that you really do need a 32-bit multiply instruction, you create it with a sequence of ultra-fast 32-bit adds. The rest of the time, you've just wasted valuable silicon.

It isn't just the operating system and the software which don't use all these magical instructions that the designers of the Intel 80386 or the Motorola 68020, or the Natsemi 32032, or the Zilog Z8000, or any other mega-chip, might provide.

Compilers don't use them, either, because it is almost impossible to produce a compiler intelligent enough to know when to select the most complex version of the memory shift instruction, in place of a choice of several simpler ones which might work slower. The result is that large areas of a CISC chip are simply never used, and could be used to provide much faster operation on simpler instructions, instead.

In the US, Sun has just abandoned the Motorola 68000 family for its own 90-instruction RISC chip, giving it more than twice the power of its previous 68020-based workstation — a machine using this chip was due out this month.

In launching the Archimedes, Acorn claimed that it would run BBC Basic programs 28 times faster than the original BBC Micro.

Acorn's boast, in comparison with the Inmos Transputer, however, is one which perhaps isn't clear. I



*If anyone else offers me a flickering pair of glasses with LCD lenses and says 'Hey, three-dee!' they can expect me to be abusive.*

*Unless, of course, they have a three-dee joystick to go with it.*

*Seldom have I seen a more potent invitation to an epileptic fit, than to have first one eye, then the other, blanked off as two 3D images flash onscreen.*

*Not only is the illusion painful, it is pointless — or at least it has been up until the arrival of the Soniture 'Space Pen'.*

*This is a three-dimensional light pen. It not only knows how high or low your hand is, but how far away from the screen.*

*The technique for operating it is ultrasonic. The device plugs into a normal joystick port on almost any micro, but looks unlike anything you've ever seen. The light pen part looks familiar enough, but the bit that tracks the movement of the pen tip is not.*

*More than anything, the Space Pen looks like a pair of laundry tongs. In black plastic. With wires coming out.*

*According to Paul Tyrrell, maverick sponsor of new computing ideas, the electronics are cheap, the plastic is cheap, and it is at least feasible — if he can get someone like Hasbro to buy the idea, to sell it with a special video game or a 3D CAD package.*

*Tyrrell has hit the headlines before. Last time it was with an electronic publishing idea which turned out to be more bother than it was worth. He was persisting with the refinement of that idea, but the idea of the Space Pen interrupted and overtook it.*

*'We can detect movement in a six-foot cube, with an accuracy of point one of an inch in the X and Y directions (up/down and left/right) or point one in the Z axis (in/out) — and we sample the position ultrasonically sixty times a second.'*

*Tyrrell's machine is available already, and there are a few programs which can actually use it. I'm afraid I didn't get a chance to see one working at the CES, but you can contact him in Campbell, California, on (408) 866 4616.*

*I'm looking forward to a new generation of video games — and not just 3-D Breakout, either. Maybe even a new kind of flight simulator...*

**Guy Kewney**

think it stands up — for the moment.

In terms of value for money, the Transputer is

still way behind the ARM if you take a one-chip machine built around each, on price alone, especially

since you can't actually buy a Transputer-based standalone system.

But what makes it special is something that Acorn is now vaguely promising to include in a future ARM: parallel processing. A machine containing two Transputers is practically twice as powerful as a machine with one. I've seen a machine with 300 Transputers, and it makes a Cray look like a toy.

At the moment, however, the price of an ARM chip set, including graphics processors and sound generators, is under \$70, where the Transputer on its own costs over four times as much. So in terms of working systems which will soon be available in shops for under \$5000, the ARM-based Archimedes is, I'm quite sure, the fastest machine in the world.

Acorn rates it at four million instructions per second (MIPS), and the instructions we are counting are not the little ARM instructions, but the equivalent of the instructions of a DEC VAX 11/750, the company says.

**Guy Kewney**

## How to destroy your hard disk in one easy lesson

Regular readers will remember that the Speed disk program in the new version of the Norton Utilities (APC, July) managed to destroy a hard disk. Since then, several readers have told us that they have had the same problem. Fortunately, the problem has been tracked down. Norton's Speed Disk will *not* work with memory-resident programs installed, even if they are dormant. To be safe, you should even remove things like mouse drivers before running the program.

The problem appears to be that the program needs a lot of memory for intermediate storage, and blithely as-



How to build a  
design studio,  
a type house  
and a print shop  
on your desk.





# Introducing Desktop Publishing Plus.



*You can book up to 31 Macintosh Plus computers up to one LaserWriter Plus over the AppleTalk network.*

If you're in charge of producing your company's newsletters, flyers, forms and manuals, we'd like to give you something:

Our sympathy.

Because we understand the pressure of getting a newsletter out while it's still news. The frustration of having a manual with more type bills than pages. The panic of revising a presentation ten minutes before you present.

Sympathy, of course, won't solve your problems. But we have something that will. Our Desktop Publishing Plus system.

The whole idea of Desktop

Publishing Plus is based on the concept of desktop publishing, a category we virtually invented.

That concept being, when you need typesetting and production work done, you don't need to run to outside vendors anymore. You can just run to your desk.

Which will save you time because you can create, revise and, in many cases, produce mechanicals without going back and forth to type shops all day.

And you'll save money, because of all the monstrous type bills you won't be paying.

Desktop Publishing Plus

ABCDEFGHIJKLMN <strong>OP</strong> QRSTUVWXYZ	
abcdefghijklmn <strong>op</strong> qrstuvwxyz	ITC Avant Garde Gothic
ABCDEFGHIJKLMN <strong>OP</strong> QRSTUVWXYZ	
abcdefghijklmn <strong>op</strong> qrstuvwxyz	ITC Bookman
ABCDEFGHIJKLMN <strong>OP</strong> QRSTUVWXYZ	
abcdefghijklmn <strong>op</strong> qrstuvwxyz	Helvetica Narrow

*Here are some of the new faces you'll be seeing around the office.  
And you'll be seeing them in sizes from 4 point to 720 point.*

actually consists of two pluses.

Our Macintosh Plus computer and our LaserWriter Plus printer.

The Macintosh Plus is the most powerful personal computer

For an authorised Apple dealer near you, outside Sydney call toll-free (008) 22 1555. In Sydney, call 908 9088.



we've ever built. Its Motorola 68000 microprocessor and full megabyte of memory allow you to run powerful graphic and page design software programs. As well as powerful word processing, spreadsheet, database, and other business programs.


And its point-and-click mouse technology makes it easier to use than Letraset. So you can spend more time doing work instead of learning how to get the computer to work.

The LaserWriter Plus printer has the same 68000 microprocessor that's in the Macintosh Plus. Not to mention a hefty 1.5 megabyte of memory and a megabyte of ROM.

And inside its ROM is POSTSCRIPT, the page description language that is quickly becoming the industry standard.

Translated, this means the LaserWriter Plus can cover an entire page with virtually any combination of near typeset quality text and high resolution graphics.


POSTSCRIPT also allows the LaserWriter Plus to generate dozens



MacDraw from Apple



Easy 3D from Enabling Technologies



PageMaker from Aldus



Word from Microsoft

of different type styles and hundreds of sizes from its 11 built-in typeface families. These families being Helvetica, Helvetica Narrow, Times, Palatino, ITC Avant Garde Gothic, ITC Bookman, New Century Schoolbook, ITC Zapf Chancery, ITC

Zapf Dingbats, Courier and Symbol. And more families are becoming available all the time.

All of which means, you can now generate professional quality manuals, reports, presentations and overheads faster than you can say "you can now generate professional quality manuals, reports, presentations and overheads."


And if you decide you need commercial typeset quality printing, the Macintosh Plus can easily hook up to larger POSTSCRIPT compatible typesetting machines like a Linotype Linotronic 100 or 300.

So visit your authorised Apple dealer.

And start making plans to build a design studio, a type house and a print shop on your desk.


But don't expect to have a ground-breaking ceremony in your office.

Just expect to break some new ground in it.



The crisp looking "A" was done on a LaserWriter Plus. The fuzzy one was done on a standard dot matrix printer.

*These were produced with nothing more than a Macintosh Plus, a LaserWriter Plus, and software like Aldus' PageMaker, Microsoft's Word and Excel, and our own MacDraw and MacPaint.*





# From the maker of the world's best television monitors...



## the world's best PC monitor.

Ask around broadcast circles who makes the finest TV monitors. There'll be no debate — it's Sony.

Sooner or later that same technology had to find its way onto computer screens. And here it is: Sony's new CPD-1402E Multiscan monitor.

This is a colour monitor quite superior to any you've probably seen before. Its resolution of 900 x 660 dots is without comparison.

Its flat, anti-glare, 14" screen is truly a sight for sore eyes! And being Multiscan, Sony's CPD-1402E

is fully compatible with IBM (including PGA, EGA and CGA) as well as most other computers.

The world's finest computer monitor is not in your neighbourhood computer shop. But you'll find it at Sony.

Ring Sony now for a demonstration.

# SONY®

Business and Industrial Division: **Sydney** 887 6666 **Melbourne** 836 4011 **Adelaide** 212 2877 **Brisbane** 844 6554  
**Auckland** 444 8888 **Perth** 328 1988 **Canberra** 80 5576 **Launceston** 43 1034



sumes it can have everything going without checking first. So the good news is that the program *will* work under the right conditions.

But why couldn't Norton have mentioned the problem, even in the manual? The answer seems to be that no one noticed or checked.

**Owen Linderholm**

## Just Hearsay

Surprising: a voice recognition and synthesis module costing a mere \$US80, fitable to Commodore 64 or Apple II micros and interfaced to four programs already, is still unavailable through any Australian outlet.

The Hearsay Inc package is called Hearsay 1000, and an IBM PC version is due out 'any day now', according to the company.

Demos at the recent Consumer Electronics Show in the US didn't impress me vastly, but in the awful noise of a big exhibition, I didn't expect them to. Hearsay 1000 does work, I'm assured, producing speech output quite reliably, and picking up enough speech input to manage limited vocabulary games like Zork quite well.

Anyone interested in experimenting with this should contact Hearsay direct in New York, on (718) 232 7266.

**Guy Kewney**

## Pricey Sony

Rivalling the NEC MultiSynch monitor seems to be every video display maker's ambition these days, and from the fact that the office has just acquired one for the purpose of testing different colour cards, you will see that the NEC device is regarded as a standard.

IBM's new VGA adaptor is supposed to be the latest challenge, however, which is why Sony has announced its Multiscan colour monitor as VGA-compatible.

Nice; but at \$2220, Sony



**Alfatron has announced the availability of the new A1000 serial/parallel converter. This unit replaces the old AL256/CS256 series and features enhanced functionality.**

**The device is user configurable to S-P or P-S conversion, and can support serial protocols of RS232, RS422 or 20mA current loop at speeds of up to 19200 bps. A minimum buffer size of 64 bytes is supported with XON/XOFF flow control, expandable to a maximum of 32 k. Two of the units may be connected back-to-back to allow long distance parallel connections.**

**More information is available from Alfatron on (03) 758-9000.**

will have to produce something quite amazing to justify the price, and the claim is: 'This is 10 per cent performance improvement over other monitors'. Hm. For those who want a look, Sony will reveal the nearest authorised dealer if you call (02) 887 6666.

**Guy Kewney**

## Amiga DTP in colour

Obtaining colour pages from a desktop publishing package isn't impossible, but normally, it's the next best thing. Gold Disk's DTP package for the Amiga may change all that.

This product appeared at both the Chicago CES and Atlanta Comdex shows, under the name Professional Page. An exhibition is not the place to try out a word processor, never mind a DTP package, but I did see enough of a demo to believe that it works.

What it does on top of that is not spectacular, but impressive. It analyses any colour images (graphics)

and produces the 'separation' printouts that professional print houses need to produce the various ink colours which make up a colour page.

The program holds its images in one of two forms: either a 256-colour bitmap; or a special Amiga screen ability, the 'hold and modify' (HAM) mode which allows 4096 colours. Any colour can display in 16-level grey scale, which is why it is able to produce very nifty masters for plate making.

It's unfortunate that the process of printing APC precludes the use of our own plate masters, or I'd be able to impress you simply by showing the advertising leaflet produced by the Professional Page Colour separation module — images taken directly from the computer screen.

I have to admit that the specifications of the DTP part look pretty good as well, and the package writes to PostScript printers.

The program includes full word processing ability, typesetting, graphics, page

composition, printing, and document image importing ability; pictures from Deluxe Paint, Aegis, GraphicCraft; text from Scribble! or TextCraft, ProWrite, Word Perfect or IFF TEXT format; and other standard files.

Full details can be obtained from the Canadian authors at PO Box 789, Streetsville, Mississauga, Ontario, Canada L5M 2C2.

**Guy Kewney**

## It's awesome

At the recent Comdex show in Atlanta, CSSL was demonstrating a product called Awesome I/O. This card claims to speed up hard disk access times from an average of 40ms to under 10ms.

Part of the method of this \$US595 board is to use disk cacheing which stores frequently used disk data in RAM. But cleverer than this is the in-line data compression which squeezes extra information onto the disk without any need to reformat it.

The card works on 80286/386-based machines and is compatible with existing disk drive controllers.

The card constantly monitors the fragmentation of large disk files and optimises the disk in the background.

CSSL is in the US on (213) 493 2471.

**Guy Kewney**

## Neural networks update

Neural networks, based on computer technology that simulates the human brain's pattern-recognition processes, were the focus of a gathering of some 2000 artificial intelligence researchers and product developers last month.

Scientists have been working on neural-network technology for 15 years, and PC-based products are only now beginning to trickle to market.

The conference served as a showcase for a number of



# Hewlett-Packard re-invents the calculator.

Object Type    Symbol    Example

Object Type	Symbol	Example
Data		
Real Number		1.23456E-25
Complex Number		(123.45, 678.90)
Binary Integer	#	#123AB
String	"	"RESULT"
Vector	{	{1.23 4.56 7.89}
Matrix	[	[1.23 4.56]
List	(	(6.54 3.21)
Names		(1.23 "ABC" #45)
Procedures		
Program		
Algebraic		

'CALC'

<< >> << DUP + SWAP >>  
'X+2\*Y=Z'

ARRAY    BINARY    CMPLX    STRING    LIST    REAL

A    B    C    D    E    F

STACK    STORE    ALGEBRA    PRINT

G    H    I    J    K    L

CTRL    PROGRAM BRANCH    TEST    CATALOG    UNITS

M    N    O    P    Q    R

S    T    U    V    W    X

Y    Z    #    I    I    I

SPACE    <<    =    LC    α

HP HEWLETT PACKARD 28C

MODE    LOGS    STAT    PLOT    PREV

TRIG    SOLV    USER    NEXT

EDIT    VIEW+    VIEW+    ROLL    SWAP

ENTER    CHS    EEX    DROP    +

VISIT    COMMAND    UNDO    LAST    1/x

7    8    9    ÷

RCL    PURGE    f    d/dx    x

STO    4    5    6    x

+NUM    CONT    %    %CH    -

EVAL    1    2    3    -

OFF    CLEAR    π    CONVERT    +

ON    0    .    ,    +

ATTN

The image shows a vintage HP-41C handheld calculator. The top section displays a table of data types and their symbols. Below the display is a numeric keypad with various function keys. A finger is visible at the bottom right, pressing the 'X' key.

Object Type	Symbol	Example
Data		
Real Number	( )	1.23456E-25
Complex Number	" "	(123.45, 678.90)
Binary Integer	#	#123AB
String	" "	"RESULT"
Vector	{ }	{1.23 4.56 7.89}
Matrix	[ ]	[1.23 4.56]
List	( )	(6.54 3.21)
Names		(1.23 "ABC" #45)
Name		
Procedures		
Program		
Algebraic		


Below the display, the calculator shows the following sequence of operations:

```

<< >>
'CALC'
<< DUP + SWAP >>
'X+2*Y=Z'
  
```

The keypad features the following keys:

- ARRAY, BINARY, CMLPX, STRING, LIST, REAL
- A, B, C, D, E, F
- STACK, STORE, ALGEBRA, PRINT
- G, H, I, J, K, L
- CTRL, PROGRAM BRANCH, TEST, CATALOG, UNITS
- M, N, O, P, Q, R
- S, T, U, V, W, X
- Y, Z, #, /, \*, ^
- NEWLINE, SPACE, <<, =, LC, α







SYM	REVISIONS	APPROVED	DATE
A	AS ISSUED	DRE	9/8/86

THE NEW HP-28C DOES THINGS NO OTHER CALCULATOR CAN. AND IT DOES MORE


THE FIRST  
CALCULATOR THAT  
DOES SYMBOLIC  
ALGEBRA




THE FIRST  
CALCULATOR THAT  
DOES SYMBOLIC  
CALCULUS




THE FIRST  
SCIENTIFIC CALCULATOR  
THAT ACCEPTS YOUR OWN  
FORMULAS, THEN SOLVES  
FOR ANY UNKNOWN



THE FIRST  
CALCULATOR THAT  
PERFORMS MATRIX  
OPERATIONS AS EASILY  
AS FOUR-FUNCTION MATH



THE FIRST  
CALCULATOR THAT  
DOES COMPLEX NUMBER  
ARITHMETIC AS EASILY AS  
FOUR-FUNCTION MATH



THINGS THAN ANY  
OTHER CALCULATOR  
CAN. MORE THAN  
THE UNIQUE  
FUNCTIONS  
DISPLAYED ON THE  
LEFT, THE HP-28C  
ALSO BRINGS  
TOGETHER SUCH  
FEATURES AS  
KEYSTROKE  
PROGRAMMABILITY;  
RPN LOGIC WITH  
ALGEBRAIC  
EXPRESSION ENTRY;  
120 UNIT CONVERSION  
FACTORS; HEX,  
OCTAL AND BINARY  
MATH--AND  
CONVERSIONS;  
ADVANCED STATISTICS;  
AND THE ABILITY TO  
USE AN OPTIONAL  
PRINTER VIA  
INFRARED BEAM.

**Q.E.D.**

PHONE FOR A DEMONSTRATION NOW  
TO SEE EXACTLY WHAT THE HP-28C CAN DO  
FOR YOU, PHONE NOW AND ASK FOR THE NAME  
OF YOUR NEAREST HP DEALER.

MELBOURNE (03) 895 2805 SYDNEY (02) 888 4492  
CANBERRA (062) 51 6999 ADELAIDE (08) 272 5911  
PERTH (09) 242 1414 BRISBANE (07) 300 4133



**HEWLETT  
PACKARD**

DO NOT SCALE THIS DRAWING	© 1987 Hewlett-Packard Company		PG12611	SEE NOTE	
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.	ITEM	QTY.	PART/MATERIAL-DESCRIPTION	MAT'L-PART NO.	MAT'L-DWG. NO.
TOLERANCES .XX+.02 .XXX+.005	JERRY STEIGER	4/20/86	DATE	TOPCASE - NUMERIC	
SEE CORP. STD. 608	JERRY STEIGER	4/20/86	ENGINEER/CHECKER		
	RELEASE TO PROD.			TITLE	00028-40001 PART NUMBER
	SUPERSEDES DWG.			2X SCALE	SHEET 1 OF 1
					D-00028-40001-1



# pc NETWORK

## AUSTRALIA

**LOTUS 1-2-3**  
**\$589**

**DBASE III +**  
**\$839**

**MS WORD**  
**\$495**

**EGA Monitor & Card**  
**\$1195**

1. All prices includes sales tax.
2. All products sourced from the official Australian Distributor.
3. Guaranteed service, support and price

**NEC POWERMATE**  
**80286 AT 20Mb 640K Multisynch 8MHz**

**NEC POWERMATE**  
**80286 AT 66Mb 640 Multisynch 8/10 MHz**

**CALL NOW — FOR AUSTRALIA'S**

**SYMPHONY**  
**\$875**

### LOTUS SOFTWARE

Lotus 1-2-3 .....	\$589
Lotus Hal .....	\$225
Symphony .....	\$875
Graphwriter .....	\$675
Freelance Plus .....	\$675
Manuscript .....	\$675
Measure .....	\$675
Metro .....	\$120
Reportwriter .....	\$225

### MICROSOFT PRODUCTS

Word V3II .....	\$495
Multiplan .....	\$335
Mouse .....	\$245
Windows .....	\$190
Windows/Mouse .....	\$395
Chart .....	\$490
Project .....	\$665
RBase .....	\$775

C Compiler .....	\$795
Quick Basic .....	\$175
Cobol Compiler .....	\$1095


### GENERAL SOFTWARE

DBase III + .....	\$839
Multimate Adv II .....	\$685
Wordperfect .....	\$495
Paradox .....	\$850
Wordstar 2000 + .....	\$295
The Auditor .....	\$195
Timeline .....	\$585
Fastback .....	\$175
Carbon Copy .....	\$285
Sidekick ncp .....	\$115
Norton Advanced .....	\$210
Norton Utilities .....	\$135
Norton Commander .....	\$120
Norton Guide .....	\$135
Norton Editor .....	\$195

## SPECIAL OFFER ULTRA TURBO XT

4.77/8MHz, 640k, Ser, Par, 1 Year Warranty Imagineering

A. 2x360k FDD, monochrome screen .....	\$1795
B. 20Mb HD, 360k FDD, mono screen .....	\$2195
C. 20Mb HD, 360k FDD, colour screen .....	\$2595



PLEASE CALL FOR ANY PRODUCTS NOT LISTED  
To order or for further information call:  
3% DISCOUNT FOR CASH



**SYDNEY (02) 922 3155**  
**MELBOURNE (03) 699 6055**  
**BRISBANE (07) 844 4733**

**SYDNEY:** Gnd Floor, 35 Myrtle Street, Crows Nest, 2065  
**MELBOURNE:** 400 Park Street, South Melbourne, 3004  
 From 1st August  
**BRISBANE:** 286 Montague Street, West End 4101

**NEC POWERMATE 80286 AT 40Mb**  
**640K Multisynch**

**NEC MULTISPEED**  
**Laptop 9.54MHz 640 Dult 720 Kb FDD**

**BEST PRICES & DELIVERY**

**MULTIMATE ADV II**  
**\$685**

**SEAGATE 20 MB & controller**  
**\$666**

**LOTUS THAL**  
**\$225**

**WORD PERFECT**  
**\$495**

**WORDSTAR 2000 plus**  
**\$295**

Turbo Basic.....	\$155
Turbo Pascal.....	\$150
Turbo Lightning.....	\$155
Turbo C.....	\$155
Rapidfile.....	\$485
Harvard Graphics.....	\$495
Harvard Publisher.....	\$950
Ventura Publisher.....	\$1450
Clipper.....	\$850
First Choice.....	\$265
Reflex.....	\$225
Javelin.....	\$395
Foxbase.....	\$550
SuperCalc 4.....	\$585
Framework II.....	\$985
Xtree.....	\$95

**NETCOMM MODEMS**

Modem 3+12.....	\$220
Smartmodem 123A.....	\$860
Smartmodem 123SA.....	\$925
Smartmodem 1234A.....	\$1065
Smartmodem 1234SA.....	\$1150
In Modem.....	\$350
In Modem 123A.....	\$695
In Modem 1234A.....	\$875
In Modem 1200A.....	\$520
Smartmodem 1200A.....	\$565
Smartmodem 1200SA.....	\$675
Smartmodem 2400A.....	\$795
Smartmodem 2400SA.....	\$850
Datalock 123SA.....	\$1095

Datalock 1234SA.....	\$1345
Trailblazer Ext.....	\$3195

**PRINTERS**

Olivetti 80 col.....	\$395
NEC P6.....	Call
NEC P7.....	Call
NEC P5.....	Call
Brother 1709.....	\$995
Brother 1509.....	\$815
Epson.....	Call
Fujitsu.....	Call
Toshiba.....	Call
Lasers.....	Call

**DISK DRIVES 1 yr Warranty**

Seagat 20mb + cont.....	\$666
Tandon 20mb + cont.....	\$675
Olivetti 20mb + cont.....	\$595
Seagate 30mb V/coil.....	\$1150
Plus Hardcard 20mb.....	\$1275
Plus Hardcard 40mb.....	\$1950


**TAPE BACKUP UNITS**

Cipher 25mb ext.....	\$1395
Cipher 60mb int.....	\$1795
Cipher 60mb ext.....	\$2495
T/Grass 20mb int.....	\$1395
T/Grass 40mb int.....	\$1695
T/Grass 40mb ext.....	\$2195

**MONITORS**

Green or Amber.....	\$195
Colour from.....	\$595
EGA Screen.....	\$850
NEC Multisynch.....	Call

**SYDNEY (02) 922 3155**  
**MELBOURNE (03) 699 6055**  
**BRISBANE (07) 844 4733**





new neural-network products that team boards using a unique circuitry design with software that lets developers harness the design to create countless applications employing pattern recognition.

The application can range from handwriting analysis for security systems to manufacturing-process control to robotic vision, according to neural-network developers.

Similar to the human brain, neural networks can recognise patterns — whether based in text, graphics, procedure, sound or any other form. They also require no programming: they learn through experience.

Moreover, neural networks can make decisions that rule-based expert systems simply cannot, according to a spokesman for Nestor, a developer of dedicated neural networks.



"Many [human] decisions are made by gut," the spokesman said. "There is a pattern to gut decisions, called heuristics. Rule-based systems can't accommodate that."

Indeed, neural networks stand apart from expert systems, natural-language interfaces or other currently available artificial intelligence technologies by virtue of their pattern-recognition capability.

The network's hardware design makes pattern recognition possible by allowing a plethora of signals to be transmitted simultaneously, in much the same way that signals are exchanged in the human brain.

According to Tony Materna of Hecht-Nielsen Neurocomputer, a neural-network product manufacturer, the technology mimics the way neurons in the brain encode information by exchanging synaptic weights — the strength of interconnections between neurons.

For example, each time someone looks at another person, a series of neuron stimulations occur in a random pattern in the brain. If



**Gene Sumrall, vice president of Cheetah, pulled a couple of small colour snapshots out of his jacket and slipped them across the table at Comdex. 'Just look at these,' he said in the tone of a man trying to sell some dirty photos.**

**In fact, what the pics showed was his midi software for PC compatibles which runs under Microsoft's Windows.**

**Sumrall is marketing his Cheetah midi package for \$US395. This includes a plug-in board and the Ensemble software which includes record and playback facilities, and a music notation editor. We'll give it a spin as soon as it arrives.**

**Cheetah International is in the US on (214) 757 3001.**

**Guy Kewney**

one looks at the same person repeatedly, the same neurons are stimulated and a pattern is amplified. By this process, a pattern is adaptively built up over time, Mr Materna explained.

Signals are transmitted in parallel (all at once) from the neurons to a recognition area in the back of the brain. Because the signals from all neurons are transmitted collectively, recognition can occur in a millisecond, he said.

Scientists have described this process mathematically in coupled differential equations, which must be solved simultaneously and rapidly to recreate the recognition process.

Neural networks are a unique computer architecture optimised for solving coupled differential equations, Mr Materna said.

While this may sound like another useless creature of the laboratory, the applications for neural networks are undeniably valuable, product manufacturers insist.

Those applications could include handwriting recognition for data input or security applications, and trend or risk analysis, which is used for predictive modelling for

investors or underwriting in the mortgage and insurance industries, a Nestor spokesman said.

A neural network that recognises speech could transfer the spoken word into code that appears as text on a computer screen, eliminating the need for typing, Mr Materna suggested.

Factories could use neural networks for process control in order to produce a product of optimum quality. In a paper factory, for instance, the neural network could observe the precise amounts of glue, pulp and water needed to produce the best quality paper, and record those amounts to disk.

With this knowledge, the computer could recommend adjustments during operation to keep a factory process optimally tuned at all times, with far greater precision than would be possible under human control, according to Mr Materna.

Creating neural network applications is surprisingly easy, according to Mr Materna.

"We teach a class on how to use neural computers," he said. "In April

we had a student who in one month developed a neural network that could identify (silicon) chips from their hydrophonic sonar signatures. Another student working on a robotic vision system developed a system that could look at satellites and determine their orientation — how many degrees they're rotated."

Neural-network technology may lead to the long-awaited videophone that transmits images over 9600-bit-per-second phone lines, Mr Materna said. By integrating pattern and speech recognition, the technology could have a significant long term impact on robotics control, leading to 'autonomous, more robust robots', he said.

Mr Materna offered two predictions for applications of the technology, which he said are realistic:

"Within five years there will be a speaker-independent, continuous-speech interface for under \$700, so that anything said will be immediately typed onscreen. Within 10 years the technology will result in the long awaited home-cleaning robot. It will



# The COMPAQ Deskpro 286. Born out of brilliance.



## Outperforms every PC in its class.

The original 8-MHz COMPAQ DESKPRO 286™ was the best in its class. No longer. Because now there's a 12-MHz COMPAQ DESKPRO 286. Born out of technology developed for the award winning DESKPRO 386. Born of brilliance.

### An Obvious Advantage

You've never seen this much performance in an 80286 based desktop. It's never been possible before.

It was COMPAQ who raised the standard from 6 to 8 MHz processing speeds. And now we've raised it again to 12-MHz.

So now you can run industry

standard software up to 50% faster.

And COMPAQ also maintains hardware compatibility with 8-MHz expansion slots.

So now you're able to use industry standard expansion boards, modems and add-ons without sacrificing your 12-MHz speed.

### Hidden Assets

Speed is also boosted by high-performance 20-, 40-, or 70-Megabyte fixed disk drives with the industry's fastest access times.

To protect data, we offer an internal 40-Megabyte fixed disk drive back-up system: another innovation.

### Brilliant Birthright

This kind of performance could only be COMPAQ. Continual enhancement of proven technology and innovation are examples of how COMPAQ maintains its reputation for producing the world's finest pcs.

### Customer Support

To add to its performance the DESKPRO 286 has two Australian Support Systems – the local subsidiary of the Compaq Computer Corporation and Authorised COMPAQ Dealers.

For the name of your nearest COMPAQ Dealer Call: (008) 22 5286 or (02) 660 0077.

**COMPAQ™**

**DESKPRO 286™**

IT SIMPLY WORKS BETTER

Compaq Computer Corporation. Australian subsidiary CCA Systems Pty Ltd., 100 Harris Street, Pyrmont NSW 2009.

Ogilvy MCQ 0094



about as much as a car," he said.

## PC-based Neurocomputer

Neural network technology has shown enough promise to garner research time and dollars from high profile companies, including IBM, AT&T, TRW and Texas Instruments.

But smaller firms will beat these powerful firms to market PC-based neurocomputer products. A neural network development system, from Nestor, will run on the IBM PC/AT, as well as Sun and Apollo workstations, according to sources close to the company.

Priced between \$20,000 and \$35,000, the product is an application development tool, written in C, sources said.

The product is "an adaptive expert system with a neural networking front end that aids in the decision making process," according to Edward Rosenfeld, editor and publisher of Intelligence, a monthly newsletter focusing on neural network products and research.

Hecht-Nielsen has readied ANZA, a neurocomputer board that fits into an expansion slot in a PC/AT.

The board comes with HNC's ANZA Network software, which can be used for developing neural network applications. Priced at \$20,000, the ANZA board is bundled with a Zenith 248

PC/AT with a 20Mbyte hard disk, monochrome monitor, MS-DOS, a User Subroutine Interface Library and five ANZA Network packages.

Scientific Applications International will shortly display prototypes of its Delta One neurocomputer coprocessor card and two software products: ANSpec neurocomputer architecture language software and C language shells that use Microsoft Windows as a graphic interface.

The board and software work inside SIAC's Sigma One workstation, a 15MHz machine based on the 80386 microprocessor.

The products are designed for use by neurocomputer researchers to simulate designs and algorithms. Applications for the products include seismic analysis and modelling, machine vision, war games and radiative heat-transport modelling, according to company officials.

## ZSoft delivers the graphic goods

The world of laser printers and desktop publishing has raised users' expectations of graphics packages, and ZSoft seems to have delivered the goods with two new products.

Publisher's Paintbrush, at \$US285, is an up-market version of PC Paintbrush and incorporates four zoom modes, a 300dpi editor and

enhanced font-handling.

Accompanying this is Publisher's Type Foundry. At \$US495 this is no toy product but a serious font design program. As with Adobe's Illustrator, font shapes are outlined using a series of lines and Bezier curves. The resulting fonts can be saved in PostScript format.

The package runs under Microsoft Windows and incorporates the outline and bit-map editors as well as PC Paintbrush+ for Windows.

Publisher's Type Foundry and Publisher's Paintbrush will be available in Australia within a couple of months.

## Ashton-Tate's new dBase

Ashton-Tate, after months of hinting at bits and pieces of its long-term strategy for dBase, has outlined its plans for new versions of the database program.

Ashton-Tate chairman and CEO Edward Esber said the firm will deliver three versions of dBase.

These include an enhanced release of dBase for the DOS world, a version for OS/2 and the graphic-based Presentation Manager designed for individual workstations, and an OS/2-based server product for multiple PCs connected over a network.

Mr Esber's announcement of new dBase products parallels similar strategies recently undertaken by many of the industry's heavyweights, including IBM, Microsoft and Lotus. However, until last month Ashton-Tate had balked at previewing uncompleted products.

"It has become apparent since April that many of our competitors have chosen to go that route, and the response dictated that it was necessary for us to preview our strategy," Mr Esber said.

Ashton-Tate's plan is to provide high-performance products that will convince users to stick with the

dBase standard for both DOS and OS/2, even as the competition in the database market heats up.

"There may be two coexisting standards in operating systems, but there is only one personal computer database standard — dBase," asserted Mr Esber.

Although users acknowledged that dBase is a current standard, many were not convinced of Ashton-Tate's ability to maintain the same momentum with its next generation.

The enhanced version of dBase for DOS, Mr Esber said, will deliver "greater speed, an enhanced reports generator, an advanced applications generator, extensions to the language, an improved, easier-to-learn interface and full connectivity through embedded SQL (Structured Query Language)."


The new OS/2 version of dBase for workstations, he continued, will feature a database engine that provides the performance of microcomputer database programs, an extended dBase language with SQL and transparent connectivity to departmental and corporate computers.

Finally, Mr Esber described the third dBase program as an OS/2-based database server engine that will offer true multi-user capabilities, distributed database functions and transaction-processing features, including security, field-locking and rollback and recovery.

## Microsoft signs up with Alps for handheld scanners

Popular in the US at present are pocket copiers. These little handheld devices scan and provide a thermal print-out of 'selected' material.

The idea has caught the fancy of some major industry names like Microsoft and Oregon-based Saba Tech-



**Publisher's Type Foundry is a serious font design program**



# The COMPAQ Deskpro 386. So far it's won just about everything.



## Including 1987 PC of the year.

The COMPAQ DESKPRO 386™ was just named Personal Computer of the Year, by Your Computer Magazine.

Quite an achievement on its own merits. For the DESKPRO 386 it crowns a long list of critical applause.

### **The Critics Rave**

Fortune Magazine named the DESKPRO 386 one of the most significant products of 1986. So did Business Week.

Your Computer reported: "The panel gave the bouquet to COMPAQ in recognition of their achievement in pushing forward the capabilities of the technology. It's been done without making users' lives a misery by

requiring the development of totally new software and hardware. The machine itself is superb."

And Australian PC World, under the heading of "World Class Awards," said that "The new COMPAQ 386 had sufficient impact on the readers to be voted the best new hardware product of 1986."

### **Award Winning Performance**

We proudly called the COMPAQ DESKPRO 386 the most advanced personal computer in the world. Today that's what everyone calls it.

Industry experts, users and the media agree that the COMPAQ DESKPRO 386 reaches the highest

level ever for PC speed, compatibility, performance and expandability.

### **Customer Support**

To add to its performance the DESKPRO 386 has two Australian Support Systems - the local subsidiary of the Compaq Computer Corporation and Authorised COMPAQ Dealers.

See our dealers about the DESKPRO 386 and ask about the training facilities, after sales service and superior technical support.

Call (008) 22 5286 or (02) 660 0077 for the name of your nearest COMPAQ Authorised Dealer from our national network and judge COMPAQ for yourself.

**COMPAQ™****DESKPRO 386**


IT SIMPLY WORKS BETTER

Compaq Computer Corporation. Australian subsidiary CCA Systems Pty Ltd., 100 Harris Street, Pyrmont NSW 2009.

Ogilvy MCQ 0093



# The Power of Simplicity.



Until now, if you wanted to create powerful business graphics simply, you needed a mainframe computer, a graphics department, or a compromise on your PC. Stella Business Graphics™ just changed that.



Your first chart in five minutes.

1

Boot your PC. Type SBG. When the menu screen appears, use the cursor to select any of 12 formats for your graph. Then press (RTN).







**Works with everything.** Your IBM™ PC or compatible. EGA, CGA, monochrome or Tecmar™ graphics boards. Dot matrix, color dot matrix, ink jet and laser printers, plus color and monochrome plotters for professional printout and crisp overheads. And for presentation quality slides, Stella works with Polaroid Palette™ and other film recorders. It's simply a graphics department on a diskette. At an introductory price of \$345

**A new standard for business graphics.** See for yourself. Ask your computer dealer for a hands-on demonstration of Stella Business Graphics. You'll see why it's the first PC graphics program that deserves to have "business" in its name.

**The power of graphics.** Charts and graphs communicate in a way numbers can't. Trends. Relationships. Progress. Comparisons. Stella Business Graphics can turn a table of dry numbers into powerful graphics. In any of twelve formats. In seconds.


**The simplicity of power.** With Stella Business Graphics, almost anyone can use a PC to create powerfully effective charts and graphs. Even a two-finger typist. It's as simple as choosing the type of graph you want, entering data and labels on the Stella Data Spreadsheet, or importing data from another file, and selecting functions from a menu. Stella does the rest.

**Stella goes 1-2-3™ one better.** Stella Business Graphics adds enhanced business graphics to spreadsheets like 1-2-3, Multiplan™, or SuperCalc III.™ Or, to your numerical databases. It can even import data from tables in a word processor. ASCII, SYLK, DIF, or SDF files, Stella works with them all.

**SWA**

SOFTWARE WHOLESALERS  
OF AUSTRALIA PTY. LTD.  
Level 7, 8 West Street, North Sydney, NSW 2060  
Telex AA22922 Fax (02) 922 7425

**For your nearest  
dealers phone  
(02) 957 6686  
now!**




**2**

Press F4 and (RTN) to bring up the Stella Data Entry Spreadsheet. Enter data and labels. Or, select an existing graph file and press the (RTN) key. Then press (ESC).



**3**

Your graph will be on-screen, like this. To print it out, just turn on your printer and press F5. That's the power of simplicity.







**The result of Saba's interest in the idea of pocket scanning and printing: the mouse-like Handscan**

nologies. Saba has had a hand scanner for some time, although it looks more like a mouse. You run it over the material you want to capture, and it is downloaded into your PC.

The principles are the same as for full-sheet scanners, but with the technology packed into a mouse-like creature.

Sources close to Microsoft say that the company has entered into an agreement with Alps, the OEM manufacturer that supplies mice and keyboards to Apple and the 3.5-inch drives that are in the new IBM PS/2 systems, for the manufacture of a handheld scanner.

Microsoft is interested in scanning devices, and especially the OCR software needed to make them work correctly, and intends to market the product under its own label in the same way it markets its mouse. Sources say that it could retail for between \$700 and \$1000.

Saba has had a similar scanner on sale for over three months, and if Microsoft does introduce this product, it won't be long before companies like Dest, Microtek and Datacopy follow suit.

Saba is at 9300 SW Gemini Drive, Portland, Oregon in the US, on (502) 222 7080.

## More on PS/2 clones

All may not be lost for com-

patibles makers who want to duplicate IBM's Micro Channel architecture:

While IBM officials have said the company plans to use every legal means available to protect the new architecture — including patents, copyrights and trademarks — the outlook for compatibles makers is actually a bit brighter than it may appear.

IBM will license utility patents that cover the functions performed by the Micro Channel, according to Henry Hall, IBM's director of commercial relations, who has worldwide responsibility for licensing IBM patents.

However, the firm will not license such things as copyrights, chip designs, trademarks, microcode or internal trade secrets related to the Micro Channel, he said.

This means compatibles makers will not be absolutely blocked from creating PS/2-compatible microcomputers — but they will have to develop their own designs that don't infringe on technology legally protected by IBM.

Confusion arose over recent statements such as one by William Lowe, president of IBM's Entry Systems Division, who said, "I'm not looking to license my designs.

"Anybody who believes those stories going around that we are offering the Micro Channel to others has got to be kidding," he said.

"IBM will not license the

know-how — the trade secrets relating to the actual design — nor will we license chip designs, mask work or copyrights relating to software or microcode," said Mr Hall.

"Someone can independently invent, create or develop something that works the same way (as the Micro Channel)," he said, "as long as that product doesn't infringe on any of our legally protected, unlicensed rights."

In addition to legal means such as copyrights and trademarks, IBM considers some of the Micro Channel technology to be 'know-how' — technology that is kept secret by the company, but is not protected by copyright or patent.

That policy represents another possible opening for compatibles makers, said Mr Hall, providing they develop the 'know-how' themselves rather than stealing it from IBM.

"If someone were to come up with their own design, which may happen to be similar to (IBM's), that is their good fortune," said Mr Hall. "If someone comes up with a product that may use the same know-how, that would be of no legal consequence, as long as they do it independently. They're fully entitled to do that."

Compatibles firms will be granted utility patents licenses if they develop their designs independently and don't infringe on any of IBM's legally protected, unlicensed technology, said Mr Hall.

Officials in the compatibles industry agreed with IBM's description of its licensing policy. They said it leaves a door open for them to replicate the Micro Channel, but they acknowledged that they won't be getting any help from IBM.

"The kinds of things covered in the patents won't directly help anyone figure out what the Micro Channel is," said Ron Yara of Chips & Technologies.

"They won't give Application Specific Integrated Circuits (ASICs), which is how IBM implemented a lot of the (Micro Channel) functions."

"It's (the compatibles maker's) responsibility to figure out how to do it," he said.

The architecture, said Mr Yara, "is not closed in the sense that it cannot be done, but it will require more investment than the (PC) AT architecture."

## PS/2 users report new bug in DOS 3.3

Users who try to format 1.44Mbyte floppy disks in IBM's PS/2s are reporting the occurrence of a new bug that prevents them from formatting successfully.

The new error message, which announces 'diskette fails, bad track zero', is one that IBM says it knows nothing about.

Last month IBM confirmed a bug in DOS 3.3 that prevents users from formatting two consecutive floppy disks after booting the machine from the hard disk.

To circumvent that bug (which yields a 'media error' message), IBM recommended that users perform any other disk function, such as a directory call, before formatting a second floppy disk.

The new error message, however, reflects a bug that stings at random, according to several users.

"We've experienced it while trying to format floppies on all of the PS/2 models in any stage of operation," said one user. Moreover, he said, the bug appears to be democratic in its refusal to format, rejecting disks from all three major manufacturers: 3M, Maxell and Sony.

"We think it's a bug in DOS 3.3, specifically in the software code that governs the drive's timing," a 3M technical service specialist said. "The timing device sometimes isn't fast enough





## PC dealers have always had our support. Now they can have XENIX too!

SCO Xenix System V, a powerful multi-user, multi-tasking operating system which allows file and resource sharing between 2-16 PC terminal users, is now available and supported by MPA.

There is no doubt that XENIX has become the standard UNIX system implementation for today's personal computers, with more multi-user business applications than all other UNIX versions combined. But the SCO Xenix solution from MPA, offers a lot more, such as

integrated XENIX and DOS, multi-user and LAN, plus PCs and mainframes, to completely integrate your entire application.

The SCO solution also includes proven office automation productivity tools such as SCO Lyrinx word processing system; SCO Professional "1-2-3 workalike" spreadsheet; and SCO Foxbase "dBASE III Plus workalike" database.

And because these products are available from MPA, you know they come with a full range of support services to

help you get the most from your XENIX application.

Call us today and find out about our SCO solution.



**Microprocessor  
Applications  
Pty Ltd**

**Simply Outstanding Technology**

Head Office: 101-107 Whitehorse Road, Blackburn  
Vic. 3130. Ph: (03) 894 1500.

NSW: Suite 2, 156 Military Road, Neutral Bay 2089.  
Ph: (02) 908 3666. Telex: AA31187.

QLD: 27 Mayneview Street, Milton 4064.  
Ph: (07) 368 3033. Fax: (07) 368 3279.

NZ: 33 Broadway Newmarket, Auckland  
New Zealand. Ph: (9) 50 3045.






# High Performance Meets Compatibility



## ADC Now Delivers the Most Cost-Effective High Performance PC Diskless Workstations.



From ADC... **The PC II®**, the most advanced PC multi-user solution is now offered with the finest network software... **Novell NetWare®**. Two leading products working hand-in-hand to bring you the ultimate in PC diskless workstations.

ADC's PC II, the perfect multi-user solution gives you the opportunity of adding up to a hundred users without ever adding another PC to your system. Available with Novell's NetWare, the PC II gives you the ultimate multi-user solution with networking capabilities and a wide selection of applications software.

Since each user has a dedicated CPU and 512K of RAM, there is no performance degradation when running many users in a PC environment. Each PCII board provides for two additional diskless workstations.

Compatible with IBM's PC AT®, PS/2 Model 30® and all compatibles, the PC II is the latest multi-user solution from ADC.

### In U.S.

5432 Production Drive  
Huntington Beach, CA 92649  
(714) 891-4004  
Telex 183210 ADVANCED HTBH

**ADC**  
ADVANCED DIGITAL CORPORATION

### In Europe

Advanced Digital (U.K.) Ltd.  
21 Newman Street  
London W1-United Kingdom  
(01) 323-1120 Telex 266730 ADCUK

PC II is a trademark of ADC, NetWare is a trademark of Novell, Inc., IBM PC AT, PS/2, Model 30 are trademarks of IBM.

**In Australia** AWANET Pty. Ltd., Rushcutters Bay, NSW 2011, (02) 360 2822



to allow the drive's head to read the drive index for formatting, resulting in the error message."

"This is a problem that we have not heard about," said an IBM spokesman, who also requested that users experiencing the problem contact the company.

The 3M technician recommended that users experiencing the problem try a second time to format the disk or to reboot the computer. Both solutions have worked in the 3M labs, he explained.

## New VGA compatible chip

Paradise Systems, the largest producer of PC-compatible video processors outside of IBM, will shortly release a new chip that is completely compatible with the graphics hardware in IBM's PS/2 line.

The PVGA1 is the first video-graphics chip compatible at the PS/2's Video Graphics Array (VGA) hardware and BIOS level.

PC add-in boards that use the new chip could be commercially available as soon as October, when production-level distribution of the new chip begins, Paradise

Systems officials said.

Sample quantities of the PVGA1 chip will be released in August, together with an evaluation BIOS and engineering schematics for a board.

Unlike available VGA boards (from such companies as STB Systems, Quadram, and Sigma Designs), which may not run future graphics applications designed for the PS/2 hardware, cards built around the PVGA1 will be 100 per cent compatible with PS/2 hardware at the 'register' level, and therefore will be able to run all VGA software, said Kenneth Gilbert, director of marketing for Paradise.

"With both BIOS and hardware-level compatibility, the chip is a guarantee to users that no one will write software for PS/2 computers that won't also work on boards using our chip," Mr Gilbert said.

Tom van Overbeek, president of Paradise Systems, predicted that video cards with the Paradise chip would be priced in the \$550 to \$700 range to compete against IBM's Display Adaptor/VGA card.


It is claimed that the new Paradise System chip is 100

per cent hardware and software-compatible with all 13 graphics modes of the IBM Display Adaptor. Applications compatible with all 13 modes have yet to reach the market.

Currently, VGA software applications that take advantage of some of the VGA modes, the most common being its 640-by-480 pixel

resolution, include Dr HALO, Energraphics, and PC Paintbrush.

The PVGA1 chip is capable of displaying VGA standard 640-by-480 pixel resolution with 16 colours out of a palette of 262,144; 320-by-200-pixel resolution displaying 256 colours simultaneously from a palette of 262,144 colours; or the Her-



*'He thought he'd build his own microcomputer but unfortunately his eyesight's not all that good.'*

# PERISCOPE III™

## A new generation of debugging for the IBM PC, XT, AT and close compatibles

The Periscope III board's hardware breakpoints and real-time trace buffer help you solve the really tough debugging problems. If you ever deal with errors in real-time systems, intermittent failures, interfacing with undocumented systems, or bottlenecks in your code, Periscope III may be just what you need!

The Periscope III package includes the board, the breakout switch, a 200-page manual, a quick-reference card, and a disk with the Periscope III software. Periscope III requires an IBM PC, XT, AT or close compatible; 64K of available RAM; one disk drive; an 80 column monitor; and DOS 2.0 or later.

For more info, contact:

**B.J.E. ENTERPRISES**

35 West Parade  
Eastwood, NSW 2122

Telephone:  
(02) 858-5611



cules text mode with a resolution of 720-by-348 pixels in black and white.

## '386 board works with OS/2 tool kit

Subsequent to the writing of

this month's review of Intel's '386 board, the company has announced that the board is fully compatible with Microsoft's OS/2 Software Developers Kit, and it should be compatible with OS/2 itself, when it ships.

The Inboard '386 has been tested with the OS/2 tool kit

running in 80286-based PCs made by IBM, Compaq and Tandy, the company said.

The Inboard '386 thus becomes the fourth platform for the developer's tool kit, along with '286 and '386 machines from Compaq and Zenith, and IBM PC/ATs.

## Transform dBase applications to multi-user

TranSec Systems has packed more programming features into the latest release of its dAnalyst program that converts single-user dBase applications to multi-user ones.

dAnalyst version 7.0 incorporates intelligence that automatically turns a single-user dBase III application (or one written in a dBase compatible such as Nantucket's Clipper, WordTech's Quicksilver or Fox

Software's Foxbase) into a true multi-user application with record and file locking. Without a program like dAnalyst, a user must completely rewrite a single-user application to take advantage of any network's multi-user capabilities.

Rich Comeau, creator of dAnalyst, identified three types of users for the package: the programmer who wants a convenient way to convert applications to multi-user; the PC user who wants to add network functions to his or her dBase application without programming; and the MIS manager who wants to track how information is passed between various dBase applications.

The new dAnalyst will create multi-user applications for any NetBIOS network. When used with the NETLIB multi-user library for dBase from Communications Horizons, dAnalyst will give applications multi-user



### Metropole

PTY. LTD.

Est. 29 yrs **08 223 5538**

Specialists of



### HEWLETT PACKARD

CALCULATOR RANGE

**Kaypro & Profound Computer  
Specialists**

Wholesale to Public — Write or 'Phone —  
Best Prices in Australia

**Kaypro & Profound Computer  
Specialists**

**111 Carrington St, Adelaide.**

# STOP THIEF

## WITH ANCHOR PAD SECURITY SYSTEMS

ASK ABOUT OUR  
**NO THEFT  
PLEDGE**



### FEATURES:

- Various models especially engineered to suit your computers and peripherals
- Optional 360 swivel, and protection of your external disk drive
- Requires no drilling or marring of your equipment or furniture
- Over 2000 kilograms of effective gripping force
- Unlocks quickly and simply for service
- Easily installed, easily relocated
- Prevents theft — guaranteed

Computer theft is rising sharply, especially among the most popular machines. Like your Mac. The Mac is powerful, portable - and easily re-sold.

You need the **Anchor Pad** solution, the maximum security locking device for business machines. For less than 5 per cent of the recommended cost of a new Mac SE you can secure your Macintosh and hardware peripherals against theft.

Without drilling holes in your Mac or your furniture, our exclusive, patented **Anchor Pad** will secure your Mac with more than 2000 Kilograms of gripping force. Yet you can remove it easily with a key.

## We Protect It. Or We Replace It.

It's that simple. Over 500,000 Anchor Pads have been installed since 1972. We are so certain our sure-grip Anchor Pad will prevent theft that we offer you our "No Theft Pledge"

**ANCHOR  
PAD** (Aust.)  
Pty Limited

★ Offer void if not installed by an authorised Anchor Pad service representative.

Telephone:  
**(02) 819 7322**  
Dealers:

**(03) 211 3737, (03) 431 1035, (062) 806 768**





Our extensive team of maintenance experts.

At Fujitsu, we don't waste a lot of time, energy and man power worrying about our printers.

Because the fact is, they just don't go wrong very often.

They have an established reputation for being extremely reliable.

Of course, they come with the same quality and performance as Fujitsu mainframe computer systems.

It's an exceptional range of printers and there's one to suit your most exacting printing requirements.

Our printers are compatible with nearly all well known brands. There's

no need to worry about the lonely maintenance expert pictured, either.

In reality he's part of a large and highly skilled Customer Support Team.

Phone for the name and location of your nearest supplier.

Fujitsu Australia Limited.

Sydney (02) 959 6544, Melbourne (03) 529 7633.

**FUJITSU**



FUM PR 070



capabilities on networks such as Novell's Advanced NetWare and 3Com's Ethernet.

dAnalyst also lets programmers instantly identify syntax errors through graphical representations of an application's structure, Mr ComEAU said.

Version 7.0 incorporates a new feature that produces a flow-chart representation of the way an application

works. It also includes support for creating overlay structures with Clipper and Quicksilver using Phoenix Technologies' PLink 86 linker. (An overlay structure consolidates and juggles parts of a large application so it will run on the PC's 640k memory limitation).

dAnalyst version 7.0 is available now for \$US94.95 from TranSec's distributors. APC doesn't know of an

Australian distributor, but TranSec Systems Inc is located at 220 Congress Park Drive, Suite 200, Delray Beach, Florida 33445 (305) 276 1500.

**IBM promotes office-automation software strategy**  
IBM is developing versions

of its mainframe and midrange office-automation software that will be compatible with SAA (Systems Application Architecture) and run under OS/2, according to industry analysts who attended a recent IBM-sponsored seminar.

IBM's announcement is among many that the company has recently made as part of a campaign to promote SAA — IBM's software blueprint for unifying the application interface across different IBM computers — in the computer community.

Although the seminar focused on IBM midrange systems software, analysts who attended the event said company executives made several announcements that will affect PC users and third-party developers.

"Maybe the most important thing is that IBM is going to port mainframe software to OS/2," said John McCarthy, research manager for Forrester Research. IBM said at the meeting that a group within the company was developing SAA applications for OS/2, according to Mr McCarthy.

That group, led by Tony Mondello, IBM vice president for software development of office systems, is working on what Mr Mondello has called "the flagship SAA application and primary showcase of the architecture." The software product, Mr Mondello has said, will include functions from a variety of IBM PC and mainframe products: Distributed Office Systems Support; Professional Office Systems; Application System; Personal Services, and the DisplayWrite word processing family.

These products run the gamut of IBM's office-automation product offering — electronic mail, voice messaging, calendars, word processing, database management and decision-support functions.

## COMPUTER SUPPLIES

BY MAIL ORDER

### DISKETTES FROM \$1.20 EACH

HIGHEST QUALITY DISCS FOR BUSINESS AND HOME USE.

- Double Sided — Double Density • Life Time Warranty
- Complete With Envelopes, Labels and W/P Tabs.

Price per disc	10 +	100 +	1000 +
Supplied in Deluxe Storage Box	\$1.40	\$1.30	\$1.20
	—	\$1.49	\$1.39

### COLOUR DISKETTES

BRIGHT ATTRACTIVE COLOURED JACKETS ON THESE 5 1/4" DISKETTES MAKES THEM DISTINCTIVE AND EASILY RECOGNISABLE, IDEAL FOR KEEPING SEPARATE RECORDS FOR CLUBS, COMPANIES OR DEPARTMENTS.



Supplied in FREE Plastic Library Case.

Price per disc	10 +	100 +
Choose from RED, YELLOW, GREEN, ORANGE or BLUE jackets or available in RAINBOW PACK of 10.	\$2.50	\$2.20

### DISC CARE

Disc Cleaning Kits — with cleaning fluid

3 1/2" discs	\$12
5 1/4" discs	\$12



### DISC NOTCHER

- Converts 5 1/4" SS discs to DS
- Doubles disc storage capacity

DNI \$12



### PRINTER STANDS

SMOKED PERSPEX STAND With paper storage



For 80 Column Printers \$25

### WIRE PRINTER STAND

Stacks, print out in document tray Made of safety coated steel wire



For 80 Column Printers \$35  
For 132 Column Printers \$40

### THE SPACE SAVER

Paper feed and refeed positioned to save space. Dial controlled paper feed with adjustable deflectors ensures smooth flow and automatic refeeding



For 80 Column Printers \$90

### MONITOR SWIVEL STANDS

- Full 360° rotation • 25% tilt capability
- Handy control for adjustment and lock
- Reduces back, neck and eye strain

SS1-14" \$28




SS2-12" \$27



### ADJUSTABLE COPY HOLDER

- Easily positioned and adjusted
- Slide line guide
- Size 9 1/2" x 11"



CH1 \$36



### DELUXE DISKETTE STORAGE BOXES


- Anti Static Protection
- Smoked Lid and High Impact Plastic Base
- Easy Access Handle for Opening and Carrying
- Hinged Lockable Lid



Holds 120 x 5 1/4" diskettes  
New Double Row Filing System  
DD120L  
\$25.00



Holds 100 x 5 1/4" diskettes  
DD 100L \$20



Holds 50x5 1/4" diskettes  
DD 50L \$18.00



Holds 80x3 1/2" diskettes  
Will accept 3" diskettes  
DD 80L  
\$24.00



Holds 40x3 1/2" diskettes  
Will accept 3" diskettes  
DD 40L \$16.00

### SCREEN FILTERS

- Reduced eye strain
- Easy fitting



SF1 12" \$35

SF2 14" \$40

### DUST COVER

Suits IBM PC + look alike



DC1 \$20

For 84 key keyboard

DC2 \$20

For 100 key keyboard

### DUST COVER AND COPY HOLDER

- Combines two functions in one set



Flexible clamps for easy fitting

HH1 \$20

### DISK ORGANISER

- Keep your disk and disk organised
- Display up to 15 disks
- Disk index
- Compartment for labels, rulers etc.



HH2 \$20

### PLASTIC LIBRARY CASES

- HH3 Holds 10x5 1/4" Diskettes
- HH4 Holds 10x3 1/2" Diskettes



\$5

Order to: **HALCOLM HOLDINGS PTY LTD.**

P.O. BOX 106, Wahroonga, NSW 2076

24 hour answering service for orders

**(02) 489-0106**



Prices include sales tax but exclude delivery

Order Value	Postage
\$5 +	\$2
\$10 +	\$2
\$20 +	\$4
\$50 +	\$6

Purchase Orders Over \$50 accepted from Govt. & Educational Books & Listed Co.s

Tax Exempt Prices available

Enquiries 021487 3781

END



# Small Business

## (BIG DEAL)



The Migent-Mitac Small Business Solution. At only \$2750, it's an unbeatable hardware-software deal.

What's more it's a simple, all-in-one, easy to use package.

This is the deal. The Mitac MPC-160S PC. An IBM PC-compatible computer with more standard features than most competitors can offer as options. Including a 20 megabyte hard disk. And...

The Sakata High-Resolution Monitor. Its easy on

the eye green lighting and built-in tilt stand mean no strained eyes, no pain in the neck. And...

The Super 5 Printer.

The new EP-1201 Super 5 dot-matrix printer gives near letter-quality performance for 64 different typefaces. And...

Two Software packages from Migent: Ability integrates 6 software packages in one. That's great ability at a great price. And...

In-house Accountant. A fully integrated financial

management system.

Between them you have word processing, spreadsheets, database, business graphics, presentation graphics and accounting packages. If you bought them separately, the software packages alone would cost \$3000.

For more details on this big hardware-software deal, please contact IQ on (03) 222 2288 or Multitech on (03) 338 3911.





# Archimedes

*Fuelled by Acorn's innovative ARM RISC processor, the Archimedes or 'A' series offer workstation power and spectacular graphics abilities at PC prices. With their place in education already assured, Dick Pountain believes their speed may also guarantee them entry into the business world.*





## BENCHTEST

Ever since Acorn first announced the details of its ARM RISC processor chip it has been quite obvious, despite rather feeble denials from the company, that ARM was intended to power the successor to the venerable BBC Computer. ARM's designers quite openly stated their goal, which was to produce a 32-bit replacement for the 6502, all the major competitors having been rejected as inadequate.

When last year Acorn launched the Master, a slightly repackaged BBC, it was received with something approaching scorn, and many people expressed scepticism about whether Acorn had the wherewithall to do anything useful with ARM.

With the launch of the Archimedes or 'A' series of computers, we can see that the Master was merely a stop-gap measure, and that behind the scenes Acorn was giving everything it had to ARM technology. It has been well worth the wait. The A series machines offer workstation power at personal computer prices, and they deliver this power to the programmer in any easy-to-use way, resulting in truly spectacular graphics abilities.

It would be as well to clarify the status of this Benchtest. At the time of writing, the production models A305, A310, A440 and the A410 were not quite finished. Instead what Acorn lent to me was an A500 Development System. This machine, which is not on sale to the public, is what Acorn uses for internal development of A series software, and has been distributed to selected external software producers for some months. It has a very similar hardware specification to that of the high-end A440 model (20Mbyte hard disk, one floppy, 2Mbytes memory), though it uses the older (3-micron process) versions of the ARM chips which are just slightly slower than the 2-micron production versions. The system software I saw was at various stages of development; none was final and some sections were incomplete.

You should, therefore, read this more as a preview than a review, and I shall point out various places where the production machines will differ from the A500. You may also be confident that any bias will be in the right direction; the production machines will be better than that which I tested.

### Hardware

Enough has been written about the Acorn ARM chip, (in this magazine, by myself, for one) that I shall only briefly describe this new processor. It is a full



*One concession to 'industry standards' is the Archimedes keyboard, which offers both IBM PC and BBC Model B compatibility. Like the Model 300 it has red function keys, presumably to persuade BBC Model B owners to 'upgrade' to an Archimedes. A three-button mouse is fitted as standard*

32-bit processor of classic RISC (Reduced Instruction Set) design. It uses 27 32-bit registers and a small instruction set of 44 simple instructions, almost all of which execute in a single clock cycle. Like the old 6502 which partly inspired it, it gets its speed from short instructions rather than fast clocks (the 4MHz clock yields roughly four MIPS). Indeed, it was designed specifically to be usable with cheap dynamic memory parts, unlike many new ultrafast processors which require astronomically expensive static RAM and 25MHz clock rates to get their performance. This has been a major factor in allowing ARM to be the first 'super' processor to find its way into a mass-market micro.

We've heard much less about the three peripheral chips which Acorn designed to go with the ARM CPU, and which were launched in late 1986. These are the VIDC Video Controller, the MEMC Memory Controller and the IOC Input/Output Controller. All four chips are used in the A series machine architecture, forming a complete 'designer' chip set.

The VIDC controls a colour display with one, two, four, or eight bits per pixel: that is, from monochrome up to 256 colours. It includes a 16-word colour lookup palette which allows a choice from a total of 4096 colours, and has on-chip digital-to-analogue converters to directly provide RGB signals. It also supports a hardware cursor in up to three colours, and directly controls VDU timing parameters in a programmable way. Its pixel rate is

programmable between 8-24MHz (the rate at which the machine supplies information to the screen). It's hard to translate that directly into maximum screen resolution because there are some tricks which allow it to look like 96MHz in certain circumstances; briefly, it can support 640x256 in 256 colours or 640x512 in 16 colours.

Rather surprisingly the VIDC also provides the Sound Controller. It can handle up to eight sound channels in stereo. The sound generation facility provided is rather simple compared with dedicated synthesiser chips like the Ensoniq, but fancy stuff can be done in software, exploiting the tremendous speed of the ARM.

The MEMC chip can address and refresh up to 4Mbytes of actual RAM, but also has the capability of translating logical to physical addresses so that a 32Mbyte logical address space can be supported. This can be used to provide a disk-based virtual memory system, or to provide hardware memory protection for multi-tasking systems; that is, stopping one task interfering with another's memory. As an aside: it's been the lack of such hardware protection for the 68000 (Motorola's Memory Manager having been hugely delayed) that has hindered the development of serious multi-tasking software on the Mac, ST and Amiga.

The MEMC doubles as a DMA controller which manages the buffers for video, sound and cursor data. It is also the glue which sticks all the four chips together, providing as it does the



processor clock signal and all other system timing signals.

The IOC controls system interrupts and the system bus. It contains a number of timers, a serial keyboard interface and logic for talking to other peripherals.

The importance of this all-Acorn chip set is two-fold. The careful packing of functions into the four chips removes the need for a lot of so-called 'glue logic' and so keeps the overall chip count low. But also the chips are optimised to work together, using pipelining and other tricks to maximise the performance of the whole combination. There is no compromise due to mismatch with other people's chips, and this shows in the performance. Practically all that is needed to make a computer out of the four chips is to add some disk controllers and some RAM and put it all in a box.

The actual specifications of the Archimedes machines are as follows. There are two series of machines, both of which live under the generic name Archimedes. The A300 series is the direct replacement for the BBC Micro and Master and will bear the BBC logo. The A400 series is more up-market, featuring internal hard disks, more memory and more expansion capabilities, and will be sold under the Acorn logo.

The lowest cost machine, the A305, which will sell for around \$3600, comes with 512k of RAM, while the A310 has 1Mbyte; the A305 is upgradable to 1Mbyte by simply populating vacant RAM sockets. Both models have one 3.5inch floppy drive, whose disks can be formatted to 800k or to 640k for Master compatibility.

All models come in the same system unit case, which has a metal top and sides and a plastic front panel with an ergonomically inclined (that is, at 'hand angle' rather than flat) floppy socket. The system unit contains a fairly quiet cooling fan, and the power supply. It has a smallish footprint about the same as an Amiga, but large enough to stand the monitor on, and the metal box supports this very robust optional backplane to hold 'podules'. Serial (RS423) and parallel ports are standard but Econet requires a podule. The A410 models come with 1-4Mbtes of RAM and four expansion slots for podules are fitted as standard, as also is the Econet socket.

All the models include a massive 512k of ROM containing the operating system and Basic. They also share a battery-backed clock/calendar and 256 bytes of non-volatile CMOS RAM for

system configuration. Video output is analogue RGB or composite monochrome. Acorn supplies a colour monitor capable of 640x256 resolution, but for the very maximum resolution you will need a NEC Multisync or equivalent.

All models share a keyboard design, which is virtually a clone of the 103-key IBM Enhanced Keyboard, with just one special BBC key named 'COPY'. This is a very smart move; if you're going to copy IBM, copy its keyboards not its graphics. A touching concession to BBC fans is that on the A300 models the 12 function keys are red! A three-button mechanical mouse is fitted as standard, which plugs into a socket on the keyboard.

The A500 which I used for this preview is closest to the A400; it has a 20Mbytes internal hard disk but 2Mbytes rather than 4Mbytes of RAM. The keyboard, however, was quite different from the production model, cased in metal with only 10 function keys, and covered in keys with names like HELP, MENU, LOOKS and AGAIN which certainly don't do what they say (some don't do anything at all).

The hard disk in the A500 is most noticeable for its ferociously rapid access speed. It loads huge programs with a faint burping noise, in the time it takes to blink an eye. The reason for this speed is that the disk is run with no interleaving of sectors. On an IBM XT, for example, the disk rotates about six times between each read to give the puny CPU time to digest; Archimedes eliminates this dead time as the ARM processor can suck stuff off the disk as fast as it can rotate.

The A300 models can be expanded with a second floppy disk drive, or with a 20Mbyte hard disk if the backplane is purchased. The podules which fit into the slots are double Eurocards. So far Acorn has announced its intention to produce the following podules: 'Floating Point', a hardware floating point coprocessor; 'ROM', a card to hold ROM-based applications, similar to the BBC sideways ROMs; 'BBC I/O', which reproduces the ports of the BBC B and Master, including D-to-A and 1MHz bus; 'MIDI', the music synthesiser control; and '80186', which runs an MS-DOS environment for IBM software.

## Software

### Operating System

The operating system for the Archimedes series is new, and is called Arthur (after the King rather than Daley, one hopes). Like the BBC

operating system before, it is modular, the disk-filing system being kept separate from the machine operating system or MOS. This means that alternative disk filing systems can be loaded, and indeed two alternatives are supplied. The ADFS (Advanced Disk Filing System) is a descendant of the ADFS on the Master. It supports a hierarchical directory structure and all the usual utilities for creating, deleting and housekeeping disk files. The other filing system supplied is ANFS (Advanced Network Filing System) which is for use with Econet, and allows access to files kept on a remote file server. Changing filing systems is just a matter of typing ADFS or ANFS at the prompt.


The command line interface of Arthur is very much like that of the BBC operating system, so that users will be immediately at home. It uses the same asterisk prompt, and also has the \*FX commands though there are rather more of them. I have never been a regular BBC user so I was lost in Arthur at first; the fact that it shares some command names with PC-DOS (for example, DIR) which do different things didn't help.

However, I soon learned to get around Arthur and found that it has some attractive aspects. For example, it has the Unix-like facility to define aliases for commands whose names you don't like. In fact, it is very strong on configuration altogether; stored in the CMOS RAM there is a list of 30 system parameters, such as the amount of Font space and number of open files, whose values can be inspected using STATUS and altered using CONFIGURE from the keyboard. It is also possible to assign strings to the function keys interactively from the keyboard using KEY, and control characters may be embedded in such strings. Any text file of commands can be run as a batch file using EXEC, and such files can be created without using an editor by the BUILD command which directs keystrokes into a file.

I found Arthur's way with files rather disconcerting at first. Filenames have no extensions to indicate their type, and file types are treated in a very uniform manner. In fact, only date-stamped text files, plain text files and binary files are distinguished. All files contain a load address, and if you type the name of any kind of file Arthur will do its damndest to load it. Arthur knows about Basic source programs and executes them correctly without you having to load Basic explicitly. Acorn tells me that in the finished



# Computer Dimensions sole Victorian distributor to Dealers for the revolutionary **STARCARD FAX**



**STARCARD FAX—  
the non-stop Fax that  
transforms your PC into the  
most versatile fax machine in the world.**

Fax takes a giant leap forward. The remarkable Starcard Fax transforms a Personal Computer into a Fax with the added capabilities of word processing, desktop publishing and the power of the personal computer.

Can be installed within minutes to send or receive and retails at \$2695 including tax.

The Starcard Fax can store and retrieve every fax sent or received. No more lost faxes. No more paper handling problems.




Twelve months old and growing fast.

Starcad Fax will queue, send or retry telephone numbers an unlimited number of times, until the fax gets through.

Desktop publishing features included in software – construct newsletters and press releases on the PC.

Computer Dimensions, with their reputation of being first with the best, have won sole Victorian distribution to Dealers for the amazing Starcard Fax.



**Computer Dimensions**

Computer Dimensions Authorised distributors for Epson Printers, Microline Printers, Taxan Monitors, plus a full range of cards, discs and drives, tape backup units, PC application software and much much more.

Call now for details on New Epson GQ3500 Compact Laser Printer.

**Sourcing   Contacts USA   Advisory and Buying Service  
Better Margins   No Minimum Quantities**

**3rd Floor, 63 Stead St, Sth Melbourne 3205. Ph: (03) 699 6122 Fax: 696 2932**



product Arthur will know more about more file types in this way, and be able to pick the correct application to open a given file, as the Mac does.

The other intriguing aspect of Arthur is that it can load files to any address in memory; its memory allocation strategy is utterly different from CP/M or MS-DOS 'style' systems. This makes it very easy to have several co-resident programs, and for data files to load themselves without the use of an application program. For example, a picture can be displayed simply by typing the name of the picture data file, which loads itself into video RAM.

At the command level Arthur could not be described as a friendly operating system, though it has all the features that programmers need. I found it rather spartan, even compared to PC-DOS.

On the proper Archimedes machines, however, Arthur will be hidden from the user by a window/icon/mouse Desktop interface; this was only in a prototype form on my machine but, nevertheless, looked very good indeed. The overlapping, resizable windows are in colour, and resemble a hybrid of GEM, Windows and the Macintosh. Each window has horizontal and vertical scroll bars, a zoom box to expand it to full screen, and a close box marked with an 'X'.

Acorn uses the mouse in the same way that the original Xerox research team did; the left button is for 'Select', the middle button is for 'Menu', and the right button is for 'Alter'. When you press the middle button a pop-up menu appears at the cursor position (that is, where your eyes are focused), not at the top of the screen. You then select from it with the left button.


The idea of pull-down menus along the top of the screen is not employed, possibly to avoid trouble from Apple's legal bully boys. Instead there is a thick bar at the foot of the screen which contains large icons, similar to those in MS-Windows. Five desk accessories, a clock, calculator, diary/calendar, notepad and colour palette are permanently installed, and directory listings are obtained by opening the disk icons.

Windows are resized by grabbing the lower right-hand corner using the Select button, while the Alter button allows the window to be dragged across the screen. The power of the ARM is such that the windows respond more quickly than on any other machine I've tried, with no hint of lag — even more impressive when you realise that this WIMP desktop is written in BBC Basic.

The desktop will be automatically



*The back of the Archimedes is relatively sparse by today's standards, consisting of: headphone sockets, mono video out, analogue RGB, serial, parallel and Econet. The two removable plates above the ports will accommodate 'podules' — that is, peripheral modules*



*Critics of the Model B's PCB will be pleasantly surprised by the minimal chip count of the Archimedes. The absence of 'glue' chips means that it has fewer chips than all the popular 16-bit and 32-bit micros*

entered when the production machine is booted, whereas my A500 booted into the Arthur command line.

Arthur also supports the graphics and sound of the A series. This is in contrast to machines like the IBM PC where graphics are performed outside the operating system, by direct hardware access. Screen modes and colours can be changed direct from the '\*' prompt by sending Ctrl characters; it's even possible to plot points in this way.

There are no less than 20 graphics

modes in all, using from a minimum of 20k to a maximum of 160k of memory. The colours available are 2, 4, 16 or 256. The highest mode usable on the standard colour monitor is mode 15 — that is, 640x256 in 256 colours. However, in this case the colours are not all independently selectable; the palette permits 64 base colours to be selected, and each one can be displayed in four tints (with varying amounts of white added).

The 64 base colours can be chosen from the total of 4096 only in groups of



# In modems, you'll find NetComm stacks up better than the rest.

When it comes to ours or theirs, only NetComm has a modem to suit every communications need.



## NetComm

### Total Solutions for Data Communications

NetComm (Aust) Pty Ltd • NSW PO Box 284 Pymble NSW 2073 Tel: (02) 888 5533  
 Telex: AA27488MODEMS Minerva: 07:DNC002 Viatel: 288855330  
 Vic. 94 River Street South Yarra 3141 Tel: (03) 241 0534  
 Qld. Suite 6 Level 11 AMP Place 10 Eagle Street Brisbane 4000 Tel: (07) 229 7376  
 WA. St Martin's Tower 44 Georges Tce Perth Tel: (09) 220 3407

MODEL	DESCRIPTION	FEATURES	BAUD RATES
CM400	Modem 64/128*	AD, PD, TD, AR, AA, AX, OA, SW, ASY, Commodore® Compatible	300 FDX, 1200/75 FDX (CCITT V.21, V.23)
SM8501	Modem 3+12* NCP	MD, PD, MA, OA, SW, ASY, IBM PC® Compatible	300 FDX, 1200/75 FDX (CCITT V.21, V.23, Bell 103)
SM8502	Modem 3+12* A	MD, PD, MA, OA, SW, ASY, Apple, II/e/c Compatible	300 FDX, 1200/75 FDX (CCITT V.21, V.23, Bell 103)
SM860	AutoModem® 3+12	AD, PD, MA, OA, ASY, AT, SW	300 FDX, 1200/75 FDX, 75/1200 FDX (CCITT V.21, V.23, Bell 103)
AM100	AutoModem® 21/23	AD, PD, TD, AA, AX, OA, AT, ASY	300 FDX, 1200/75 FDX, 75/1200 FDX (CCITT V.21, V.23, Bell 103)
AM120	AutoModem® 12/12	AD, PD, TD, AA, AX, OA, AT, ASY	1200 FDX (CCITT V.22, Bell 103, 212A)
AM140	AutoModem® 24/24	AD, PD, TD, AA, AX, OA, AT, ASY	1200 FDX, 2400 FDX, (CCITT V.22, V.22bis, Bell 103, 212A)
AM160	AutoModem® 123	AD, PD, TD, AA, AX, OA, AT, ASY	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 FDX (CCITT V.21, V.23, V.22, Bell 103, 212A)
AM180	AutoModem® 1234	AD, PD, TD, AA, AX, OA, AT, ASY	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 FDX, 2400 FDX (CCITT V.21, V.23, V.22, V.22bis, Bell 103, 212A)
SM8911	SmartModem® 21/23SA	AD, PD, TD, AR, AA, OA, AX, AT, ASY, SY, SW	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 HDX (CCITT V.21, V.23, Bell 103)
SM8721	SmartModem® 1200SA	AD, PD, TD, AR, AA, AX, OA, AT, ASY, SY, SW	1200 FDX, (CCITT V.22, Bell 103, 212A)
SM8821	SmartModem® 2400SA	AD, PD, TD, AR, AA, AX, OA, AT, ASY, SY, SW	1200 FDX, 2400 FDX (CCITT V.22, V.22bis, Bell 103, 212A)
SM8421	SmartModem® 123SA	AD, PD, TD, AR, AA, AX, OA, AT, ASY, SY, SW	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 HDX, 1200 FDX (CCITT V.21, V.23, V.22, Bell 103, 212A)
SM8471	SmartModem® 1234SA	AD, PD, TD, AR, AA, AX, OA, AT, ASY, SY, SW	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 HDX, 1200 FDX, 2400 FDX (CCITT V.21, V.23, V.22, V.22bis, Bell 103, 212A)
DL842	DataLock® 123SA	AD, PD, TD, AR, AA, AX, OA, AT, SW, EP, DE, PW, ASY, SY	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 HDX, 1200 FDX, 2400 FDX (CCITT V.21, V.23, V.22, Bell 103, 212A)
DL847	DataLock® 1234SA	AD, PD, TD, AR, AA, AX, OA, AT, SW, EP, DE, PW, ASY, SY	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 HDX, 1200 FDX, 2400 FDX (CCITT V.21, V.23, V.22, V.22bis, Bell 103, 212A)
IN600	PC In/Modem®	AD, PD, TD, AR, AA, AX, OA, AT, SW, ASY, FI (Half Card Size)	300 FDX, 1200/75 FDX, 75/1200 FDX, CCITT V.21, V.23, Bell 103
IN610	1200 In/Modem®	AD, PD, TD, AR, AA, AX, OA, AT, SW, ASY, FI (¾ Card Size)	1200 FDX (CCITT V.22, Bell 103, 212A)
IN615	2400 In/Modem®	AD, PD, TD, AR, AA, AX, OA, AT, SW, ASY, FI (¾ Card Size)	1200 FDX, 2400 FDX (CCITT V.22, V.22bis, Bell 103, 212A)
IN620	123 In/Modem®	AD, PD, TD, AR, AA, AX, OA, AT, SW, ASY, FI (¾ Card Size)	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 FDX (CCITT V.21, V.23, V.22, Bell 103, 212A)
IN625	1234 In/Modem®	AD, PD, TD, AR, AA, AX, OA, AT, SW, ASY, FI (¾ Card Size)	300 FDX, 1200/75 FDX, 75/1200 FDX, 1200 FDX, 2400 FDX (CCITT V.21, V.23, V.22, V.22bis, Bell 103, 212A)
TR100	TrailBlazer®	18,000 bps High Speed Modem, AD, PD, TD, AR, AA, AX, OA, AT, EP, ASY	300 FDX, 1200 FDX, 2400 FDX, 18,000 Adaptive Duplex (CCITT V.21, V.22, V.22bis, Bell 103, 212A)
TR200	TrailBlazer PC®	18,000 bps High Speed Modem, AD, PD, TD, AR, AA, AX, OA, AT, EP, ASY, SW, FI	300 FDX, 1200 FDX, 2400 FDX, 18,000 Adaptive Duplex (CCITT V.21, V.22, V.22bis, Bell 103, 212A)
SM2000	SmartModem® 9648PT	AD, PD, TD, AA, AX, SY	2400, 4800, 7200, 9600 HDX 2-Wire and FDX 4-Wire (CCITT V.27, V.29)
SM2010	SmartModem® 9648DF	AD, PD, TD, AA, AX, SY	2400, 4800, 7200, 9600 HDX 2-Wire and FDX 4-Wire (CCITT V.27, V.29)
SM2020	SmartModem® 9648HD	AD, PD, TD, AA, AX, SY	2400, 4800, 7200, 9600 HDX 2-Wire Only (CCITT V.27, V.29)

#### LEGEND:


AD - Auto Dial  
 MD - Manual Dial  
 PD - Pulse Dial  
 TD - Tone Dial  
 AR - Auto Ranging  
 AA - Auto Answer  
 MA - Manual Answer

FDX - Full Duplex  
 HDX - Half Duplex  
 AX - Auto Disconnect  
 OA - Originate & Answer  
 AT - "AT" Command Set  
 SW - Software Included  
 EP - Error Protection


DE - Data Encryption  
 PW - Password/Dial-Back  
 SY - Synchronous  
 ASY - Asynchronous  
 FI - Fully internal for IBM PC and compatibles



# BENCHTEST



The Acorn WIMP interface is fast, colourful and easy to use. The Archimedes makes this all possible from a BBC Basic program



The usual collection of desk accessories is included on the Welcome disk, and includes a clock, notepad and calendar



The Archimedes bundled 'lander' game, written in BBC Basic, is destined to become as famous as the Amiga's 'bouncing ball' demo

16 at a time. Nevertheless, the colour range available in mode 15 is good enough to create almost photographic realism. Modes 18 to 20 give 512 lines of vertical resolution and need a Multi-sync monitor to display them. The teletext mode 7 of the BBC Micro is retained for compatibility. There are also text modes ranging from 40 characters x 25 lines to 132x32 in up to 16 colours.

## BBC Basic V

The Basic built into Archimedes is version 5 of BBC basic, which incorporates many extensions. Some of these are improvements to the control structures of the language, while others implement sound and graphics support for Archimedes.

While BBC Basic was a big improvement over unstructured Basic such as Microsoft's, it still had plenty of warts. Almost all have now been removed. In particular, IF ... THEN ... ELSE ... ENDIF can now span many lines to allow proper block structure; WHILE ... ENDWHILE loops are added; a CASE statement has been added; and functions and procedures can now be built into libraries which are held in RAM and invoked by name in programs. Line numbers are optional, so Pascal-

type programs can be written using the powerful windowing full-screen editor which is built in. The obnoxious BBC line editor is still there for those who are hooked on it. As on the BBC, any operating system command can be issued from inside Basic by prefacing it with a '\*'.

Basic V is not limited to 64k but can address the whole 4Mbytes memory space, allowing substantial programs to be written. Operations on whole arrays have been added to the language, so that, for instance, all the elements can be assigned to, added to, multiplied or divided by a constant in a single statement:

```
DIM A(1000) A() = A() * 8
```

Arithmetic operations can be performed between two arrays of the same dimensions, and matrix multiplication is supported between vectors and 2D matrices.

The graphics and sound extensions would take a lot more space to describe in full than is available here, but I'll sketch the most important bits. The basic colour control primitive is GCOL which sets both background and foreground colours. It can also take an optional second parameter which sets the logical plotting mode. There are eight such modes, namely

Overwrite, OR, AND, XOR (or EOR as Acorn insists on calling it) with the current screen colour, and various logical combinations with the inverse of the screen colour. These can be used to get special effects such as transparency.

Drawing is controlled by a number of powerful primitives. MOVE, LINE and POINT cater for basic drawing, but the more interesting routines are PLOT, RECTANGLE, CIRCLE and ELLIPSE. PLOT m,X,Y is an extraordinary command, where the first parameter m sets one of 255 different modes; these cover drawing just about anything you can name, including lines, triangles, rectangles, circles, ellipses, arcs, segments, filled or empty, solid or dotted. In fact, RECTANGLE, CIRCLE and ELLIPSE are just special cases of PLOT which are easier to use and to read. ELLIPSE draws ellipses of any orientation, not just those parallel to the axes. RECTANGLE has a special extension TO, in which a specified rectangle of screen is moved or copied to another location, in effect a high-level bit-blt. For example:

```
RECTANGLE FILL 10,10,40,40 TO 100,200
```

would move a 40x40 square of pixels from coordinates 10,10 to 100,200 and fill the original space with background colour. The most noticeable omission is a general filled polygon routine, though you can flood fill any outline using PLOT.

The most important thing to note about all these graphics primitives is that they are blindingly fast. Circle and rectangle filling is virtually instantaneous. In addition to the graphics primitives, there are \*FX and VDU commands which can do things like defining scrolling and graphics windows, and printing text in graphics displays. Then there is SYS, which allows

## Technical specifications: Archimedes 305

<b>Processor:</b>	Acorn ARM
<b>RAM:</b>	512k
<b>ROM:</b>	512k
<b>Mass storage:</b>	One 3.5inch 800k floppy
<b>Display:</b>	Choice of high-resolution mono and medium-resolution colour
<b>Extension:</b>	Two expansion slots via optional back-plane
<b>Operating system:</b>	Arthur
<b>Bundled software:</b>	BBC Basic V, Archimedes Desktop, 6502 emulator, tutorial and GAME1



BUSINESS WISE PC SOFTWARE FROM SAGE

# BUSINESS WISE, PRICE WISE, IT HAS TO BE SAGE.

Australia's newest range of low priced, high performance, full feature software programs to cover most business needs.


Designed for use with the Amstrad PC 1512, IBM PC and all compatible personal computers. With 90 days' technical support absolutely free.

Available now from all good computer outlets.

Send for details now.

<b>BOOKKEEPER</b> Small business bookkeeping & accounting	<b>\$299</b>
<b>ACCOUNTANT</b> Powerful integrated accounting	<b>\$449</b>
<b>ACCOUNTANT PLUS</b> Accounting with stock control & invoicing	<b>\$599</b>
<b>RETRIEVE</b> Data storage & management	<b>\$299</b>
<b>CHIT-CHAT</b> E-mail, Viatel & file transfer	<b>\$299</b>
<b>PC PLANNER</b> Lotus 1-2-3 ® compatible spreadsheet	<b>\$299</b>
<b>DESK-SET</b> Desk top organiser & utilities	<b>\$249</b>
<b>PC WRITE</b> Word processor with spelling checker	<b>\$299</b>
<b>FREE DEMONSTRATION DISK</b> For a free 5¼" demo disk of all Sage programs, attach a letterhead or business card to the coupon.	

Personal Computer  
Software P/L  
68 Alfred St.  
Milson's Point 2061  
Phone (02) 923-2899



PLEASE SEND FULL DETAILS

NAME \_\_\_\_\_

POSITION \_\_\_\_\_

ADDRESS \_\_\_\_\_

POSTCODE \_\_\_\_\_

TEL: \_\_\_\_\_

Or telephone the Sage Sales Desk on: (02) 923-2899  
Personal Computer Software P/L  
68 Alfred St., Milson's Point 2061

SA6



# Hercules Runs Your Software

## *In Monochrome.....*

Hercules offers two high resolution graphics cards for IBM PC/XT/AT's and compatibles – the Graphics Card Plus for monochrome monitors, and the new Hercules InColor Card for multisync and enhanced colour ("EGA type") monitors.

Both cards provide features not found on any other graphics card and both run more software at a higher resolution, with better text display capabilities than any other card – monochrome or colour!

### ***The Highest Popularly Supported Resolution***

Both cards feature the highest popularly supported resolution – "Hercules" 720x348. More software depends on this standard than any other, because of its crisp graphics display. It's available for the first time for monochrome monitors with the Graphics Card Plus and now in up to 16 colours with the Hercules InColor Card.

At last your favourite Hercules compatible programs like 1-2-3, AutoCad, Microsoft Windows and many more can run in full colour at this high resolution.

### ***Good-bye Driver Worries***

Both cards are completely compatible with each other. Any software you run on your Hercules monochrome graphics card will run in two (and sometimes more) colours on the InColor Card

without changing the video driver. Most popular software packages like 1-2-3, Symphony, Framework, and AutoCad, which run in full colour on the InColor Card, also use a single unified driver to run on both cards.

So, you can use your entire monochrome software library on a multisync or enhanced colour monitor. Or easily move your software back and forth or network between mono and colour systems.

### ***WYSIWYG... and More***

And, of course, both the Graphics Card Plus and InColor Card feature RamFont...Hercules' powerful new mode that lets software display 3,072 software definable characters instead of the fixed 256 ASCII character set.

Which means programs like Lotus 1-2-3 can display nearly twice as much data and even gain a pop-up window on the spreadsheet, without losing speed.

Microsoft Word runs up to four times faster. And word processors like Lotus Manuscript require RamFont to display subscripts, superscripts, italics and other attributes in the text processing mode.

But RamFont's power doesn't end there. Using third-party add-on software, most popular word processors can display and print foreign languages, scientific characters, or a wide variety of fonts. Not to mention the new breed of software that will let





# Better In Enhanced Colour

you combine large type with small type in a variety of fonts and symbol styles at lightning speed.

## Two Kinds of Monitor One Brand of Card

So whether you work in colour or monochrome, choose Hercules. We run your software better.

subscripts, symbols, etc. Metagraphics Metawindow. Turbo-pascal & Turbo C graphics library, 16 colour or monochrome 720x348 graphics. Micrografix In-a-vision. Computer aided drawing. 8 colour or monochrome 720x348 graphics in Windows environment. Microsoft Chart. 16 colour or monochrome 720x348 graphics. Microsoft Multiplan. RamFont expands data display from 80 columns by 25 to 90x38

nearly twice data display), with toggle between the two. German and French versions only at this time. Microsoft Word (3.1+). RamFont speeds up this program up to 4 times while retaining its impressive on-screen display of fonts and attributes. Microsoft Windows. 8 colours or monochrome any application running under the Windows environment. Paperback Software VP Graphics. Graphics add-on. 8 colour 720x348 graphics. Earth Imaging System Panacea. Uses RamFont for geographic maps instead of graphics mode. Patton & Patton Flowcharting II. Uses RamFont to display special fonts and symbols at text mode speed. Perspective 3D Graphics. Add-on graphics package, 16 colour or monochrome 720x348 graphics. PFS Harvard Presentation Graphics. 16 colour or monochrome 720x348 graphics. San Francisco Design Alexander. Word processor uses RamFont to display special fonts and symbols at text processing speed. Scroll System PS Technical Word Processor. Uses RamFont to display scientific and technical symbols at text processing speed. Soft Evolution SupraFont. RamFont font editor. The Software Group Enable. 16 colour or monochrome 720x348 graphics. RamFont for italics and boldface in wordprocessor. Software Products International Open Access. 16 colour or monochrome 720x348 graphics. Solustan Galam. Indian language word processor, uses RamFont to display and print 14 dialects. Stella Systems Stella Business Graphics. 16 colour or monochrome 720x348 graphics. STSC APL. Programming language using RamFont to display special characters required at text speeds. T&W Versa CAD. 8 colour or monochrome 720x348 graphics. Woodsmith Language Design Kit. Font editor and printing support add-on using RamFont for popular ASCII based programs. ZSoft PC Publisher's Paintbrush. 16 colour or monochrome 720x348 graphics.

Unified driver. Computer Linguist RussStar, etc. Add on programs use

### RamFont to convert

WordStar to foreign language word processor with screen display and printer support. Dragonfly Software Nota Bene. Foreign language word processor uses RamFont to display Russian, Hebrew, Sanskrit, etc. with full printer support. Evolution Software FastCAD, EasyCAD. 16 colour or monochrome 720x348 graphics. Image Processing TurboFonts. Uses RamFont to allow font substitution and printer support for most popular word processing programs such as WordPerfect, Multimate, WordStar, etc. Generic Software Generic CAD. 16 colour or monochrome 720x348 graphics. GSS GSS Library. Driver library with support for Hercules mono and colour 720x348 graphics. Javelin Javelin. Integrated software. 8 colour or monochrome 720x348 graphics. Lotus 1-2-3 Versions 2.0 and above. RamFont expands spreadsheet display from 80 columns by 25 to 90x38 (nearly twice data display), 6 colour or monochrome 720x348 graphics or graphic window on spreadsheet. Lotus Manuscript. Requires RamFont for display of italics, subscripts, etc. while text processing. Lotus Symphony. Uses RamFont to expand data display from 80 columns x 25 rows to 90x30 with faster scrolling. Mace Utilities GRASP. PC slide show system. 16 colour or monochrome 720x348 graphics. Marc Publishing WordMARC. Uses RamFont for display of italics,

\$595 ex. Tax  
Suggested Retail Price

\$950 ex. Tax  
Suggested Retail Price

### A Few Examples...

Here are a few of the programs that benefit from Hercules 720x348 graphics and/or RamFont in monochrome on

the Graphics Card Plus and full colour on the InColor Card. Not included in this list are the thousands of monochrome standard text Graphics programs which automatically run on both cards.

Aldus Pagemaker. Desktop publishing. 8 colour or monochrome 720x348 graphics in Microsoft Windows environment. Design Board MegaCADD, a CAD program from 16 colours, or monochrome 720x348 graphics. Unified driver. Ashton-Tate Framework II. Expanded spreadsheet display, speeded up wordprocessor using RamFont. Unified driver.

AutoDesk AutoCAD, Auto-Sketch.

16 colour or monochrome 720x348 graphics. Unified driver. Underware Brief. Program editor uses RamFont for 43 line display. BPS 35 M.M.

Express. Slide production program. 16 colour or monochrome 720x348 graphics. Broderbund For Comment.

Editing tool utilizes RamFont for 43 line display. Computer Associates SuperCalc 4. Spread-sheet. 16 colour or monochrome 720x348 graphics.

## HERCULES Graphics Card Plus

Hercules Graphics Card Plus.  
For monochrome monitors.

## HERCULES InColor Card

Hercules InColour Card. For multisync and enhanced colour ("EGA type") monitors.

# Hercules. We're strong on graphics.

TECH PACIFIC,  
119 FERRARS STREET, SOUTH MELBOURNE, VICTORIA 3205,  
MELBOURNE (03) 690 9055, SYDNEY (02) 319 2822.

Hercules Computer Technology, 2550 Ninth Street, Berkeley, CA 94710. Telephone: 415 540-6000. Telex: 754063. Fax: 415 540-6621.

Hercules, RamFont and InColor are trademarks of Hercules Computer Technology. Other products are trademarks of their respective holders.

MICRO AUSTRALIA,  
55, BLAXLAND RD, RYDE, 2112 NEW SOUTH WALES,  
SYDNEY: 02 8083055, MELBOURNE: 03 8792266.



direct calls to operating system routines to be made from Basic. It's also possible to write to and read from memory directly using the indirection operators, `?`, `!`, `$` far more elegantly than with the cursed `PEEK` and `POKE`. And if none of this is fast enough, in the last resort you can `CALL` machine code routines. By combining all these features it is possible to write professional standard graphics programs in interpreted Basic. To my astonishment I discovered that the Desktop demonstrations and the font and sprite editors on my A500 were all written in Basic.

Basic supports the mouse in a very straightforward way through the command `MOUSE X,Y,BUTTON`. This returns the current mouse position in X and Y and the button status, and you call it as often as needed. The command `MOUSE RECTANGLE` defines the screen area in which the mouse pointer can be moved. I was able to write a quite nifty mouse-driven painting program in a couple of hours and 77 lines of Basic.

The Arthur operating system can reserve memory space for storing 'sprites'; graphic images which can be manipulated as single objects. These are purely software sprites, not hardware generated like those on the Amiga or Commodore 64. Such is the raw power of the ARM, though, that you would never notice. The supplied sprite editor permits mouse-assisted drawing of sprites in any of the screen modes (that is, in up to 256 colours) and of any size not exceeding the memory allocated, so full screen sprites are possible.

Once drawn a sprite is saved in RAM under a name, and it can be put on the screen using `PLOT` and its name, an operation which is fast enough to perform effective animation. The stored sprites can be saved to disk and loaded using the operating system commands `SSAVE` and `SLOAD`; many application programs will be started by a batch file which begins with a list of `SLOADs`.


The basic is extraordinarily fast for an interpreter, and in applications whose execution time is dominated by arithmetic or graphics operations there is little point in using anything else. The Basic does show its weakness on programs which are dominated by loop timing, however; its performance on Eratosthenes' Sieve, at 8.7 seconds per iteration, is pretty average. For this kind of program a compiled language would better exploit the ARM power. Only the most demanding of applications (for example, real-time simula-

## Benchmarks


<b>Intmath</b>	0.37secs
<b>Realmath</b>	0.41secs
<b>Triglog</b>	2.31secs
<b>Textscrn</b>	6.67secs
<b>Grafscrn</b>	(MODE 1) 6.78secs

*For a full explanation of the APC Benchmarks, see the November 1986 issue. All programs are in BBC Basic V.*


Intmath




Realmath




Triglog



Textscrn



Grafscrn



Archimedes



Compaq 386

*Benchmarks for the Archimedes, and in comparison to the Compaq 386*

tions) would tempt one to use machine code. Acorn has a reasonable amount of developer's software for the ARM. There are compilers for C and Fortran, Lisp and Prolog systems, and of course an assembler and debugger.

There is a very powerful programmer's editor called Twin (because it can use twin windows) which was on

the hard disk of my A500; it is extremely fast and includes Econet electronic mail so that programmers on a net can exchange source code and so on. For mathematicians there is an implementation of the Reduce 4 symbolic maths system, and on a 4Mbyte A440 this becomes a very serious proposition, in terms of both speed and workspace.



# Postpak.

For those who feel  
uncomfortable  
putting their brains  
in a paper bag.




Now you can mail up to 5 computer diskettes in special protective Postpak containers from Australia Post.

They're safer, stronger and cheaper than the paper bags you're using now.

What's more, the more you buy the more you save. Buy them from any Post Office.

**POSTPAK. WE DELIVER.**





# MicroMania

**PC  
In Modern  
\$390**

**Ability  
\$139**

**Smartmodem  
1200  
\$666**

**Epson  
LX800  
\$549**

**Miniscribe  
44Mb Disk  
\$1,799**

**NEC P7  
\$1,137**


## SOFTWARE

Above Disc .....	290.00
Access .....	439.00
Ancient Art of War .....	80.00
Async .....	63.00
Auditor Version 3 .....	216.00
Back-It .....	135.00
C Compiler - MS .....	829.00
Carbon Copy .....	420.00
Chart .....	499.00
Chartmaster .....	625.00
Chartstar .....	261.00
Clickart Personal Publisher .....	295.00
Cobol Compiler - MS .....	1139.00
Cobol Toolkit .....	650.00
Concurrent PC DOS for IBM - Ver 5.0 .....	610.00
Copy II PC .....	91.00
Copy II PC Option Board .....	249.00
Copywrite .....	98.00
Crosstalk XVI .....	199.00
<b>DAC Accounting Aust. Ver. ....</b>	<b>260.00</b>
DESQview .....	159.00
DS Backup Plus .....	180.00
Dataflex .....	1590.00
Daybook - Accounting Cashbook .....	169.00
Dbase II .....	760.00
<b>Dbase III Plus .....</b>	<b>875.00</b>
Dbase III Plus Lan Pack .....	1480.00
Diagram - Master .....	651.00
Disk Manager - surpass 33MB limit .....	225.00
Disk Optimizer .....	95.00
Dos Lock .....	160.00
<b>Enter - Full Accounting System ....</b>	<b>449.00</b>
Fastback .....	179.00
Fastgraphs .....	390.00
First Choice .....	275.00
Flashcode .....	269.00
Flashup Windows .....	145.00
Flight Simulator .....	105.00
Formeasy Desktop Publisher .....	990.00
Formtool - Forms Design .....	255.00
Fortran Compiler - MS .....	849.00
Framework II .....	1044.00
Freelance .....	733.00
Gem Desktop Publisher .....	652.00
Genifer .....	473.00
Graphwriter .....	930.00
HAL .....	249.00
Harvard Presentation Graphics .....	595.00
Harvard Professional Publisher .....	1349.00

Hot .....	175.00
IBM PC Story Board .....	515.00
Jet .....	102.00
Keyworks .....	148.00
Kings Quest .....	90.00
KnowledgeMan .....	919.00
<b>Lotus 1-2-3 .....</b>	<b>690.00</b>
Mace - Utility program .....	189.00
Magician .....	145.00
Manuscript .....	733.00

Nortons Editor .....	208.00
Open Access II .....	1090.00
Pagemaker .....	1650.00
Pascal Compiler - MS .....	552.00
PC Tools .....	104.00
PC Tutorial .....	90.00
Perspective - 3D Business Graphics .....	560.00
Postcode .....	49.00
Printworks .....	145.00
Pro Design II .....	599.00

SMART (Lan System) .....	2183.00
SPSS/PC+ .....	1882.00
Sargon III .....	100.00
Sidekick (protected version) .....	78.00
Sidekick (unprotected version) .....	135.00
Sideways .....	138.00
Sign-Master .....	442.00
Smart Package .....	1199.00
Smartkey .....	68.00
Smartstuff .....	91.00
Softerm PC Comms .....	472.00
Software Carousel .....	95.00
Spellbinder .....	695.00
Spotlight .....	139.00
Statpak .....	669.00
Superkey .....	115.00
Superproject Plus .....	750.00
Superwriter .....	377.00
<b>Symphony .....</b>	<b>820.00</b>
TAS+ Database System .....	210.00
TK solver! .....	483.00
Timeline .....	699.00
Turbo Asynch Plus .....	255.00
<b>Turbo C .....</b>	<b>165.00</b>
<b>Turbo Basic .....</b>	<b>165.00</b>
Turbo Database Toolbox .....	124.00
Turbo Editor Toolbox .....	124.00
Turbo Gameworks .....	124.00
Turbo Lightning (Vol. 1) .....	165.00
Turbo Lightning (Vol. 2 - Word Wizard) .....	129.00
Turbo Pascal Graphix Toolbox .....	124.00
<b>Turbo Pascal Including BCD &amp; 8087 .....</b>	<b>165.00</b>
Turbo Power Tools .....	255.00
Turbo Prolog .....	165.00
Turbo Tutor .....	75.00
Twin - 123 Lookalike .....	242.00
Typequick .....	83.00
Ventura Desktop Publisher .....	1549.00
Windows .....	199.00
Windows Plus Mouse .....	505.00
Wizardry .....	103.00
Word + Mouse Version 3 .....	980.00
Word - Version 3 .....	680.00
Word Wizard .....	120.00
Wordperfect .....	652.00
Wordstar .....	405.00
Wordstar Easy Extra .....	175.00
Wordstar 2000+ .....	519.00
Wordstar Professional .....	519.00
Xtree - File & Directory Management .....	99.00



Microsoft Macro Assembler .....	350.00
Microsoft Project Version 2.0 .....	665.00
Mirror - Crosstalk clone .....	95.00
MOS 386 Operating System .....	1439.00
Multimate 3.31 .....	639.00
Multimate Advantage II .....	884.00
Multiplan .....	350.00
Newsmaster .....	149.00
Norton Commander .....	120.00
Norton Utilities .....	134.00
Norton Util. Advanced .....	249.00

Professional File .....	390.00
Professional Write .....	336.00
QDOS II .....	95.00
Q & A .....	629.00
Quality Analyst .....	670.00
Quick Basic .....	175.00
<b>Rapid File .....</b>	<b>572.00</b>
Rbase 5000 .....	830.00
Referee .....	119.00
Reflex - Version 1.1 .....	230.00
Remote .....	227.00

**NEC P6  
\$899**

**TAS +  
Database  
\$210**

**Enter  
Accounting  
\$449**

**LOTUS 1-2-3  
\$590**

**Seagate 20Mb  
Hard Disk Kit  
\$729**

**Irwin 10 Meg  
Backup-XT  
\$599**

## 386 SUPERMICROS

**Kaypro 386a ..... \$8,610**

- 512K, 1.2Meg Floppy  
call for details

**Kaypro 386c ... \$10,830**

- 2.5Meg RAM, 40Meg  
Hard Disk. Call for details.

## EPSON OUT THEY GO !!!

Epson LX-800 .....	\$549	Epson HI-80 .....	\$676
Epson EX-800 .....	\$936	Epson JX-80 .....	\$884
Epson EX-1000 .....	\$1220	Epson LQ-1000 .....	\$1287
Epson FX-1000 .....	\$993	Epson LQ-800 .....	\$936
Epson FX-800 .....	\$794	Epson Laser .....	\$3770
Epson GX-80 .....	\$407	Epson SQ-2000 .....	\$1795

## This month's SPECIALS !!

<b>Ability</b>	<b>\$ 139</b>
<b>3 1/2" Floppy Kit</b>	<b>\$ 329</b>
<b>ADI TTL Monitor</b>	<b>\$ 265</b>
<b>Epson Laser</b>	<b>\$3770</b>
<b>Impact L800</b>	<b>\$3999</b>
<b>Lotus</b>	<b>\$ 590</b>



# MicroMania

**Miniscribe**  
71Mb Disk  
**\$2,325**

**Fujitsu 3400**  
24 pin printer  
**\$1,362**

**Turbo C**  
Turbo Basic  
**\$165**

**Toshiba 3 1/4"**  
Floppy Drive  
**\$329**

**Seagate 30Mb**  
Hard Disk Kit  
**\$799**

**Magician**  
Graphics  
**\$320**

## PRINTERS

Brother 1509	867.00
Brother HR20 Daisy Wheel	888.00
Brother HR10	517.00
Brother HR15XL	679.00
Brother HR35	1464.00
Brother M1109	472.00
Brother M1109 for Apple incl. Tractor	575.00
Brother M1409	775.00
Brother M1709	1159.00
Brother M2024L	1550.00
Brother Twinwriter	2359.00
Epson EX-800 Printer	936.00
Epson LX800	549.00
Epson FX800	794.00
Epson GX80	407.00
Epson LQ1000	1287.00
Epson FX1000	993.00
Epson GQ3500 Laser	3770.00
Epson SQ2500	2126
NEC P6 Pinwriter	1699.00
NEC P6 Printer	899.00
NEC P7 Printer	1137.00

## MODEMS

Netcomm 1200 In Modem	560.00
Netcomm 123 In Modem	820.00
Netcomm 1234 In Modem	1013.00
Netcomm 21/23 Modem	499.00
Netcomm 2400 In Modem	799.00
Netcomm 3 + 12 Automodem	405.00
Netcomm 3 + 12 Manual	240.00
Netcomm PC In Modem	390.00
Netcomm Smart Modem 1200	640.00

## HARDWARE

41256 RAM Chip (256k)	6.90
4164 RAM Chip (64k)	3.33
80287-6 AT Maths Coprocessor	465.00
80287-8 AT Maths Coprocessor	799.00
8087 Maths Coprocessor	324.00
8087-2 Maths Coprocessor	425.00
<b>AST - Slixpak Plus + Desqview</b>	<b>350.00</b>
AST Advantage - AT W/128K	950.00
AST Four Port/Xenix	865.00
AST Fourport/AT	595.00
AST Preview PC/XT/AT Mono Graphics	445.00
AST Rampage - 256K PC/XT + Desqview	639.00
AST Rampage - 512K AT/Desqview	1195.00

**STAR**  
NX10  
**\$478**

**Archive 60Meg**  
Tape B/Up  
**\$1,495**

**Metro from**  
Lotus  
**\$129**

**ATI EGA**  
WONDER  
**\$699**

**Doslock - Hard**  
Disk security  
**\$149**

**Microsoft**  
Mouse  
**\$284**

## NEW Superhot Software!!

Lotus Metro	\$129
Turbo C	\$165
Turbo Basic	\$165
Turbo Prolog	
Toolbox	\$165
Eureka - the Solver	\$165
Nortons Advanced	\$249

## Australia's leading PC discounters

**(02) 569 0232**

**180 Parramatta Rd, Stanmore N.S.W. 2048**

All prices include sales tax. We accept Bankcard, Mastercard and Visa. We have the largest range of PC products in Australia. Call us for a quote and a free catalogue-newsletter. All products carry full distributor's warranty and support and are latest release versions. Delivery extra - call for rates. Prices may change due to factors beyond our control. We ship Australia-wide.

## The lowest KAYPRO and ULTRA prices !!!

**Kaypro PC ..... \$2,199**

768k, Dual Drive, Turbo, Bugboard,  
Bundled Software

**Kaypro PC30 ..... \$2,799**

768k, 1 Drive, 30 Meg, Turbo,  
Bundled Software

**Ultra - from Imagineering . \$1,949**

640k, 2 Drives, par/ser/clock, Turbo  
Mono screen, 10 disks, DOS

**Ultra - from Imagineering . \$2,599**

640k, 1 drive, 20 Meg, par/ser/clock  
Turbo, Mono screen, 10 disks, DOS

**Ultra - from Imagineering . \$3,499**

640k, 1 drive, 20 Meg, par/ser/clock  
Turbo, EGA screen, 10 disks, DOS

ADI - IBM TTL Monitor - Amber	265.00
ADI - IBM TTL Monitor - Green	265.00
ADI EGA Monitor	899.00
<b>TVM EGA Hi Res Col/Monitor</b> (MD-7)	<b>999.00</b>
<b>EGA Compatible Card</b>	<b>490.00</b>
<b>EGA Autoswitching Card</b>	<b>549.00</b>
<b>ATI EGA Wonder - incredible!</b>	<b>699.00</b>
ATI Graphic Solution	459.00
Hercules Graphics Card Plus	550.00
Intel Above Board - AT	893.00
Intel Above Board - AT/PS Par/Ser	968.00
<b>Intel Above Board - PC/XT</b>	<b>593.00</b>
Intel Above Board - Par/Ser PC/XT	668.00
Joystick - IBM PC with cable	49.00
Logitech Mouse	210.00
Microsoft Mouse (Bus)	284.00
Microsoft Mouse (Serial)	284.00
PC - Multifunction Card - 384K	195.00
PC Bugboard - Mono/Colour/Hercules	299.00
PC Colour Graphics Card	159.00
PC Colour/Mono/Graphics Card	230.00
PC Floppy Disk Controller	114.00
<b>PC Memory Card - 640K</b>	<b>130.00</b>
PC Mono Text Card	185.00
PC Mono/Graphics Card	199.00
PC Multi I/O Card	195.00
PC Parallel Card	80.00
PC Serial Card	80.00
Paradise Colour/Mono Card	374.00
Paradise Modular Graphics Card II	594.00
Parallel Printer Cable - PC	35.00
Power Supply (135w)	199.00
<b>Printer Buffer - 256K Parallel</b>	<b>429.00</b>
NEC Multisync Monitor	1432.00
Thomson EGA Monitor	1099.00
Thomson IBM TTL Amber	285.00
Thomson IBM TTL Green	265.00
Thomson Colour - 36512	710.00
Thomson Colour - 31382	820.00
Floppy Disk Drive - PC 1/2 height	199.00
Floppy Disk Drive Teac - 1.2 Meg	370.00
<b>Archive 60 Meg Internal Tape</b>	<b>1495.00</b>
Hardcard - 20 Meg	1493.00
Hardcard - 40 Meg	2137.00
Irwin 110D 10 Meg Tape B/Up - XT	599.00
<b>Irwin 120D 20 Meg Tape B/Up - XT</b>	<b>1299.00</b>
Miniscribe - 71 Meg Hard Disk	2325.00
Miniscribe 44 Meg F/H Hard Disk	1799.00
Seagate 20Mb Hard Disk Kit	729.00
Seagate 30Meg Hard Disk Kit	799.00

Dear Christine,

I want to become a Micromaniac today! I wish to:

☐ receive your latest newsletter and catalog with over 600 products listed.

☐ be placed on your mailing list to be kept regularly up to date with latest product releases and special offers.

Name .....

Company .....

Address .....

Postcode .....

My computer is .....

Send to: Christine, MicroMania, 180 Parramatta Rd, Stanmore, NSW 2048



**FAIRSTAR**

COMPUTER  
CENTRE



---

**TANDON  
20MB  
HARD DISK  
DRIVE KITS**

**\$699.00**

**INCLUDES: CABLES & CONTROLLER  
ONSITE INSTALLATION ONLY:\$40.00**

DRIVE KITS SUPPLIED BY: MICRO GENERAL P/L.

---

293 CHURCH ST. PARRAMATTA N.S.W. 2150  
(02) 891 1944 OPEN 8AM - 6PM 7 DAYS



# Kaypro Computers Announces the KAYPRO 386.

## It's Faster Than You Think.

Thanks to its Intel's 80386 microprocessor, the KAYPRO 386 runs most popular software two to three times faster than the 8 MHz PC/AT.

Here is the desktop computer capable of performing many of the functions once considered the domain of mini's and mainframes. Computer-aided design and manufacturing (CAD/CAM), desktop publishing, networking, and life-like graphics are yours for the asking. Just make sure you ask for the fast one - the KAYPRO 386.

**KAYPRO**<sup>®</sup>  
COMPUTERS  
*The Future's Built In*



*made in U.S.A.*

For more information on Kaypros complete line - PC, XT, AT and 386 micro-computers, or the location of your nearest dealer, Phone: (03) 597 0133 or (02) 542 3866

Trademarks: IBM, AT, International Business Machines, Inc.; Intel, Intel Corporation.





## Welcome disk

The Welcome disk supplied free with the A models will contain the Desktop program, some tutorials and a number of demonstration programs which illustrate the power of the ARM. It will also contain 65EMU, a software 6502 emulator that allows many old BBC programs to run on the A series. I was not able to try this emulator but am led to understand that it will run well-behaved software that does not directly control the BBC chips, which will exclude a number of popular games.

Of the demos, the one which is destined for instant fame is the game by D Braben, which on my disk was cryptically called just GAME1. It's not much to describe. A flying saucer shaped like a wedge of cheddar is controlled by the mouse and flies over a landscape shooting things up. It's the way it does it that is astonishing. The game is a full 3D flight simulation, with a stunning perspective landscape. You can fly in any compass direction, and the rolling landscape covered with trees and houses unfolds below (it's actually a cubic surface coloured in a chequer-board of different shades of green). The saucer obeys the laws of gravity exactly, as does each spark from its jet exhaust, each bullet from the gun and each drop of spray when it flies low over water. Nothing could better illustrate the way a quantitative jump in processing power can lead to a qualitative step in applications. You just can't do this stuff on an 8088, and it's doubtful on a 68000; the hefty calculations of landscape perspective and particle motion for each scene need to be performed in less than the screen refresh period or the illusion collapses.

Another impressive demo is the Font Designer, which appears to be inspired by Donald Knuth's 'Metafont'. Instead of defining characters as simple bit-maps on a grid as is usual, it allows you to draw character skeletons using lines and curves, and then to 'flesh out' these skeletons with user-defined pens; cursive effects (like copperplate) are obtained by defining oblique pen 'nibs'. In a similar way, a menu of serifs can be defined to be stuck onto characters. Any font can be italicised by adjusting a sloping line in a window to the desired angle in degrees. The skeleton-drawing part of the editor uses techniques cribbed from CAD/CAM to draw curves and lines in 'rubber band' fashion with the mouse. With some practice it is possible to achieve professional standard typeface designs. Fonts are presumably stored as geometric descriptions, rather than

bit-maps, and so could be reproduced at any size.

Currently, the program is only a demonstration, as the fonts it creates cannot be used on Archimedes. The resolution of a standard VDU is hopelessly inadequate to depict fonts of this quality, except when blown up to headline size, and a laser printer or typesetter would be needed to reproduce them. Arthur does have the facility to replace the system font with a soft font, but at present this is limited to an 8x8 grid.

Another one of the demo programs offers a hint of things to come though; it displays automatically scaled text (the font size enlarges and shrinks as the window is resized) in a variety of fonts, with anti-aliasing in three shades of grey to soften the jagged edges. It

*'The A500 felt like the fastest computer I have ever used, by a considerable margin.'*

seems clear that in some future version of Arthur this auto-scaling will be provided as an operating system service, and the fancy fonts will become usable.

## Benchmarks

Times for 'Store' and 'Retrieve' are not given in the timings because a bug in the version of ADFS supplied stopped them running correctly. Results obtained by Acorn suggest that Store takes between 2-3 seconds on the hard disk, and around 20 on the floppy, but we will have to wait for a production machine to confirm this.

I also feel obliged to point out that Grafscrn, based on point plotting, is an inadequate indicator of Archimedes' graphic performance; a test based on line-drawing and area-filling would show off its exceptional speed better.

## Documentation

I was supplied with photocopies of the 66-page *Welcome Guide* and the 456-page *Users' Guide*, the latter being a Basic manual with enough discussion of the operating system for an end-user. Both were well written and the Basic manual is quite complete enough to start serious programming.

However, Professional programmers will need more reference than these

books provide (for example ARM machine code is not covered, nor are the Window Manager calls) and I understand that a *Reference Manual* will be available as an extra.

## Prices

As shipment of the Archimedes is expected sometime in September, official prices from Barson Computers have not yet been set. The following prices are APC's estimate based on the exchange rates at the time of going to press.

The A305, with 512k RAM, one 3.5inch floppy drive, keyboard and mouse is expected to sell for around \$3600. The A310 includes the above A305 configuration and 1Mbyte RAM (instead of 512k) and is expected to retail at around \$3800.

The A410 includes 1Mbyte RAM, four sockets for podules, coprocessor bus, one 3.5inch floppy drive and hard disk controller and will sell at around \$5300. The A440 with 4Mbytes RAM, one 3.5inch floppy drive, and a 20Mbytes hard disk will sell for around \$7800. All prices include a monochrome monitor.

## Conclusion

The A500 felt like the fastest computer I have ever used, by a considerable margin. Benchmarks are inadequate to convey the feeling of power that exudes in use; just about everything you do happens instantly, and it takes a hefty-sized Mandelbrot computation before you believe that anything can tax it. Power is nothing if it cannot be harnessed, and the A series allow you to translate this power easily into results on the screen; they can be programmed immediately by anyone competent in Basic, without requiring a six-month course of study.

The A series deserve to succeed in the education market. And it will be no surprise if, unlike the BBC, they make it into the business field, too, as they have the sort of power that is becoming essential for Desktop Publishing and CAD/CAM applications. This combination of speed and graphic resolution could open up a whole new level of capability in popular software.

END

*The Acorn Archimedes will be distributed by Barson Computers. Tel: (03) 419 3033.*



# Kaypro Computers Announces the KAYPRO PC-30.

With an  
Extra Ten  
Million  
Bytes -  
Free.



Kaypro has added ten million bytes of storage capacity to the hard-drive KAYPRO PC - but not one penny to the price. That means you get IBM compatibility, American-made durability, and the convenience of a 30-megabyte hard drive. All at a Kaypro price that's easy to take.

Get two-speed processing (4.77/8.0 MHz), AT-style keyboard, and free software that includes WordStar Professional Release 4, MS-DOS 3.21, GW-Basic & more!

**KAYPRO**<sup>®</sup>  
COMPUTERS  
*The Future's Built In*



*made in U.S.A.*

For more information on Kaypros complete line - PC, XT, AT and 386 micro-computers, or the location of your nearest dealer, Phone: (03) 597 0133 or (02) 542 3866

Trademarks: IBM, AT, International Business Machines, Inc.; WordStar Professional Release 4, MicroPro International.



# LOTUS, HISTORY IS ABOUT TO REPEAT ITSELF

## INTRODUCING SILK™ SPREADSHEET SOFTWARE. IT'S NOT A LOTUS CLONE. IT'S BETTER.

SILK is prepared to meet the Goliath of the spreadsheet software industry head on. We've prepared by investing over 40 man-years in its development.

SILK stands alone as an extraordinary and ingenious product that will transport you to a new, higher level of power and performance.

## THE EXPERTS CALL SILK "LOTUS VERSION 3.0"

Minutes into the SILK demo, even the most skeptical users are won over. Here's how SILK goes **beyond** Lotus:

## BE PRODUCTIVE ... ON THE FIRST DAY

SILK is easy to use. In fact, SILK's command structure is largely compatible with Lotus 1-2-3. But unlike Lotus, SILK has built-in utilities that allow you to move easily between Lotus versions 1A and 2.0 and DIF files.

## HELP IS "LIVE"

SILK has the **only** HELP system that allows you to work in the program at the same time you are receiving help. No more switching back and forth...A single keystroke puts you in touch with "context-sensitive help." A window comes up to explain the functions of the system relative to where you are at that time.

## ALLOCATION—A DIFFICULT MODEL MADE EASY

You can easily proportion all the values in a range with one keystroke. Just enter your values, point to a range and you're done!

## TIME-SERIES MODELING IN ENGLISH PLUS VALIDATION

SILK speaks your language, not computerese. The benefit is reduced errors, entry time and training.

SILK **automatically** validates all entries. It highlights all entries not matching your criteria and restricts movement of the cell pointer to those cells.

## SILK AUTOMATICALLY RECORDS EVERY KEYSTROKE ON HARD DISK

Eliminate the disaster of lost data. If a power failure occurs, simply play back your work and SILK recovers the **entire** model!

These are just five of the dozens of **standard features**, not upgrade enhancements, built into SILK!

## ONCE YOU'VE SEEN SILK DEMONSTRATED, YOU WON'T WORK WITH ANYTHING LESS

For more information call

**PC EXTRAS**

Sydney (02) 319 2155

Melbourne (03) 698 7562



Look out Lotus, we've got what it takes!

## SPECIAL INTRODUCTORY RETAIL PRICE \$345

*SILK is designed for IBM PCs and compatible computers.*



## PC EXTRAS

G3 The Water Tower, No. 1 Marian Street, REDFERN HILL, N.S.W. 2016, Ph: 319 2155.

© 1987 Daybreak Technologies, Inc. Lotus and Lotus 1-2-3 are registered trademarks of Lotus Development Corp. IBM PC, XT and AT are registered trademarks of International Business Machines Corporation.



AMPOL Refineries ■ Arthur Young ■ Australian Associated Press ■ Australian Federal Police ■ Australian Gas Light Company ■ BHP ■ BNZ Australia ■ Capita Financial Group ■ CIG ■ Citicorp ■ Clemenger Australia ■ Commonwealth Bank ■ Custom Credit ■ Department of Defence ■ Dow Chemicals (Australia) Ltd. ■ Electricity Commission of NSW ■ EMAIL ■ Fujitsu ■ HFC Finance ■ Honeywell ■ IBIS ■ ICI Australia ■ John Fairfax ■ Kelvinator Australia ■ Lindemans Wines ■ LM Ericsson Pty. Ltd. ■ Moore Paragon ■ Myer Information Services ■ Northern Mining ■ Olivetti Australia ■ PA Consulting ■ Pioneer Concrete ■ Plessey ■ Price Waterhouse ■ Ranger Uranium Mines ■ Readers Digest ■ Rothmans ■ Streets ■ Telecom ■ TNTTransport ■ Touche Ross ■ Tubemakers ■ Volvo (Australia) Pty. Ltd. ■ Wang ■ Westfarmer Rural ■ Westpac

# THEIR PROJECT MANAGER IS WAITING TO WORK FOR YOU.

All these companies use the same Project Management software to stay competitive. Time L. is Australia's (and the world's) top selling Project Management software for IBM PCs and compatibles.

## Here are some of the ways Time L. can get your business running more efficiently:

- ◆ It can handle an unlimited number of tasks (over 1,000 on a standard 640K PC).
- ◆ It can help you manage resources better. Single or pooled resources or costs are catered for. Time L. tells you when you're 'overbooked' and then helps you rework areas. You can level your schedule, and even delay tasks until resources come available.
- ◆ Time L. will provide costings and estimates in the ways you need. Fixed, variable and unit cost types can be easily set up for an unlimited number of cost

fields.

- ◆ Time L. will send out its costing report to your favourite spreadsheet or database.
- ◆ Do you have complex multiple schedules to manage? Time L. can handle it. You'll be able to control several projects that share information, then summarise and combine information.
- ◆ Time L. is flexible. Combine Fixed, Span, As Soon As Possible and As Late As Possible tasks. Units of time may be minutes, hours, days, weeks or months.
- ◆ Time L. handles 'leads' and 'lags'. You can even overlap tasks or put gaps of time between them.
- ◆ The powerful new GRAPHICS OPTION is now available. Time L. Graphics extends Time L.'s reporting with Time-scaled PERT, standard Gantt and Actual-vs-Plan Gantt charts. Time L. GRAPHICS supports most popular plotters in up to 8 pen colours.

# TIME L.\*

F R O M

*Breakthrough*™

S O F T W A R E

Phone us now on (02) 319 2155 or fill in the coupon for further information.

Send to:  
the Australasian distributor:  
PC Extras  
Suite G03, The Watertower,  
Rosehill Street,  
Redfern Hill 2016

**p.c extras**

Please send me further information on Time L.

Name .....

Company .....

Position .....

Address .....

P/Code .....

PF

\* Outside Australia Time L. is sold as Time Line. Time Line is a registered trademark of Breakthrough Software Inc.



# THIS IS THE FACE OF THE FUTURE.



If you know us only as the world's leading flexible disks, this is a surprising face.

Verbatim now provides the computer industry with data storage in every form needed by today's...and tomorrow's...computers.

Tapes, cartridges and cassettes. DataLife floppy disks in all formats. Flexible disk drives which expand the storage capacity of floppies to 3.3 and 6.6 megabytes. Hard disk-drives on a card called DataBanks which fill the expansion slots of IBM PCs and compatibles with an additional 20 and 30 megabytes of storage.

This is the face of the future. For more details call Verbatim, (008) 022 023, for the cost of a local call.

**Verbatim**  
— A Kodak Company —  
**WORD PERFECT FOR LIFE**





# HP-28C calculator

***Gone are the days when a pocket calculator just provided a quick way of performing mathematical calculations: technological development has produced powerful units with increased programmability and functions. Nick Walker looks at the HP-28C***

In the first few years of APC, there were very few ways for the enthusiast on a limited budget to afford a personal computer. The wealthier people could perhaps afford a 16k Apple II or a 4k Tandy TRS-80, but those of us with less money had to settle for build-it-yourself kits or programmable calculators. Such was the interest shown by programmable-calculator owners that APC ran its own column to cater for it, called 'Calculator Corner' and later 'Pocket Computer Corner'.

For a while, pocket computers and programmable calculators offered more power than most home computers of a comparable price. The advent of cheap computers such as the Commodore 64 *et al* offered significantly more power for less cost, making programmable calculators seem limited and expensive. Nevertheless, development has continued and there are now some very sophisticated machines that prove to be truly useful as pocket number-crunchers.

The market for programmable calculators has had its share of success and disaster stories, following a similar path to the home computer market. The four leading manufacturers were, and still are, Casio, Hewlett-Packard, Sharp and Texas Instruments. Less successful competition came from Commodore and National Semiconductor — which have now withdrawn from the scene. The programmable-calculator market called for LSI and VLSI chips, which accounts for the number of chip manufacturers in the list.

Since the boom years of program-



mable calculators they have developed in two ways. Firstly, an increase in programmability has produced machines that come close to the power of a laptop but in a pocket-size box; and, secondly, increasing the amount of functions within the calculator's hardware, thus widening the number of problems it can solve without the need

for programming. The HP-28C falls into the second class, offering more built-in ability than any calculator I have ever seen.

## ***Hardware***

The HP-28C is an elegant, traditionally-shaped calculator which opens like a



book to reveal two keypads. On the left is an alphabetic keypad arranged in straight A,B,C . . . fashion; the right-hand keypad contains the numeric keys, arithmetic keys and a further 35 function keys. Above the right-hand keypad is a bulge which contains an LCD screen and the battery compartment holding ordinary 'pen-light' batteries rather than the 'hearing-aid' ones usually found in programmable calculators. To conserve power, the HP-28C will automatically switch itself off if it hasn't been used for ten minutes.

Considering how slim the keypads are, and the amount of space occupied by the screen and the batteries, there seems to be no room for any circuitry. And as there was no way I could get inside the unit, I can only assume a very high level of integration to enable the HP-28C to function in so little space.

There is a feeling of quality to be found in every feature of the 28C, as in all Hewlett-Packard electronics. The attention to detail is superb: the wonderfully positive click of the keys — even the feel of the catch on the case — all reek of quality. This quality must, of course, have a beneficial effect on the reliability of HP equipment. This praise may appear to be rather 'over the top', but after months of using dubious Taiwanese equipment, it's a joy to find a manufacturer who still cares about quality.

The screen is a 32x137 pixels, fully addressable LCD capable of displaying a full character set and graphics. A row of annunciators (graphical symbols) above the screen indicate, from left to right: suspended program; Shift key activated; locked alphabetic key entry; busy, not ready for input; low battery; radians mode; and data being sent to the printer.

Also included with the review calculator was a fairly ordinary thermal roll printer, 24 characters wide and not particularly fast. It does have one particularly novel feature — it works via an infra-red link so there is no physical connection between the machine and the printer. Just place the printer anywhere on the desk and it will print when commanded.

## Software

Anyone unfamiliar with HP calculators will initially encounter problems when operating the HP-28C. Enter '1 + 1 =' on the HP-28C and you obtain a 'Too few arguments' message on entering the '+' error message; and if you persevere, you receive a 'Syntax error' on entering the '='. This is because the

HP-28C, like all HP calculators, uses a stack-based system of algebraic entry called Reverse Polish Notation (RPN).

The majority of calculators use variations on the 'algebraic' calculator interface. The name derives from the fact that the keystrokes used closely parallel the way in which the calculation is specified on paper. That is, to evaluate '1 + 1 - 3', you press '1 + 2 - 3 ='.

This interface works nicely for expressions which contain operators (+, -, \*, /) that work in the middle of two arguments — infix notation. More sophisticated calculators allow you to enter parentheses to specify precedence. However, the introduction of prefix functions, like SIN, LOG, and so on, leads to two different variations. Ordinary algebraic calculators use a combination of styles: for example, 1 + SIN(23) is

---

*'I'm not usually given to rash compliments, but I feel quite justified in claiming the HP-28C to be the 'state of the art' in calculator design.'*

---

entered as 1 + 23 Sin =; the + is entered as prefix but the SIN is entered postfix. This approach has the advantage of being able to show intermediate results, but has the disadvantage of losing the correspondence with ordinary mathematics which is the primary advantage of the algebraic approach. 'Direct formula entry' calculators have an immediate execution mode, allowing you to key in the entire expression in its ordinary algebraic form, then compute the result when you press a termination key (usually Return or Enter).

All Hewlett-Packard calculators use RPN (so-called because it was developed by a Polish logician named Jan Lukasiweicz (pronounced Wookashyee'veech) which isn't a name that lends itself to acronyms). The basic idea of RPN is that you enter numbers or other 'objects' into the calculator first, and then execute a command that acts on those entries; thus for '1 + 2 - 3' you would enter '1 2 + 3 -'. The 'stack' is just the sequence of objects waiting to be used. Most commands return their results to the stack, where they can then be used as arguments for subsequent operations.

Using the RPN method, simple arithmetic is most likely the biggest stumbling block for algebraic calculator

users trying to learn to use RPN calculators. RPN is very efficient, but it does require you to mentally rearrange an expression before you can calculate results. The four-line display on the HP-28C is used to display the last four items on the stack, which makes it much easier to comprehend.

Unlike other HP calculators, with the HP-28C you really don't need to concern yourself over whether RPN logic is better or worse than algebraic logic. The HP-28C has a facility for the evaluation of expressions in a direct formula entry mode, by enclosing the expression in quotes. Additionally each result you compute is retained on the stack, which allows you to save results for later use. You can choose the logic that is best suited for the problem at hand, and intermix algebraic expressions with RPN manipulations.

For those familiar with existing HP calculators, there are some differences in the operation of the HP-28C. The most dramatic difference is the size of the stack. Previous HP calculators used a fixed four-level stack, whereas the HP-28C has a dynamic stack that grows as you enter items. Additionally, in the old system the stack was always full, even when you *cleared* the stack; all you were doing was filling it with zeros. As I have stated, the HP-28C can generate a 'Too few arguments' error that previous HP RPN calculators could not.

The other differences are only alterations to the commands that manipulated the four levels in order to allow them to work with a dynamic stack.

At first glance the HP-28C seems lacking in many of the usual calculator functions because, with the exception of a few more frequently used functions, it operates via a series of menus that correspond to the top six keys on the calculator. There are 24 menu groups, each of which can consist of five lots of six commands, giving a total of over 500 functions. One of these menus is a user menu which contains an entry for each variable currently in existence. Selecting the variable results in a number of actions depending on its type, as I'll explain later.

## Distinguishing features

I'll skip the basic scientific-calculator details — the HP-28C is equipped with all of them. I'll concentrate instead on the features that distinguish the HP-28C from similar products.

I was amazed when I started to program the HP-28C. Most computer users criticise pocket computers and





**CARTEL PERSONAL COMPUTERS**  
823 GLENHUNTLY ROAD, PHONE:  
CAULFIELD SOUTH, VIC. 3162 523 0006

## Datamini Portable

This is truly an innovative portable PC with many outstanding features.

Like the Desktop range, the DATAMINI PORTABLE is available as the AT TURBO and XT TURBO.


The PORTABLE AT TURBO houses a 10MHz 80286 CPU with an optional 80287 co-processor.

Similarly, the PORTABLE XT TURBO runs at an incredible clock speed of 10MHz with an 8088-1 CPU. An optional 8087-2 co-processor enhances numeric computation. A NEC V20 IC further enhances processing speed.

The DATAMINI PORTABLE range comes with a built-in 9 inch Dual Frequency high resolution monitor and a 84 Key PC AT/XT compatible keyboard.

Secondary storage is virtually unlimited as it can support up to two Floppy Drives and one hard disk.

PORT. XT **\$1890**  
WITH 20 MEG HDD **\$2580**  
PORT. AT **\$2990**  
WITH 20 MEG HDD **\$3370**



W480mm x D460mm x H190mm



DEALER  
ENQUIRIES  
WELCOME

## Datamini COMPACT Desk Top



### DATAMINI DESKTOP AND PORTABLE COMPUTERS

SPECIFICATION	AT TURBO	XT TURBO
Main Board	16-24 Bit Microprocessor 80286 (10 MHz) CPU with Socket for optional 80287 Co-Processor Expandable to 1MB Memory on board 8 Expansion I/O Slots (6AT & 2XT slots) 32K ROM BIOS. Expandable to 64K	High speed 8088-1 16 Bit Micro-processor 8087-2 co-processor (optional) 10/4.77 MHz dual speed selectable 640K byte RAM on board 8K ROM BIOS. Expandable to 40K 4 LAYER BOARD 8 I/O PC Compatible Interface Slots
Colour Graphic Card	RGB Direct Drive and Composite Video 15.750 KHz Horizontal Scan Rate Display 25 Rows by either 40 or 80 Characters with 5 x 7 Character Matrix Graphic Mode: 640 x 200 Addressable Dots	
Monochrome Graphic card (in place of colour graphic card)	TTL Positive Video Output Display 25 Rows by 80 Character Text with 9 x 14 Character Matrix 64 KB Screen Memory for Graphics and Text Graphic Model: 720 x 348 Addressable Dots Support Graphic Software eg: Lotus graph, Frame work graph, AutoCAD, Paint Brush Build in Parallel Port	
Serial Parallel Adaptor	RS232 Port (9 Pin OUTPUT) IBM PC Parallel Standard	On Multi I/O Card
FDD/HDD Adaptor	Supports 2 Floppy Drives (1 2MB & 360KB) and 2 Winchester Disks	
Floppy Disk Drive and Hard Disk	One 1.2MB 20MB Hard Disk (Optional)	Two 360K Byte Teac Drives 20M Hard Disk (Optional)
Key Board	84 Keys PC XT/AT Compatible with "Click" Feel Enlarged RETURN and SHIFT Keys	
Multi-I/O Card	Real time clock/calendar Serial Ports which can be configured for COM1 & COM2 Centronics Parallel Printer Port operates as Lpt 1 & 2 Game Paddle Joystick Interface Utility diskette for real time clock setting and RAM DISK configuration	
Power Supply	Input: AC 90-130V/180-260V, 50 to 60Hz Power Output: 200W, Support 2 Floppy Drives and 2 Hard Disks	

Licensed B/OS & MS-DOS, 12 months warranty

Datamini XT **\$1495**

Datamini AT **\$2470**



#### Innovative Dual Function Keylock

- \* Security keylock to prevent unauthorized access,
- \* Act also as a system reset switch



30% smaller than other PCs  
W420mm x D400mm x H160mm

## MONITORS

THOMSON TTL **\$260**  
SAMSUNG TTL **\$220**  
DTX 14" COLOR **\$595**  
THOMSON COMPOSITE **\$240**  
TAXAN COLOR  
SUPER VISION III **\$790**

## PRINTERS

EPSON LX-86 + TRACTOR **\$460**  
BROTHER M1509 180 CPS **\$850**  
STAR SD15 160 CPS **\$750**  
STAR NX-10 120 CPS **\$490**  
STAR NX-15 **CALL**  
STAR NB-15 **CALL**



MODEMS = FREE COMM. SOFTWARE  
WITH ALL AUTO DIAL MODEMS

V21 300 BPS FD Manual **\$195**  
V21AA 300 BPS FD Auto Ans. **\$280**  
1275 300 FD, 75/1200 (Viatel) **\$250**  
1275 INT-Internal Modem  
V.21, V.23, Bell 103, Auto Dial  
300 FD, 75/1200 (Viatel) **\$460**  
321AD 75/1200 (Viatel), 300 BPS FD  
1200 HD & FD, Auto Dial, Ans.  
Disc. V.21, V.22, V.23,  
Bell 103, 212A **\$830**  
321AD INT. Internal 321AD  
Modem **\$790**  
V22 1200 BPS FD, Auto Ans. **\$590**  
X10CON 1200 BPS FD, 300 BPS FD.  
75/1200 (Viatel), Hayes  
Auto Dial, Ans. Disc. **\$790**

### CPC 10 — XT/Turbo 10 MHZ

Same specification as Datamini XT  
BUT: 150W P/supply, STD. 'AT' Type  
Keyboard MS-DOS — Optional  
Floppydrives—Mitsumi—Japan

**\$1250**

### CPC XT/TURBO 8 MHZ

Same specification as CPC 10  
BUT: 2 Layer M. Board, @ 8 MHZ

**\$1090**

5 MEG Hard Drive & Controller **\$395**  
10 MEG Hard Drive & Controller **\$495**  
Tandon 20 MEG Hard Drive **\$540**  
20 MEG Hard Drive & Controller **\$680**  
Link 125 Terminal **\$660**  
360 K — 'TEC' Floppy D/Drive **\$120**  
4164 Dram **\$2** 41256 Dram **\$4.50**  
8087 Co-processor **\$260**  
80287 Co-processor **\$490**



## CHECKOUT

calculators for being five years behind the times when it comes to program-mability. But the HP-28C is program-mable in an object-orientated manner, putting it on a level with current programming trends.

A program is a series of objects and commands contained in a single object. When you evaluate the program, the objects are put on the stack and the commands are executed. Programs are most usable when stored in a variable. The unquoted name of a program variable acts as a command. Running the program just consists of selecting the variable name from the 'User' menu, or you can call the program as a subroutine by including its unquoted name in another program. In a consistent fashion, variables can also be numerical objects (numbers), alphabetic objects (strings) or expressions.

The difference between a *program* stored in a variable and an *expression* stored in a variable is not immediately obvious. An expression represents a mathematical calculation in a form similar to written mathematical notation. When evaluated, an expression takes no arguments from the stack and

returns a single result to the stack. The best way to think of an expression is as the symbolic result of a calculation; as such, it can be used anywhere that a simple variable can be used.

As far as programming the HP-28C is concerned, there are two things you need to understand. Programs can include any commands including loops, IF statements, stack commands and user-memory commands. Expressions can only consist of functions such as '+' or 'SIN'.

You also need to know that programs stored in variables will execute when selected from the user menu, whereas selecting an expression doesn't cause the expression to be evaluated. Instead, the expression is returned to level 1 of the stack.


One of the most delightful features of the HP-28C is its ability to plot a mathematical function. Any mathematical function stored in the variable EQ will be plotted on the 28C's 32 x 137 pixels display. If EQ contains an algebraic expression without an equals sign (=), the command DRAW will plot a single curve which corresponds to the expression for each value of the variable within the plot range. If EQ contains a

normal algebraic equation, DRAW will plot two curves, one for each side of the equation. The intersection of the curve will then be a root of the equation. If EQ contains a program, it will be treated as an algebraic expression and plotted as a single curve. (This presumes that the program obeys the syntax of an algebraic expression.) It is also possible to obtain a scatter plot in conjunction with the data held in the 28C's statistical data area.

The 28C's graphing capabilities extend to more than just the ability to draw the graph of a function. It is possible to re-scale, zoom in on areas of interest, change resolution, and even select points for digitisation (turn back to numerical coordinates) by means of a movable cross-hair. The selected point is then deposited on the stack for use in further calculations.

The ability to select a point on a graph really comes into its own when it comes to using a feature known as the 'Solver'. The 'Solve' menu contains commands that enable you to find the solution for algebraic expressions and equations. By solution I mean a mathematical 'root' of an expression — a value of one variable in

## A BETTER WAY OF BALANCING YOUR BOOKS



**I**nformation Business Manager is the most widely used Accounting package in Australia with over **5000 users**. And for good reason. It is cost effective, flexible and is compatible with all 8 and 16 bit micro computers utilising CP/M or MS DOS.

Developed in Australia, Information Business Manager looks after the details and lets you look after your business:

- Accounts receivable
- Accounts payable
- Stock control
- Order entry/invoicing
- General ledger
- Job costing
- Point of sale
- Bill of materials

Specially customised versions of Business Manager are available for:

- Fuel Depots
- Grocery Wholesalers
- Importers and Distributors
- and many others

Other programmes are also available:

- Payroll
- Stock and Station Agent system
- Software to your specification

### Available from \$495

For your nearest dealer contact:



**Information Unlimited (Aust.) Pty. Ltd.**

*The name says it all*

2 Prospect Hill Road, Camberwell 3124. Tel. (03)8133022



# IF SPEED IS A CRITERION . . .




## Datamini WINS!

For example the Datamini AT Compact Desktop outperforms any of the PC XT's by 10 times.

That means by the time Big Blue has made it from Melbourne to Adelaide, Cartels Datamini Desktop has made it from Melbourne to Perth, back to Sydney and home to Melbourne. Now that's fast!

The Datamini Desktop from Cartel Personal Computers is available as the superfast AT Turbo, or the versatile XT Turbo, and is built from the finest Japanese components.

The AT is a versatile multi-tasking and multi-user system running virtually any industrial off-the-shelf software and it handles operating systems such as MS-DOS, PC-DOS, XENIX etc.



The XT Compact is supported by a high speed 8088 16 bit micro-processor, which is 2.1 times faster than PCXT. With an optional NEC V20 processor, speed can be enhanced to 3.7 times faster than others.

A unique front panel switch facilitates selection of either turbo or standard speed at ease.

Also available from Cartel is the Datamini Portable. Like the Compact Desktop it also has the AT and XT Turbo feature.

The Datamini Portable range comes with a built-in 9 inch Dual Frequency high resolution monitor and a 84 Key PC/AT/XT compatible keyboard.

Secondary storage is virtually unlimited as it can support up to two Floppy drives and one hard disk.

Finally, if Price is another Criterion need we say more than . . . if you think we're fast then you just have to check out our prices.

Dealer enquiries welcome.



**CARTEL  
PERSONAL  
COMPUTERS**

823 Glenhuntly Road,  
Caulfield South, Vic. 3162  
Phone: 523 0006



# MICROLAND

## COMPUTER OPPORTUNITIES

	Inc. Tax \$	Communications Continued	Inc. Tax \$	Utilities Continued	Inc. Tax \$
<b>SPREADSHEET</b>					
Lotus 123 2.01	550	Softerm PC	445	System Builder	245
Lotus Hal	230	Remote	220	<b>LANGUAGE</b>	
Lotus Report Writer	230	Carbon Copy	435	Lattice C Compiler	750
Multiplan	345	<b>HARD DISKS/HARD CARDS</b>		MS Quikbasic Compiler	175
Spreadsheet Auditor Ver 3.0	207	Seagate 20MB + DTC	685	MS C Compiler	825
Twin	240	Seagate 30MB + DTC	740	MS Cobol Compiler	1,140
Silk	285	Seagate 40MB + DTC	1,450	MS Pascal Compiler	529
Javelin	440	Seagate 20MB Voice Coil	1100	MS Fortran Compiler	745
VP Planner	185	Seagate 30MB Voice Coil	1140	MS Macro-Assembler	349
<b>DATABASE</b>		Seagate 40MB Voice Coil	1350	<b>VIDEO CARDS</b>	
Foxbase	590	Seagate 80MB Voice Coil	1980	Paradise Autoswitch EGA	550
Foxbase Multiuser	770	Dysan 20MB File Card	1,150	Vega Deluxe	645
D'Base III Plus	945	Plus 20MB Hard Card	1,450	Monographics/Printer	160
D'Base III Pls Lan Pack	1,420	<b>MONITORS</b>		KIF 557 EGA	980
Paradox	949	Thomson Composite	230	Hercules Graphics Card Plus	475
Reflex	220	Thomson TTL	260	<b>PRINTERS</b>	
<b>WORDPROCESSING</b>		Thomson 4470D EGA	950	Epson GX-80 100 CPS	BEST PRICES IN AUSTRALIA
Multimate 3.3	650	Thomson 4375 Multisync	1,675	Epson LX-86 120 CPS	
Multimate Advantage II	790	TVM MD-3 CGA Monitor	680	Epson FX-800 240 CPS	
Wordperfect Ver 4.2	550	TVM MD-7 EGA Monitor	940	Epson FX-1000 240 CPS	
M/S Word Ver 3.1	720	NEC TTL	280	Epson EX-800 300 CPS	
Wordstar 2000 Plus	520	NEC Multisync	CALL	Epson EX-1000 300 CPS	
XY Write III +	615	ADI-DM14 TTL	260	Epson LQ-2500 325 CPS 24 Pin	
Shakespeare	610	Taxan Monitors	CALL	Epson LQ-800 180 CPS 24 Pin	
<b>INTEGRATED</b>		<b>GRAPHICS/CAD</b>		Epson LQ-1000 180 CPS 24 Pin	
Ability Plus	300	Harvard Presentation	575	Epson Laserjet	
Framework II	1,060	Freelance Plus	745	Star NX 10	480
Open Access II	920	Form Easy	915	Star NX 15	780
Symphony Ver 1.2	945	Prodesign II	550	NEC P6	840
PFS First Choice	245	PC Draw	749	NEC P7	1,080
Smart 3.0	1,180	In-A-Vision	1,050	Okidata Microline Printers — full range	
<b>BORLAND-BLAISE-POWER</b>		Ventura	1,525	— call for best prices	
Turbo Pascal Ver 3	155	<b>PROJECT MANAGEMENT</b>		<b>NETCOMM MODEMS</b>	
Turbo Prolog	155	Timeline	670	PC Inmodem	360
Turbo Graphix Toolbox	115	Harvard Project Manager II	765	Inmodem 123	685
Turbo Database Toolbox	115	M/Soft Project	720	Inmodem 1234	905
Turbo Editor Toolbox	115	Superproject Plus	739	Automodem 21/23	405
Turbo Tutor	69	<b>UTILITIES</b>		Automodem 1200	515
Turbo Gameworks	155	DS Backup +	165	Automodem 2400	735
Turbo Lightning	155	Fastback	180	Automodem 123	685
Turbo Power Tools Plus	240	Copywrite	89	Automodem 1234	830
Turbo Power Extender	185	Smartkey	68	Smart 123SA	885
Turbo Power Utilities	205	PC Alien	95	Smart 1234SA	1105
Turbo Asynch Plus	240	Norton Utilities Ver 4.0	140	Datalock 123SA	1105
TDE Bug Plus	155	Norton Utilities Advanced Edition	210	Datalock 1234SA	1330
Turbo Prolog Toolbox	155	Typequick	75	<b>ACCESSORIES</b>	
Turbo Basic	155	Printworks	138	Xidex 5.25 DSDD	\$36 Per Box
Turbo C	155	Mace + Utilities Ver 4.0	165	48TPI Disks	
<b>COMMUNICATIONS</b>		Xtree	95	Xidex 5.25 DSDD 96TPI Disks	\$55 Per Box
Supercom Executive	170	Sideways	135	Xidex 3.5 DSDD Diskettes	\$65 Per Box
Mirror	95	PC Tutorial Dos 3.2	85		
Crosstalk XVI	160				


**MICROLAND**  
COMPUTERS, SOFTWARE, ACCESSORIES  
**(02) 331 7474**  
FOR PROMPT DELIVERY

Bankcard Mastercard Visa

DELIVERY EXTRA  
WE DELIVER AUSTRALIA WIDE  
170A Riley Street, Darlinghurst  
P.O. Box 1221, Darlinghurst 2010.  
Right opposite the Ansett Bus Terminal



# MICROLAND COMPUTER OPPORTUNITIES



## EPSON PC AX

### FEATURES —

- 3 speed switch selectable 6, 8, 10 MHz.
- Speaker volume control, keylock.
- 1 x 1.2 FDD, 640K RAM.
- 9 expansion slots — 6 x 16-BIT, 3 x 8-BIT.
- Space for 2 more 1/2HT devices.
- 44MB 28MS Voice coil hard disk.
- Enhanced keyboard 101 keys.
- DOS 3.2 + G.W. Basic.
- 200 Watt power supply.
- 12 months, warranty backed by 3M.
- On site warranty in metropolitan areas.

## EPSON QUALITY IS MORE AFFORDABLE!

*and with our specials, it comes  
with even better value than  
other compatible systems.*

For the best \$\$\$\$ value in  
Australia on Epson products  
call (02) 331 7474

## THIS MONTH'S SPECIALS

NETCOMM MODEMS  
KAYPRO COMPUTERS  
SEAGATE HARD DISKS  
WORDPERFECT 4.2

### KAYPRO PC and PC30

Switchable 4.77 to 8 MHz  
DOS 3.2  
Basic Ser/Par.  
Real Time Clock.  
Bundled Software inc Wordstar,  
Mailmerge.

**Best prices in Sydney.**

### AMSTRAD PC 1512

8MHz/512K RAM/MOUSE  
Available with Single or Dual drives,  
Mono or Colour Monitor.  
GEM Software Inc.

From **\$1,499**

### OSBORNE

New Osborne AT-Turbo, power  
with speed. New Look.  
20M/30M/44M opt. Hard Disk  
Drive. 512K to 1MB RAM. Rated  
one of the fastest avail.

Graduates, Colleges  
Turbo-Executives  
We've Got The Lot!

## MICROLAND

COMPUTERS, SOFTWARE, ACCESSORIES

# (02) 331 7474

FOR PROMPT DELIVERY

Bankcard

Mastercard

Visa

DELIVERY EXTRA  
WE DELIVER AUSTRALIA WIDE

170A Riley Street, Darlinghurst  
P.O. Box 1221, Darlinghurst 2010.

Right opposite the Ansett Bus Terminal



# Are your shares worth more than \$25,000? Do you seriously want to be richer?

Then read how a small investment in new Elderlink ShareMaster can help you succeed.


ShareMaster is a unique and powerful share portfolio management system designed for serious investors like yourself.

It is the first to link a videotex database to computer software—is highly automated and easy to use.

1. ShareMaster gives immediate access to trading on the 5 national stock exchanges, their second boards and the Sydney Futures Exchange.
2. Lets your computer talk to Elders' database and automatically transfers information to the disk.
3. Guards the status of your portfolio—gives profitable strategies.
4. Is designed and managed by Australia's most profitable multinational.
5. To help you become richer we offer a free and revealing booklet, with a foreword by John Elliott.

Send for it. Who better to put your money on?

Post the coupon to  
Freepost 230,  
Elders Videotex,  
27 Currie Street,  
Adelaide 5000  
or phone  
**(008) 88 8390**



Yes! I would like to receive my Free copy of "Masterminding the Art of Share Management", with its Foreword by John Elliott.

MR/MRS/MS \_\_\_\_\_

ADDRESS \_\_\_\_\_

POST CODE \_\_\_\_\_

TEL. NO. \_\_\_\_\_

**Elderlink**  
**SHAREMASTER**

APC 8/87

## CHECKOUT

the expression for which the expression has the value zero. For example, entering the equation  $x^3 + 3x^2 - 2x = 6$  would result in a value for  $x$  of 1.41421... The Solver uses an interactive method to obtain a numerical solution, and the best way to provide it with a 'guess' from which to work is to take the value of a likely looking point on the expressions graph.

It was by accidentally pressing the wrong key when using the Solver that I discovered the one feature which really makes this calculator stand out from the crowd. While attempting to evaluate the numerical solution to an equation, I hit the wrong key and was promptly confronted with a symbolic (still expressed in variables) equation and not any equation I had entered. It's at times like this that you have to consult a manual, and I discovered that the HP-28C can perform many of its operations symbolically (that is, in the case of the Solver, obtain a function that represents the roots of a function). And that was it. The next few days were spent with various pure mathematics text books, putting the 28C through its paces.

As all mathematicians know, a symbolic result is usually preferable to a numerical result. The functional form of the symbolic result gives much more information about the behaviour of the system represented by mathematical expression, than can a single number. Also, a symbolic solution can contain all of the multiple roots of an expression.

Even if you are only interested in numerical results, solving an expression symbolically can result in significant time-savings in obtaining the numerical roots.

There isn't room within this review to examine the full capabilities of this feature. It does, however, allow you to expand and collate terms, and isolate and perform a whole range of other symbolic operations. There is also a facility for the solution of simultaneous equations, again in symbolic and numerical ways. In many cases I was able to solve equations by a sequence of commands that mimic the steps you would go through in, say, an HSC pure maths paper.

If this isn't enough it is also possible to perform calculus in both a symbolic and numeric manner. For polynomial expressions you can find the derivative and the indefinite integral.

For expressions including only arithmetic, trigonometric, logarithmic, ex-

ponential and hyperbolic functions, you can find the definite integrals. For any expression you can find definite integrals. You can differentiate an expression step by step as you would on paper, watching how the calculator applies its rules of calculus; or you can differentiate an expression all at once. The final results are identical.

I haven't been able to cover half of the functions that the HP-28C is capable of in this review but, for the record, other features of particular interest include: complex-number operations; vectors and matrices; statistics; binary, hexadecimal and octal arithmetic on user-definable word sizes; unit conversions with over 100 predefined units; and the ability to define your own units.

### Documentation

Two ring-bound manuals are included with the HP-28C: a getting started manual and a reference manual. Both are excellent, although I would recommend a new user to work his/her way through the entire getting started manual as it covers most of the calculator's capabilities.

When you have discovered the features you want to use, the reference manual is easily understandable and gives the finer details.

### Price

The HP-28C costs \$520 which may sound expensive, but it would cost much more to buy software with similar functions to use on a desktop computer — and there's no way that will fit in your jacket pocket.

### Conclusion

If you regularly deal with any form of mathematics, be it in an engineering context, a pure mathematical context or even as a hobby, the HP-28C will prove to be an invaluable aid. Its capabilities cover a range so broad that I doubt anyone will use it to its full capacity, but just one of its many features will justify its purchase by many users.

I'm not usually given to rash compliments, but I feel quite justified in claiming the HP-28C to be the 'state of the art' in calculator design.

END

Hewlett-Packard is on (03) 895 2895.



**RamPage**  
COMPUTERS  
the business solution

**RamPage**  
COMPUTERS  
the business solution

**RamPage**  
COMPUTERS  
the business solution




## So you want an IBM Compatible with the **AMSTRAD PC 1512**

you are buying brand name quality, 12 months warranty, backup around Australia from Mitsubishi-AWA and a fast reliable computer packed with features.

### AFFORDABLE IBM COMPATIBILITY

**This special price ends August 31st ..... \$2859**


- |                      |                       |
|----------------------|-----------------------|
| Includes • 640K Ram  | • Epson LX800 printer |
| • 20 MB hard disk    | • Basic 2             |
| • mono. monitor      | • Microsoft mouse     |
| • DOS 3.2 + DOS plus | • 8086 microprocessor |
| • GEM + GEM Paint    | at 8 MHz              |



## WORD PROCESSING FROM **\$990.00**

For an inexpensive, high quality word processor we recommend the AMSTRAD PERSONAL COMPUTER/WORD PROCESSOR. You will find the PCW a valuable aid for all your business and personal document writing.

### FREE TRAINING PROGRAM



**"EPSON.  
NUMBER ONE  
IN PRINTERS,  
NOW NUMBER  
ONE IN  
COMPUTERS."**



**EPSON** NUMBER ONE IN  
PRINTERS, NOW  
IN COMPUTERS.

### AUGUST BUSINESS SPECIAL

Epson PC+ with column 20mb Hard Disk, HI:RES Hercules monitor, Single 360k floppy Disk Drive, 12 month warranty, Free Disks and paper  
**Quality IBM compatible from only ..... \$3329.00**

#### See also

- \* New Epson GQ 3500 Laser Printer
- \* Range of 9 pin and 24 pin printers
- \* Epson PC and Epson PC plus computers

**RamPage**  
COMPUTERS  
the business solution

Shop 13, 300 Toorak Road,  
South Yarra, 3141.  
PHONE: (03) 241 3031

Please send me more information on:

AMSTRAD	PC-1512	<input type="checkbox"/>
	PCW	<input type="checkbox"/>
EPSON	PC	<input type="checkbox"/>

Name: \_\_\_\_\_

Address: \_\_\_\_\_

P/Code: \_\_\_\_\_



# TO PROTECT YOUR GOOD NAME, TRUST IN OURS

## **ALLDATA AUSTRALIA** *Wholesale suppliers to the computer industry*


The cost of after sales service on sub-standard peripherals cuts heavily into margins. And, regaining lost customers due to poor quality is virtually impossible.

Now you can protect your good name, by trusting in ours. At Alldata we deal only with the best. Whether it's printers,

modems, diskettes, cables or whatever, we carefully select the supplier then do our own tests to make sure.

And, you can rely on Alldata for more than quality. We provide fast service, maintain high stock levels and offer better prices.

### **NetComm 64/128 Modem**




300 Full Duplex; 1200/75 Full Duplex; 75/1200 Full Duplex.  
We are a major distributor of NetComm modems.  
Call about our extensive range of modems.

### **Canon A-50 Printer**

**— with 12 months warranty**

180 CPS, 2 NLQ modes (pica & italic),  
Bi-directional, 4K Buffer, lots  
more features.



Save more than 25% on our range of  
Canon Printers.

### **SKC Diskettes**


**— arguably the most dependable ever made**

5¼" MD-1S, MD-1D, MD-2D, MD-1DD,  
MD-2DD & MD-2HD and 3½" MF-2DD.

All SKC diskettes are:

- Within ANSI, DIN, ECMA, IBM, JIS, and SHUGART specifications
- Certified 100% error free
- Guaranteed for life

Alldata Australia is the exclusive  
SKC diskette dealer for  
Australia.



### **Cables**

P.C./Centronics, Amstrad/printer (Ribbon Cable), Monitor Extension Cable, Keyboard Extension Cable, Amiga Printer Cable.

Call us for quantity orders.

These items are typical of our range of peripherals and consumables.

We also supply top quality IBM compatibles, hard disk systems, all peripheral cards — in fact, all PC system requirements.

Call for more details.

# **ALLDATA AUSTRALIA**


*The name you can trust*

9/57 Robinson Street, Dandenong, 3175.

Telephone (03) 794 6714 Fax (03) 794 0668

**VIC** (03) 794 6714 **NSW** (02) 211 3266 Fax (02) 211 3760

**SA** (08) 271 1066-Pager 6132 **WA** (09) 344 1660







# Intel Inboard 386/AT

***The Intel Inboard 386/AT and the Orchid Jet 386 are 32-bit accelerator boards which enable the PC/AT to run 80386 software, and allow 80286 software to run at greatly improved speeds. Peter Jackson examines the approaches taken by both manufacturers in the design and implementation of these boards.***


As the pace of 32-bit PC launches continues to accelerate, the pace of the old 8-bit PCs and 16-bit ATs starts to look a little worse than sluggish. And just as plug-in accelerator boards emerged to upgrade the PC's old 8088 engine with a fast 8086 or even an AT-compatible 80286 processor, the appearance of 32-bit accelerators for the AT was just a matter of time.

These boards offer better performance now, just as their 80286 predecessors did. But they also hold out the promise of running the forthcoming OS/2 — and running it rather better than an 80286-based AT — as well as supporting the inevitable 32-bit operating systems that are concealed even deeper in the mists of the future. With, of course, the advantage that this is all possible without throwing away an expensive AT and buying an even more expensive 80386 machine from Compaq, President or Kaypro.

## ***Design problems***

The problems faced by the designers of both the Intel Inboard 386/AT and the Orchid Jet 386 were identical, and all caused by the quirks of the 80386 chip itself combined with quirks of the IBM PC architecture.

The memory interface is the most crucial part of the design, since the performance of any microprocessor depends on how much information it can get from memory in one go, and how quickly it can get it. The 32-bit 80386 can accept data from RAM in 32-bit batches; while the 16-bit 80286, reasonably enough, accepts it 16 bits at a time. So if an 80386 replaces an 80286 in a



computer system, and uses the 16-bit RAM of the older processor, the 80386 needs two memory accesses to get 32 bits to work on and is crippled in performance from the start by the extra 'wait states' involved.

Worse, if part of that 16-bit RAM is on an expansion board rather than the motherboard, another slice of slow-down is inserted. And even worse still, it turns out that the 80386 is actually *slower* than the 80286 in using the same 16-bit memory.

In systems built from scratch around the 80386, like the Compaq DeskPro 386 or the similar machines from Zenith, Kaypro and President, this is avoided by putting the processor and RAM on their own separate, fast 32-bit bus so that memory transfers run at full speed.

With that in mind, the 80386 board

makers need to put as much performance enhancement aids on their boards as they can, to avoid disappointing customers who expect full-throttle 32-bit performance.

## ***Intel Inboard 386/AT***

The obvious solution to the memory speed problem is to include a slab of fast 32-bit RAM on the accelerator board, and that is what Intel has done on the Inboard. A megabyte's worth of 120ns or faster 256kbit RAM chips can be plugged into sockets on the board, and a separate piggyback board is available to provide up to 2Mbytes more. However, because of the 32-bit organisation of the RAM, the entire megabyte needs to be added to the Inboard in one go.

The Inboard RAM can be used in



*Orchid Jet 386*

Like the Inboard, the Jet 386 is an accelerator aimed at speeding up existing ATs; and also like the Inboard it includes its own 64k of fast cache RAM — actually using Inmos 55ns 16kbit static chips — to speed up memory and disk accesses.

Apart from those similarities, the design is very different. The Jet 386 does not try to mimic the 80286 in the 80386 at all, but provides a socket to take the 80286 chip itself when it is removed from the AT motherboard. Combined with a second crystal on the Jet to provide the 6MHz frequency needed by the 80286, this makes the Jet look precisely like a 6MHz AT for software that actually requires it.

And of course, on late-model ATs with 6MHz speed checking in the ROMs, this makes it possible to fool the test and install the Jet successfully in those machines.

Switching between the 80386 and the 80286 can be done physically by flicking a switch on the Jet's back panel, or in software. More, this means that an 80287 installed on the AT motherboard can be used if required; the Inboard will not allow this. Like Intel, Orchid provides a socket to take an 80387 processor and an optional 80287 module to fill this socket until the 80386 becomes more common and cheaper.

There is no room for RAM on the Jet, although there is a piggyback connector that will take a board with up to 8Mbytes of 32-bit RAM. Up to 4Mbytes of total RAM can be cached, so both conventional and extended memory can benefit from the advantages of cache speed. On top of that, Orchid provides disk caching software to accelerate that part of the system when the Jet is installed.

Installation, as with the Inboard, involves removing the 80286 from the AT, plugging in an L-shaped adaptor card — a much better solution for old ATs with a half-hidden processor — and then running two cables from the adaptor to the Jet. The Jet may be installed in any 16-bit slot, however, in the machine I was using, Slot 8 is the slot nearest the processor and the hard disk drive, since the cables are too short for it to go anywhere else. The AT disk controller board, normally in Slot 8, had to be moved to Slot 6 and the cables rearranged to suit the new configuration.

Orchid provides a levering tool to extract the 80286, and although this is nowhere near as sophisticated as Intel's gadget, it still seems to work. If no 80287 is to be used, Orchid provides a bulky and hard-to-fit noise suppressor module to go in the empty 80287 socket in the AT.

The software that comes with the board includes a single driver, JET386.SYS, and a JET.COM program. As with the Intel software, JET386.SYS is installed as a MS-DOS driver in the CONFIG.SYS file, but does not allow keyboard speed-switching.

Speed is changed by typing JET ON or JET OFF at the MS-DOS prompt, or by flicking the back panel switch; options to the JET command allow the caching to be turned on or off.

As with the Inboard, everything ran with no problems. The Lotus 1-2-3 macro took, this time, 31 seconds, slightly slower than the Inboard thanks to the use of slower motherboard RAM rather than fast 32-bit RAM. But the speed difference is not that significant, showing that the 256k of motherboard RAM used by the Inboard does slow things down.

The lack of keyboard speed-switching, and its replacement by a physical switch, is less convenient but the disk cache software is a nice extra to have.

The Orchid Jet 386 is another solid enhancement product that may not have the sophisticated memory management options of the Inboard, but that almost matches its performance and is cheaper.

three ways. First, it can be ordinary 'extended memory', a linear lump of memory extending above the 1Mbyte addressing range of MS-DOS. Second, it can be used as Lotus-Intel-Microsoft (LIM) 'expanded memory', which makes banks of extra RAM above the 1Mbyte line available to programs written to the LIM specifications. And third, it can be used as 'conventional memory' to fill up the RAM capacity to the 640k maximum recognised by MS-DOS. There must be a minimum 256k RAM on the AT motherboard, but the Inboard can provide the rest of the memory needed to get to 640k. And even if there is already 640k on the AT motherboard, the Inboard RAM can be used to provide all the conventional memory above 256k; obviously, using 32-bit memory for conventional RAM speeds things up even further.

Various combinations of these memory types can be set using different switch settings on the board, splitting the 1Mbyte RAM space be-

tween conventional, expanded and extended memory as required. For now, extended memory is only useful for RAM disks, Xenix and for a few odd applications, so most users will want to use the conventional RAM option for extra speed and use the rest as either LIM expanded memory or a RAM disk.

Besides this main RAM — which is not compulsory, but strongly recommended — Intel also provides a separate 64k block of very fast cache RAM that uses expensive 45ns chips and sits between the processor and main memory. Cache RAM is now often used to speed up disk performance, by storing the most-often-used disk data in the cache rather than on the physical disk. Then, whenever the processor wants that data, it can get it straight from the fast cache rather than from the relatively slow hard disk.

Intel has taken this further by caching its fast 32-bit RAM with even faster RAM. The most often-used sectors of RAM are stored in the cache, changing

dynamically as the RAM contents and the processor's needs change, to speed up memory access still more and squeeze even more speed out of the 80386.

The rest of the Inboard is conventional by accelerator board standards. There are two big sockets on the board: one to take the cable linking the board with the 80286 socket on the AT motherboard; and the other to accept the 80387 maths coprocessor. Given the current shortage of 80387 chips, and their high price, Intel is offering a module that plugs into this socket but uses the cheaper 80287 maths chip instead.

Installation too is straightforward by accelerator standards, although Intel recommends that users get the dealer to install the Inboard to avoid a potentially expensive disaster. The procedure is to unplug the 80286 from the AT motherboard, plug the Inboard connector cable into the newly empty socket, and connect the other end of the



# STOP PRESS

**Summagraphics®**  
CORPORATION

has appointed



**SOURCEWARE**  
as its exclusive  
Australian  
Distributor



## Great News for CAD/CAM Users!

The world's finest range of high resolution, easy-to-use digitising tablets is available **right now** from Sourceware. Summasketch 961, Summasketch 1201, Summasketch 1812, Microgrid II, MacTablet, Summamouse – you want it: we've got it!

Summagraphics digitisers are fully compatible with all the leading CAD and graphics design packages, including AutoCAD, Versacad, ProDesign II, and the Ventura desk top publishing package.

Check out your Sourceware dealer today.

**Summagraphics®**  
CORPORATION



586 Pacific Highway, 200 Queen Street,  
Chatswood 2067 Melbourne 3000.  
Sydney 411 5711 605 8500



# Discover The

## Quality, Features,



### GRAPHICS

#### EPGA - Professional Graphics Adapter

- Compatible with the IBM® PGC
- Fits into a single slot
- Displays 640x480 graphics in 256 colors
- Emulates CGA, Hercules® and MGA modes

#### Micro Enhancer

- Compatible with the IBM EGA
- Supports 640x350 graphics in 16/64 colors
- Half card fits in a short slot
- Emulates Hercules and CGA modes

#### Everex Edge

- Displays 320x200 graphics in 16 colors
- Runs HGA 720x348 monochrome graphics
- Runs Lotus 1-2-3® and Symphony® in 132 columns
- Parallel port and light pen connectors



### STREAMING TAPE

#### Excel Stream 20

#### Excel Stream-60

#### Excel Stream 60-8

- 60MB cartridge Backup
- 20MB cassette Backup
- Automatic Scheduler
- File Restore from Image backup
- Backup across networks
- 5MB/min speed
- Multiple datasets and tapes
- Image and File records on the same tape
- Context sensitive help
- Nestable and movable windows
- Extensive diagnostics
- Easy installation program




### COMMUNICATIONS

#### Evercom 24 Modem

- International operations at 2400 bps
- Compatible with Hayes® AT command
- Bell 212A/103 and CCITT V.22/V.22bis compatible
- Adaptive equalization
- Automatic answer and voice/data switching
- Phone off-hook detect
- Runs in slot 8 of IBM XT®
- Runs with multi-line phones

#### Evercom 12 Modem


- 300/1200 bps speed on a short card
- Hayes and Bell 212A compatible
- Supports tone and pulse dialing
- Automatic answer and voice/data switching
- Bitcom software included




EPGA



Excel Stream-20



Evercom 24



Micro Enhancer



Excel Stream-60




Evercom 12



Everex Edge



Excel Stream 60-8




Evercom

EVEREX, EPGA, Micro Enhancer, Everex Edge, Excel Stream-60/20/60-8, Evercom 24, Excelsator, RAM-3000, Magic Card 16, and EVER for EXcellence are trademarks of EVEREX Systems, Inc.. IBM and IBM AT are registered trademarks and IBM PC and XT are trademarks of International Business Machines Corporation. Hercules is a trademark of Hercules Computer Technology. Lotus 1-2-3 and Symphony are registered trademarks of Lotus Development Corporation. Hayes is a registered trademark of Hayes Microcomputer Products, Inc.. UNIX is a registered trademark of AT&T Bell Laboratories, and XENIX is a trademark of Microsoft Corporation. ©1987 EVEREX Systems, Inc. All rights reserved



# Everex Difference

## Price and Performance.



### MULTIFUNCTION

#### Excelerator

- 80286 8MHz processor replaces 8088 on PC/XT\*
- 33% faster than standard IBM AT®
- Add up to 640K of cache RAM memory
- Socket for 80287 math coprocessor

#### Magic I/O


- I/O plus clock/calendar
- For XT/AT and compatibles
- Serial ports COM1-COM-4
- Parallel ports LPT1-LPT3
- Software included

#### Magic Card 16

- Up to 2MB of extended memory for AT
- Flexible memory addressing
- Configurable parallel and serial ports



Excelerator



Magic I/O



Magic Card 16



### HARD DISK DRIVES

#### Everdrive 20MB External


- Half-height, 20MB formatted capacity
- ST-506/ST-412 interface
- 65 msec average access time
- Dedicated head shipping zone

#### Everdrive 40MB Internal

- Half-height, 40MB formatted capacity
- 40 msec average access time
- ST 412 interface
- 20,000-hour MTBF

#### Everdrive 72/80MB External

- 72/80MB formatted capacity
- 30 msec average access time
- 20,000-hour MTBF
- 25-5 Watts power consumption




Everdrive 20MB External



Everdrive 40MB Internal



Everdrive 72/80MB External



### OEM PRODUCTS

#### EV-826 Tape Formatter

- Onboard 8K RAM for data buffer
- Standard QIC-36 drive interface
- QIC-02 interface for host adapter

#### EV-332 Hard Disk/Floppy Controller

- Reduced height
- ST506/412 interface supports 2 hard drives
- 2:1 interleave factor
- 32 bit ECC
- Supports 2 floppy drives

#### EV-1800 AT Mother Board


- 10MHz zero wait state 80286 CPU
- 512K RAM, expandable to 1MB
- Six 16-bit and two 8-bit slots
- I/O ports and clock calendar



EV-826



EV-332



EV-1800

**EVEREX**  
EVER for EXcellence

Vahive Pty Ltd.

Unit 6 12A Mars Rd., Lane Cove NSW 2066, Sydney, Australia

Telephone #: (02)427-6111 Fax #: (02)427-5948

A Subsidiary of Everex Systems, Inc., USA



# The best price

We offer you the opportunity to test our claims. The Computer House will better any price on any computer item from any other dealer.

Try us, you won't be disappointed. **Ring now** on (03)699 2000.

## OUR GUARANTEE

We guarantee to find you the lowest prices in Australia. The lowest prices on a complete range of products backed by Australia-wide maintenance and service. Guaranteed Service. Guaranteed Savings. Guaranteed Satisfaction.

## PRODUCTS OF THE MONTH

**You'll be thankful you waited**


From Imagineering comes a 640K computer called the ULTRA Turbo XT at a really imaginative price. Only \$1495 ex. tax at The Computer House... but that's only the beginning. The ULTRA Turbo XT is positively crammed with features, most computers call "extras".

Like:

- Two 360K disk drives.
- Parallel and serial ports.
- Clock/calender.
- Games port.
- Security keylock.
- Outstanding AT style keyboard.
- MS DOS 3.2.

And not only is it a much more powerful computer now, it has the expansion facilities to cater for your future needs - nine expansion slots and 150w power supply.

It also comes with manuals, blank diskettes, even a cross section of good public domain software.



## Then there's the AST Premium/286

Powerful, versatile and lightning fast, this system provides for exceptional versatility and upgradeability, yet it is IBM PC AT compatible.

It features:

- 1 Mbyte AST FASTRAM, (100N and seconds) expandable up to 2MB in a single slot, for conventional, extended, expanded and enhanced expanded memory.
- Advanced coprocessor socket accepts 8MHz 80287 devices.
- Enhanced low profile keyboard with separate cursor and numeric keypads plus extra function keys.
- User selectable operating speed at 10,8 and 6Mhz for the widest range of hardware and software capability.
- Runs popular IBM compatible software 50% faster than the IBM PC AT.
- AST-3G Plus multimode enhanced graphics adaptor with 256KB video RAM included. Supports IBM EGA, CGA, Hercules Graphics Card and IBM Monochrome Display Adaptor modes for flexible graphics and text display.

Plus free copy MS Windows with each AST while stocks last.



**ALL THIS PLUS UNBEATABLE PRICING WITH SUPPORT  
FROM AUSTRALIA'S LEADING DISTRIBUTOR.**

**IMAGINEERING™**  
PC DIVISION

IBM is the registered trademark of  
International Business Machines Corp

## SOFTWARE

	Excl. tax	Incl. tax
<b>Spreadsheets</b>		
Lotus 123 Rel. 2	\$568	\$649
Supercalc 4	\$469	\$563
Lotus HAL	Call	Call
Silk	\$249	\$299
V.P. Planner	\$158	\$178
MS Multiplan	\$295	\$335
Javelin	\$359	\$399
Professional Plan	Call	Call
<b>Database</b>		
dBase III plus	\$789	\$914
Foxbase	\$525	\$595
Q & A	\$448	\$498
Paradox V1.1 I	\$790	\$887
R Base Systems	\$1045	\$1191
Reflex	\$195	\$225
Clipper compiler	\$759	\$899
Dataflex	\$1095	\$1285
Professional File	Call	Call
<b>Word Processing</b>		
Multi Mate products	Call	Call
Wordstar	\$319	\$374
Wordperfect	\$499	\$578
Microsoft Word	\$519	\$599
Leading Edge	\$249	\$295
Professional Write	Call	Call
<b>Integrated</b>		
Framework II	\$875	\$1045
The Smart Series	\$870	\$999
Symphony	\$895	\$959
Ability	\$235	\$285
First Choice	\$195	\$223
Open Access	\$860	\$999
<b>Graphics</b>		
MS Chart	\$398	\$479
Harvard presentation graphics	\$475	\$576
Freelance +	\$619	\$729
<b>Utilities</b>		
Sidekick (Unprotected)	\$99	\$118
Norton Utilities	\$127	\$139
Norton Utilities Advanced	\$215	\$249
Mace + Utilities	\$119	\$135
X-Tree	\$ 89	\$ 98
Fastback	\$154	\$169
Sideways	\$ 78	\$ 99
Microsoft Windows	\$135	\$165
Copywrite	\$ 85	\$ 99
<b>Languages</b>		
Microsoft C Compiler	\$680	\$796
Microsoft Macro Assemb.	\$299	\$349
Microsoft Quick Basic	\$155	\$177
Turbo Power Tools	\$190	\$214
Turbo Pascal (V 3.0)	\$139	\$165
Turbo Prolog	\$138	\$154
Turbo Basic	\$139	\$159
Turbo C	Call	Call
<b>Accounting</b>		
Satchel	\$620	\$695
Dollars and Sense	\$229	\$259
Sybiz Book Worker	\$799	\$892
Accounting I	\$775	\$845
T*A*O* Specialised accounting for accountants		Call
Also Sybiz, I.A.L., Integrity, etc.		Call
<b>Communications</b>		
Crosstalk	\$174	\$197
Reflection (H.P. Emulation)	Call	Call



# ces in town

	Excl. tax	Incl. tax
<b>Entertainment</b>		
Silent Service		\$ 95
Zork I, II or III		\$ 84
H/Hikers Guide to the Galaxy		\$ 77
Karateka		\$ 84
Flight simulator		Call
and many many more		Call
<b>Project Management</b>		
Harvard Project		
Management	\$546	\$657
Super Project plus	\$569	\$669
Microsoft Project	\$546	\$657
Timeline	\$599	\$682

## HARDWARE

<b>System Units</b>		
AST Premium Series (10 MHZ)		
Inc. EGA & 20MB	\$4749	\$5399
Inc. EGA & 40MB (28MS)	\$5479	\$6479
Imagineering Ultra XT Turbo's		
Inc. 2 F'Drives,		
TTL Mono, DOS, 640KB		
Software, 10 Diskettes	\$1699	\$1999
For Other Configurations	Call	Call
Chendai laps	Call	Call
Super PC by Hyundai	Call	Call
<b>Disk Drives</b>		
Seagate 30Mb	\$888	\$995
Seagate 20Mb	\$529	\$699
bigger than 20Mb	Call	Call
Hardcard 20Mb	\$1299	\$1490
Hardcard 40Mb	Call	Call
<b>Tape Backups from</b>	\$789	\$899
<b>M'Function &amp; Memory Boards</b>		
Hypertec Hyper - 512 MF	\$349	\$398
Hypertec Hyper - 512	\$245	\$269
Hypertec Hyper - 256	\$178	\$185
Hypertec Hyper - 128 AT	\$249	\$299
Hyperam AT & XT	Call	Call
Intel Above Boards	Call	Call
AST Ram page	Call	Call
<b>Display Cards</b>		
Hypertec E.G.A.	Call	Call
Paradise Autoswitch	\$557	\$639
Hercules Graphics		
Card plus	\$408	\$475

	Excl. tax	Incl. tax
Vega deluxe	Call	Call
<b>Turbo Cards</b>		
Hyper Ace 286 (6Mhz)	\$649	\$699
Hyper Ace 286 Plus		
(10 Mhz)	\$699	\$799
and many others	Call	Call
<b>Monitors</b>		
E.G.A. from	\$720	\$832
Mono from	\$170	\$199
NEC Multisync	Call	Call
Laserview	Call	Call
<b>Modems</b>		
Netcomm 2123	\$399	\$449
Netcomm 123A	\$759	\$899
Le Modem	\$349	\$419
Complete Netcomm Range	Call	Call
Data Bridge Range	Call	Call
<b>Printers</b>		
Epson EX 1000	\$899	\$999
Epson LQ 1000	\$966	\$1099
Epson FX-1000	\$755	\$859
Epson LX 800	Call	Call
Fujitsu DL 2400	\$1654	\$1895
Seikosha (400 cps)	\$2439	\$2790
Brother	Call	Call
Laserjets from	\$2995	\$3399
<b>Other Boards and Peripherals</b>		
MS Mouse (Bus or Serial)	\$229	\$248
Power Supplies	\$179	\$199
Plotters (H.P. or Roland)	Call	Call
Cables	Call	Call
Acoustic Hoods	Call	Call
Printer Buffers	Call	Call
Power filters	Call	Call
Coprocessors	Call	Call
Summa graphics bit pads	Call	Call

## REMEMBER

THIS IS ONLY A SAMPLE OF  
OUR PRODUCT RANGE - CALL NOW FOR  
THE PRODUCTS OF YOUR CHOICE.

## EXTRA SPECIALS

### WORD PERFECT

Super word processing at a super price.

**\$499** inc. tax

### Epson

Complete range at special prices including the new GQ3500 laserjet.

**CALL**

### FOXBASE+

6.69 times faster than dBCOMPLIER and 2.26 times faster than Clipper. Totally compatible with dBase III and you need make no changes to your present programmes, databases, screens or reports

**\$595** inc. tax

### Hyperace 286 Plus

The outstanding turbo card from Hypertec runs a 80286 processor at 10MHZ effectively turning your XT into a superior AT. Australian designed and produced their is no better card on the market.

**\$799** inc. tax

### MS WINDOWS

Ver. 1.01. Only \$99 while stocks last.

## PLUS

- Free Hotline Service • Immediate\* replacement of any defective stock
- Training arranged • Expert advice
- Australia wide maintenance

## DELIVERY

- Anywhere in Australia for \$8.50 (under 3Kg.) • Overnight on request • Goods over 3Kg are charged at Post Office rates • Prices are subject to change without notice
- Terms: Payment on receipt of goods
- Bankcard, Mastercard, Visa accepted

"We rent PC's, call now for information"

\*Subject to availability

# The Computer House

## Phone Now (03)699 2000

161 Park Street, South Melbourne, VIC. 3205 Telex: 34145

"We rent PCs, call now for information"



cable into the appropriate socket on the Inboard. Then the Inboard goes into a spare 16-bit slot in the AT's expansion bus array, and that's just about it. A noise suppressor module is provided to plug into the 80287 socket on the AT motherboard, but when this is omitted the Inboard still seems to work satisfactorily. A new plug-in 16-MHz crystal is provided to boost the speed of the AT to 8MHz if required, replacing the 12MHz crystal in the older 6MHz ATs. This is essential for the Inboard to work, which prompts questions about its compatibility with the later-model 6MHz IBM ATs. These included a ROM-based speed test which refused to boot the machine if it was running faster than 6MHz, and this was done specifically to stop people plugging in faster crystals. Intel fails to mention this issue at all.

On the review machine, installation was not quite as smooth as it should have been. First, it was an old-model 6MHz AT, with the old 512k motherboard where the 80286 chip is partly concealed by the hard disk drive and its cabling. However, the Intel manual explains clearly how to release the hard disk and slide it out of the case slightly to gain access to the chip. Second, the 80286 resisted removal despite the use of the ingenious screw-driven extraction tool provided with every Inboard, and required a lot of juggling and wriggling before it would come out.

Separate clip-on cable and installation kits are available for those AT clones which have surface-mounted 80286 chips rather than socketed ones, like the Compaq DeskPro 286 and the Tandy 3000. But there is nothing that Intel can do about machines like the Epson AX, where the 80286 is too far from the expansion slots; or the Olivetti M28, where the processor is actually on the underside of the main circuit board, the opposite side from the slots.

Installing the Intel software is also straightforward. If the Inboard RAM is to be used for conventional memory, the AT's Setup program from the IBM diagnostics disk needs to be run to tell the system how much conventional memory there is, and how much extended memory. Then, Intel's SPEED.COM, SPEED.SYS, IEMM386.SYS, EMM.SYS, INVOC.SYS, QUIKMEM2.SYS, EGA.EXE and CHKOP.EXE are copied from the Inboard floppy into the root directory of the AT hard disk.

SPEED.COM is a program that runs from the MS-DOS prompt, and is used to switch between the Inboard's four

speed modes. Mode 1, the slowest, runs the 80386 at the system board's new 8MHz speed, with the 64k cache disabled. Mode 2 runs at 8MHz but enables the cache; Mode 3 runs at 16MHz without the cache; and Mode 4 runs at top 16MHz speed with the cache enabled.

Intel claims that most users will only use two speeds: mode 1 to handle speed-sensitive software or to boot software with certain copy-protection mechanisms; and mode 4 to obtain the real speed benefits of the 80386.

SPEED.SYS is the alternative way of speed-switching, and makes it possible to switch between the four modes using keyboard combinations. Once SPEED.SYS has been installed as a device driver — by including the line DEVICE=SPEED.SYS in the CONFIG.SYS file in the root directory — holding down the Left Shift-Ctrl-Alt key combination and pressing the key 1, 2, 3 or 4 changes the board into one of the four speed modes. This is useful for copy-protected software like Framework II, which must be booted at 8MHz but which can be run at full speed by switching modes while the software is running.

IEMM386.SYS and EMM.SYS are expanded memory drivers: the first to emulate Lotus-Intel-Microsoft expanded memory in the Inboard's extended memory; and the second to allow Above Board-style expanded memory boards to work with the Inboard installed.

When the software has been installed, the machine acts as a super-fast AT. All the software tested ran well in all four speed modes, including word processors like Word Perfect, spreadsheets like Lotus 1-2-3, databases like dBase III and Powerbase, and integrated packages like Open Access. It all ran faster too, although it is hard to compare processor-bound applications like 1-2-3 with keyboard and disk-bound programs like Word Perfect.

Intel includes extra compatibility notes in an addendum to the manual, and there are some things worth mentioning: for example, despite the manual and publicity the Inboard will not work at all in Compaq Portables, and an IBM EGA card will not work in a Compaq DeskPro 286 when the Inboard is installed. The other problems that are known include old versions of the Crosstalk XVI communications package, which is speed-sensitive and needs patching to work.

Running a typical program like Lotus 1-2-3, with a complex macro that copies, deletes, moves and recalcu-

lates large lumps of a big 500 x 500 spreadsheet model, shows the type of performance improvement that can be expected. On an ordinary 4.77MHz PC, even with an 8087 maths processor installed, the macro takes 2 minutes 45 seconds. On an ordinary 6MHz AT, it takes 53 seconds, while it takes 26 seconds on the 12MHz Compaq Portable III with its fast RAM. On the Intel Inboard, at the fastest mode 4 speed, the same macro took 23 seconds; but at the slowest mode 1 speed it took an extraordinary 96 seconds, not even twice as fast as the 8087-enhanced old PC and worse than an old 6MHz AT. Both of these tests used fast Inboard RAM to fill up conventional memory between 256k and 640k, and used 256k of the memory remaining as Above Board expanded memory.

The Inboard tries hard to do everything as right as it can, considering the design problems of putting a 32-bit processor into a 16-bit machine. For those who want fast performance now, a really quick 12MHz AT like the Compaq Portable III will do the job as well as the Inboard, but at a much greater price and without the prospect of sophisticated 32-bit software to come.

As a combination of speed enhancement now, and 80386 software compatibility for the future, the Inboard 386/AT is a solid piece of work.

## Benchmarks

The BasicA Benchmark timings may be surprising: the two 80386 boards are both *slower* than the 6MHz 80286 that they replace in running the BasicA programs.


The reasons for this have already been presented here. When it comes

### Benchmark timings

Inboard 386/AT	
Inmath	4.3secs
Realmath	4.1secs
Triglog	43.2secs
Textscrn	37.0secs
Grafsrn	—
Store	3.7secs
Orchid Jet 386	
Intmath	5.8secs
Realmath	5.4secs
Triglog	59.6secs
Textscrn	48.7secs
Grafsrn	—
Store	5.1secs

For a full explanation of the APC Benchmarks, see the November 1986 issue.





# A CHIP OFF THE OLD BLOCK



**For quality, value and service  
the Blue Chip Network meets your needs.**

## **BLUE CHIP A1**

1x360K D/DRIVE

256 KB RAM, colour display card, multi-function card, XT style keyboard, green or amber monitor.

**\$995**

## **BLUE CHIP PC/AT**

1 MEG RAM, 20 MEG hard drive, 1x1.2 MEG disk drive. Green or amber monitor.

**\$2995**

- Add \$50 for 640 KB RAM
- Add \$200 for Turbo option
- Add \$100 for hi-res monographic monitor
- Add \$450 for colour monitor
- Add \$1200 for EGA monitor

Lotus 123 .....	\$ 645
Wordstar 2000+ .....	375
dBase III .....	910
Symphony .....	990
Multiplan .....	339
Microsoft Word .....	559
Multimate Adv. 1 .....	799
Word Perfect .....	589
First Choice .....	249
Framework II .....	999
Javelin .....	399
Microsoft Windows .....	169
Norton Utilities .....	139
Open Access II .....	999
Ability .....	179
Microsoft Mouse .....	249
Genius Mouse .....	169
AST 6 Pack Card .....	219
Turbo Pascal .....	149
Turbo Prolog .....	149
Turbo Tutor .....	59
Database Toolbox .....	99
Editor Toolbox .....	99
Graphic Toolbox .....	99
Game Work .....	59

## **BLUE CHIP A2 \$1195**

As per the A1 with 2 disk drives.

## **BLUE CHIP A3 \$1395**

As per the A1 with 5 MB hard disk.

## **BLUE CHIP A4 \$1595**

As per the A1 with 10 MB hard disk.

## **BLUE CHIP A5 \$1795**

As per the A1 with 20 MB hard disk.

**\*ALL PRICES INCLUDE TAX**

*Blue Chip computers are assembled, sold and supported exclusively by the Blue Chip Network.*

### **DANDENONG**

92 Thomas Street

Ph: (03) 794 0966

### **RINGWOOD**

8 Railway Place

Ph: (03) 870 2243

### **COBURG**


328 Sydney Road

Ph: (03) 383 5655

### **ST. KILDA**

106 St. Kilda Road

Ph: (03) 534 9437



### **SURRY HILLS**

90 Foveaux Street

Ph: (02) 281 1044

### **CHATSWOOD**

807 Pacific Highway

Ph: (02) 412 4122

### **PARRAMATTA**

463a Church Street

Ph: (02) 683 1599

### **CANBERRA**

30 Lyell Street, Fyshwick

Ph: (062) 80 7833



# "The Local Computer Shop gives you the best of both worlds... PC Compatibility and Amiga Ingenuity" The Amiga 2000 is here!

The second generation Amigas have arrived at The Local Computer Shop. The **Amiga 500**, for the home user. Giving you all the Amiga brilliance, multi-tasking, graphics and animation at a budget price. And for the business user the **Amiga 2000**. A truly **Amiga/PC Compatible**.

The Amiga 2000 features a megabyte of memory, internal slots for easy expandability, and the option to add IBM PC/XT software compatibility with an expansion board.



In addition to Amiga specific expansion slots, the Amiga 2000 has an IBM PC/AT bus

system built in. So besides running IBM software, the Amiga 2000 gives your IBM applications access to IBM PC expansion hardware. Add to this up to three internal disk drives, and the ability to run multiple tasks in the Amiga windows and one would wonder

why you are still reading this ad and not at The Local Computer Shop test driving the amazing new Amigas right now! The Local Computer Shop is offering amazing deals on new Amigas today. Stocks

are limited, the deals are not. So if you want to buy the best at the best price see us now.

**The Local Computer Shop, Commodore  
Computer Specialists, 1216 Glenhuntly  
Road, Glenhuntly, Vic. 3163.  
Telephone (03) 572 2544 Fax: 211 7662.  
Mail order Telephone (03) 211 4584.**

INK8787



Free shipping anywhere in Australia on PC-5 systems. Limited offer while stocks last. Other brands stocked with unbeatable deals, Kaypro and Super 5. Bankcard, Visa, MasterCard. No deposit finance through AGC to approved customers.



to using conventional AT memory, an 80386 is slower than an 80286 whatever the clock speed the processor is running at. And even though the Benchmarks were run with the Inboard providing 384k of conventional memory, and both boards had their cache RAM enabled, BasicA runs in the bottom, slow 64k of RAM on the AT motherboard. It is the vital processor/memory bandwidth that gives the 80386 a lot of its speed, and software that only uses conventional memory on the AT is not going to go any faster with an accelerator board.

The Lotus 1-2-3 test, on the other hand, uses the Inboard's fast RAM and the cache on both boards to enhance performance. And that is perhaps a better real-life measure of speed than Basic Benchmarks.

## Conclusion

Both boards do what they are designed to do: speed up AT performance by a factor of around two, using existing disk drives and peripherals. The use of cacheing, more and more common these days, conceals the slowness of the AT's 16-bit RAM and the relatively slow hard disk performance compared with the ESDI drives on the Compaq DeskPro 386.

But the real benefit of boosting an AT will be found when the piggyback RAM boards are installed, and the boards are running 80386 control software like PC-MOS/386 which allows multiple Unix and MS-DOS tasks to be run separately and independently. And then there are the forthcoming 80386-specific applica-

tions like Q&A 386 from Symantec and Paradox 386 from Ansa, not to mention semi-80386 operating systems like Concurrent DOS 386.

It is this software that will, in the end, make it worthwhile to have an 80386 rather than an 80286. And an Inboard or a Jet 386 is a good way to get into the 80386 business for the minimum possible outlay.

END

*The Intel Inboard 386/AT costs \$3454; the Orchid Jet 386 costs \$2995.*

*The Intel Inboard 386/AT is available from Tech Pacific on (03) 690 9055; the Orchid Jet 386 is available from Porchester Computers on (03) 537 2722.*



12 MTHS WARRANTY

# Photon $\Phi$

INDUSTRY — COMPATIBLE COMPUTERS

## PC-88A

- 8088-2 CPU
- 4.77/8 MHz, 640K
- Colour Graphics Card
- Printer Port
- 2 x 360K Floppies
- Serial Port
- Games Port
- Clock/Calendar
- HI-RES Mono Monitor
- 84-Key KBD
- MS-DOS 3.2 + GW Basic

**RRP \$1595 INCL SALES TAX**  
INCLUDES MONITOR

## PC-286X

- 80286-8 CPU
- 6/8 MHz, 640K
- Mono Graphics
- Printer Port
- 1.2 MB Floppy
- 20 MB Hard Disk
- HI-RES Mono Monitor
- 84-Key Deluxe KBD
- MS-DOS 3.2 Basic

**RRP \$3250 INCL SALES TAX**  
INCLUDES MONITOR

**ALSO PC-88A**

## PC-88X

- Same as PC-88A.
- But one Floppy + 20 MB Hard Disk.
- MS-DOS 3.2 + GW Basic

**RRP \$2295**  
INCLUDES MONITOR

## PC-386X

- 80386 CPU
- 16 MHz, 2MByte
- Mono Graphics
- Printer Port
- 1.2 MB NEC Floppy
- 30 MB H.Disk (35 MSEC)
- HI-RES Mono Monitor
- 101-Key Deluxe KBD
- MS-DOS 3.2 + GW Basic

**RRP \$8995 INC SALES TAX**  
INCLUDES MONITOR

GOLD COAST  
WHOLESALE COMPUTERS  
(075) 36 6722

AMW TRADERS  
TOOWOOMBA  
(076) 39 1019

MELBOURNE  
CONQUEST COMPUTERS  
PH (03) 384 1581

GLADSTONE  
GLADSTONE COMPUTING  
SERVICES  
PH (079) 72 5722

BRISBANE  
WHOLESALE  
PH (07) 849 4350, 849 4276  
FAX (07) 849 4794

SUNSHINE COAST  
JBC COMPUTERS  
PH (071) 43 4292

SYDNEY  
KOOKABURRA  
COMPUTERS  
PH: (02) 365 0776



# 5 1/4" DOUBLE SIDED DOUBLE DENSITY

Now, for the very first time, you can have DOUBLE SIDED DOUBLE DENSITY 5 1/4" flexible disks at a really amazing price. (Note: we said DSDD not SSDD).



## 10 pcs for \$10.00 ONLY

That's right! DOUBLE SIDED DOUBLE DENSITY disks supplied by a leading manufacturer of disks made to exacting industry standards for only \$10 per box of ten disks plus postal charges.

**FAX  
ORDERS  
AND  
CREDIT  
CARDS  
ACCEPTED.**

## Why only \$10?

We are entering our 70th year in business and our 21st year as a manufacturer and supplier to the Australian computer industry...so, to celebrate, we are giving you this amazing offer. But hurry! This price is valid only until 31st October, 1987.



**Wilbropoint & Computer Supplies**

P.O. Box 56, Chippendale N.S.W. 2008.  
Telephone: (02) 699 9933 Fax: (02) 699 4152  
Shop: 134 Abercrombie Street, Chippendale  
(Cnr. Cleveland Street)

QLD Distributor:



**SWIFTFORMS**

PRINT & COMPUTER SUPPLIES PTY LTD  
Unit 2/49 Logan Road (Entrance Jurgens St)  
Woolloongabba QLD 4102  
Phone: (07) 891 5515 Fax: 891 5506

The DataPerfect brand is backed by Wilbropoint's 70 years of service and commitment to Australian industry.

## ORDER NOW

Sydney City 699 9933  
Brisbane City 891 5515  
Brisbane Country (07) 891 5515  
(reverse charge)

## TOLL FREE 008 225 542





# WordStar 4

***With more powerful and 'friendlier' word processing packages appearing on the market, it's hard to believe that WordStar — with its complex command structure — retains a huge following. Owen Linderholm looks at MicroPro's latest update of this old favourite.***

In these days of WIMP systems, when even IBM has decided to standardise on a windowing system, it is strange for a manufacturer to continue to provide a piece of software that is regarded as the typical example of user-unfriendliness. The program I'm referring to is, of course, WordStar, the old friend of many micro experts and the bugbear of many novices. Nevertheless, WordStar is arguably the most used program in the world; and although it hasn't sold as many copies as other programs, it is the most widely pirated program. Estimates and surveys reveal that three times as many copies have been pirated as sold.

The reason why MicroPro, the company behind WordStar, continues to provide new versions, is to get more unregistered users to pay for the program; later versions of the program have been less copied because of additions like licence numbers. Also, the later versions of the program have all been considerably enhanced both in terms of power and speed.


One additional thorn in the side of MicroPro was a company called NewStar, set up in the US by ex-MicroPro employees. That company rewrote WordStar to be quicker and more powerful, and sold the program as NewWord at a much lower price than

WordStar. NewWord is similar to WordStar but it has an extended range of commands and facilities and operates significantly faster. MicroPro recently purchased the company and its last product, NewWord 3.

I have used WordStar for five years in various forms, ranging from WordStar 2 to NewWord 3, the immediate precursor of the subject of this review. WordStar Professional version 4 is essentially NewWord 3 with some additions and cosmetic changes, and the similarities are obvious with WordStar 4 looking more like NewWord 3 than WordStar 3. The most major change is the addition of a 220,000-word thesaurus program.



*The WordStar Professional 4 opening menu installed for an unusual colour preference. Notice the display of file sizes and free disk space. Menus and new options are available from this opening menu*



*Using WSCHANGE to install WordStar is very easy. This screenshot shows how to set up display attributes and colours for all the different layout possibilities and character attributes*



This is the Word Finder thesaurus, available separately from Microlytics, and which comes bundled in. Some major improvements have also been made to the spelling-checker and to the more powerful commands.

Until recently, WordStar was the established market leader in word processing. Newer programs are now jostling it and, indeed, overtaking it with programs such as Microsoft Word 3 and Word Perfect providing a huge range of features for the 'power' word processor user. Nevertheless, many people want one important feature that such programs lack — WordStar-compatibility.

The big advantage WordStar has over other word processing programs is that many users are already familiar with its complex command structure and, therefore, are reluctant to learn a new set of commands. Although WordStar has fallen behind the times, it is still a good program; it does its job well, and it is extremely robust.

## Installation

The program comes in a smart maroon box holding a large packet of disks, registration forms, a licence agreement, a command summary card,

printer information, the *Word Finder* manual and a leaflet describing what's new in WordStar Professional 4 (from now on known as WordStar 4) besides the main program manual. The disks are: two for Word Finder, an installation disk, the program disk and the dictionary and the tutorial disks.

The installation instructions are thorough, to say the least. They give you all the important information first so that you are unlikely to make a mistake, although it does take a while to sort out what to do next. There are two levels of configuration for WordStar 4, just like NewWord 3. The first, enough to get you going, is to run a program called WINSTALL. This sets up WordStar 4 to work properly with your computer and printer. The second level, WSCHANGE, lets you change colours, screen formats, operation and other things relevant to the program.

One of the nicest aspects of the way the documentation and manual have been written is that novice users are separated from those who already know the program and who only need to learn the new commands and features. This means that you can dip into the manual at your specific level of familiarity.

The WSCHANGE program gives access to practically every feature of WordStar 4 and lets you configure it exactly to your requirements; system variable values for the program can even be changed. This means that you can use the program with displays other than the usual 25-line by 80-column format. I tried it with EGA's 43-line mode and it worked perfectly. WSCHANGE also lets you set up the cursor keys, create printer driver libraries, decide how much memory the program and dictionaries should take up, choose a page layout and more besides.

## New commands

The range of options available in WordStar 4 is impressive. It is hard to imagine a useful word processing operation that is not available, although many people do expect esoteric functions from word processors that cannot yet be provided. That said, several features are missing from WordStar which are now becoming standard among powerful word processing packages. These include: footnotes, column-based editing, 'outlining', interfacing with desktop publishing and the ability to edit several documents at once.

One of the major changes to WordStar 4 is the facility to 'unerase' the most recently deleted portion of text. The amount of text that can be undeleted is effectively limited by the amount of spare memory you have, but to make full use of the option, you will need to use WSCHANGE to alter the size of the unerase buffer.

Another significant change is the addition of the shorthand menu which is accessed by the ESC key. This brings up a secondary menu of keys and associated commands that you can alter and add to at will. Any combination of WordStar commands can be allocated to a single key, so you could set up ESC-S to swap the current word with the previous word (CTRL-T, CTRL-A, space, CTRL-S, CTRL-S, CTRL-U). Note that this only works if the cursor is at the start of the word.

One of the major omissions in previous versions of WordStar was the inability to access files in other directories or subdirectories. This has now been rectified and it is easy to access all files on all disks in a simple and logical way.

WordStar 4 supports mathematical commands within the word processor, including the ability to add up numbers within a marked block. You can also run other programs from within WordStar 4 now as long as there is room for them within memory.

## WordStar command structure

Like many other programs, WordStar is controlled by a set of nested menus. The opening menu lets you edit, print, index, quit, and perform file operations like copying; obviously the major selection is editing. This prompts you for a file name and opens the file for editing. While editing, a series of menus are available from the main editing menu.

At this point, you can enter text and the preset options for WordStar will control how the text is stored, displayed and how basic movement, insertion and deletion commands work. Five other menus are available from this one to cover onscreen formats and display; saving, block operations and file operations; printer controls; quick cursor movements and miscellaneous operations; and shorthand macros.

To give some idea of how the commands work in practice and why they are often regarded as clumsy, here is a summary of what I need to do to create a short document of four paragraphs; say, for the picture captions to this article.


First, hit 'D' from the main menu to edit a document. Then enter a file name. The program moves to the editing screen. Here I need to enter CTRL-O, 'S', '2' and hit Return to let WordStar know that I want double line-spacing. I now need to enter a header line so that anyone looking at this document will know what I'm writing about. The header line goes at the top of the document. Here it is in full:

'he picture captions/Owen Linderholm/July 87/#'

the '#' symbol is to let the program know I want a page number there. I'm ready to start now, so I move down a few lines by hitting Return. I enter my text and correct it until I am satisfied. Deletions involve ordinary backspacing or CTRL-G when the cursor is on the character to be deleted. Moving chunks of text around involves marking them with CTRL-K, 'B' at the start of the block and then CTRL-K, 'K' at the end. Then move the cursor to where you want to go and type CTRL-K, 'V' to move the block.

To finish and print out the document, hit CTRL-K, 'D' to save and exit the editing mode, then 'P' followed by ESC prints the document. Hardly intuitive and straightforward.





# If our accounting software doesn't save you a packet, don't pay for it!

There's plenty of accounting software packages to choose from.

But only one company has the guts to put their money where their mouth is: Future Business Systems.

We're so confident that our general accounting software can solve your invoicing, debtors; creditors; stock; and general ledger headaches, that we'll send it to you for a free evaluation.

(The real McCoy too – not a limited 'demo' version.)

**A fair go.**

You get a fair go. A chance to really put it through its paces.

You get to use your own computer; in your own place; at your own pace.

(If you don't already have a PC, we can demonstrate one of those too.)

**Either way, you can't lose.**

So send the coupon now with a hundred bucks deposit and we'll send you the disks and manual.

If you like it (and we're sure you will), send us another \$850 and the package's yours to keep.

**If you don't like it; don't pay for it.**

If you don't reckon it's going to save you a heap of time and money; send it back.

We'll send your hundred dollars back too so you haven't lost a thing.

(Except some exceptional accounting software of course.)

**Over 2,000 satisfied users.**

Read what existing users say:

"We've been using FBS for 3 years. Our staff were able to use it with no previous PC experience."

– *Mr John Tilley, Dunlop Group*

"FBS was our first PC accounting system. Our financial reporting requirements were extensive. The package performed extremely well in this area."

– *Mr Bruce Cook, Hitachi*

**Give it a go.**

So give it a go. Stop comparing brochures and contrived demonstrations.

Prove our promise. Send the coupon.

☐ **YES**, please send me your general accounting software package for a free 2 month evaluation.

**Version:** ☐ MS DOS Hard Disk System

☐ I enclose a cheque for \$100 as deposit.

☐ Please deduct \$100 from my credit card account as deposit.

☐ Visa ☐ Mastercard ☐ Bankcard

☐ Diners ☐ Amex

Number

Expiry date

Name

Company name as you wish it to appear on invoices & reports throughout software

Address

Authorisation

I understand that I may return the package in good condition anytime within 2 months from when I receive the software and my deposit will be returned. After the trial evaluation I may keep the package by investing another \$850.

☐ Please send me more information on your software.



Suite 6 105 Hawthorn Road  
Caulfield North, 3161.  
Ph: (03) 523 9211

**future business systems** AdShop fbs 206



The function keys can also have a combination of WordStar commands assigned to them and the bottom two lines of the display can be set up to display what the function keys do. This means that you can customise

WordStar for your own purposes so that frequently used commands can be accessed by a single keystroke.

WordStar 4 is only available on IBM and compatibles. As a result, some ability to access IBM-character

graphics has been added so that users can display and print the IBM 'box-drawing' characters.

The spelling-checker on this version has been considerably improved and is the best I have come across by a large margin. This one not only allows you to add words to a personal dictionary — as do most spelling-checkers — but also 'temporarily' remembers them. For example, if you haven't bothered to tell the dictionary that 'APC' is a word you often use, then when the spelling-checker finds it, it will query it and bring up a list of suggested alternatives (none in this case). However, if you tell it to skip on to the next spelling mistake, then WordStar will assume that APC is a real word within the document and all further references to it will be ignored.


Even more impressive, if you mistook the name 'APC' and typed 'APX' instead throughout the document, you would get a query. When you enter the replacement 'APC', it is automatically replaced; and whenever the spelling-checker encounters 'APX' within the document, 'APC' will be given first in the list of potential correct spellings. In other words, as it checks a document, WordStar temporarily adds words to the dictionary and links in new words as possible corrections. It is also possible to tell the spelling-checker to leave a word alone just once, but to query it when it reappears — useful for unusual words that are likely misspellings. This is all on top of a list of 87,000 words which have all been properly anglicised. It is a great relief not to have all my 'ise's' queried with 'ize's' suggested as alternatives (as is the case with American spelling-checkers).

Another simple but useful touch is the addition of file-sizes to the opening menu and the file directory. You are also told how much space is left on the disk. No more worries about whether the file will fit on the disk!


It is possible to display 'soft spaces' on the display as dots. These are the 'imaginary' spaces that the word processor inserts to pad out a line to justify it. Another minor change is that the DEL key on the IBM keyboard now deletes the character at the cursor position rather than the one preceding it in line with usual MS-DOS practice.

The embedded 'dot-commands', which are instructions to the printer when the file is being printed, have been considerably extended in scope. IF . . . THEN constructions can be used and a much wider range of options is included. These include the addition of sheet-feeder controls, extra


*This is the standard editing screen in WordStar. No menu commands are visible because the program has been configured for an experienced user. Inexperienced users can force menus to be displayed at all times. The main uses to which the function keys have been set are displayed at the bottom of the screen*



*This screen shows Word Finder, the memory-resident, pop-up thesaurus program provided with WordStar 4. When you hit ALT-1, the window pops up displaying alternatives for the word at the cursor position. Word Finder can nest words it looks up, so any word appearing in the pop-up window can itself be looked up*



*The internal spelling-checker in operation. The spelling-checker scans through the document finding words it does not recognise. Whenever one is found, a menu of options and suggested alternatives appears. The scanning process is visible and can easily be interrupted*





merge-printing commands, variable formatting and some new standard variables.

A new option from the opening menu, '?', displays how much memory is being used by WordStar. Background printing is now fully supported and allows more flexible control of printing while still editing.

Additions to the 'Quick' menu options include the ability to move to the next occurrence of a specified character and to delete up to the next occurrence of a character.

There are some new printing commands, too. The major changes are in the addition of the WSCHANGE program for complete, in-depth customisation and in the addition of a wide range of printer drivers, especially for laser printers.

## Word Finder

Word Finder is a RAM-resident thesaurus program that has been available for several years. As mentioned above, the WordStar version of it is bundled with WordStar 4. The program has not been changed for use with WordStar since no changes were

needed. Operating it is simple: simply press ALT-1 when the cursor is on the word you need to find a synonym for. The thesaurus itself is extensive, containing 220,000 words. Any alternative word can itself be looked up, so that a chain of possibilities can be created.

Once you have found a word, it can be easily replaced. The only problem with Word Finder is that it cannot produce synonyms for phrases, only single words. As a quick example of Word Finder's power, here are some of the first set of synonyms for 'power' (the program produced 88 words in all): current, electricity, administration, forces, authority, clout, pull, weight, tumult, mastery...

Installation of Word Finder is a bit more complicated. You have to fill in an electronic name and address form to be issued with a licence number. However, following the instructions is not difficult and it would be impossible to make an unrecoverable error.

The disadvantage of using Word Finder is that it uses up some extra memory, and you will need at least 360k to use it with WordStar 4. If you want to keep the WordStar spelling-correction dictionary in memory (much


faster), then you will need a bit more memory.

One problem to be aware of is that memory-resident programs like Word Finder stay in memory, so if you leave WordStar 4 to run another application, you may need to remove Word Finder from memory in order to leave room for the new application.

WordStar 4 comes with a tutorial program that is a bit 'simple' but does serve its purpose. The object of this program is to reassure novice users that computers are nothing to be scared of and to introduce them gently to the basics of using WordStar.

## In use

I consider myself a long-term user of WordStar and NewWord and had no difficulty at all getting to grips with WordStar 4. At first I thought it provided a rather sluggish response compared with NewWord 3, but after I had started customising it with WSCHANGE, I realised that I had reduced the forced delays in NewWord 3. The same option is available in WordStar 4, so I changed the delays to a shorter interval. Immediately,



Is your company exhibiting this year Jack? My organisation has approved my delegate attendance because the lecture program is good value.

Yes George we are exhibiting and speaking of good value you should encourage your organisation to look into advertising in the convention directory — it's not only for exhibitors you know.

**1987  
1983  
1981**  
**IREECON  
INTERNATIONAL**

**MON., SEPT. 14 —  
FRI., SEPT. 18, 1987**

**• INFORMATION FOR AN EVENT TOO IMPORTANT TO MISS**

**IS AVAILABLE NOW FROM:** **The Institution of Radio and Electronics Engineers Australia**  
Commercial Unit 3, Edgecliff Court, 2 New McLean Street, Edgecliff NSW 2027  
Phone: (02)327.4822 — FAX (02)327.6770 — TLX AA21822 (Quote User No.SY135)



# Chances are when you get your new computer, there'll be something missing.

It can take over six weeks for custom produced stationery to arrive.

So you won't be able to compute on day one.

Rediform instant computer stationery complements all of the popular business accounting packages for micro's, covering everything you're likely to need from "pre-set" invoices, remittance advices and statements to plain print out paper.

Rediform "pre-sets" have space for your company name, address, phone number and other necessary identification so they're particularly suitable for the small computer user. In the interim or long term.

Clip the coupon for further information or your nearest supplier. And remember, don't leave the computer store without Rediform.

Then you can start on day one.

*Whaddya mean, no paper?*



## REDIFORM

### Instant Computer Stationery.

☐ Please send me more information on Rediform. ☐ Please let me know where my nearest dealer is.

To: Sales Promotion Manager  
Rediform  
P.O. Box 180  
RICHMOND VIC 3121

NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_

POST CODE \_\_\_\_\_

PHONE \_\_\_\_\_

ANG/RA/841



## SCREENTEST

WordStar 4 had the fast keyboard response I was used to. It should be pointed out that WordStar 4 is about twice as fast as WordStar 3 — a very significant improvement.

The other most important part of word processing installation turned out to be very easy. This is, of course, installing the program to work with your printer. WordStar 4 had an Epson LQ-1500 printer driver available and it worked immediately. This is very important since three of us share the same printer in the office, so I was not able to alter the DIP switches. The biggest problem was finding the correct printer name from the huge range of 64 drivers available.

It is also easy to alter the colours and screen display of WordStar 4 to suit your requirements. I use a combination of pink text (highlighted red), a black background, and light blue for function key labels and ruler information lines. We have diffused fluorescent lighting in our office, and I find these colours on the screen make the text easier to read.

I only had one major problem with WordStar 4: I couldn't get the indexing or table of contents to work. After various attempts at reconfiguring the program, it still didn't work. Eventually I tried reinstalling the program, with success. Mysterious gremlins like this are very frustrating, but since it was possible to fix it without damage, it can't be too serious a bug.

One other minor problem with NewWord 3 that has successfully transferred to WordStar 4 is that under certain conditions — when the display hasn't been fully installed — odd page-breaks can appear in the middle of your text. They aren't *really* there since when the screen is redrawn because of moving, they disappear. However, you might start deleting things if you thought the page breaks were real.

I am sticking with WordStar for the moment, but I can't help feeling that the day will come when I switch to some other word processor; the attractions of WIMP systems are alluring and the arrival of desktop publishing are both strong indications that the time for change is coming.

### Documentation

The manual accompanying WordStar 4 is an updated version of the old one. It is clear and comprehensive and there is a good index covering all the features. Diagrams are scattered through the text, especially in the

tutorial section, and there are even a few cartoons.

As computer manuals go it is both easy to read and to understand. It could, however, be a bit more lucid in the section dealing with customisation, and the section on hints and tips for WordStar could definitely be enlarged.

*'WordStar 4 is a very useful upgrade for WordStar fans who will not switch.'*

WordStar users, continually struggling against the unfriendliness of the program, are always on the look-out for tips to make their lives more bearable.

### Conclusion

WordStar 4 is a worthy improvement on previous versions. The one area where the program could do with a complete overhaul is in the area of user-friendliness and user-interface. Unfortunately, this is the one area where MicroPro cannot improve the program. Whatever happens, it is unlikely that the WordStar command structure will change.

MicroPro will have to watch out, since its dominant position in the word processing market is slowly being eroded by users switching to friendlier or more powerful programs. The other area where MicroPro is losing out is in that of new users. Since they don't have to 'unlearn' their conditioned WordStar responses, such users will have no inhibitions or qualms about trying other programs.

WordStar 4 is also rather on the expensive side; although its pricing is in line with other major word processing programs, it seems a bit expensive for a program that is essentially several years old.

WordStar 4 is a very useful upgrade for WordStar fans who *cannot* or *will not* switch. It provides a wide range of new features while maintaining WordStar's standards. If WordStar compatibility is high on your list of desirable attributes, then WordStar Professional 4 should fit the bill nicely.

END

*WordStar Professional 4 costs around \$690 and is available from dealers. WordStar Australia Pty Ltd can be contacted on (02) 411 7255.*

**IBM  
owners  
PC, JX, XT, AT,  
PS/2**

**FREE  
OFFER**

Let Attaché Software introduce you to computerised accounting the easy way, absolutely FREE and without obligation.

Attaché, the biggest name in micro accounting systems, has prepared a demonstration disk that runs just like the real thing.

Just load it into your IBM or compatible and examine Attaché in the convenience of your office or home.

Attaché can do it all: accounts receivable, order entry, invoicing, sales analysis, inventory, accounts payable, department/project costing, general ledger and payroll.

This is your risk free opportunity to prove to yourself how Attaché can streamline your accounting. At prices starting as low as \$788, you can't go wrong.

Simply mail your FREE OFFER coupon today or phone (02) 929 8700. Distributors Australia-wide.

**Attaché**

*Bullet proof reliability.*

Mail to: Attaché Software Australia Pty Ltd  
10th floor, 8 West St, North Sydney NSW 2060

YES! Please send my FREE Demo Disk and other information about Attaché

Name .....

Company .....

Type of Business .....

Address .....

Code ..... Bus. Phone .....

Computer type (if any) ..... APC



# HIGH SPEEDS LOW PRICES!



**Significantly speed up your PC without spending thousands of dollars to upgrade.**

**You can do it brilliantly with Hypertec's Australian designed and manufactured accelerator boards - Hyperace-286 and Hyperace-286 Plus.**

**Specifically designed for the IBM PC/XT (and compatibles).**

Both boards run on an Intel 80286 processor chip. The Hyperace-286 runs at 6MHZ - equivalent to IBM PC/AT performance and up to three times faster than a standard PC.

The Hyperace-286 Plus runs at 10MHZ, producing an amazing five times increase in your PC's performance. You can even switch back to your PC's original speed through a pop-up menu (software controlled). Add to this both boards' support for the 80287 maths co-processor chip, and you have two short boards long on user benefits.

**Our reputation is your guarantee of quality.**

These boards are:-

- Designed to increase the power, flexibility and range of uses of IBM PCs and true compatibles.
- Australian designed, manufactured and locally supported - all by us.

■ Guaranteed the highest quality with full 12 months warranty.

■ Available at highly competitive prices.

Both boards come with full manual plus simple step-by-step procedures in plain English to make installation a breeze.

Dealer enquiries welcome.



**Hypertec Pty. Ltd.**  
**Suite 404, Henry Lawson Business Centre**  
**Birkenhead Point, Drummoyne, N.S.W. 2047**  
**Telephone: (02) 819 7222. Telex: 177440**

TO: HYPERTEC Pty. Ltd., P.O. Box 385, Drummoyne, N.S.W. 2047.

Please send me more information on the boards indicated and details of my closest dealer.

☐ HYPERACE-286

☐ HYPERACE-286 PLUS

NAME: \_\_\_\_\_

POSITION: \_\_\_\_\_

COMPANY: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

PHONE: \_\_\_\_\_





# Graphicworks

***From humble beginnings as a comic-book graphics program for the Macintosh, Mike Saenz's Comicworks has evolved into Graphicworks, an art package with some DTP facilities. Ian KcKinnel sees how the scales balance.***

The Apple Macintosh was never aimed at the average computer user — it was the first computer for the visually aware. It had style. People who'd previously classed computing on the same level as train-spotting saw the bit graphics-based program, MacPaint, and were transfixed. For some people, MacPaint didn't come with the Macintosh: the Macintosh came with MacPaint.

## ***Modest beginnings***

One of those people was a US comic-book illustrator, Mike Saenz.


Mike was one of the first people to

own a Macintosh, three and a half years ago. He took the Macintosh home and decided to draw a comic-book with it, and in retrospect this could have been called a brave decision. It could also be called lunacy, for those were the days when MacPaint was the only graphics software in town when the Macintosh came in only one flavour — 128k; and when Mike didn't even have an external disk drive. Eventually, months and months of work produced *Shatter*, published by First Comics and now a very hot collectors' item which changes hands for serious money. It was a sci-fi cops & robbers story inspired by the im-


agery of the film *Blade-Runner*. It was a breakthrough: the first comic-book ever to be generated on computer, and it attracted a great deal of media coverage. It was also, perhaps, the first major example of desktop publishing, an idea that also attracted a great deal of attention in the marketing departments of this world.

After such a baptism of fire, Mike was, to say the least, aware of MacPaint's limitations, and had ideas of his own about how a graphics program should work and what facilities it should have. Armed with these ideas he approached Macro-

mind, producer of the seminal



The bones of the Graphicworks system are 'panels' which contain 'easels', 'balloons' and 'graphic primitives'. In this case the panel, represented by the light grey outline, contains three easels



Text is contained within 'balloons'. As can be seen from the toolbox down the left-hand side, a wide variety of styles is available and most of these can be edited — you can also have no borders or fill patterns



# FREE SOFTWARE?

## SPECIAL SELECTIONS OF PUBLIC DOMAIN AND USER-SUPPORTED SOFTWARE

Out of the thousands of Public Domain and User-Supported programs we have collected, for a small service charge of \$15 we bring you a SELECTION OF THE BEST that have been carefully tested and documented. Suit IBM-PC and compatibles, 5¼", DOS 2 or greater.

Please note that in those instances where Basic is required, users should have Basic/GW Basic (not Basic2) or our shareware compatible version on disk M9001. There is a separate catalogue for Macintosh, CP/M and Amstrad (3"), Apple II and Commodore 64.

### MS-DOS

#### Disk No. GAMES

**M1020+: MORE GREAT TRIVIA.** A two disk set. Categories for science and nature, entertainment, sports and recreation, and general. \$30.

**M1022: SUPER COMPILED GAMES (3).** Arcade type games. Includes Kong, Striker, Spacevade, Life2 and Frog. Needs CGA.

**M1023: GREAT BASIC GAMES.** Over a dozen, including Wizard, Xwing, Combato, Mars, Racecar, CIA. Requires Basic.

**M1025: AMULET OF YENDOR —** Adventure with graphics. 20 levels of play against many monsters and powerful magic. Choose your roles.

**M1026: 5 TEXT ADVENTURE GAMES —** of different types, including murder mystery, horror, pirate, etc.

**M1027: SUPER HANGMAN.** Challenged with quotations, riddles, music, words. Fascinating and educational.

**M1028: SUPER COMPILED GAMES (4).** Another excellent selection of compiled games, ready to run. Includes Flightmare, Solitaire, Jumpioe and more. Needs CGA.

**M1030: PROVOCATIVE PICTURES (1).** Collection of hi-res digitized naughty pictures.

**M1041: GAMES OF STRATEGY (1).** Match wits in a Naval Battle Simulation, Big Truck Haulage Business, and the Stock Market.

**M1042: GAMES OF STRATEGY (2).** Has Empire (War Simulation), Golf Tee, and Bermuda Triangle Sailing.

**M1043: PROVOCATIVE PICTURES (2).** Pin-up type posters to enliven the office. Needs Epsom compatible printer.

**M1044: MARTIAL ARTS.** Match your skills against all sorts of villains and dangers.

**M1045: EGA GAMES.** World Domination for those with Enhanced Graphics Board.

**M1046: SUPER COMPILED GAMES (5).** With World Domination (Risk), Beast, Locust, Rockets, Subchase, etc. Needs CGA.

**M1047: SUPER COMPILED GAMES (6).** With Wheel of Fortune, Forest Fire, Zoorre Dungeons, Quarterback, etc. Needs CGA.

**M1048: GOLDEN WOMBAT.** Fine British text adventure searching for Lost Empire. Needs CGA.

**M1049: MURDER MYSTERY.** Puzzle your way through suspects and clues.

### UTILITIES

**M2007+: UNPROTECTION METHODS.** Hints and programs that help you to back up a variety of copy protected programs. 3 disk set for \$30.

**M2012: DISK DOCTOR COLLECTION.** Excellent debugging and file repair programs.

**M2016: MENU SYSTEMS.** Create your own menus. Contains Sysmenu, Automenu, EZMenu.

**M2021: UNIX COMMAND SHELL.** Control your programs with commands like those in Unix.

**M2022: TSHSHELL DOS MANAGEMENT.** Efficient environment for managing DOS. Help screens.

**M2023: BATCH LANGUAGE ENHANCEMENT.** More features and control in creating bat files.

**M2027+: EXCEPTIONAL UTILITIES.** With fast format, clock, alarm, disk wipe, colour as shades of grey, create files from memory, cursor speed-up, many more. \$30.

**M2038: DIAGNOSTIC AND TESTING UTILITIES.** Extensive collection to test and report on performance of equipment and software.

**M2040: HARD DISK MENU SYSTEMS.** Comprehensive. Excellent choices for managing files.

### WORD PROCESSING

**M3007: SPELLING CHECKER.** Works with most word processors. We've added thousands of new words incl. business/computer terms.

**M3008: OUTLINER FOR WORD PROCESSING.** Considered by many to be best ideas processor available.

**M3014: SIDEWRITER.** Generates printed output sideways to fit wide reports on to a page.

**M3016+: WORDSTAR UTILITIES.** Alternative and customer designed character sets, strip/alter text, number paras. 2 disks \$30.

**M3018: DIAGRAM AND TEXT EDITOR.** Combine text with simple diagrams.

**M3020: EXCELLENT WORD PROCESSOR.** Galaxy is compatible with Wordstar, has clear, easily followed commands on screen.

**M3021: QUALITY MULTI FONT PRINTING** on dot matrix, incl Courier, Greek, Helvetica, Palatino, Roman, Italics, etc.

**M7032: BEGINNER'S WORD PROCESSOR.** Many good features plus a built in tutorial.

### GRAPHICS

**M4001: SELECTED GRAPHICS.** Some of the best, including picture graphics of commercial standard.

**M4009+: GRAPHICS FOR 123/SYMPHONY.** Convert figures into business charts. \$30.

**M4011: ICON CREATOR.** Prepare symbols and logo-type characters.

**M4012: TALK ILLUSTRATOR.** Easy to use special features for slide presentation.

**M4014+: COMPUTER-AIDED DESIGN.** Dancad3d will do complex drawing, 2 or 3 dimensions, print sharp lines for mechanical drawing, illustration, animate parts. We've squeezed 4 disks on to 2. \$30. Needs CGA.

**M4015: FULL FEATURES PRINT PACKAGE** with pull down windows, icons, hires, 4 colours.

**M4016+: GRAPHICAL ANALYSIS.** Inputs data directly or from DBASEIII. Does statistical analyses, reports, charts. 2 disks. \$30.

**M4017: ONE-PAGE DESK-TOP PUBLISHING.** Suits preparation of flyers, notices.

### LANGUAGES

**M9001: BASICA/GWBASIC COMPATIBLE INTERPRETER.** Runs Basic programs written in industry standard Basic. Suits Amstrad 1512.

**M5002: WINDOWS FOR BASIC & C.** Gives windowing capability to your programs.

**M5025: TURBO PASCAL DEBUGGER.** Interactive, with pop-up help, formatters, etc.

**M5026: MACRO ASSEMBLER.** If you didn't get one, this is an excellent choice.

**M5030+: TURBO PASCAL SELECTION.** 3 disks with source code for windows, pass 64k limit, time/data, copy, format, interrupts, spell check, editor, random nos. etc. \$30.

### GRAPHICS

**M61: GRAPHICS.** Some of the best programs, including picture-graphics set of commercial standard.

**M62: SLIDE PRESENTATION.** Prepare transparencies for overhead slide projector. Great for illustrating your next talk.

**M66: EXTENDED FONT CHARACTERS.** PC-Font will give you the opportunity to produce existing documents in various font sizes and styles using a single command. Works with EPSON compatible printers.

**M4009+: GRAPHICS FOR 123/SYMPHONY.** Converts figures into business charts. Set of two disks — \$30.

**M4012: TALK ILLUSTRATOR.** Easy to use special features for slide presentation.

**M106: TERMINAL EMULATION.** This program provides terminal emulation and communications facilities.

**M109: COMMUNICATION —** Kermit vers. 2.3. Excellent program for communication with bulletin boards and other computers.

**M108: QMODEM.** Can be used in multi-tasking environments. Qmodem can run efficiently from a window screen.

### GENERAL, HEALTH, ETC

**M9504+: RECIPE MANAGEMENT.** Contains hundred of recipes and excellent searching facilities. Add your own recipes.

**M9505: WORD FACTS AND FIGURES.** Details of population, income, capitals, area etc.

**M9507: NUTRITIONAL MEAL PLANNING.** Plan varied meals, nutrition, substitutes, evaluate recipes.

**M9508: GOLF SCORE.** Keeps track of scores, putts, courses. Shows progress and averages. Needs BASIC.

### BUSINESS/CALCULATION

**M122: SPREADSHEET.** Freecalc. Substantially upgraded vers. 2.0 suitable for home and business. Full documentation. Needs enhanced graphics board, such as Hercules or colour monitor.

**M127: SPREADSHEET: PC/CALC.** An extensive spreadsheet program by the author of PC-File III. Easy to use and well documented.

**M130+: MATHS & STATS.** Extensive collection of statistics functions eg: integration, binomial/quadratic/simultaneous equations and much more. Menu driven. Requires BASIC.

**M134+: DEBTORS BILLING.** A comprehensive system for maintaining debtors records, issuing notices and analyses, etc. Two disk set \$30.

**M135+: FARM MANAGEMENT.** A useful collection of BASIC programs to aid farm management in decision making. Includes computations for gestation and feeding, harvest and yields, live stocks diets, budgeting and loan calculation and more. 3 disks disks \$45.

**M139: PROJECT QUOTATION.** Prepare EGA. Has worksheets for trend lines in quotations for projects combining materials, parts, labour. Profit margins, etc.

**M7019: POINT OF SALE.** A system for point of sale control of stock/debtors/invoicing. Needs hard disk.

**M7020: STATISTICAL TOOLS.** A two disk set of utilities that contain the most used statistic routines.

**M7021+: LOTUS UTILITIES — WORKSHEETS.** A two disk set for printing formulae, installing EGA. Has worksheets for trend lines interest calc. Printing special characters, calc loans etc. \$30.

**M7022+: INCOME AND EXPENSE TRACKER.** A reporting system with many nice features that show expenses and how much is left for you. Two disks \$30.

**M7023+: SINGLE ENTRY ACCOUNTING.** A simple way to approach and handle general ledger, A/C's receivable, A/C's payable inventory payroll. Good documentation. Two disk set \$30.

**M7024+: PAYROLL SYSTEM.** A versatile payroll system, contains sales and purchase ledger.

**M7025+: LOTUS 123 UTILITIES & WORKSHEETS.** Two disk set. Allows easier access to worksheets, contains cheque book, loan instalments, printer utilities, financial application, etc. \$30.

**M7026+: SYMPHONY TIPS AND WORKSHEETS.** A collection of 6 disks. Includes tips on using sidekick, transferring Multiplan data, applications for banking, insurance and medical. \$60 instead of the usual \$90.

**M7027: PROJECT MANAGEMENT.** Gantt charts. Produces presentations — quality Gantt charts.

**M7028: MANAGING MONEY.** Useful program that assists you managing your money and see your capital grow.

### DATA BASE MANAGEMENT

**M141: PC-FILE III.** Very popular Dbase, suitable for sales, inventory, personnel, mailing lists. Will total columns and has excellent documentation.

**M144: DBMS.** A relational data base that allows more than one file to be open at a time.

### SHAREWARE REQUIRED FOR INTERNATIONAL DISTRIBUTION

We have extensive marketing and distribution facilities locally and overseas and require quality software for international distribution. Adequate documentation should be on the disk. Please forward submissions to our Chief Executive at the address below.

### CPM, APPLE II, MACINTOSH, COMMODORE 64

Call or write for free catalogue.

### PUBLIC DOMAIN NEWSLETTER

For news, reviews, views and how to use public domain and user-supported software subscribe to our bi-monthly newsletter and keep informed on the free programmes that help your computer to serve you. Only \$15 per annum. Includes updates to catalogue.

**ORDERS:** Each disk costs \$15 (Macintosh \$18). The price of sets is specified in adv. Add 20% Sales Tax to cost of disks plus \$3 post/pack.

ORDERS MUST BE PREPAID

PAYMENT BY MAIL TO:

SELECT SOFTWARE,

Box C343 Clarence St PO Sydney,

NSW 2000

(Office: 3 Barrack St, Sydney)

TELEPHONE ORDERS:

(02) 29 2866, (02) 29 3810

Pay by Bankcard, Mastercard or Visa.

NZ ORDERS: (054) 84 622



**MORE**

# PC PROGRAMMES FOR ONLY \$3!

From the thousands of programmes we have collected from public-domain and user-supported software we bring you a special selection of the best utilities available – special purpose programmes that you may choose in any combination that you wish.

Choose any number for only \$3 each (service charge), with a minimum of five programmes, and we transfer them on to one (or more) of our disks for you.

We include source coding where possible. The programmes are documented, where required. Disks are formatted for MS-DOS ver 2 or greater. 360k 5¼" and 3½" disks.

Programmes are intended for IBM-PC or close compatibles. If Basic is specified then Basica or GWBasic is required. Most programmes are compiled.

## EFFICIENCY WITH FILES AND COMMANDS

- U14. FAKE A KEY** to provide the input expected when batch processing.
- U15. MULTI-CHOICE MANAGER.** Very cleverly apportion memory so that you can switch between three files.
- U16. SOUND A TUNE** that lets you know a stage has been completed in batch processing.
- U17. REQUESTS INFORMATION** in batch file processing. A timed ask utility.
- U18. MULTIPLE FORMATTING** of disks. Lets you format a lot at same time.
- U19. SMALL, FAST SUPER DIRECTORY.** Lists directory in 2, 4, 6 columns, sorts, etc.
- U20. SORTED DIRECTORY.** Screen listing that automatically shows hidden files and offers 2 or 4 columns. Various sorts.
- U21. PERMANENT DIRECTORY SORT.** Resorts your directory and saves it to file. Will work on subdirectories and hard disks, as well as floppies.
- U22. SUBDIRECTORY LIST.** Shows subdirectories in a given directory.
- U23. SPACE ALLOCATION.** Combines Dos Tree and Dir commands to show amount of space to be allocated when files transferred to hard disk.
- U24. FILE MANAGER** with execution facility for running programmes. Will also copy, view, delete, etc.
- U25. MEMORY-RESIDENT FILE MANAGER** with multiple windows, variable size. Needs CGA card.
- U26. BATMAKER.** Creates bat files containing all matching files. This is great when using Find in a text search.
- U27. MENU PROGRAM.** Allows for tailor made menus. Good screen appearance.
- U28. GO TO DIRECTORY** directly on a hard disk. Reduces amount of keyboard work.
- U29. SECONDARY DOS.** Lets you suspend currently executing application and invokes a secondary Dos command processor so new commands can be executed.
- U30. ALLBUT** the programmes you specify can be acted on. Eg, delete, copy, etc.
- U31. MEASURE** the time your computer takes to execute commands.
- U32. DISK ERROR MONITOR.** A resident programme that monitors disk errors and gives more information than the abort/retry/ignore message.
- U33. REMEMBER COMMANDS.** Remembers last 50 commands which may be edited or executed.
- U34. RENAME A DIRECTORY.**
- U35. DISPLAY COMMENTS FROM CONFIG.SYS** file when booting up.
- U36. BUILD DIRECTORY FILE WITH COMMENTS.** Has asm source code so that you can tailor to own needs. Produces list of files with size, crc, file no. and space for comments.

## FILE PRINTING/EDITING

- U130. PRINT ITALICS.** Set printer for output in italics. Epson compatible.
- U131. PRINTER RESET.** Resets printer to power-up mode.
- U132. GRAPHIC SCREEN DUMP** for Epson compatibles.
- U133. SET 51 LINES PER PAGE** on Epson compatible computer.
- U134. SET 132 COLUMNS PER PAGE** on Epson compatible computer.
- U135. SET UNDERLINE MODE** on Epson compatible printer.
- U136. SET COMPRESSED PRINT** on Epson compatible printer.
- U137. SET ENLARGED PRINT** on Epson compatible printer.
- U138. SET WIDE PRINT** on Epson compatible printer.
- U139. SET EMPHASISED PRINT** on Epson compatible printer.
- U140. SET EXTENDED CHARACTERS** on Epson compatible printer.
- U141. PRINT SPOOLER.** Creates a 16k buffer in memory, which allows you to do other work whilst printing.
- U142. DISK-BASED PRINT SPOOLER.** Uses capacity of disk as buffer for printing, allowing you to continue with other work.
- U143. SEND ESCAPE (ESC) SEQUENCES** as part of command, such as for printing.
- U144. WORD FREQUENCY.** Counts number of times each word is used in a text file.
- U145. FAST WORD COUNT.** Provides count of words, characters, lines, plus a mathematical check sum, which allows you to compare text files for changes.
- U146. APPOINTMENT REMINDER.** Stores data on disk like a daily appointments diary. Prints details of next 7 days.
- U147. PRINT WITH NUMBERED LINES.** Great for listing source coding.
- U148. SIMULTANEOUS EDIT** of multiple text files. Lets you make the same text changes to several files at once.
- U149. WORD LENGTH ANALYSER.** Checks the length of words in text and compares with readers' level of schooling.
- U150. TEXT CHECKER.** Examines Wordstar files for typing errors such as missing brackets and quotes.
- U151. TEXT FILE SORT.** Fast and works with very large files.
- U152. LIST NON-ASCII BASIC FILE** without loading Basic. Also helpful for listing if you don't have Basica/GWBasic.
- U153. PAUSE LISTING** so that printer will produce 55 lines on a page.

## EQUIPMENT HANDLING

- U406. CONTROL BACKGROUND/ FOREGROUND COLOURS** as displayed on your monitor.
- U407. HARD DISK PERFORMANCE TEST.** Checks the running of hard disks.
- U408. COMPUTER LOG** to keep track of amount of time of computer usage, how time spent.
- U409. ELECTRIC TYPEWRITER.** Converts computer into electric typewriter (for notes, envelopes, etc.).
- U410. KEYBOARD OPTIMISER** that will set cursor size, give type ahead buffer, more. Easy to use command line editing.
- U411. MAP RESIDENT PROGRAMS.** Shows program addresses, possible conflict.
- U412. TRACK MEMORY** as programs are running. Has windows and more.
- U413. MEMORY ORGANISER.** Determine, mark, release, allocate, display memory. Shows how files are loaded in memory.
- U414. MULTI-SCREEN.** Allows output to be directed to more than one screen. Needs CGA. Multitasking features.
- U415. NEW ANSI.SYS** that may aid screen presentation and allow faster execution of many functions.

- U416. BLACK & WHITE MODE** can be switched on colour graphics card.
- U417. TIMEPARK HEAD** of hard disk after a specified time has elapsed.
- U418. SET 40 or 80 screen columns** BW mode on colour systems.
- U419. STATUS REPORT** on system, including information about drives, memory available.
- U420. SPEED TEST (1)** checks processor speed and compares with IBM-PC. Similar to Norton test.
- U421. SPEED TEST (2)** checks computer speed in two areas, including Sieve calculation and track to track access time, and compares with IBM-PC.
- U422. SPEED TEST (3)** comprehensive checks on processing, including block write, register/memory, multiply, divide, stack operations, far jumps, etc, and compares with IBM-PC.
- U423. RAM TEST.** Tests and tests and tests ram. Identifies faulty memory.
- U424. DOS ENVIRONMENT VARIABLE EDITOR.** Make changes to edit path, prompt, etc.
- U425. EXPAND DOS ENVIRONMENT SPACE TO 1K.**
- U426. FLIP ON/OFF (TOGGLE) DOS PARAMETERS.** Works on several standard Dos parameters.
- U427. WHAT PROCESSOR?** Examines and identifies the processor/s being used, such as 8088, 8086, etc.
- U428. WHAT DEVICE DRIVERS?** Examines and reports on devices (eg ports) installed in your computer.
- U429. WHAT DOS CONFIGURATION?** Examines and reports on memory, vector addresses, and statistical information about version of Dos you are using.
- U430. WHAT EQUIPMENT?** Examines your equipment and reports on the installed drives, type of cards (eg, printer, colour, mono, RS232) etc.
- U431. EDIT RAM STORAGE** in your computer.
- U432. DRIVE STATUS.** Reports on no. of bytes, sectors, clusters-what capacity is and how much is free.
- U433. DIAGNOSTICS.** Performs large number of computer diagnostics and reports on serial, parallel ports, video, etc.
- U434. DRIVE TEST.** Floppy disk test drive utility.
- U435. SLOW AMSTRAD 1512** Programs e.g. games that run too fast.

## FILE MOVING

- U511. HARD DISK UNERASE.** Exceptional features. Most unerase utilities don't work on hard disk – this one does!
- U512. DELETE ALL BUT** those programs you identify.
- U513. INTELLIGENT COPY PROGRAM** that creates sub-directories as part of the transfer. Also renames rather than over writes.
- U514. SUPERIOR COPY PROGRAM** that checks and evaluates target before copying. Eg, copies last dated version.
- U515. UNIQUE COPY PROGRAM** with same function as U. E but does not copy those already on target disk.
- U516. TREE SURGERY.** Prune files unwanted/ duplicated on hard disk. Has source code and compares files with the same name.
- U517. KILLDIR.** Delete a branch of a directory. Reduces steps and saves time.
- U518. MOVE DIRECTORY** around if you prefer it stored in different location.

## FILE ORGANISATION & CHECKING

- U611. BOMB ALERT.** Examines new files for malicious intent and reports on possible danger to other files.
- U612. BASIC MENU GENERATOR.** Better access to your Basic files through a menu. For Basica/GWBasic.
- U613. UNSQUEEZE ARC FILES.** Small, efficient utility that occupies less space and is simpler to use than Arc.Exe.

- U614. HARD DISK OPTIMISER.** Related group of files that optimise hard disk usage and eliminate file fragmentation. Helps pack the disk.
- U615. FILE RE-ORGANISER.** Regroups a fragmented file into contiguous sectors on a disk for more efficient disk access.
- U616. RECOVER BAD SECTORS.** Re-records data on disk. Does 12 retries and thus may recover bad sectors.
- U617. COLLECT BAD SECTORS.** Marks bad sectors for collection into a separate file that will not be used. Works with floppies and hard disk.
- U618. ADVANCED COMPARE** facility that can save as edlin script, generate and update deck.

## SPECIAL FEATURES

- U805. PREPROCESSOR FOR "C" COMPILERS.** Has "C" source and helps organise coding into efficient form for compiling.
- U806. VOICE EMULATION.** Compiled with Basica source module which allows extensions, revision or use as tutorial.
- U807. DEMONSTRATION OF COMPUTER GRAPHICS** for those who have CGA.
- U808. DAYS SINCE JAN 1ST.** Calculate no. of days elapsed since beginning of year. Needs Basica/GWBasic.
- U809. BINARY FILE CONVERTER.** Converts files from machine language to hex equivalent for examination and modification.
- U810. CAPTURE BIOS** contents and store in a separate file.
- U811. EXPLORE FAT (FILE ALLOCATION TABLE).** Shows the table entries, starting clusters of files, etc.
- U812. MINICALC.** A small, easy to use spread sheet with 11 x 22 cells for quick every day use.
- U813. PROGRAMMER'S CALCULATOR** which does special hex and other calculations for those writing programs.

## ORDERS:

The service charge for each programme is \$3. There is a minimum charge of \$15 (five programmes). Add 20% Sales Tax plus \$3 for postage and packaging.

ORDERS MUST BE PREPAID.

**PAYMENT BY MAIL TO:**  
SELECT SOFTWARE, Box C343,  
Clarence St., PO, Sydney NSW 2000  
(Office: 3 Barrack St., Sydney, NSW)

**TELEPHONE ORDERS:**  
Pay by Bankcard, Mastercard or Visa.  
(02) 29 2866, (02) 29 3810, Fax (02) 262 1290.

We cannot guarantee the suitability of programmes for users needs or equipment.


CIRCLE NUMBERS BELOW AND SEND TO US WITH PAYMENT AND YOUR NAME AND ADDRESS. OR TELEPHONE US WITH THE PARTICULARS. SEE ABOVE.

14	15	16	17	18	19	20	21	22
23	24	25	26	27	28	29	30	31
32	33	34	35	36	130	131	132	133
134	135	136	137	138	139	140	141	142
143	144	145	146	147	148	149	150	151
152	153	406	407	408	409	410	411	412
413	414	415	416	417	418	419	420	421
422	423	424	425	426	427	428	429	430
431	432	433	434	511	512	513	514	515
516	517	518	611	612	613	614	615	616
617	618	805	806	807	808	809	810	811
812	813						435	



**Phone: (02) 214 7181**  
**- 24 Hours -**





Videoworks and Musicworks programs for the Macintosh, and eventually they began work on the program that was to become Comicworks.

Comic-books consist of two items — words and pictures. In conventional books and magazines these two elements sit together politely like strangers on a train, each in their separate compartments. In comic-books their relationship is much more promiscuous: in fact anything goes, and so the tool needed to work with them has to be very versatile, allowing much more flexibility than MacPaint can offer with text, but not impose the straight-jacket that a program like Pagemaker demands. The result is desktop publishing, but from an illustrator's point of view.

It's difficult to take a program seriously that has the word 'comic' in the title. It makes it seem like a fun, but ultimately a frivolous package, which isn't the case — Comicworks is a serious and useful program, although it does have a fun element. The marketing men had made a blunder, for by trying to define the program too narrowly (how many Macintosh users produce

comic-books?) they were in real danger of alienating a potentially huge audience of people using the Macintosh to produce graphics. And the packaging was . . . well, not the kind of thing you could leave lying around the office without being laughed at.

## *A package in disguise*

Comicworks was originally released in mid-1986. The marketing men's answer to its identity problems appeared shortly after, in the form of a package called Graphicworks, 'the only graphics, text and layout tool you'll ever need'. Everything about the program had an uncanny sense of *déjà-vu*, from its packaging to the actual program. It was, of course, Comicworks in disguise. The only difference was its packaging — now much more sophisticated, with subtle duo-tones of airbrush, scalpel and technical pen, and with a completely different set of clip-art. Gone were Mike Saenz's weird and wonderful bug-eyed monsters and spaceships, their place taken by invoices, business reports and menus.

Despite its identity problems Comic-

works/Graphicworks was a versatile program, and had the good fortune to be released not long after the Mac Plus was launched, when Apple had made the decision not to bundle MacPaint with the new machine. If users wanted a graphics program, they now had to make a choice and put their hand in their pocket. Comicworks/Graphicworks was not only cheaper than MacPaint, it was much more powerful and capable of far more.

But the original program also had a few problems, and the new version reviewed here, Graphicworks 1.1 (from now on referred to as Graphicworks) tries to redress these, as well as add a number of new features. It has also given the marketing men a chance to reposition the product a little more, to repackage it more conventionally and to distance it from its roots. Comicworks is still available, but only in version 1.0.

## *Graphicworks*

Graphicworks is a unique program that has many original features. Although the Graphicworks desktop looks like



that of most other graphics programs, following the convention of the toolbox along the left-hand side and patterns at the bottom, you soon find that Graphicworks works on a number of different principles. The biggest difference — and this can cause enormous confusion for new users — is that graphics and text cannot be placed directly onto the page.

The skeleton of Graphicworks is its system of 'panels', 'easels', 'balloons' and the new 'graphics primitives' or 'draw' tools. Unlike MacPaint, Graphicworks documents are not 'flat'. They are not all on the same level, but 'layered' — each element of a document can be treated individually. For example, if you are working with a landscape, the trees can be drawn separately and positioned on the background, and can be changed again at any time. The basic element of a Graphicworks document is the panel, which can contain up to 64 easels (where the paint elements of the program live), balloons (where text is entered) or graphics primitives.

To begin a document in Graphicworks, it's first necessary to position a panel on the blank page (normally this panel has a thin, black outline, though this is easily altered). It is not possible to paint or type directly into this panel. For a painting it's necessary to create an 'easel' which can be of almost any size — even bigger than the panel. This easel is in effect an individual MacPaint window — all the paint tools can be used, and images cut and pasted from other easels, or from other programs.

Graphicworks is compatible with

MacPaint and comes with an extremely useful desk accessory, Art Grabber+, so that images can be copied from MacPaint documents from within the program. High-resolution documents produced by a scanner (in TIFF format) can be imported into a Graphicworks easel and still retain their original resolution, although Graphicworks proved unable to open a TIFF document produced by a Dest scanner.

## Impressive features

Regardless of any other pretensions, Graphicworks is first and foremost a paint, or bit-mapped graphics, program *par excellence*, offering far more facilities than any other paint program available. It has all the conventional tools that will be familiar to most Macintosh users — the lasso, the eraser, the paintbrush, together with the small but vital features, such as trace edges — that many of the other paint programs have omitted. A considerable number of easels can be contained in a panel, and there are a number of ways for the pictures to work with each other by their 'ink' modes. For example, it is possible to have them matted so that they act as if they were a series of cut-out shapes stacked one on top of the other. But a number of other effects are available, such as 'or' which will make the images transparent, and 'xor' which reverses black and white.


It is also possible, using a combination of image and a mask, to create an image with 'holes' in it — so that, for example, it's possible to see through a car's windows. This facility of Graphic-

works can be very useful when creating effects such as drop shadows, but it is unfortunate that the Laserwriter cannot understand many of these effects and will not print them as they appear onscreen. However, any part of a Comicworks screen can be instantly transformed into paint image using the FKEY facility included in Graphicworks' system, and pasted into the easel in place of the existing images. Alternatively, the entire document can be saved as a MacPaint document, where such effects will be preserved.


This new version of Graphicworks also has new special-effects tools — perspective, skew, distort and free rotate — which will be very familiar to users of Click Art Effects, and whose absence in the original was sorely missed. Also, there are new options for working at higher than screen resolution to take full advantage of the Laserwriter, and a facility allowing colour printing using the Imagewriter II.

But I've saved the best till last. All other paint programs have a 'spray can', which is simply a stippled paintbrush. Graphicworks has an 'airbrush' which gives a random spray adjustable from 1 to 96 pixels across and of variable density, and is the nearest thing to a real airbrush this side of Quantel's Paintbox. For serious Macintosh illustrators, this feature alone can perhaps justify the cost of the package. As a paint package, Graphicworks is without doubt the most comprehensively equipped of any currently available for the Macintosh.

Graphicworks' approach to text is certainly unique and where its heritage becomes obvious, as the words have to



Included in Graphicworks is a separate program, Poster-maker from Strider software. This takes an image and enlarges it up to 3200 per cent!



Images can all be handled separately, so that at any time an image can be picked up and its position changed, without affecting the others around it



# NOW! The simple software solution

Learning to use your computer and programs can be a time wasting, difficult and confusing task. So, Dick Smith Electronics have put together a package which makes getting into computers as easy as... listening to your favourite song!

## Just LISTEN & LEARN!

It's almost too good to be true! The easiest and most efficient self teaching system for computer software around. And just to make the computer process easier still, we've got the ideal 'first time' PC compatible which puts REAL computing well within your budget!

### The DSE Multitech PC-500

The perfect place to start! The PC-500 System 1 is ideal for small business or the hobbyist and offers more power, more flexibility, and greater efficiency than anything else at this low price.

With outstanding Legal compatibility it offers you the choice of the world's largest software range.

Standard features include, 256K memory (expandable to 512K), single 360K floppy disk drive, MS-DOS 2.11, 4.77MHz clock speed, parallel and serial ports and CGA card — You can't get better value!

For the best in performance and outstanding back-up...

**DSE Multitech System 1**  
Cat X-8000

Only **\$995**

MONITOR  
NOT  
INCLUDED



## LISTEN & LEARN, Software made Simple

Why spend time and money on training courses for your computer programs? Now a revolutionary new training program is available exclusively through Dick Smith Electronics!

The **Listen & Learn** audio cassette system lets you **TEACH YOURSELF** to master those complex programs such as MS-DOS, Lotus 1-2-3, Multimate, dBase3+, Wordstar, Displaywrite3 and many more.

Simply by playing the audio tapes and following the simple colour coded exercises you can learn to master even the most complex programs in as little as 10 hours. You'll save a fortune on training courses, seminars, etc. **PLUS** you can use the tapes over and over again!

Executives as well will find this system invaluable! In your own time you can master the programs used in your office — and it's fun!

## What you get

Each **Listen & Learn** pack comes with four\* tapes and colour coded instruction manual. Or, you can buy the Professional Pack which includes a portable cassette player and quality, lightweight headphones.

For the new common sense approach to learning programs. **Listen & Learn** eliminates the need for



Cat X-9800 to X-9810 **From \$99**

heavy, hard to follow manuals. With DSE, Multitech and **Listen & Learn** — you've got the Software Problem Solved!\* Except MS-DOS — two tapes

**DICK SMITH ELECTRONICS**

PTY LTD

# COMPUTERSTOP


• NSW • Albury 21 8399 • Bankstown Square 707 4888 • Blacktown 671 7722 • Blakehurst 546 7744 • Bondi Junction 387 1444 • Brookvale (Warringah Mall) 93 0441 • Campbelltown 27 2199 • Chatswood Chase 411 1955 • Chullora 642 8922 • Gore Hill 439 5311 • Gosford 25 0235 • Hornsby 477 6633 • Liverpool 600 9888 • Maitland 33 7866 • Miranda 525 2722 • Newcastle 61 1896 • North Ryde 88 3855 • Parramatta 689 2188 • Penrith 32 3400 • Railway Square 211 3777 • Sydney City 267 9111 • Tamworth 66 1711 • Wollongong 28 3800 • ACT • Fyshwick 80 4944 • VIC • Ballarat 31 5433 • Bendigo 43 0388 • Box Hill 890 0699 • East Brighton 592 2366 • Coburg 383 4455 • Essendon 379 7444 • Frankston 783 9144 • Geelong 43 8522 • Melbourne City 67 9834 • Richmond 428 1614 • Ringwood 879 5338 • Springvale 547 0522 • QLD • Brisbane City 229 9377 • Buranda 391 6233 • Chermside 359 6255 • Redbank 288 5599 • Rockhampton 27 9644 • Southport 32 9863 • Toowoomba 38 4300 • Townsville 72 5722 • Underwood 341 0844 • SA • Adelaide City 232 1200 • Darlington 298 8977 • Enfield 260 6088 • Salisbury 281 1593 • WA • Cannington 451 8666 • Fremantle 335 9733 • North Perth 328 6944 • Perth City 481 3261 • TAS • Hobart 31 0800 • NT • Stuart Park 81 1977



# FREE!

Note the **FREE DISKS** offer on the facing page - along with new, lower prices for public domain software!

Here's a selection of great new software from Interface Publications for you and your IBM PC/compatible or Apple II.



## NEWSMASTER ☐ IBM PC \$159.85 (\$140.96 ex.) ☐ jx \$165.52 (\$145.96 ex.)

Now you can compose illustrated, multiple column documents. NEWSMASTER is expressly designed to make the creation of newsletters, advertisements, or any printed communication - using combined text and graphics - easy and fun! The program allows you to see your newsletter on screen just the way it will look when printed. Features of NEWSMASTER include one to 10 columns per page; up to 30 fonts in a variety of sizes; over 250 pieces of artwork supplied; multiple pages in a single document; 20 fill patterns; fonts with bold and italic typefaces; automatic text flow around artwork, from column to column, and from page to page; can import ASCII files. Compatible with CGA, EGA or Hercules graphics cards.

## ☐ NEWSROOM - APPLE II - \$102.00 (\$89.95 ex. tax)

Now you can design, create and print out your very own newspaper for your family, club, class, school or small business. You can completely control all the design elements of your newspaper. You get over 600 pieces of clip art in NEWSROOM, and you can combine them, alter them or even create your own unique pictures to use in your paper. You can select from five fonts to enter text with an easy-to-use Word Processor, and once you've written your stories, you can reposition a picture, and the text will automatically wrap around it. Compatible with any dot matrix printer which works with the Apple II.




## ☐ SHAKESPEARE - A STUDY OF HIS PLAYS - Apple II - \$56.64 (\$49.95 ex.)

Now you can master Shakespeare, in this program arranged in an exciting and motivating game format suitable for high school students, as well as adults who want to extend their knowledge of Shakespeare's plays. Plays covered by the program are: HAMLET; KING LEAR; JULIUS CAESAR; MACBETH; OTHELLO; ROMEO & JULIET; TWELFTH NIGHT; THE TEMPEST; MIDSUMMER NIGHT'S DREAM; and THE MERCHANT OF VENICE.



## ☐ THE PARADIGM POWER UTILITIES - IBM PC - \$29.95 ( \$24.95 ex. tax)

The Paradigm Power Utilities allow you to retrieve deleted files, give you byte by byte control over your disks, simplify and speed-up your work with the PC, & much more. Major utilities in the Paradigm collection include: COMEBACK (retrieve deleted files), MODIFY (change disk contents, byte by byte), SECTSAVE (locate and, if possible, retrieve bad sectors), PRINT SPOOLER (you set size of spooler, & number of copies), PARADISK (a RAMdisk to be your system's third or fourth drive; easy to install); DISKCAT (make disk catalogues), LABEL (add/modify disk name), CHANGER (alter file attributes) & more!



## ☐ THE EXPERT SYSTEM DISCOVERY KIT - Apple II - \$47.94 (\$39.95 ex.)

Now you can explore the fascinating world of Expert Systems on your Apple II. With this software package (disk plus detailed manual), you'll learn about the most successful Expert System programs developed to date, and see how the field has grown over the past decade. You can get your car started in the morning with the AUTO MECHANIC program, and give yourself a quick 'stress check' with MEDICI/PERSONAL CHECKUP. The major program on the disk in this package is called FUZZY RITA, which uses fuzzy logic within the framework of an Expert System shell, which you can adapt so that it becomes a genuinely useful expert on just about any subject you choose.

## ☐ Tim Hartnell's MS-DOS Tutor - IBM PC - \$49.95 (\$41.62 ex. tax)

The MS-DOS Tutor is the proven way to gain mastery of your IBM PC/XT/AT or compatible in just a few hours. Complete with detailed manual & interactive disk, you'll quickly get to grips with *all* of the DOS features, including hierarchical filing systems using tree-structured directories, EDLIN (the editor), .BAT files to automate your system, redirection, pipes & filters, use of the hard disk, & much more!

## ☐ Tim Hartnell's PC-Tutor for BASIC Programming - IBM PC - \$39.95 (\$33.29 ex. tax)

Now you can learn to program your IBM PC or compatible in BASIC in the quickest possible way. By the time you've worked through the disk which comes with this package, and the 108-page manual, you'll be a programming wizard. The PC-Tutor disk also contains a *complete library* of software to get you underway! Programs in this library include a database program, a complete spreadsheet, word processor, typing tester, calendar, two music demonstrations, Reversi (Othello), Packman, PC-Golf, Pango, Animal and more!

## ☐ SPECIAL BONUS DOUBLE! Get MS-DOS TUTOR & PC-TUTOR together.

Instead of the combined price of \$89.90 (\$74.91 ex. tax), both tutors cost just **\$69.95** (\$58.26 ex. tax)



# Public Domain Software for the IBM PC/compatibles and Apple II. Just \$15.00 a disk! (\$18.00 including sales tax)

## IBM PC/compatibles

- ☐ **POINT OF SALE/INVENTORY- APDL-78** This disk contains a complete Point of Sale/Inventory program, including the following: CASH REGISTER TRANSACTION PROCESSING; INVENTORY TRANSACTION PROCESSING; INVENTORY REPORTING; PICKING LIST GENERATION; PICKING LIST TRANSACTION PROCESSING plus full documentation.
- ☐ **GENERAL LEDGER/ACCOUNTS RECEIVABLE/PAYROLL - APDL-85** Ideal for the full accounting needs of a small business!
- ☐ **CWEEP - APDL-79** CWEEP was inspired by the famous CP/M utility SWEET. This file manipulation utility allows you to do a host of things including: advance to next file in list; back up to previous file; copy single file to another drive; copy file to another name; delete an individual file; erase all tagged or untagged files; free space on a drive; hex dump of file to screen; give size in bytes and time for file; jump to file in list; log in new drive and files; mass copy tagged files in specified drive; output list of tagged files and much, much more. Disk also includes KWICKSEARCH which copies text using search criteria; and a group of handy utility programs.
- ☐ **INSTANT RECALL - APDL-80** INSTANT RECALL is a fascinating program which you can use as an index to where you've put notes, articles and the like in your file cabinets, desk drawers, computer files. You'll never forget where that important data is again. Allows you to create databases which will hold up to 80K of info.
- ☐ **EMPIRE - WARGAME OF THE CENTURY - APDL-81** This is a simulation of a full-scale war between two emperors (you and the computer!) in which the object of the game is to destroy your opponent. Fascinating and destructive!
- ☐ **AMULET OF YENDOR - APDL-82** D&D type adventure from Amsterdam; extensive game played on 20 levels; many monsters and powerful magic; choice of roles
- ☐ **COMPUTER AIDED INSTRUCTION COURSE BUILDER - APDL-83** Creates CAI courses; written by teacher Percy Keeley
- ☐ **STOCK TRADER/MANAGE YOUR MONEY - APDL-86** Large number of finance handling programs; plus Stock Trader to maintain selected stock prices
- ☐ **Full-screen DISASSEMBLER - APDL-84** Includes V20 and 80836 instructions
- ☐ **MEMORY-RESIDENT UTILITIES - APDL-90** CUT/PASTE (anything which appears on the screen may be 'cut out' and saved for later 'pasting' into an application; and NOTEPAD (jot down notes for later use); we'll also throw in a copy of the word processor FREEWORD on this disk. Great value all round!
- ☐ **CAVEQUEST - APDL-87** Dungeons and Dragons-type game; disk also includes NAVAL WAR SIMULATOR and ARROW-TURTLE GRAPHICS
- ☐ **ALGOL M- APDL-91** Complete ALGOL implementation, inc. full manual, sample programs, compiler, run-time interpreter 8080 processor required
- ☐ **CP/M 2.2 EMULATION - APDL-89** Now run CP/M disks under PC-DOS!
- ☐ **MANDELBROT SET IMAGES - APDL-88** You can now explore the amazing and beautiful results of graphic numbers from the Mandelbrot set. Fascinating material.
- ☐ **PC-WRITE - APDL-02** Acclaimed fully-featured W.P.
- ☐ **GAMES 1 - APDL-03** Includes 3-DEMON, BREAKOUT, JETSET, INVADERS, PACKMAN and more!
- ☐ **PC-FILE - APDL-06** Acclaimed database program
- ☐ **LEDGER - APDL-15** Sophisticated yet easy-to-use general ledger program
- ☐ **PIANOMAN - APDL-16** Make music on your PC
- ☐ **CHASM - APDL-20** Full assembler!
- ☐ **EPISTAT v3.0 - APDL-22** Full statistics package
- ☐ **PC-DIAL - APDL-26** Famous shareware modem comms. program
- ☐ **ASSEMBLY LANGUAGE TUTORIAL AND ROUTINES - APDL 27** Our best-selling PD disk ever, so you can now master assembly language programming.
- ☐ **KID'S WORD PROCESSOR - APDL-28** Marvellous fun for the kids; needs graphics card; suitable ages 6 to 11
- ☐ **FAST TYPING COURSE - APDL-30** IBM graphics card needed
- ☐ **FAMILY TREE - APDL-33** Keep track of your ancestors
- ☐ **FORMS - APDL-36** Business forms generator, completion and printing
- ☐ **MOVIE DATABASE - APDL-37** For video freaks, more than 2000 movies
- ☐ **C PROGRAMMING LANGUAGE - APDL-52**
- ☐ **PC-CALC - APDL-59** Highly acclaimed spreadsheet
- ☐ **CHIWRITER - APDL-65** Multifont word processor, 10 fonts per line, true 'what you see is what you get', graphics card and dot matrix printer required, fonts include gothic, italics etc
- ☐ **SIDEWRITER - APDL-71** Print output sideways!
- ☐ **PRESENT 5.1 - APDL-76** 'Slide show' presenter; save images, show in order, includes sample pictures; needs at least 128K and graphics card

## FREE DISKS!

Yes, your choice of public domain (APDL) disks. One free for every \$70.00 you spend! Just write the APDL numbers below that you're entitled to get & we'll include them with your order!

Total value of order: \$ \_\_\_\_\_  
Please include the following free disks:

- |           |            |
|-----------|------------|
| (1) _____ | (2) _____  |
| (3) _____ | (4) _____  |
| (5) _____ | (6) _____  |
| (7) _____ | (8) _____  |
| (9) _____ | (10) _____ |

## FREE DISKS!

See offer below!

## APPLE II

- ☐ **ACTIVITIES FROM APPLE LEARNING CENTRE - APDL-1038** Includes BIORHYTHMS, CALENDAR, DAY OF WEEK, ESP TEST, many, many more!
- ☐ **DIVERSI-DOS - APDL-1039** Diversi-DOS system master reads, saves, loads and writes much faster than normal APPLE DOS 3.3. This is version 2-c of Diversi-DOS, a handy and highly flexible version of DOS to give you greater control over your computer. All facilities available from master menu; includes a printer & keyboard buffer routine using RAM card
- ☐ **THE SIMULATOR - APDL-1040** Three great educational simulation games featuring hi-res graphics
- ☐ **BUSINESS BASICS I - APDL-1003** Includes General Ledger and Address Book, plus more
- ☐ **BUSINESS BASICS II - APDL-1004** Includes a number of financial management programs
- ☐ **INTELLIGENT TYPEWRITER - APDL-1006** Ultra-simple word processor
- ☐ **THE APPLE DATABASE - APDL-1007** Easy to use database which allows you to store up to 500 records, with up to 16 fields per file; menu-driven; designed for ease of use
- ☐ **FAMILY FINANCE - APDL-1008** Take control of your money before the Treasurer gets hold of it
- ☐ **THE APPLE SPREADSHEET - APDL-1009** This is the acclaimed Applesoft spreadsheet program BASICLC
- ☐ **CHESS AND OTHER BRAIN GAMES - APDL-1010** Includes incredible hi-res chess; poker; Simon; Checkers; more
- ☐ **MACHINE CODE TUTORIAL - APDL-1011** Now take first steps towards mastery of machine code
- ☐ **HARD DAY'S REST - APDL-1012** Nine great games!
- ☐ **LIFESTYLE - APDL-1014** Get yourself into shape with this one; includes diet, longevity, calorie counter and more
- ☐ **GAMES MASTER SPECTACULAR - APDL-1013** Includes DEATHSTAR ADVENTURE, SHARKBAIT (hi-res arcade) and BREAKOUT
- ☐ **TOM'S ART TOOLKIT - APDL-1017** Acclaimed hi-res character generator, includes gothic, shadow and outline
- ☐ **FREE-WRITER WORD PROCESSOR - APDL-1018** The latest WP from the creator of APPLEWRITER. Not suitable for the II+
- ☐ **BEST OF APPLE DAYTON OHIO USERS' CLUB - APDL-1020** Great selection of PD programs
- ☐ **AMAZING APPLE PINBALL MACHINE - APDL-1023** Four hi-res pinball games for the real expert!
- ☐ **MATHS AND STATS COMPANION - APDL-1024** Vital programs to prepare and manipulate your data
- ☐ **BACKGAMMON PLUS - APDL-1026** Includes full BACKGAMMON, AIR SIMULATOR, TENNIS and more!

To: Interface Publications (Aust.) Pty Ltd,  
34 Camp Street, Chelsea, Vic., 3196  
(03) 772 7566

- ☐ Please send me the latest software catalogue.  
☐ Please send me the software indicated on these pages; plus

\_\_\_\_\_ packs of DSDD blank disks (10 disks a pack) @ \$14.95 per 10 (\$12.95 ex.); and \_\_\_\_\_ packs of SSDD blank disks @ \$13.50 per 10 (\$11.74 ex. tax)  
I enclose \$ \_\_\_\_\_ (you must include an extra \$3.00 for post/packing) or charge my:

☐ Bankcard ☐ Visa ☐ Mastercard  
No. \_\_\_\_\_

Exp. Date \_\_\_\_/\_\_\_\_/\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_ P'code \_\_\_\_\_



# Intuitive Word Processing is available in Australia **WRITE NOW**<sup>TM</sup> THE INTUITIVE SOFTWARE

## Intuitive Processing

WRITE NOW is the **only** word processing system to include *Intuitive Processing*.

*Intuitive Processing* technology was designed and developed by AIRUS Inc. and uses the previously idle time of the computer (between operator keystrokes) to extend the effective computer processing time, thus improving overall performance to the user.

*Intuitive Processing* gives the user a sense of intelligent, continuous dialogue with the machine.

## The AUSTRALIAN WP Package


WRITE NOW has been extensively revised by OptSoft and includes an Australian Dictionary for spelling checking. The documentation has been written and printed in Australia.

## Easy to use? Too right mate!

Take WRITE NOW out of the box. Place it in the diskette drive and type NOW <enter>. The programme and the Australian dictionary will load into memory. You start typing *immediately*. There's no installation procedure to hold you up. No copy protection to hassle you. No bag full of floppy discs. No wait.

## Corrects Spelling As You Type

WRITE NOW highlights misspellings as you type - you don't need a separate spell-checking program. Mistakes are highlighted the instant they occur. Or, you can spell-check the entire document when you're through typing. The choice is yours.



Spelling suggestions are available. You can ask for them at any time, or have them pop up automatically the instant a misspelling occurs. Just scroll down to the correct word and it is automatically inserted the instant you press <enter>.

## Clairvoyance . . . Clair who?

If you wish, WRITE NOW will even complete words for you - a great feature if you are a *bunt and peck, find it and hit it typist*. For example, if you have just come back from a holiday in Norway and you are writing to tell a friend about your trip down a fjord, just type fj and, with Clairvoyance switched on, WRITE NOW will automatically add ord. That's *intuitive processing*!

## Profession Specific Words

OptSoft have already included words like *haemorrhoidectomy* for people who know how to perform one but find spelling it a pain in the posterior region! However, if your profession has a vocabulary all of its own, OptSoft will create a dictionary for you from your word list after you have registered your copy of WRITE NOW — AT NO EXTRA CHARGE\*.

\*Free offer expires August 31, 1987. Small charge thereafter.

## Powerful Word Processing

WRITE NOW puts advanced word processing features at your fingertips using on-screen menus or speed key commands. Features include:

- Automatic paragraph reformatting
- Full text justification
- Micro-justification if supported by your printer
- Headers and footers
- Automatic page numbering
- User defined page breaks
- Mail merge and File merge
- Can save files in ASCII format
- Advanced file management menus
- Not copy protected
- Single disc operation
- Simple to use cut and paste
- Search and replace supports "wild cards"
- Easily add your own printer configuration if **your** printer is not among the many common printers already supported
- Insert or overwrite text
- Text enhancements such as bold, underlined and custom printer enhancements
- Add your own words to the dictionary
- Context-sensitive help one keystroke away
- Free telephone support for registered users

## Inexpensive Word Processing

The introductory price of WRITE NOW is only \$299. Phone OptSoft for special Government and Corporate price details. Introductory price expires September 30, 1987.

## System Requirements

WRITE NOW is for IBM PC, XT, AT, PS2 or compatibles with at least 256 Kbytes RAM memory and a single 360 Kbyte flexible disc drive running MS DOS or PC DOS 2.0 or higher. Supports monochrome or colour monitors.

OptSoft provides free telephone support to all registered users and 24 hour hotline support is available for a small annual charge.

# WRITE NOW<sup>TM</sup>

Introductory Suggested Retail Price: **\$299** Including Sales Tax


To order, see your nearest Authorised OptSoft Dealer,  
or phone (02) 680 3930

# OptSoft


OPTIMUM SOFTWARE  
SOLUTIONS

261 Old Northern Road,  
Castle Hill, NSW 2154





Most paint programs have a spray-can — Graphicworks has an 'airbrush'. It's the nearest thing to a real airbrush you're likely to find this side of Quantel's wonderful PaintBox



Features similar to Click Art Effects have been incorporated into the new version of Graphicworks. Using the FullPaint and SuperPaint tools, objects can be rotated, skewed (as shown here), and distorted to any extent

be typed into 'balloons'. Like easels these can be of any size, and there are a number of different balloon styles, from 'thought' balloons like small cumulus clouds to plain rectangles. There are also a number of reshapable balloons, where a pointer can be pulled out, and all can be in a variety of line widths.

But perhaps most important of all, it is possible to have no border at all. Text can be pasted in, via the clipboard, from any word processing program (MacWrite, for example), or entered within the program. Any or all of the entered text can be in any variation of font and style, can be changed and edited at any time, and will print at the highest resolution of the printer. Text is easily reshaped by moving one of the 'handles' that appear at each corner when the balloon is selected, and the text will automatically word-wrap to fit the new width.

Although this text facility was originally intended as a 'free-form' tool so that text can be placed anywhere, it can be used for more conventional use in columnar form, though each column will have to be a separate balloon. One limitation of the program is that text cannot be 'justified' (all lines made the same length).

A completely new set of elements is included in this release of the program — 'object orientated' (or draw) graphics primitives such as circles and boxes. These have a number of advantages over 'paint' (or bit-mapped) images, the first being that such shapes print at the highest resolution of whatever printer you have hooked

up to it (unlike paint images). Draw images are also far more memory-efficient and can be easily reshaped at any time.

The disadvantage is that draw images can never offer the freedom and expression of a painting program. The draw facilities are fairly limited, but Graphicworks also allows PICT (draw) images to be pasted in from programs such as MacDraw or CricketDraw, although they cannot be edited other than resized.

## Not plain sailing

Graphicworks is virtually three programs all working on the same document, although the 'joins' are much less obvious than with most integrated programs. However, the approach of using individual panels, easels, balloons, and so on, does present a number of problems; the worst being that it is not an intuitive approach. It is extremely difficult and frustrating to get to grips with, and many potential new users may retire, confused. It is not a program that can be learned quickly — it could take days.

The original Graphicworks had two main problems. Firstly, it could be slow to use, with response times far from instant even when using a simple facility such as 'FatBits', where the picture is enlarged for working on an individual pixel level. The delay may only be a fraction of a second (though sometimes longer) but it can be very irritating, and it interferes with a natural flow of work. This problem is still evident in the new version.

Graphicworks' other problem (and here it begins to get complicated) is its relationship with Apple's Laserwriter. The combination of bit-mapped and object-orientated graphics is never really a happy one. Much of the problem stems from the fact that bit-mapped graphics are device-dependent — that is, they can only work at the same resolution as the Macintosh screen, 72 dots per inch. The Laserwriter works at 300 dots per inch. A quick calculation shows that 72 into 300 won't go, which leads to a number of problems not just confined to Graphicworks. Suffice to say that the problems are basically speed (Graphicworks can be slow. And I mean *slow*. A fairly complicated document could take half an hour to print. A very complicated document could well take longer) together with the relative sizes of bit-mapped and object-orientated graphics, which may not appear in the proportion they do onscreen.

Macromind is very aware of the problems and has taken a number of steps to improve Graphicworks' printing problems. However, it is still far from perfect. The easy way out is to print the whole page in bit-mapped form, so it looks exactly as it does onscreen, and to regard Graphicworks purely as a paint program. The hard way needs plenty of patience. There is a third way, however, an option more relevant perhaps to most users, and that is by sticking to an Imagewriter dot-matrix printer. Graphicworks works fine with Apple's Imagewriter.

## Documentation

The manual is not as helpful as it



# SCREENTEST

could be, and any confusion is exacerbated by the manual being produced for the original version of Graphicworks and containing a lot of information now far from relevant, with only a thin 26-page booklet referring to the changes of version 1.1. There are also a few new features that even this booklet fails to mention, such as the space bar changing the current tool to the grabber.

## Conclusion

Graphicworks is not a DTP program

with a few art tools. It's an art package with a few DTP facilities.

And the acid test? As an illustrator I do a lot of work using the Macintosh and I have had a copy of the original Comicworks for almost a year. However, I confess that for a paint program it was not my first choice, mainly because it didn't have the special-effects facilities (particularly skew) built into other paint programs.

When I did use Comicworks it was mainly for its unique ability to work with separate paint images using matte and masking ink effects, so as to be able to

move each element around *ad infinitum* until satisfied with the composition; particularly as Graphicworks was the first paint program to take advantage of the larger screens now available in profusion for the Macintosh. Now that those special effects are included, I can see myself using Graphicworks 1.1 much more.


END

Graphicworks costs \$136 and is distributed by Imagineering on (02) 697 8666.

## Introducing HARDCAT The Solution to Hardware Control



1. What hardware do we have?




2. What are our hardware performance figures?




3. What are our hardware associated costs?



4. What hardware problems are outstanding?





5. What is our maintenance budget for the new financial year?



6. Where is our hardware located?

**How quickly can you respond to these situations without HARDCAT?**



(03) 529 8444

**TRISTAR**  
Documentation Services  
608 St. Kilda Road  
MELBOURNE 3004

(03) 529 8444

## IBM PC PUBLIC DOMAIN SOFTWARE

over 800 disks  
PC BLUE VOL 1-276  
BEST PC PUBLIC DOMAIN 1-604  
new volumes being released monthly  
NO MEMBERSHIP FEES!

**\$8** per volume

Catalogue disks available  
PC Blue \$5

"Best of" (3 disks) \$15  
(plus handling and postage  
\$3 per order)

**MICRO  
SHACK**

S.A. PTY. LTD.

270 Morphett Street, Adelaide 5000  
Ph. (08) 231 0259

## AMIGA DISCOUNT SOFTWARE

If you wish to continue paying too much for software and accessories, DO NOT BUY FROM US! CALL or WRITE for a catalogue and ask about the Amicable UserGroup. (Send this add if you wish.)

to

**TRYCOSOPHT**

41 Ford Road, Busselton,  
W.A., 6280

or phone (097) 524 023.





# Turbo Prolog Toolbox

***Borland International may be a comparative newcomer to the Prolog market, but its latest product, the Turbo Prolog Toolbox, complements the Turbo system beautifully, and will be a boon to application developers. Mike Liardet considers its capabilities.***

Readers who followed the 'Teach Yourself Prolog' series which we ran between March and June this year may perhaps have been sufficiently enthused to try Prolog in a real application, instead of just using it for experimental prototyping systems such as those developed during the series. Prolog is unsurpassed as a programming language for some types of application, as was illustrated by the many examples we gave, and hopefully many readers will now be seriously considering it for full-blown projects.

It is worth inserting a note of caution at this point: Prolog programming projects are subject to the same general constraints as projects in any other programming languages. In particular, in Prolog as in any other language, about 90 per cent of an application's code will be concerned with the interface to the user and the various peripherals, while only about 10 per cent will actually do the real computational or processing work at the heart of the system. It is this 90 per cent part of an application's code, dominated by the user interface, that transforms what might be just a clever idea into something easily usable in a normal working environment.

This '90/10 split' is a well-known phenomenon, and in response to it, many of the conventional programming languages now have a large number of application-utility 'subroutine libraries'. With an appropriate library, for a comparatively modest investment, a wide variety of utilities are made available to handle user interaction, database access, and com-

munications with other software, and so on.

Unfortunately, until now, there have been precious few really useful application-utility libraries for Prolog, so a Prolog programmer, who had just developed the clever processing part of a system, would be largely on his own resources for turning it into a fully functioning application. Possibly the established Prolog purveyors believe that practical tools, for menus or whatever, are simply too mundane to be of interest in the exciting world of Artificial Intelligence and Expert Systems. But that is where Borland International, a comparative newcomer to the Prolog market with Turbo Prolog, disagrees. And in line with this thinking, it has recently released Turbo Prolog Toolbox, to augment the Turbo Prolog system with the vital facilities that an applications programmer will need.

## Overview

Although very extensive, the Toolbox facilities are fairly conventional, and primarily concerned with aids to develop the user interface in an application. The product is definitely not an Artificial Intelligence Toolbox, and most of its facilities are concerned with the familiar menus, help screens, graphics, communications and file access, and so on. Not everything is covered though. For example, there is no database facility, mouse control or graphics printing, and no pop-up 'memory-resident' facility that would make applications such as Sidekick work. Also the Toolbox does not offer

any windowing facility, as Turbo Prolog already has this!

The only really unusual facility in the Toolbox is a 'parser generator'. This would be particularly useful for handling 'knowledge representation languages', commonly used in expert systems, or indeed for more conventional projects such as programming language compilers or command interpreters.


The Toolbox is supplied on two disks, together with a manual. The manual is split between a reference section, with descriptions of all the predicates supplied, and a tutorial, which shows how the various types of problems should be tackled. The disks contain, in effect, a library of over 80 'predicates' (a predicate is the Prolog equivalent of other programming languages' subroutines or functions), along with over 40 example programs to illustrate their usage. Most of the Toolbox facilities are written in Turbo Prolog itself, and their complete source code is provided. For reasons of efficiency, a few of the predicates are written in C or assembler, and for these there is no source code but merely 'object' files.

When working with the Toolbox, the best way to regard all the 80-plus predicates is simply as an extension to the hundred or more built-in predicates that are already present in Turbo Prolog. As with the real built-in predicates, their internal workings need be of no concern to the programmer, but the availability of the source code can be useful occasionally for customisation or just to see how other programmers tackle particular problems.





'Treemenu' contains a tree-structure argument which is automatically formatted onscreen. It can be clipped and scrolled so that the whole structure can be seen



'Option(3)' in the 'option' clause uses Turbo Prolog's built-in 'consult' predicate to access a file which contains information on the screen layout to be used

Most PCs that can already run Turbo Prolog should also be able to use the Toolbox. The minimum memory requirement for Turbo Prolog with Toolbox is 512k, whereas for Turbo alone it is 384k. Apart from that the requirements are the same, with a twin-floppy PC being needed as a minimal system. The Toolbox will not work with Version 1.0 of Turbo Prolog, and users of 1.0 will need to upgrade to 1.10. This is well worth doing in any case, as Version 1.10 has a number of improvements over 1.0, not least a number of bug-fixes, even faster compilation, and some extra built-in-predicates.

The facilities provided by the Toolbox fall into five categories: user interface, graphics, serial communications, interfaces to other software and the parser generator. I shall deal in some detail with the user interface and graphics facilities, and then summarise the others.

## User interface

The Toolbox's user interface facilities include predicates for handling help-screens, status lines, screen and report layouts, and menus. In addition to all this, Turbo Prolog already has windowing capabilities. The demonstration program shows some of the many user interface predicates in action, but in particular, omits the help-screen facilities.

Once the Toolbox has been installed alongside the Turbo Prolog system, the demonstration program can be run in the normal way, by selecting 'Run' in the main menu. Of course, if it were a real completed application, it would not be used this way, but run as an 'EXE'

file — that is, as an independent executable program. It is quite easy for Turbo Prolog to create EXE files and I shall describe how this is done when describing the graphics demonstration program.

The demonstration program has a number of 'include' directives, in the first thirty lines. When the run option is processing the program, it reads in any 'include'd files and processes them in the normal way, as if they had been typed in as a part of the program. These 'include'd files, 'tdoms.pro', 'tpreds.pro', and so on, are all supplied as a part of the Toolbox, and contain the definitions and declarations for the predicates required by the demonstration. Although all these files are normal readable source files, there is no need to actually look at them. The manual describes how the predicates in them should be used, and also which files to 'include' for the various predicates. This is more than sufficient information for most requirements.

The demonstration program is organised with a main menu offering three options, two of which demonstrate other types of menu facility, and one of which uses a screen layout to get user input. Because it is a demonstration system, none of the options actually *do* anything, but for a real application it would be relatively easy to embed all the appropriate actions alongside the interactive facilities.

The execution of the program starts with the goals following the 'goal' directive. These goals create a window that completely fills the screen area, set up a status line message (on the bottom line of the screen), handle the master

menu (with the 'menu' goal), and then perform whichever action the user selected in the master menu (with the predicate 'option'). The 'repeat' and 'fail' goals are a Prolog device to ensure that all the goals between are repeated *ad infinitum*, rather like an infinite loop in a conventional programming language.

The 'makewindow' predicate, like all the windowing predicates, is actually a part of the standard Turbo Prolog system, and could be used without the Toolbox. The various arguments allow a choice of colours and display attributes for both the border and the window area itself — a title, size and position. For this particular goal there is no border or title, and the window fills the entire screen area.

The 'makestatus' predicate displays a 'status' line at the bottom of the screen, with the message indicated.

The 'menu' predicate takes a list of options, in this case 'Treemenu'; a title ('Which would . . .'), a position for it to be displayed (row 10, column 7), some display attributes, and the initial option on which to have the 'menu bar' (option 1, the first option here). When it is executed it produces a display with the menu options contained in a window. The user can use the arrow keys, along with 'Home' and 'Page-Up', and so on, to move the menu bar around in this window, until it rests on the option he wants. Pressing the 'Enter' key selects this option, with the option number selected being returned in the last argument of menu (that is, into Sel). The menu is automatically erased once a selection is made. If the user pressed escape, this is returned as selection 0, otherwise the option num-



# NEW program from Dr Geoffrey Lewis

# Lewis CASH FLOW

## Manage Your Money Effectively

### For PERSONAL Use

CASH FLOW helps you manage your finances better. You can find out your cash position at any time in the future.

This helps you:

- plan for purchase of big-ticket items such as holidays or a new car.
- plan payments of credit cards and loans.
- determine how and where to cut down spending.

### For BUSINESS Use

Manage your cash position efficiently. Determine when to invest excess funds. Plan your purchase of capital expenditure. Reminder of expenses. Produce a report of payments due to creditors in date order.

Interface with CROSS-CHEQUE.

### COMPUTERS

All the programs run on IBM and other MS/DOS. We are pleased to announce versions for the MACINTOSH. CROSS-CHEQUE and CASH FLOW run on CP/M80 and Macintosh. PAY-PACK runs on the Mac.

### DEMO PACKS

Demo packs, which contain the complete manual and program, are available at only a fraction of the price. Not just a fancy scrolling display with impressive graphics but the real program. Actually test it out on your own computer! If you like the program you pay the balance of the price.

**CUSTOM-MADE  
SOFTWARE (SALES)  
PTY LTD**

P.O. Box 507,  
Randwick NSW 2031  
Tel. (02) 399-8566



*Dr Geoffrey Lewis: "This is your opportunity to buy a quality Australian-produced accounting package priced below the \$100 mark. CASH FLOW will be invaluable for either personal or business use."*

### Lewis PAY-PACK payroll

Handles employees on annual salary, hourly wages or casual. Provides for allowances, deductions and penalty rates and lets you pay employees by cash, cheque or direct deposit. Produces pay slips and group certificates. Keeps track of holidays and sick leave. Currently used by over 300 firms in more than 35 different industries throughout Australia.

### HOT-LINE SERVICE

Telephone assistance is available daytime, evenings and weekends on 399-8566.

### Lewis CROSS-CHEQUE

#### Tracking Your Income & Expenditure

Enter details directly from your cheque butts or deposit slips. Produce detailed reports about your business at the press of a button. At the end of the year you can produce a total report for your accountant. Does bank reconciliation. Handles 120 categories of income and expenditure. Ideal for small to medium businesses, professionals, farms, shops, etc. Over 400 users.

*"If ever there was a small software accounting system that could be described as ideal for the very small business, Lewis Cross-Cheque would fit the bill." Dan Lawrence, reviewer for Your Computer, August 1986.*

### Lewis LETTER MAGIC

Produces a complete letter with as few as four key-strokes. If you write a lot of letters, Lewis LETTER MAGIC is ideal as it is a word processor specifically designed for letter writing. It also includes a powerful integrated database of the details of the businesses and individuals you deal with. This means you can also produce address labels, simple invoices, phone lists, reports of sales prospects, etc. Also ideal for clubs and companies that keep track of clients, prospects and members.

Name: .....

Address: .....

Phone: ..... Computer: .....

Send more info.	Pay-Pack <input type="checkbox"/>	Cross-Cheque <input type="checkbox"/>	Cash Flow <input type="checkbox"/>	Letter Magic <input type="checkbox"/>
Send demo. pack	\$60 <input type="checkbox"/>	\$36 <input type="checkbox"/>	\$36 <input type="checkbox"/>	\$36 <input type="checkbox"/>
Send full system	\$786 <input type="checkbox"/>	\$318 <input type="checkbox"/>	\$99 <input type="checkbox"/>	\$454 <input type="checkbox"/>

All prices include Sales Tax.

If paying by Bankcard or Mastercard, include card name, number, expiry date and signature.



## SCREENTEST

ber (1 to 3 in this case) is returned. In the demonstration selection, 0 results in the next goal being:

option(0)  
and this (see the definition of 'option') just calls on 'exit' to terminate the program.

There are several variations on the basic menu predicate, most of which are not illustrated in the demonstration program. For example, very large menus can be handled, where all the options can be scrolled through a comparatively small menu window; tables of options can be given (like Turbo Prolog's file directory menu, when 'load'ing programs); the menu can be left onscreen when it is finished, and multiple choice menus are allowed, and so on. Among the many possibilities I have chosen to feature just two: 'Treemenus' and 'Pull-down menus', selected as the first and second options on the main menu.

The clause with head 'option(1)' handles the treemenu. It has only one goal: 'treemenu'. One of treemenu's arguments is a tree structure, and this is automatically formatted on the screen. Not all of it may fit on the screen, but it can be automatically clipped and scrolled in a fairly obvious way in order

to see the rest of it. The tree menu is a rather unusual menu facility, but could be useful in, for example, an expert systems application. Many Prolog programs generate or work with tree structures. It would be interesting to interface the decision tree in the 'Pool Ball' problem (see the Teach Yourself Prolog article in *APC*, May 1987) to this facility.

Each 'node' in the tree data structure has a unique identifying number associated with it (for example, 'alternative' is numbered '10'). The treemenu facility allows the user to move the cursor around to point at different points in the tree, and when one is selected it calls the goal:

treeaction(Num)  
with Num being set to the identifying number of the option. It is up to the calling program to define 'treeaction'. For a real application treeaction would probably be defined by many clauses, for each node in the tree.

One of the problems with treemenu is that the cursor does not skip from one node to another, but instead is allowed to roam freely around the screen. Without a mouse, as an alternative to the arrow keys, this makes interaction with it rather slow.

The clause with head 'option(2)' handles the pulldown menu option. The pulldown goal in this clause is the one that deals with the pulldown menu. The menu works very like the main menu in the Turbo Prolog system. It gives a list of options displayed across the top line of the screen, and a selection is made either by the arrow keys or the initial letter of an option. The pulldown happens after an option is selected. A further menu drops down from the option selected, and a further selection can be made. Once a second selection has been made in the pulldown menu, the pulldown predicate calls the goals:

pdwaction(Main,Sub)  
with Main and Sub being set to the main option and sub-option numbers that were selected. As with treemenu and the treeaction predicate above, it is up to the calling program to define pdwaction. The pdwaction clause corresponding to the 'Quit' option on the menu has a 'fail' at the end. The failure causes pulldown to terminate. None of the other pdwaction clauses fails, and pulldown continues to maintain control after the execution of each of these is completed.


The third option on the main menu in the demonstration shows how a screen

**80386** you'll be amazed by the speed and capabilities of this machine. 80386 Processor 16MHz. (Norton utilities rated at 18.7). 1 Mb of fast RAM (80 Nsec). 1.2 Floppy disk drive. Parallel/Serial. EGA card 44 Mb voice coil Hard disk (miniscribe). RRP **\$8692**

**AT** ■ 6/8/10 MHz ■ 640K RAM  
■ 1.2Mb FDD ■ 20 Mb HDD  
■ Parallel/Serial ■ CGA or HGA card ■ DOS 3.1  
■ 100 Keys  
AT Keyboard **\$3269**

**AT PORTABLE** specifications as for AT plus 7" monitor. All metal case. **\$3934**

**PC TURBO**  
■ 4.77/8.00 MHz  
■ 256K RAM ■ 360K FDD  
■ CGA or HGA card  
■ Multifunction card  
■ DOS 3.1 ■ Manuals  
■ 10 keys AT  
Keyboard **\$1219**



Call or write for brochures and price list.

All prices include sales tax and twelve months warranty.

### Software

Logistix (better than lotus at 1/2 price)	<b>\$399</b>
Turbocard	<b>\$349</b>
Omnis 3 - Database	<b>\$449</b>
Websters Spelling Checker	<b>\$89</b>
Websters Thesaurus	<b>\$89</b>

(both work with all popular word processors.)

**ABLE + (outstanding reviews) \$299**  
(includes training at no extra cost)  
Integrated Word Processing, Data Base, Spreadsheet, Communications, plus lots more.

Other Software: Phone for quote.

**EPSON EPSON EPSON:**  
call for best prices.

### Add Ons

Rocket 80286 TurboCard (Get AT performance from your XT)	<b>\$449</b>
S.E.G.A. Enhanced Graphics	<b>\$302</b>
AT 2 Mb Memoplus	<b>\$216</b>
XT 2Mb Memoplus	<b>\$181</b>
Do All AT (3Mb, 2 Serial Ports) (Conforms to EMS specifications)	<b>\$297</b>
Do All XT (1.5 Mb EMS, parallel, serial, clock, games ports)	<b>\$234</b>
Color Graphics Adaptor	<b>\$87</b>
Mouse	<b>\$99</b>
40 Mb Alloy Tape Backup Unit	<b>\$959</b>
20 Mb Tandem H.D.D.	<b>\$784</b>

# ATI

## ATRONICS INTERNATIONAL

14 BALCOMBE ROAD, MENTONE, VICTORIA 3194.

PHONE: 583 9800, 584 1235 TELEX: 10722165 FAX: 584 5253



OPTIMA 457




# Get to Know Your Computer!

**ARE** you fully in control of your computer?  
**ARE** you getting maximum return from your investment?  
**IS** there more you can learn?

**SYBEX BOOKS WILL SOLVE ALL YOUR PROBLEMS!**

SYBEX have published over 200 books for effective microcomputer education. We offer you the chance to buy three from this vast range.  
**BEGIN YOUR SYBEX LIBRARY TODAY.**  
 It will be one of the best investments you will ever make.


**SYBEX BOOKS BRING YOU SKILLS — NOT JUST INFORMATION**



**\$39.95**

**The MS-DOS Handbook**  
 Richard Allen King

Unlike other titles on MS-DOS, this book is not only for beginners but also for programmers. Readers with some experience creating their own programs are first shown how to create specific applications running under MS-DOS networks, and then given detailed descriptions of how to use the unique features of this operating system to optimize its inherent capabilities. Includes MS-DOS Version 3.



**\$59.95**

**SYBEX Ready Reference Series**  
**Lotus 1-2-3 Desktop Companion**  
 by Greg Harvey

This is the definitive reference and resource guide for users of Lotus 1-2-3, versions 1A and 2 — in a single, compact, easy-to-use volume. Reference entries are arranged by topic, and organized with real-life tasks in mind. Alongside concise descriptions of all 1-2-3 functions and commands, readers will find useful in-depth information, design principles, practical examples and scores of ready-made macros. Indexed by command, function and topic.



**\$59.95**

**Mastering AutoCAD**  
 by George Omura

This concise tutorial and reference guide lets users master the AutoCAD computer-aided design package quickly and effectively. Part I explains AutoCAD basics: creating, editing and printing drawings. Part II presents advanced features for enhancing drawings and extracting data. Part III offers advanced tips for using AutoCAD and managing a Micro-CADD system. A detailed project serves as a hands-on illustration throughout.

## ORDER FORM

Send to:  
 Freepost No. 34,  
 Promotions Department  
**METHUEN LBC LIMITED**  
 44-50 Waterloo Rd.,  
 North Ryde 2113  
 Telephone (02) 887 0177

☐ I wish to purchase the books marked ☒

I enclose a cheque for \$ .....

I authorise you to charge my ☐ Bankcard ☐ Visa ☐ American Express

Card No. .... Expiry Date: .....

Signature: .....


Name: .....

Address: .....

..... Postcode: .....

☐ Please send me a catalogue so that I can choose other SYBEX books I need.





The Toolbox's demonstration program shows some of the graphics predicates in action, one of which results in this 3-D bar chart generated by the 'bargraph3D' goal



A slice of pie of negative size indicates that the slice is to be drawn slightly out of the pie — the exploded pie effect. This can be used for emphasis

layout can be used. This option is handled by 'option(3)' in the 'option' clauses, and uses Turbo Prolog's built-in predicate 'consult' to access a file ('xperson.scr') containing information on the screen layout to be used. Although it is quite feasible to create screen layout files directly, the Toolbox offers a special utility that enables them to be designed interactively. When using this utility, explanatory text and prompts can be sprayed arbitrarily around the screen, and 'fields', where data is to be entered, are positioned in appropriate places. During the layout design the field type (integer, real or text) and maximum field size can be specified.

All the work in the screen interaction is done by the 'scrhnd' predicate. The user can use the arrow keys to jump between fields, and freely make changes to any of them. On termination of the screen input, the values entered by the user can be picked up by the program, by using the 'value' predicate. This associates a textual name for a field, assigned when the screen layout was designed, with a Prolog variable which can receive the value. The demonstration program just prints out these values, but a real application would probably store them on file somewhere. Note that the Toolbox does not offer any special database facilities (other than an interface to dBase), so this part of an application would have to be written from scratch.

## Graphics

The Toolbox's graphics predicates can generate bar graphs, mathematical plots and pie charts, for example. They can work in colour and also handle

either the standard IBM colour graphics adaptor, or the EGA card. The facilities can operate with the normal windowing system, with text and graphics freely intermixed. With all these facilities it should be possible to build highly sophisticated graphics applications, although some extra work would be needed to develop graphics printing facilities, which are not included in the Toolbox.

Along with some of the graphics facilities a number of other predicates in the Toolbox are written in C or assembler, and they are supplied not as source code, but in a few 'object' files. Object files can only be used with a Turbo Prolog program if it is first compiled into an object file itself. Following the compilation, all the various object files can then be 'linked' into an executable program, which can then be 'run'. This compilation and linking is the way many programming languages are used. It may sound complicated, but it is actually very easy to do — with Turbo Prolog at least. In Turbo Prolog, information about the files to be linked can be set up in a 'project' file, the 'Compile to EXE' option is specified on the main menu, and thereafter the program can be run at any time, by selecting 'Compile' instead of the usual 'Run'. On the surface, everything is the same as usual, but object and executable files are being created on the disk, behind the scenes.

The graphics demonstration program comprises mainly a huge list of goals, which demonstrate many of the Toolbox's graphics predicates. Let's now examine, working steadily downwards from the 'goal' directive, some of the more interesting of these goals.

The 'graphics' predicate, used near the top of goals list, is a Turbo Prolog facility, not in the Toolbox. It allows one of five graphics modes to be selected, from 320 to 200 resolution in four colours through to 640 by 350 in three colours (for the EGA card). A variety of different background colours can be selected as well.

The 'gwrite' predicate is used to write text onto the screen, in graphics mode. Position and colour can be specified, and vertical or horizontal writing is possible.

The 'bargraph3D' goal is self-explanatory. The first four arguments specify the amount of space to be left in the four margins of the screen. The next two arguments specify how the three-dimensional bars are to be drawn, and the final argument is a list of 'bar' structures to be drawn. Each 'bar' structure specifies the height of bar to be drawn, its label and colours. The spaces included in the list enable gaps to be introduced between bars.

Following the code to generate the 3D bar graph the mathematical plot code follows, immediately after the comment to that effect. This plot is done in 640 by 200 resolution, black and white only, and the 'graphics' goal sets up this display mode.

The 'defineScale' goal defines the coordinate system to be used in the plot (X values from 0 to 100 and Y values from -100 to 100 in this case). This coordinate system need bear no relation to the actual screen resolution in operation.

The axes are drawn by the 'makeAxes' goal. 'makeAxes' enables a variety of different axis-markings to





# COMPUTER SHARK

## PRINTERS

	\$
Toshiba P351 .....	1350
Toshiba P341e .....	814
Toshiba P321 .....	636
Bi-Directional Tractor .....	135
Uni-Directional Tractor .....	112
(Incl. parallel data cable)	

## MONITORS

ADI High Res Amber (DM-14A) ..	199
ADI High Res Green (DM-14G)....	199
ADI High Res Colour (PX-IV) .....	614
ADI High Res EGA (PX-22) .....	690
NEC Multisync .....	1325

## MODEMS

Netcomm Smartmodem 123SA .....	743
Netcomm Smartmodem 1234SA ....	929
Netcomm Smartmodem 21/23SA... ..	417
Netcomm 3+12/75 .....	225
Netcomm Automodem 24/24 .....	650
Netcomm Automodem21/23.....	358
Netcomm Automodem 123 .....	602
Netcomm Automodem1234.....	731
Netcomm In Modem.....	299
Netcomm 123 In Modem .....	575
Netcomm 1234 In Modem .....	760

## SOFTWARE

Turbo Basic.....	129
Power Menu.....	125
Lotus Metro .....	110
Lotus HAL .....	191
Lotus 123 .....	535
Lotus Freelance Plus.....	567
Lotus Manuscript.....	567
Lotus Graphwriter.....	567
123 Report Writer.....	178
Lotus Symphony.....	799

## MONTHLY BITE

PFS First Publisher	\$150
Lotus 1-2-3	\$535
Paradox	\$699
Multimate Adv.II	\$599
OMT Multiscan Mon	\$999

Purchases over \$1000 entitle the customer to the special prices below:  
Multimate Advantage II.....\$599  
dBase III+.....\$747  
for 30 days from date of purchase.

### We also offer:

Product Advice  
24 hour delivery (most cases)  
Delivery \$6.00 (under 3kg Metro Area)  
Bankcard accepted  
All prices exclude sales tax  
(Tax add 17 1/2%)  
Prices Valid- August 1987

Sideways.....	99
Norton Utilities (V4.0).....	110
Multimate Advantage II.....	599
Wordstar 2000+.....	399
Wordstar Professional V4 .....	399
PFS First Choice .....	186
Framework II .....	850
Sidekick.....	95

## DESKTOP PUBLISHING

PFS First Publisher  
Auto Column Layout, Multi Columns  
Text/Graphics Wraparound, Rulers,  
Import ASCII Files, PC Paint etc.  
Clipart,Cut & Paste, Matrix Support

**\$150**

## BOARDS.

	\$
AST Rampage/XT/256KB .....	470
Intel Above Board (XT).....	533
AST Sixpak Plus.....	277
AST Flashpak (10MHz).....	450
AST Preview I/O(132Col.) .....	264
AST 3G Plus EGA.....	472
Serial + Clock/Cal Board.....	115
Serial/Parallel/Clock Board.....	145
384KB Memory Board (0KB) .....	110
Orchid Tiny Turbo.....	835
Orchid Turbo with EGA .....	900
Orchid "Je " with 80386 .....	2100
Rampage EGA/AT (512K) .....	1132
AST Colorgraphics Plus .....	199
AST Hotshot 286 .....	683

## DISK DRIVES

Seagate 20MB inc Controller .....	588
Seagate 30MB inc Cont.....	630
Seagate 42MB not inc Cont.....	1169
Seagate 42MB inc Cont.....	1374
Seagate 80MB not inc Cont.....	1698
Hardcard + 20MB inc Cont .....	1135
Mountain Drivecard 30MB inc Controller .....	1155
Seagate 20MB not inc Cont.....	466
Hard Disk Control Card (XT).....	150

## SOFTWARE

Xtree.....	69
Ability .....	174
dBase III+ (Premium Pack) .....	799
Clipper Compiler.....	799
RapidFile.....	399
Mace Utilities (V4.0) .....	133
Turbo Pascal (8087/BCD).....	135
Turbo Tutor .....	65
Turbo Toolbox .....	90
Supercom II.....	99
In-A-Vision.....	880

**PRODUCTS NOT LISTED - PLEASE CALL.**

Training available ■ Maintenance contracts available ■ Rentals available

# COMPUTER SHARK



# (03)2419111

52 Claremont Street, South Yarra, 3141

Prices correct at time of printing but subject to change without notice.



# MicroWay Productivity Tools

**Having the right tools,  
makes it easier to do the  
job...right!**

Your time is valuable! MicroWay provides you with the tools to maximize your time. Programming tools which offer the latest and most advanced features available. The highest quality products are provided with the highest quality support.

If you use the highest quality programming tools, you can save yourself many months of programming time.

Why re-invent the wheel! MicroWay offers some of the latest and most advanced productivity tools available. You can be assured of a high standard of excellence, and service.

Your satisfaction is very important to us.

New from MicroWay are the Datalight C compilers and the supporting programs, LIGHT TOOLS, and LIGHTWINDOW/C. The DATALIGHT C compilers are among the fastest and most versatile, language compilers available today. With the DLC compiler program you can compile, link and even create COM files in one easy step.

LIGHT TOOLS is a natural extension to the Datalight package,

providing an exceptionally complete, general purpose C function library. LIGHTWINDOW/C is an advanced, high performance graphics tool kit, which provides Datalight C programmers and application developers with a powerful easy to use comprehensive set of advanced graphics functions and utilities.

Datalight compilers are the perfect choice for developing high quality, professional C language programs. And when combined with LIGHT TOOLS and LIGHTWINDOW/C, the result is an MS-DOS program development system that is unsurpassed in price and performance.

When you need programmer's development tools. MicroWay is your best one-stop source. We've specialised in development software for a number of years, during which time we've built up a solid reputation for quality products and service for a variety of languages.

**Now there is no need to  
change to C programming.  
Now MARSHAL PASCAL is  
here!**

Marshal Pascal is one of the fastest and most highly code-

optimised compilers available for the IBM PC and compatibles. You can address all of memory and a variety of memory models are supported. Some of its features are: separate compilation of modules (both Modula-2 and Pascal forms), structured constants and structured function values, and procedural parameters. A translator brings Turbo Pascal software over to an ISO/Marshal-readable format.

For Turbo Pascal programmers, the new TURBO OPTIMIZER helps squeeze down, rev up, and fine tune your compiled programs. Optimizer can remove the unused portions of the run-time library, your own code, and any unnecessary instructions – programs run up to 30% faster, and Optimizer can convert COM files into relocatable object libraries. Also available for Turbo Pascal, is a "must have" debugger called T-DebugPLUS, plus a program which overcomes Turbo's code-size restrictions – TURBO EXTENDER.



292 Chesterville Road, Moorabbin, Victoria, 3189.  
Telephone: (03) 555 4544. Fax: 555 9871.

DATALIGHT C, LIGHT TOOLS, LIGHTWINDOW/C,  
TURBO OPTIMIZER, TURBO PASCAL, T-Debug Plus,  
MARSHAL PASCAL, TURBO EXTENDER are trademarks  
of their respective companies.



be specified. The axes are then labelled by the 'axisLabels' goal.

The 'function(0)' goal actually plots the graph. The 'function' predicate is defined at the bottom of the demonstration program, using 'scalePlot' to actually plot the points. It can plot a point with given colour at a given position.

After the mathematical plot, the code for a pie chart follows. Although it is not apparent in the display this is actually drawn in a window. Drawing graphs in windows can be useful for handling multiple graphs onscreen. Each window can be changed and erased independently of the others. This means that it would not be necessary to redraw all the graphs just to erase one of them, for example.

The 'pieChart' goal, in the first three arguments, specifies how big the pie is to be and where it is to be positioned, and to do this virtual screen coordinates are used. Immediately following these arguments is a list of the slices for the pie. In a slice structure the size of each slice is given, along with its label and display colours. The sizes do not all have to total a hundred — the underlying software compensates for this. A negative size is used to indicate that the slice is to be drawn slightly out of the pie — giving the exploded pie effect, and this can be used for emphasising exceptional figures.

## Other facilities

The two demonstration programs illustrate the use of no more than a third of the predicates in the Toolbox, but with perhaps another third of the system being simply permutations and variations on the predicates used in these demonstrations. Let's now take a look at the remaining Toolbox offerings.

The Toolbox includes facilities for handling serial communications. With the Toolbox communications tools a Turbo Prolog program could perform file transfers to another computer, or do terminal emulation, or allow connection to a (Hayes-compatible) modem. The predicates work with the PC's serial ports, and are buffered and fully interrupt-driven. The manual takes care to explain how the PC should be connected to the remote device and, as with all the other facilities, gives a number of example programs illustrating how the predicates might be used. It warns that to use the communications facilities effectively, it is necessary to be familiar with communications in general, and the IBM PC communications hardware in particular — but the manual does itself a disservice there

as it provides as clear an introduction to PC communications as I have yet seen.

Most PC systems will use one of the standard software packages: for example, Lotus 1-2-3 or Ashton-Tate's dBase. It is not unusual for an application to need to pick up data from one of these packages' data files, and the Toolbox has facilities for doing this. It can handle Borland Reflex, Lotus 1-2-3 and Symphony, and Ashton-Tate dBase III, working with the 'internal' formats of their files in all cases. Of course, other software packages can also work with these standard file types, so the range of software that can be accessed is rather larger than this.

The 'parser generator', included with the Toolbox, is the sort of facility that only a Prolog Toolbox would offer, essentially because it is a lot easier to implement in Prolog than it is in any other programming language. The manual makes some extravagant claims about this facility, not least that it can produce parsers that run almost as fast as the Turbo Prolog system itself (which is very fast).

To do the parser generator full justice would need an article in itself. In brief, it can be supplied with a 'grammar' specifying a programming language, or a command language, for example. This grammar is devised by the application developer. From this grammar, the parser generator can automatically generate a Turbo Prolog program that can recognise and parse statements in

the language specified by the grammar. This generated program can be used as a major component in the implementation of a programming language. For a simple language, it would only be necessary to add a small amount of code, to the generated parser, either to execute the resulting parse-tree structure directly (thus producing an 'interpreter' in the application), or alternatively to generate executable code (and this would be a compiler).


## Conclusion

It is clear, from the type of facilities in the Toolbox, that Borland expects Turbo Prolog to be used as a serious application development tool. Turbo Prolog already offers the sort of run-time performance that quality applications need, and the Toolbox fills an important gap with its extensive range of well-designed application utilities.

At the price, any Turbo Prolog application developer would be mad not to use the Toolbox. Even if only three or four of the predicates were used it would easily pay for itself in time saved. But, in practice, it is likely that most developers will be seduced into using a considerable number of the facilities.

END

*Turbo Prolog Toolbox costs \$210 and is available from PC Extras on (02) 319 2155.*



**dBASE<sup>\*</sup> SUPERPOWER**

**dBXL \$200 QUICKSILVER \$495**

*The dBASE III plus "Supercolors".*      *The first compiler for dBASE III Plus.*

Just as you can buy two versions or more of programs like BASIC, you can now buy two versions of dBASE power.

Quicksilver compiles your dBASE III Plus programs into machine code that runs almost at the "speed of light".

Both packages run on PC DOS and generic MSDOS machines. Special INTRODUCTORY price for a limited period only. Normal price of dBXL is \$375 and Quicksilver \$1145. CHEQUE, VISA or BANKCARD acceptable. Add 20% for SALES TAX.

**CALL NOW to ORDER or write**  
**MDMS (02) 745 1995, Suite 7/15 Parnell St, Strathfield, NSW 2135**

<sup>\*</sup>Trade Marks of Ashton-Tate



# "Quick! Find the Accounts Receivable File."



**\* NEW! Custom Foil Stamping  
Now Available**

## You just experienced one of the benefits of CenTech Colour Diskettes.

### *They're easy to find.*

Now you can locate everything from Accounts Receivable to Payroll; and you can do it at the speed of colour.

CenTech Colour Diskettes are the logical solution to data organization. They come in 14 useful colours to give you more colour coding possibilities.

Designed, engineered, and manufactured in the U.S.A. to specifications and standards that exceed those developed by the industry. CenTech diskettes are exceptionally consistent in accepting and maintaining data.

Every diskette is tested, certified, and warrantied to be 100% error free and free of manufacturing defects, or we will replace it at no charge.

Cost competitive, colour diskettes by CenTech. Engineered to surpass the best the world has to offer.

CenTech is available in all sizes and densities.

Ask for CenTech Colour Diskettes by name at your dealer.

### **Queensland**

Data Disks & Accessories, 7/97 Moggill Road, Taringa Qld. 4068  
Phone: (07) 870 3306

### **New South Wales**

Contact Computer Supplies, 27 Atchinson Street, St. Leonards,  
N.S.W. 2065.  
Phone: (02) 439 8877

XL Computing Pty. Ltd., 58 Roberts Street, Rozelle, N.S.W. 2039.  
Phone: (02) 818 3586.

### **Victoria**

Carrycom (Aust)—Vic., 106 Vincent Street, Oak Park, Vic. 3046  
Phone: (03) 30 0334

### **South Australia**

c/o CenTech Australia  
Distribution rights available  
Trade enquiries welcome  
Phone: (07) 358 4283

### **Tasmania**

Management Technology, Cnr. Elizabeth & Brisbane Streets, Hobart.  
Tasmania 7000.  
Phone: (002) 34 4522

### **Western Australia**

P.T. Computer Professionals, 6/325 Harborne Street, Osborne Park,  
W.A. 6017.  
Phone: (09) 444 9011


### **Northern Territory**

Kent Computer Plus, 42 Stuart Highway, Stuart Park, N.T. 5790.  
Phone: (089) 81 4755

### **Northern N.S.W.**

M. Shaw, Business agent and distributor.  
7a/104a Molesworth St. Lismore  
Phone: (066) 219 808

**CENTECH**® The Colourful Solution  
AUSTRALIA to Data Organization



CenTech Australia is a division of World Tech Pty. Ltd. (incorporated in Queensland) CenTech Australia Store 3/45 Beeston Street, New Farm, Qld. 4005. (07) 358 4283. TLX AA 42907 GREGCO.



**WIN A  
LUXURY  
HAWAIIAN  
HOLIDAY  
FOR TWO!**

**Say hello  
Hawaii**

**CENTECH**

**WITH**



**L**ike to spend a luxurious holiday on the world's most exciting tropical island absolutely free?  
Read on and you could enjoy a week for two in Hawaii valued at \$3,500 compliments of Centech Colour Diskettes and APC's Buyer's Guides to Hardware and Software.

Centech colour diskettes are "The colourful solution to data organisation".

They come in fourteen different colours so you can immediately locate the diskettes you need.

For example, you can colour code accounts receivable in red, accounts payable in green, inventory in yellow and so on. Imagine the time you'll save.

Centech Colour Diskettes are made in the USA to the highest technical standards. Each diskette is tested and certified to be 100% error free to 75% clipping level and free of manufacturing defects. Or we'll replace it free of charge. Refer to Centech's "Timeless Warranty".

To win the Hawaiian holiday, simply complete the entry form in the 1987 Australian Personal Computer Hardware or Software Guides - available from newsagents everywhere. Or visit your local dealer and pick up an entry form.

All entries received at Centech or their dealers by 5pm Friday September 4 will be included in the grand draw.

#### **EXTRA FREE OFFER!**

#### **BUY CENTECH DISKETTES NOW AND GET FINANCIAL ABACUS FREE**

Buy a pack of 5.25" DS/DD or DS/HD Centech colour diskettes by July 31 from any of the dealers listed here and we'll give you the valuable **Financial Abacus** software absolutely free.

Financial Abacus is one of the most useful software tools for business large or small. Or anyone who deals with money.

It runs on IBM PC, XT, AT\* and 100% compatible with colour or monochrome monitor.

Financial Abacus computes investment yields, loan payments and amortisations, calculates present/future value rates of return etc, adds subtracts and multiplies and a whole lot more. It also features on-line help, pop-up windows, 10 key or reverse logic and uses extensive on-line tutorial.

**Hurry for this special offer while stocks last!**

\*IBM PC, XT, AT are trademarks of IBM.



#### **TO FIND YOUR NEAREST CENTECH DEALER, CALL ONE OF THESE NUMBERS:**

**QLD** Data Disks & Accessories, 97 Moggill Road, Taringa. Qld. 4068. Ph: (07) 870 3306

**N.S.W.** Contact Computer Supplies, 27 Archison Street, St. Leonards. NSW. 2065. Ph: (02) 439 8877

**XL Computing Pty Ltd**, 58 Roberts St, Rozelle. NSW. 2039. Ph: (02) 818 3586

**VIC** Carrycom (Aust)-Victoria, 106 Vincent Street, Oak Park. VIC. 3046. Ph: (03) 300 3334

**S.A.** c/o Centech Australia.

Distribution rights available.

Trade enquiries welcome. Ph: (07) 358 4283

**TAS.** Management Technology, Cnr. Elizabeth & Brisbane Streets, Hobart. Tas. 7000. Ph: (002) 34 4522


**W.A.** P.T. Computer Professionals, 6/325 Harborne Street, Osborne Park. W.A. 6017. Ph: (09) 444 9011

**N.T.** Kent Computer Plus, 42 Stuart Highway, Stuart Park. N.T. 5790. Ph: (089) 81 4755

**NTH N.S.W.** M. Shaw - Business Agent and Distributor 7a/104a Molesworth St, Lismore. Ph: (066) 219 808



# YOUR OLD PORTFOLIO MANAGER



# YOUR NEW PORTFOLIO MANAGER

Successful Portfolio management relies on two things; Professional advice, and timely trading. For Professional advice, you consult your stockbroker, but imagine the convenience of always having the complete details of your portfolio at your fingertips.

The Stock Executive MK II gives you this information, on your own PC!

The Stock Executive can handle up to 6 portfolios, each of 100 share names, setting targets and stop losses, as well as checking portfolio balances.

Additionally, by linking in to the available Financial Information systems, the Stock Executive can give Automatic price updates on your share portfolios, at the touch of a button.

Following established methods and principals, the Stock Executive MK II, will simply, efficiently and cost effectively help you turn your investments, into RETURNS.

See how the Stock Executive can make your Portfolio management cheaper and more effective for only \$298.00 rrp. For your nearest dealer — call us now on . . .

## (02) 957 6686

## SOFTWARE WHOLESALERS OF AUSTRALIA

A member of the Deak Morgan Group

BTNOHGG BWA 001



# CP/M makes progress

*The CP/M operating system has acquired a bad name for itself and, despite being the 'backbone' of the successful Amstrad machines, it is finding it hard to shake off its old 'unfriendly' tag. Mike James looks at how the operating system has improved in the shape of CP/M Plus.*

CP/M is part of the micro pioneering folk memory — it was unfriendly, inflexible and often didn't work. It frustrated so many people and made so many enemies that the name CP/M is still a swear word in some circles. What they don't seem to know is that things changed with CP/M version 3, or CP/M Plus — a mature version of CP/M, just right for small systems. The reason that they don't seem to know is that CP/M Plus appeared just as everyone was changing to IBM PCs and MS-DOS!

But now, rising from the grave courtesy of the Amstrad CPC and PCW range, CP/M Plus has a new generation of users who can't understand why the old timers spit at every mention of CP/M! Some of the bad comments that the PCW, for example, has attracted have been due to the stigma of having CP/M as an operating system. In fact I know of one ex-PCW owner who

changed to a PC solely on the advice that MS-DOS was a better operating system than the 'primitive' CP/M! If you are still handing out such advice, are a little ashamed of liking CP/M or just unaware of what CP/M Plus can do, then read on.

## A short history

CP/M (Control Program for Microprocessors) was the first commonly used Disk Operating System (DOS) for the 8080 and Z80 range of machines — which in those early days was practically all there was apart from a few eccentrics like the Apple II and the Pet. Version 1 of CP/M was incredibly primitive by today's standards and it was quite difficult, some say impossible, to write any decent commercial software to run under it.

Version 2.2 was the first to be of any real use to anyone. From the program-

mer's point of view it was a lot better — you could have larger files and it supported random access. From the user's point of view it was still a frightening piece of software. The worst thing about it was the quality of its error messages, and many will remember the infamous "BDOS ERR ON A: BAD SECTOR" message which could mean anything from a total disk crash to just forgetting to close the disk drive door!

So many people felt that CP/M 2 wasn't good enough that they produced their own improvements and upgrades and many of these ideas were incorporated in CP/M 3, or CP/M Plus as it is usually known. CP/M Plus is a considerable revision and almost deserves a completely new name to distance it from the bad press of both the earlier versions.

Although there are plenty of machines still using CP/M 2 (and very few using version 1) the most successful CP/M-

## Banking on memory

There are two ways of using CP/M Plus — banked and non-banked memory. Memory banking is a standard way of getting around the 64k memory limit imposed by all the common 8-bit processors.

Essentially all that happens is that there are a number of alternative 64k banks or blocks of memory but the machine can only access one of them at a time. Changing from one bank to another is called 'bank switching' and this is usually where all the difficulties and complications arise. You obviously cannot treat a set of memory banks as if they were a single large area of memory because only one is accessible at any given time. To allow communication between different banks it is usual for one area of memory to be shared: that is, when you change your banks one 'non-banked' area of memory stays put.

Some applications programs tried to take advantage of banked memory but the number of different hardware schemes used by different manufacturers and any lack of standards severely hampered such developments. CP/M Plus has managed to provide a way around this problem by providing a standard interface to all the non-standard hardware. A banked version of Plus can be seen in Fig 1 and you can see immediately that the main payoff is that the TPA can be as large as 60k. You can have as many as 16 banks but a minimum banked system only needs bank 0 for operating system and bank 1 for application programs. The best-known examples of banked systems are the Amstrad CPC6128 which has two banks, the PCW 8256 which has four and the PCW 8512 which has eight. Although in theory banks two, three, and so on could be used by application programs their most common use is to provide a RAM disk.






Fig 1 Memory map of banked CP/M Plus system

based machines on sale today — that is the Amstrad CPC and PCW range — use CP/M Plus. If you are in the position of using a machine with CP/M 2 and want to upgrade to Plus, then you will have to get in touch with your machine's manufacturer to see if he has a suitable version.

## A first impression

When you sit down in front of Plus it looks exactly like any other version of CP/M — with the familiar A> prompt waiting for you to type a command. The first hint that anything is different is the increased speed of disk operations. CP/M used to be known as a snail among operating systems but Plus has improved performance between 2-10 times by using some very sophisticated techniques. Another change that affects disk files, but few users, is that a single file can now be as large as 32Mbytes as opposed to an 8Mbyte limit under CP/M!

A more practical change concerns 'disk logging'. This is CP/M's jargon for what happens when you change disks. Version 2 could get into a mess if you changed disks without telling it to re-log the drive (by pressing CTRL-C, also called a 'warm boot').

The biggest danger was losing your work because CP/M marked a drive as R/O (Read/Only) in an attempt to defend the innocent disk that you had failed to log on. Plus has improved this situation by logging a disk each time its directory is read. You can still screw up the system by changing a disk while a file is in use but then most operating systems find this a difficult situation!

## Passwords and time and date stamping

The whole area of file-handling has been improved by the provision of password protection and time and date stamping. Password protection is only available in the banked version of CP/M Plus, but this includes a great many cases. You can set a password for any file and also specify for what operations that password has to be supplied.

For example:

```
SET [PROTECT=ON]
turn password protection on
SET MYFILE [PROTECT=READ]
specify that a password is required to
read the MYFILE
SET MYFILE
```

[PASSWORD=ELIFYM]

set the password to ELIFYM

and from this point on each time you want to read MYFILE you will have to include its password as in  
TYPE MYFILE;ELIFYM

You can password protect a file at three levels: reading, writing and deleting. You can also password protect an entire disk and set a default password so that you don't have to keep on typing it after every file name. If you forget the password to the entire disk, then you will have a lot of trouble getting access to your files — so don't do it!

Date and time stamping allow you to keep track of which version of a file you are looking at. You can enable date and time stamping for when the file is updated — that is actually changed and either for when it is accessed or created.

For example, following

```
SET [CREATE=ON]
```

```
SET [UPDATE=ON]
```

all files will be saved along with their time and date of creation and last update. Before you can start time and date stamping you have to initialise the directory using INITDIR, but Amstrad users be warned that this command makes a disk unusable with Locoscript or AMSDOS. You can see the time and date information on each file using the extended form of the DIR command  
DIR [FULL]

To make date and time stamping possible CP/M Plus has to admit that a modern system might just have a built-in hardware clock. CP/M 2 ignored this possibility and left it to individual machine manufacturers to solve the problem of integrating unnecessary extras such as clocks! CP/M Plus, on the other hand, makes it easy to include a full date and time clock and it provides an extra command DATE to allow the user to set and examine the current setting.

To complete the file protection and general file utilities CP/M Plus supports the original CP/M file attributes of RO (Read Only), SYS (SYStem), DIR (DIRectory) and R/W (Read/Write) and extends it to include an archive and four user-defined attributes. The old attributes are handled better in that new easy-to-use commands are provided to make use of them. For example, SET MYFILE[RO] makes MYFILE Read-Only and DIRSYS display any systems files that are on disk.

Another useful change is that system files in user area 0 can be executed from any user area. This clearly saves having to make a copy of a program



# At last, laser print technology has an affordable price.



The new Epson GQ3500 laser printer is here.

Epson Laser technology delivers an unbeatable blend of speed, quietness and incredible letter perfect quality.

To these virtues, the fully compatible Epson GQ3500 adds the legendary reliability that made Epson the world's number one name in printers. And the backing of both a twelve

month warranty and national service facilities.

However, all these pluses are likely to be overshadowed by the Epson GQ3500's amazingly low price. A price that's sure to result in laser printers being found in a lot more offices.

To make yours one of them, telephone Epson today.  
Sydney (02) 436 0333;  
Melbourne (03) 543 6455;  
Brisbane  
(07) 832 5400;  
Adelaide  
(08) 332 8501 or  
Perth (09) 325 1744.

In computers and  
printers your number one choice.

# EPSON®



for each user. The archive attribute is set whenever a file is created or changed. You can use the PIP command to copy only files with the archive attribute set and as they are copied PIP resets the attribute. You should be able to see that this gives you an ideal way of keeping your files backed up without copying unnecessary files.

## Devices

I/O redirection is usually something that only advanced operating systems offer but CP/M Plus has it. In fact Plus's ability to control I/O devices in general is rather good once you have managed to untangle the idea of logical and physical devices. A physical device is a real piece of hardware that is connected to your machine. A logical device, on the other hand, is a description of the purpose that a physical device can be put to. For example, CONIN is a logical device that is used for system input. This is normally assigned to the physical device that corresponds to the keyboard but you can assign it to another physical device if you want to. There are five logical devices in every CP/M Plus system —

CONIN: the console input  
CONOUT: the console output  
AUXIN: an auxiliary input  
AUXOUT: an auxiliary output

and

LST: the printer output

The physical devices that are available vary from system to system. To find out what they are in any given case all you have to do is type DEVICE [NAMES]. If you just type DEVICE you will see a list of their current applications. You can change any of these assignments using

DEVICE logical device=physical device

For example, on Amstrad machines the serial port is physical device SIO, so to send all future printer output to the serial port you would type:

DEVICE LST:=SIO

As an extension of this idea of using different I/O devices you can also replace the input normally provided by the keyboard by a disk file and then send the output that normally goes to the screen or printer to a disk file. Following the command

GET CONSOLE INPUT FROM FILE  
AUTO

the contents of file AUTO would be read in and treated as if it had been typed at the keyboard. This sort of thing has an obvious use in running your machine automatically — but

## CP/M Plus commands

<b>DATE</b>	Sets or displays date and time
<b>DIR</b>	Directory listing but now with many extra options
<b>DIRSYS</b>	Directory of system files only
<b>DEVICE</b>	Assigns logical to physical devices and sets device characteristics
<b>ERASE</b>	Now includes a CONFIRM option that will prompt for verification before deleting a file
<b>GET</b>	Gets console input from a file
<b>HELP</b>	Displays information on CP/M Plus commands
<b>INITDIR</b>	Initialises a directory for date and time stamping
<b>PUT</b>	Puts printer or console output to a disk file
<b>SET</b>	Sets file operations including disk labels, file attributes, type of time and date stamping and password protection
<b>SETDEF</b>	Sets system options including drive and file search order
<b>SHOW</b>	Displays disk and drive information
<b>TYPE</b>	Lists a file and pauses after each page
There are also a number of advanced commands that form an assembly language development system:	
<b>LIB</b>	Library manager
<b>LINK</b>	Linker for modules produced by RMAC
<b>MAC</b>	Macro assembler
<b>RMAC</b>	Relocatable macro assembler
<b>SID</b>	Symbolic debugger
<b>XREF</b>	Cross referencer

more of this idea later. Following the command

PUT CONSOLE OUTPUT TO FILE  
LOG

all of the output that would appear on the screen is stored in the file LOG. A similar command can be used to redirect printer output. This is obviously useful for capturing the output of programs for further processing by, say, a word processor.

The subject of automatic running of your machine using the GET command was briefly mentioned above but there is a much more sophisticated method based on the use of the SUBMIT command. If you type SUBMIT filename, then the file that you have specified (with the default extension .SUB) will

## BDOS calls

<b>41</b>	Test and write record (for MP/M compatibility)
<b>42</b>	Lock record (for MP/M compatibility)
<b>43</b>	Unlock record (for MP/M compatibility)
<b>44</b>	Set multi-sector count
<b>45</b>	Set BDOS error-handling mode
<b>46</b>	Get free disk space
<b>47</b>	Chain to program
<b>48</b>	Flush buffers
<b>49</b>	Get/Set system control block
<b>50</b>	Direct BIOS call
<b>59</b>	Load overlay
<b>60</b>	Call RSX
<b>98</b>	Free temporarily allocated blocks
<b>99</b>	Truncate file
<b>100</b>	Set directory label
<b>101</b>	Return directory label
<b>102</b>	Read date and time stamps and password mode
<b>103</b>	Write XFCB
<b>104</b>	Set date and time
<b>105</b>	Get date and time
<b>106</b>	Set default password
<b>107</b>	Return serial number
<b>108</b>	Get/Set program return (error) code
<b>109</b>	Get/Set console mode
<b>110</b>	Get/Set output delimiter
<b>111</b>	Print block (character string)
<b>112</b>	List block (character string)
<b>152</b>	Parse filename

be read by CP/M Plus as a set of commands typed at the keyboard. So far this is nothing new on GET and CP/M 2 for that matter. But CP/M Plus will also accept the name of .SUB as an instruction to use the SUBMIT command to run it. For example, you can type SUBMIT DOJOB or just DOJOB and, as long as there is a file called DOJOB.SUB on the disk, both will work. This means that you can almost create new commands. You can also alter the order in which CP/M Plus looks for such commands. Normally if you type BASIC, CP/M Plus will go and look first for a file called BASIC.COM and load and run it, but if you type SETDEF [ORDER=(SUB,COM)] it will look for the file BASIC.SUB first. This means that you can replace existing commands with more suitable submit files. The SETDEF command can also be used to define which disk drives will be searched.



# It's Time To Get Serious About Desktop Publishing.



Five years ago, in a Toronto boardroom, a select group of typographers, printers and computer programmers gathered for a meeting.

All were employees and consultants of one of North America's leading forces in commercial, electronic and instant printing – a company that for 20 years has been pioneering technological innovations in the printing industry.

The mission was to design a desktop publishing program for the IBM PC-based marketplace. A program that would take the accumulated expertise of its creators and translate it into a serious personal computer productivity tool. A program that would combine power, control, versatility and simplicity. A program the user could grow comfortably into for years, not out of in months.

They succeeded. It's called **THE OFFICE PUBLISHER**... the next generation in desktop publishing. From August 19 through August 21, a Stand 1706 at Comdex in Sydney, **THE OFFICE PUBLISHER** will be on exhibition. Call us for a free invitation to Comdex or further information.



At last, the confusion is over. Serious Desktop Publishing is here.



**PANTEK CORPORATION**  
PTY LTD (Inc. in Vic.)

757-9 Riversdale Road, Camberwell, Vic. 3124  
Tel: (03) 836 9633 Fax: (03) 836 1682

A member of the  **DATRONICS** Group



# BUY YOUR UPGRADES DIRECT AND SAVE

## 5 1/4" DISKETTES

Made in Australia

**SPECIAL  
2S2D**

**\$1.20**  
EACH

Also:

VERBATIM – 1,2 MB HIGH DENSITY – \$4.38

VERBATIM – 3,5" DISKETTES 2S2D – \$4.20

MAXELL – 3.5" DISKETTES 2S2D – \$3.96

## 40 MB TAPE BACKUP

**"MOUNTAIN" TAPE BACKUP UNIT  
SOFTWARE & INSTALLATION MANUALS  
INCLUDED**

TD4340 – XT COMPATABLE

TD4440 – AT COMPATABLE

**\$740**  
EACH

## NEC HARD DISK DRIVES

20 MB – plus kit **\$852**

30 MB – plus kit **\$948**

**SEAGATE SPECIAL** 20 MB – plus kit **ONLY \$738**

**PLUS MANY OTHERS! Phone for details**

**FREE**

Free Homebase with every  
NEC Drive ordered before  
August 30, 1987

**SAVE \$80**

## ADVANCE ADD ON CARDS – VIDEO COLLECTION

Monochrome Hercules Comp & Printer Short


**\$130**

Colour graphics/Monochrome & Printer Short

**\$108**

Enhanced Colour Graphics

**\$348**



**GUARANTEED... Your Money Back on any product of not 100% Satisfied**

## MULTI FUNCTION CARDS

Printer Card/Parallel Port **\$48**

Printer Card/RS232 & Port **\$66**

Printer Card for PC/AT **\$120**



**Multi function/Clock \$138**  
384K, ZERO K

**ADVANCE**  
**Peripherals**  
EXPANDING COMPUTER POWER

**ADVANCE PERIPHERALS PTY LTD**

38 Burrage Avenue, Terrey Hills NSW 2084

P.O. Box 215, Gordon NSW 2072

Prices Quoted Include Sales Tax

Prices Are Subject To Change Without Notice

**TO ORDER PHONE  
(008) 25 1489  
IN SYDNEY CALL  
450 2177**



ched for commands and in what order.

Another auto-run feature of CP/M Plus is PROFILE.SUB. If this file is present on disk when CP/M Plus is first started it will be read and obeyed as a standard submit file. Using this you can arrange for your machine to be set up just as you want before you begin using it. For example, if the PROFILE.SUB file contained the single line BASIC you would find yourself in Basic each time you started the system.

## Non-resident residents

One of the best features of CP/M 2 was its provision of resident or built-in commands such as DIR. A resident command is really just a program that is already loaded into memory ready to run, so it will come as no surprise to discover that non-resident commands are programs that are stored on disk and have to be loaded before they can be run!

The advantage of resident commands is that they are faster but they are also more limited. CP/M Plus has kept the best of both worlds by introducing a set of commands which have the commonly used options resident and the less common non-resident.

This has enabled the original version 2 commands to be extended without slowing everything down. For example, when you type DIR you are using a resident command and a directory appears at once, but if you type DIR [FULL] CP/M Plus loads a non-resident command file DIR.COM and then proceeds to give you full details complete with file sizes, attributes and time and date stamps. All of the familiar CP/M 2 commands have either been extended in this way or completely replaced by more logical commands — see the table on the previous page. For example, the old STAT command has gone and its functions have been replaced by options in DIR and new commands SHOW and SETDEF.

All-in-all the commands provided are more logical and more flexible. Perhaps the only exception to this is the infamous PIP (Peripheral Interchange Program). Once you get to know PIP you'll like it for its flexibility but until you know it you wonder why a simple COPY command couldn't have been provided.

## Errors

A disk error is never a very nice thing to have but at least CP/M Plus has managed to do away with the appalling

error messages that frightened most users as soon as they appeared — or rather the Amstrad implementations have. Now you are gently warned something along the lines of "track 3, sector 5 data error — Retry, Ignore or Cancel". To which you can answer 'R' if you think that the fault can be put right, 'I' if you think it doesn't matter (it usually does) or 'C' if you want to give up.

Unfortunately this nice error-handling isn't part of CP/M Plus, it's something that Amstrad has added. Other versions of CP/M Plus have a much improved and larger set of error messages than CP/M 2's but you can still come across messages such as "CP/M Error on A: Disk I/O BDOS Function = 15 File=MYFILE" which is more informative but not really friendly!

## HELP commands

You might be a little irritated by the way the Amstrad PCW or CPC use the unhelpful phrase: 'These options/commands are not described here.' You can obtain more information by using the CP/M Plus utility HELP.

## Conclusion

There are many more good features of CP/M Plus that I haven't had the space to go into in this article but I hope that you are beginning to see that CP/M Plus isn't the half-thoughtout operating system that CP/M 2 resembled. Although still not ideal it is a good operating system for 8-bit machines and it makes excellent use of their cheap and cheerful technology. CP/M Plus is a response to many years of user criticism; it was late but not too late!

END

## Help for C Programmers

You can now create sophisticated applications **FAST** with our C compilers, database and screen libraries and tools.

With **dbx**, the dBASE to C source code translator, you can run your dBASE programs on computers that do not support dBASE. Makes your programs run like lightning.

**STOP** wasting time debugging your programs the hard way . . . one at a time. Use **PC-LINT** to find bugs, glitches and inconsistencies in your **C** programs. Saves hours of development time.

Use the **BEST** Database and Report Generators available. **C-tree** provides multi-user locking routines for Unix, Zenix, MPM and DOS 3.1.

**R-tree** is a powerful multi-file, multi-line report generator. Includes source code.

**FULL RANGE** of products available including Graphics, C interpreters, Make, Editors, Wendin, Under-C, Greenleaf, Faircom, Softfocus, Turbo C, Microport System VIAT Unix and more.

Try our **FREE** 24 hour Bulletin Board (02) 560 3607. Hundreds of C files and programs available for downloading.

For your **FREE** C Programmer's Catalogue, phone Rick Polito on (02) 233 3455 or write to:



**MICROMART** PTY. LTD.  
56 Percival Road, Stanmore 2048

## MONITORS SPECIALIST SALES & SERVICE

- \* Taxan, Thomson, DTX, Etron
- \* TTL & Composite
- \* CGA & EGA Computer Monitors
- \* 12 Months Full Warranty
- \* Dealer Price Enquiries Welcome

Retail from \$150 (incl. ST)

**SIMON & MAY  
CONSULTING SERVICE**

1/Fl 144 Pacific Hwy Nth Sydney  
P.O. BOX 218, Ryde N.S.W. 2112  
Phone (02) 922 4192



# Atari PC

*Jack Tramiel is playing a strange game at Atari, launching a relatively mediocre PC — albeit with a built-in EGA — into a market-place already packed with leaders and next-best followers. Peter Jackson tries to define the method behind the madness.*





Ever since the 'Under New Management' sign went up at Atari after the takeover by former Commodore supremo Jack Tramiel, the company has been full of surprises. The launch of the cheap and ever-multiplying ST range, the ability to keep going with video game consoles long after everyone else had given up, and the production of a very cheap laser printer have all caused jaws to drop.

On the other hand, during Jack Tramiel's days at Commodore those same jaws got enough exercise to last them a lifetime. Several new computers were launched at last year's Hannover Fair, and almost never made it onto the real market where people buy real computers. But the Commodore 64 and the Vic 20, honourable exceptions, did emerge from this morass of announcements as world-beaters.

The launch of the Atari PC at Hannover this year prompted memories of both the successes and failures of Jack Tramiel's microcomputer history. The decision to step in so late with a PC-compatible was a daring move, since every major player in the IBM PC clone business (except Amstrad) is moaning about low profit margins and looking to get out of the 'commodity' PC market. But the Atari PC seems to offer no remarkably new technology and no real price breakthrough; just a low end clone-priced PC with a low end clone-style specification.

What do Jack Tramiel and Atari think they're up to?

## Hardware

Atari is offering two configurations of its PC: the PC1, which is the subject of this review, and the PC2. The machines are basically the same except that the PC2 offers five expansion slots and a choice of either twin floppy disk drives or a single floppy and an internal 20Mbyte hard disk drive. All other specifications, aside from the price, remain the same.

From the specification sheet it would be tempting to describe the Atari PC1 as a standard clone with the standard fittings. Tempting, but very misleading.

For a start, it does not look like any other compatible on the market with the possible exception of the odd-looking Wyse PC. The system unit is small, light and low, and can easily be picked up in one hand. Perching it on top of a conventional Taiwanese PC clone for review was like putting a paperback book on top of an encyclopaedia, or perhaps a mouse on top of an



*Note the sparse layout of the Atari PC's front panel: a single half-height 5 1/4 in floppy disk drive, and amber and green indicator lights*

elephant; they are both books or both mammals, and almost the same colour, but are very different in scale. The grey styling is in fact very like that of the new Mega STs, even down to the slanted front-panel indicators, and the PC is around the same size as the Mega ST system unit.

The general impression is of lightness if not flimsiness, and it was noticeable that at the launch Atari did not put a monitor on top of the system unit in the traditional position, although the promotional leaflets did show such a set-up. The two long rows of ventilation louvres on top of the box also hint that the monitor should really go on a separate stand.

The front panel's only features are a single half-height 5 1/4 in floppy disk drive and those amber and green indicator lights, but at the back there is an array of standard or almost standard connectors. Looking at the back panel, and reading from left to right, there are a nine-pin male Atari mouse port, a 25-pin female Centronics printer interface, a 25-pin male RS232C connector, a standard DIN socket for the keyboard, and a more complex DIN socket to take an external floppy drive. Both 5 1/4 in and 3.5 in external drives will be available from Atari to fit this socket, since it is the same as that on the ST range.

The parallel and serial ports follow the IBM PC standard, using full-scale D-type connectors for both rather than switching to a nine-pin D-type for the RS232C socket. This shows once again the advantage of putting these features on the motherboard rather than on expansion boards, since it is much easier to put large connectors horizontally along the edge of a big circuit board than vertically on boards with a maximum height of 10cms.

Opening the case reveals that the motherboard really is a big one, filling the bottom of the entire system unit. But that should not imply that the board is a complex design crammed full of chips and printed circuit tracks — it is far from that. The board is a spacious and simple-looking design that — apart from the size of the chips and the arrival of a few big, square chip carriers — resembles nothing so much as the original Apple II circuit board.

A second, smaller board, piggy-backed over the main one at the rear of the case, holds the power supply unit.

What I found disturbing was the fact that the power supply board on the review machine was completely unshielded and unprotected. Wires from the mains socket just went straight into the power board, and a warning label wrapped round one of the big capacitors said that caution was neces-



sary because the heatsink — a big piece of aluminium used to cool the power transistor bolted to it — was electrically alive.

From this if from nothing else, it is obvious that the Atari PC, like the Apple Macintosh Plus, is not meant to be opened up by users for any reason. And if this is accepted, then the bare supply is acceptable just as it is in the Macintosh. But it certainly looks odd after the big silver boxes round the power supply in every other PC-compatible.

Extra evidence of Atari's desire to keep users out of the case is provided by the general layout of the motherboard and its built-in peripherals. There are no expansion slots included in the PC1 at all, meaning that what you get is what Atari gives you. There is no way of installing a second floppy disk drive inside the case, although the cable soldered to the disk controller circuitry on the motherboard has a second socket for an external second drive. If after buying a PC1, you find you need two disk drives or a hard disk, and you realise that you should have bought the PC2 — don't despair — a second external 5 $\frac{1}{4}$ in disk drive (3.5in at a later date), or a 20Mbyte hard disk may be added as options.

There are two enhancements to the basic machine that could, in theory, be fitted by users. First, the standard 512k RAM soldered onto the motherboard can be expanded to the maximum 640k by plugging four extra 256kbit RAM chips into the sockets provided. And second, an 8087 maths coprocessor can be added to back up the Atari PC's 8088-2 dual-speed processor, which runs at a selectable 4.77MHz or 8MHz.

However, adding a 8087 is a non-trivial task. The 8088-2 and the 8087 socket are actually positioned directly under the piggy-back power supply board, and this board and some of its connections need to be removed completely to gain access to them. Also, of course, the more expensive 8MHz version of the 8087 must be used to match the higher of the 8088-2's two speeds.

The two other major features on the motherboard are two custom chips: one to handle the graphics; and the other to replace the collection of logic building-block chips that clutter up most computer boards. On the review system, clearly labelled Sample, the big custom logic chip was held in its flat, leadless chip carrier by two pieces of black sticky tape; while the video graphics chip had its innumerable pins soldered directly to

the motherboard in a manner that looked far from secure or accurate.

Still, the Atari PC's graphics functions are one of its big plus points over other clones. Under software control, the Atari PC can emulate the IBM monochrome display adaptor (MDA), colour graphics adaptor (CGA) and enhanced graphics adaptor (EGA) standards, as well as the Hercules monochrome graphics standard. An extra 256k of video RAM is provided on the motherboard to let the video controller provide the maximum 16-colour 640x350 display provided by the EGA standard.

Overall, the design and finish of the sample motherboard are adequate without being impressive, and it is to be hoped that the production versions are cleaned up a little for final consumption. But once the sealed 'black box' approach chosen for the machine is accepted there is nothing to cavil at in the fixed nature of the system, where every cable and most of the memory chips are soldered to the motherboard and there is no internal expansion at all. If it works, fine; if it doesn't, don't try to fix it by fiddling with its innards.

With this kind of all-in-one system, the most cost-effective maintenance will be to give the customer a replacement unit straight away.

It is typical of the clone business that the keyboard and monitor supplied with the review machine may not be the ones that Atari actually ships with the machine. The monitor was an EGA-compatible colour unit built by Gold Star in Korea; while the keyboard, although it had no 'made in' label, was undoubtedly one of the cheapest of the cheap Taiwanese clone keyboards.

It is too easy for keyboards to become something of an obsession among those who bang them for several hours a day, but the keyboard supplied with the Atari PC was undoubtedly one of the worst around. This was not for the usual layout reasons, even though it was based on the old PC keyboard rather than the newer AT-style or newest Enhanced-style keyboards from IBM. No, the problem was its flimsiness and the feel of the keys. There was no metal plate in the base to hold the thing down in use, and the light plastic used in the construction meant that the keyboard was very 'skiddy' during intensive typing on a shiny wooden desk.

The actual keys, too, were very lightweight with almost no travel (vertical movement) at all. Hitting a key on this board is like hitting a wobbly plas-

tic solid, with almost no movement of the key before contact is made and no tactile or audible feedback to confirm that contact has indeed been made correctly. It feels a bit like typing on one of those old membrane keyboards like the Atari 400, and is far from recommended.

However, the keyboard shown in the Atari PC promotion shots is different, with the big AT-style Enter and Left-Shift keys, and a better unit may yet be shipped as standard. Other PC-compatible keyboards can also be used if the Atari board really does turn out to be as awful as this.

The monitor was a different story entirely. Gold Star is one of those Korean manufacturing conglomerates that few people have heard of, but which turn out to have turnovers in the billions. And the review EGA monitor was an excellent example of the genre, comparing well with the highly rated NEC MultiSync at the review site. Front panel controls determined brightness and contrast, and a switch was provided to convert any display on the screen into an 'amber' monochrome display for those who prefer sodium-lamp orange to high resolution full colour.

The only reservation about the monitor was that sensitive alterations to the brightness and contrast levels made a big difference to the screen display. For example, with the new Silk spreadsheet from Daybreak Technologies, it looked as though the Atari PC had compatibility problems: there was a dark grey border around the screen display area when Silk was running, and not there when it wasn't. It turned out that a slight adjustment of brightness and contrast put the 'incompatibility' right.

The Gold Star monitor was a 110V unit which needed its own power transformer to work with the Atari PC. But unlike most other clones, the Atari does not have an auxiliary power output on the back panel to drive a monochrome monitor.

The third of the Atari PC's peripherals, the mouse, was not supplied with the review machine but is in fact identical to the two button ST mouse. It would operate with GEM in the same way as the ST mouse too, if GEM could be satisfactorily run on the Atari PC. More on that subject later.

As with all these all-in-one systems, setting up the Atari PC is a simple matter for anyone — even someone who has never installed anything more complex than a video recorder. The power cable can only go in one socket; the



# MULTISOURCE AUSTRALIA PTY LIMITED

Unit 3, 6 Gladstone Road, Castle Hill, NSW, 2154. Phone: (02) 899 1899, (02) 654 9021




## MULTISOURCE System 1800 AT

Model O 8MHz 1 wait state **\$1963**

Model A 10MHz 1 wait state **\$2130**

### Standard Features:

- 6/8/10MHz crystal oscillator selectable 80286 CPU
- AMI BIOS with built in SET-UP utility
- 512K RAM standard expandable to 1MB, 32K ROM
- Runs Novell, Autocad, Xenix
- 1.2MB high density drive
- 200 pages documentation
- WD HD/FL controller
- 195 Watt power supply
- Serviced in Australia 1 year warranty
- Over 30,000 units installed WORLDWIDE



**ADD**  
Mono System **\$380**  
EGA Multisync  
System **\$1380**

**HARD DISK**  
20MB **\$620**  
42MB **\$1029**  
44MB F/H **\$1570**  
71MB F/H **\$2030**  
72MB Toshiba **\$2466**

### GRAPHICS BOARDS



**\$209**

#### Evergraphic

- Printer port
- 132 columns text color or mono
- FCC Class "B" approved

- Mono display Hercules compatible
- One year limited warranty



**\$373**

#### Micro Enhancer Auto Switch

- Compatible with IBM EGA
- Supports 640 x 350 graphics in 16/64 colors

- Half card fits in a short slot
- Emulates Hercules and CGA modes
- Auto switch



**\$409**

#### Everex Edge

- Display 320 x 200 graphics in 16 colors
- Runs HGA 720 x 348 monochrome graphics

- Runs Lotus 1-2-3/ Symphony in 132 columns
- Parallel port and light pen connector



**\$451**

#### Micro Enhancer Deluxe

- Parallel port
- TTL port
- Software switchable
- 640 x 300 CGA

- 800 x 350 132 columns mono
- 720 x 348 EGA

### MULTIFUNCTION CARDS



**\$342**

#### Multifunction for EMS XT/AT

- Serial port
- Parallel port
- 0-1Mb memory

- Clock/calendar
- FCC class 'B' approved
- Game port and software



**\$118**

#### Magic I/O

- I/O plus clock/calendar
- For XT/AT and compatibles

- Serial ports COM1-COM4
- Parallel ports LPT1-LPT3
- Software included



**\$397**

#### Magic Card 16

- Up to 2MB of extended memory for AT
- Flexible memory addressing

- Configurable parallel and serial ports



**\$599**

#### Excelsior

- 80286 8MHz processor replaces 8088 on PC/XT
- 33% faster than standard IBM AT

- Add up to 640K of cache RAM memory
- Socket for 80287 math coprocessor

### Other Extended, Expanded Memory Cards Available

#### Cheaper Safe Than Sorry — Tape B/U Fr \$1281

Some super features of Everex streaming tape subsystem

- Speed 5MB per minute
- No tape formatting required before each backup
- Mirror image/file by file — non-Dos partition backup
- Automatic scheduler — unattended backup
- Backup across NETWORKS

# EVEREX

EVER for EXcellence

### Others

HD/Floppy Controller for XT/AT	Fr <b>\$190</b>
Monitor: TTL Mono	<b>\$228</b>
NEC Multisync	<b>\$1280</b>
Everex Ram 3000	<b>\$302</b>
Everex EMS 2000	<b>\$302</b>

**For Products not listed please call**


Availability may be limited at price advertised. Prices apply to stocks held as at July 31, 1987.



## BENCHTEST

monitor video cable will not fit in the similar mouse socket since the pins face in different directions; an IBM-standard serial cable will not fit into the

similar printer port for the same reason; and the keyboard DIN connector will not fit the external drive DIN socket.



*The array of back-panel connectors includes a complex DIN socket for an external floppy drive; this also appears on the ST range*



*The simple and spacious design of the Atari PC's motherboard 'resembles nothing so much as the original Apple II circuit board'*

At first the monitor was placed on top of the system unit in the traditional way, but the display on the screen wavered and shook unacceptably thanks to interference from the computer electronics. It was surprising to find that the floppy disk drive motor is shielded to prevent interference by two thicknesses of tough aluminium sheet that surround the entire drive, while the power supply and fan motor — a bigger source of electromagnetic radiation than the disk drive — were not shielded at all. Perhaps this too will be fixed in production versions, but prospective customers who want to put a monitor on top of the Atari PC would do well to try it out at the dealer before buying.

After relocation to a separate monitor stand things improved, although the display was still affected by tiny amounts of quiver and 'snow' for the initial test period. This disappeared after a limited period of use as the PC warmed up.

Turning on the single power switch sends the machine into its power-on self-test, including RAM check, which was followed on the review machine by a message announcing that the BIOS — the low-level software routines that make a PC clone really compatible — had been supplied by Award Software, with a caveat that the ROMs were not final and must not be sold at any price. Award is one of the big names in PC-compatible BIOS supply, rivalling market leader Phoenix in the number and quality of the OEMs it has attracted. An Award BIOS, like a Phoenix BIOS, is the next best thing to an IBM-approved guarantee of legal PC compatibility.


Then the system attempts to boot from its single floppy drive, and complains if it doesn't get a disk with a system on it. Eventually, after the usual date and time prompts, the familiar MS-DOS A> prompt appears.

However, it is possible to have fun even at this stage. Using the graphics mode-switching programs supplied, it is possible to see how the A> looks in the different modes. There is the familiar chunky version brought about by the character set used in the IBM monochrome graphics adaptor. There is the stretched-out one, on which the horizontal lines are obvious, of the CGA board. And there is the neat, small and sharp one produced by the EGA display that is the Atari's default mode.

Under all the tests tried, the machine's graphics emulations stood up well. For example, one test was a set of routines that exercised every



# IT'S HERE



## The World's first communications board for IBM's new PS/2 computers.

IBM's new Personal System/2 computers have already set new standards in personal computing. Now IDEAssociates has developed the first board to this new standard.

Because of IDEA's leadership in surface-mount technology (SMT) we have a world first in boards to connect your PS/2 Model to IBM's range of Systems 34/36/38.

IDEAssociates has leading products in fast intelligent tape systems for PCs; removable hard disk systems; fully encrypted disks; 16MB add-in RAM cards; communications, networking and gateway solutions. Soon our whole range will have microchannel equivalents.

**Stocks of these cards are limited, so call your dealer or us on (008) 25 1247 or (02) 387 6975 to try a card on a 10-day money-back basis (limit one per company).**

You can call IDEAssociates now... or wait till next year.

**IDEA**  
**IDEAssociates™**

Distributed in Australia by High Technology Communications Pty. Ltd.

IBM Personal System 2 and Microchannel are trademarks of International Business Machines.  
IDEAssociates Microchannel products are made under IBM homologation number 6060.

FARWAG17420/c

**DEMONSTRATION AND SEMINARS:** We will be running briefings on the PS/2 System 36/38 connectivity, on July 30th, August 4th and 6th between 5 and 6pm. Phone Seamorn on 387 5222 for your reservation.





# COMPUTERSCOPE

## OPENING CELEBRATIONS



### PC PACKAGE

Package.....	RRP.....	Price
Top Brand PC-512K .....	\$1,495.....	\$895
Integrated Software.....	\$395.....	\$195
TTL Monitor .....	\$395.....	\$195


**Full System Only .....** \$1,295

Early Bird Bonus - FREE Nashua Disks

### Desktop Publishing

#### AMIGA 2000 + PACKAGE

- Amiga 2000 enhanced
- 1Mb Ram exp. to 9Mb
- IBMc Bridgecard
- 512K XT with CGA
- 2 x 880K Drives
- 1 x 360K Drive
- 44Mb Hard Drive
- NEC Multisync Monitor
- Desktop Software for both
- Laser Printer & Drivers



**Complete System ONLY.....** \$9,990

**Also PC & Amiga 1000 packages for \$6,900**

(including Laser and Software)

**Scanners with OCR's (Optical Character Readers) also available**

### OTHER PARTY BARGAINS DISKS



**Top 5.25" .....** NASHUA Only \$35

Buy 2 Boxes and  
get a lockable  
FREE 100 DISK BOX  
worth \$35

**NASHUA 5.25" .....** Normally \$79

Sales Price -

1 Box .....	\$69 ea.
2 Boxes.....	\$59 ea.
3 Boxes.....	\$49 ea.

### PRINTERS



* C64 Daisy Wheel .....	\$299
* Star NL-10 PC.....	\$629
* Citizen 120D.....	\$499
* Epson LQ-24pin .....	\$990
* Olivetti Colour.....	\$649
Early Bird Bonus	
FREE printer stand worth \$49 with every printer	

### AMIGA SOFTWARE SPECIALS

**Deluxe Paint 11 .....** \$229

The ultimate paint program all possible features

**Superbase.....** \$279

If you can work a VCR then you can use this  
powerful database - with pictures

**Scribble.....** \$219

Undoubtedly the best word processor currently  
available with merge & dictionary

**Logistix .....** \$389

From the IBM version. Full spreadsheet with  
database graphics & time management

**Diga .....** \$219

Incredible communications tool lets you send and  
receive file while you "chat"

**Games.....** 10% discount

Off ALL Amiga games during August. Also special  
prices all hardware - CALL

### OTHER AMIGA SPECIALS

	RRP	Special
1010 External Drive .....	\$ 499	\$399
512k Memory Expand .....	\$ 599	\$470
1Meg Memory Expand .....	\$ 799	\$590
2Meg Memory Expand .....	\$1200	\$990

### WHY BUY? — RENT FROM ONLY \$5

- ★ Digitiser — With Camera
- ★ OKI 20 — High Quality colour
- ★ Memory Expansion
- ★ Printers — Col. & 24 Pin
- ★ Sound Samplers & Modems

### AMIGA CATALOGUE — NOW AVAILABLE



**Buy this month and get —**

- ★ FREE Metro Delivery
- ★ FREE Installation
- ★ FREE Bottle of Champagne  
with all purchases over \$100!

# COMPUTERSCOPE

**NORTH SYDNEY**

**Shop Floor**

**Tower Square**

**155 Miller Street**

**BLACKTOWN**

**Shop 9**

**2 Patrick Street**

**Cnr Kildare Street**

**957.4690 831.1718**



one of the EGA's 16 modes, and only one mode — an obscure combination of monochrome text on a colour monitor — did not work as it should. Application programs could be set up to drive an EGA, CGA or MDA monitor, and as long as the appropriate Atari driver was run first, everything worked as advertised.

The most convenient way of handling this mode switching is to build a short batch file for each application, including the right driver program at the start to make sure that the display is set to the right mode before the application itself loads.

## System software

It would be misleading to say that the review model of the Atari PC was overburdened with bundled software. The only software available was a demonstration disk used at the Hannover Fair, and that was mainly intended to show off the different types of colourful high-resolution graphics possible on the machine. After booting the machine with a spare copy of PC-DOS 3.1 — the official IBM release, not MS-DOS — and removing the AUTOEXEC.BAT file that ran the demo at start-up, it transpired that the disk was running under MS-DOS 3.2.

The provision of an external 3.5in floppy drive for the Atari PC dictates that choice, since 3.2 was the first MS-DOS version to support that size of disk.

As mentioned briefly above, the only items of system software interest were the programs that dynamically switch the machine between its various graphics and text modes. Usefully named after the modes they control, EGA.COM, MDA.COM, CGA.COM and EGAM.COM were provided to switch between full EGA emulation, monochrome text and graphics, crude colour graphics, or EGA monochrome for high-resolution text on monochrome screens.

Without having the official release of Atari's MS-DOS version, it is hard to say what else it will contain apart from the mode-switching software. And as before, it is hard to say anything about MS-DOS version 3.2 that has not been said here many times before. MS-DOS 3.2 is MS-DOS, and if you know MS-DOS then you will have no problems operating most functions of the Atari PC.

## Applications software

The applications packages tried on the Atari PC included Word Perfect version

4.1; Microsoft Word 3.1; Lotus 1-2-3 Release 2; Silk spreadsheet from Daybreak; Borland's Reflex 1.1; Rossoft's Prokey macro generator; Turbo Pascal 3.01; Microsoft C version 3.0; the ThinkTank outliner from Living Videotext; and even Digital Research's Concurrent DOS operating system.

All of these packages worked fine. No, more than that; all these packages worked perfectly on the Atari PC in its various graphics modes. No mysterious crashes, no odd messages, and no unusual colours or features. If there were an overall compatibility rating, the Atari PC would score highly. And at its 8MHz clock speed, the per-

formance was the expected factor of 1.6 better than the original IBM PC.

The only disappointments came with Autodesk's AutoCAD drafting package, version 2.18, and — surprisingly, given Atari's deal with Digital Research for the ST — with the GEM desktop windowing environment.

AutoCAD ran fine up to a point, even recognising the ridiculous copy-protection 'dongle' plugged into the Atari PC's serial port. It is fortunate that this port was configured as COM1; since that is what AutoCAD demands as a dongle-home.

But the major problem was the single disk drive. It is well-nigh, if not com-

# KURTA IS HERE!

**Kurta, the new generation of digitising tablets, is now available in Australia.**

**Kurta lead the way with high technology, innovative solutions to your graphic input requirements.**

**Kurta's reputation is based on sound technology and proven performance. These ingredients have made Kurta an unbeatable force in the digitising tablet market.**

Today, Kurta has a wide range of digitising tablets designed to suit your exact requirements.

The versatile Penmouse is the smallest member of this exciting range. Suitable for use with the Apple Macintosh, Commodore Amiga and many other PC's, the Penmouse is a high resolution, low cost solution for desktop publishing and graphic design applications.

We also have the Series Two tablets. This innovative range is available in a choice of 3 sizes including 8.5"x11", 12"x12" and 12"x17". The Series Two is

suitable for use with Autocad, Versacad, Artwork and many more. Unique features include 16 programmable function keys, cordless pen or cursor, ergonomic slimline case and built-in power supply.

The Series Three is the top of the range tablet series which incorporates a very high resolution and high accuracy, 16 programmable function keys, 16 button cursor and built-in power supply.

The Series Three tablets are available in 4 sizes: 24"x24", 30"x40", 36"x48" and 42"x60".

**Call Minicomp now for more information on this exciting new range.**

**(02) 957 6800**

**104 Mount Street, North Sydney, 2060.**



# How to have a business brain good enough to run a Fortune 500 company.



Top executives who run leading companies (and those companies on their way up) need all the help they can get.

That's why senior executives in some of the most respected Australian companies (and around the world) rely on their Toshiba T3100, the most exciting new business computer in years.

The Toshiba T3100 provides instant access to accurate information, making quick decisions considerably easier. And, because it is so compact, it can always be close at hand.

It has greater versatility than the AT (until now, the benchmark), full 20Mb capacity (or 10Mb if that's sufficient for your needs) and, of course, is compatible so you can use the most popular applications written for the AT&XT.

It comes complete with a superb plasma screen that sets new standards of clarity and definition, and features internal hard disk storage and an in-built 720KB disk drive.

All at a price that makes other business computers as over priced as they are over-sized.

So make a decision that shows your aptitude for even greater responsibility. The Toshiba T3100. One less thing to go wrong.

**TOSHIBA**  
ONE LESS THING TO GO WRONG

TOSHIBA (AUSTRALIA) PTY LIMITED, COMPUTER PRODUCTS DIVISION, 84-92 TALAVERA ROAD, NORTH RYDE 2113.  
SYDNEY (02) 887 3322. MELBOURNE (03) 765 2111. BRISBANE (07) 352 9888. CANBERRA (062) 80 5100.



## BENCHTEST

pletely-nigh, impossible to run AutoCAD successfully on a single floppy machine. It has a set of big overlay files that it needs from time to time (many of them called ACAD.OVL), besides keeping menu files and drawing files separately, besides needing a separate disk for its device drivers. After a lot of disk-swapping, AutoCAD gave up trying to figure out which overlay it was after, and came up with a FATAL — INTERNAL STACK ERROR crash.

GEM, too, suffered from the single-disk problem. Try to install it using the standard GemPrep batch file, and it politely reminds you that you need two drives—or a hard disk to run GEM, before returning you to the A> prompt.

The major impression of working with the Atari PC is that of switching disks in and out of the drive with irritating regularity to do the simplest jobs. And even though the MS-DOS ASSIGN command had been used, so that the single physical drive was actually two logical drives called A: and B: and single-disk file copy could (very tediously) be done, it was not enough.

For a decade now, the consensus has been that a microcomputer without two disk drives is not suitable for serious use. After trying the Atari PC1, there is no reason to revise that judgment.

### Price

Shipment of the Atari PCs is expected around October. No official prices had been set at the time of going to press, however the following estimated prices will give some indication. Do keep in mind that these are subject to change — for better or for worse.

The Atari PC1, without a monitor, is expected to sell for under \$1000.

The Atari PC2, twin floppy configuration and no monitor, is expected to retail for under \$1500; and a single floppy drive and a 20Mbyte hard disk

system (monitor not included) should retail at under \$2000. No prices have been set for monitors (colour or monochrome), nor the optional external drives (5 $\frac{1}{4}$ in and hard disk) for the PC1 system.

### Conclusion

Atari has produced a competent clone with most things that a user might want built-in. Unfortunately, there are other things that users might want to add to the PC1 that Atari forbids them to, notably a second internal floppy drive, an internal hard disk, and any kind of expansion board like an internal modem or an Above Board expanded memory card, for example.

Users wanting these options should buy a PC2. Other users who want a PC for simple word processing or spreadsheet calculation and who aren't too concerned about an internal modem or an expanded memory card, should be satisfied with what the Atari PC1 can offer.

At an estimated price of around \$1000 for the PC1 (without a monitor), and in light of the fact that this price may include a monitor (depending on the Australian dollar *et al*) the system may be a viable alternative to other cheap clones.

The workings of Jack Tramiel's mind are still inscrutable. The PC is a good, cheap clone, but limited and closed to future expansion. The PC1 can't even be used as a cheap network node, since there is nowhere for a network card to go, and the only users who will be attracted are those whose computing needs are modest now and will not grow much over the lifetime of the machine. And even they will need to add an external disk drive to get any decent use out of the system.

Wait for the PC2.

END

Atari Computers Pty Ltd is on (02) 887 9333.

### Technical specifications: PC1

<b>Processor:</b>	8088-2, at 4.77MHz or 8MHz selectable
<b>RAM:</b>	512k standard, expandable to 640k; 256k graphics memory
<b>ROM:</b>	32k
<b>Storage:</b>	Single 5 $\frac{1}{4}$ in floppy drive, 360k capacity
<b>Keyboard:</b>	83 keys, IBM PC layout (subject to change)
<b>Mouse:</b>	Standard
<b>Display:</b>	Monochrome, colour, or enhanced colour monitors using built-in MDA, CGA, EGA, or Hercules graphics standards
<b>Operating system:</b>	MS-DOS 3.2

# ALL THE FEATURES YOU'D EXPECT IN A \$1500 MODEM AT HALF THE COST



### FEATURES INCLUDE

- Intelligent modem, with enhanced Hayes "AT" command set.
- Baud Rates (CCITT & Bell): 300/300 (V21, 103), 1200/1200 (V22, 212A) 1200/75, 75/1200 (V23).
- Baud rate buffering & conversion at all speeds.
- Auto-dial (pulse & tone), auto-answer, auto-disconnect.
- True baud rate scanning.
- Advanced ring back security.
- Visual & audio indicators.
- Compact elegant rugged design.
- Fully Australian designed & manufactured.
- 12 month warranty.
- Telecom engineering authorisation No. C86/37/1544.
- Compatible with any RS232 interface.

# \$749

Rec. retail, inc. sales tax.

Nice Modem Three has all the features as Nice Modem Two other than 1200 bps, full duplex, for \$549.

Software for IBM & Apple available

CONTACT YOUR LOCAL COMPUTER DEALER OR CALL

GEOFF ARTHUR (02) 869 8777  
TONY ROWLAND (09) 321 6636



**THE NICE  
COMPUTER  
COMPANY OF  
AUSTRALIA PTY. LTD.**

Suite 3, 41 Rawson St., Epping, NSW, 2121.  
36 Parliament Place, West Perth, 6005.

TRADE ENQUIRIES WELCOME



**No. 1 AT in Australia**

# NEC

**POWER  
MATE** '80286'

## \$3,850

**INCLUDING SALES TAX**

## 20Mb

and 1.2Mb drives, 640K RAM, 6 slots and superb high resolution large amber monitor totally 'AT' compatible.

**NEC P7 \$995** inc. tax. if  
purchased with  
Powermate

**FREE 12 MONTH WARRANTY** with replacement  
on loan during breakdown period.

**WE SERVICE THROUGHOUT AUSTRALIA — YOU SAVE!**

**FREE!** (with Powermate) 13-module 'A.T.S. Management System' (normally \$495)  
including Letter Writing, Bookkeeping, Payroll, MS DOS Tutorial, Filer, Diary, etc.

# A.T.S. COMPUTING

*"Advanced Technology + Service"*  
(Since 1971)

**SHOWROOMS:** 109 Alexander Street, CROWS NEST 2065 • Phone: (02) 439 2277  
1039a Victoria Rd., WEST RYDE 2114 • Phone: (02) 858 5999  
**AGENCIES:** Gosford: (043) 28 1859; Newcastle: (049) 265484; Wollongong: (042) 289990; Tamworth (067) 667959; Canberra: (062) 573420; Albury: (060) 411244; Adelaide: (08) 513947; Melbourne: (03) 6909196; Hobart: (002) 311757; Perth: (09) 3282972; Brisbane: (07) 2216198; Townsville: (077) 724112.

## MEDICAL/DENTAL

Our "A.T.S. Practice System" is the fastest and most comprehensive software for these professions. It includes Patient Accounts, (with bulk billing, third party and instalment billing), Appointments, Recalls, Letters, Forms, Estimates, Address Labels, Bookkeeping, Payroll, Stock Control, Patient History, Clinical Notes, Tooth Charts, Research, Practice Analysis and Statistics. Single or Multi-user with tutorial: \$2,400 incl. tax.

(Dealer enquiries welcome)



# Many hands make light work

*Peter Jackson examines the angles on multi-tasking and reports on those operating system alternatives that can reduce the wait.*

Multi-tasking is something that people don't want until they're made aware of it, and then they want it desperately. And this ability to run several programs at once is the main advantage of the forthcoming OS/2 over MS-DOS. Whatever the publicity machine may say, most users would be willing to forego all the paraphernalia of mice, windows and icons if they could only set a boring database search running in the background and write a report at the same time.

OS/2 will certainly make that possible on AT-class PCs, bringing multi-tasking to the mass market following the relatively tiny penetration of such multi-tasking systems as Visicorp's VisiOn, Digital Research's Concurrent DOS, Microsoft's Windows, IBM's own TopView and Quarterdeck's compatible DesqView.

But OS/2 is still a long way off, VisiOn went bust, Concurrent DOS is not entirely compatible with MS-DOS, and TopView, Windows and DesqView really need high-resolution graphics, special applications software, lots of memory and a faster PC than most people currently have. For now, most will be tempted to wait for OS/2 to get the multi-tasking they want. But are there, in fact, any real operating system alternatives that can take the waiting out of multi-tasking?

Limiting the definition of PC multi-tasking to the ability to run MS-DOS applications simultaneously cuts out many ready-made alternatives. And that definition has certainly damaged operating systems like Xenix, Pick and BOS in the PC market. All these are older than MS-DOS and have been built with the maximum of multi-tasking

power, but have enjoyed little success among PC users.

The problems have always been caused by what is actually their strength — the fact that they are complete operating systems in their own right and that when they are run on a PC they replace MS-DOS completely. All existing DOS applications need to be thrown away and new ones bought; you have to learn a whole new set of command structures and extra hardware is often needed to meet the requirements of the new package.

For example Xenix, Microsoft's Unix lookalike, will be more familiar to DOS users than they might imagine. The hierarchical directories and new file formats introduced in MS-DOS 2.0 were taken from Xenix. They were intended to bring the two operating systems closer together so that single-user DOS owners would migrate to Xenix when they wanted multi-user and multi-tasking operation.

Yet that has not happened to any great extent, mainly because PC users do not want to leave their powerful and various MS-DOS applications for the Unix world where software choice is limited and the individual applications are no match for their MS-DOS equivalents. But they do want multi-tasking, preferably with minimal changes to their current ways of working.

That is why OS/2 — despite its limited ability to multi-task standard MS-DOS applications — is so keenly awaited, and why there was so much discussion about DOS 4, DOS 5 and Advanced DOS 1 during that long period between DOS 3.2 and the big IBM launch in April. All three code names were applied to new Microsoft

operating systems being written, depending on which sources you listened to for the 80286 or 80386, would or would not be compatible with MS-DOS, and would or would not have a graphical, Macintosh-style user interface.

The one fact that was agreed was that multi-tasking would be a fundamental part of anything Microsoft released after DOS 3. And when news of DOS 4.0 emerged quietly from Microsoft OEMs, the prediction was maintained. But MS-DOS 4.0 was a disappointment. True, it was multi-tasking, but it could still only use 640k of RAM and got its multi-tasking features simply by borrowing them wholesale from Microsoft Windows.

## Stopgap system

MS-DOS 4.0 looked like a stopgap to help OEMs sell local area networks where the file server could also operate as an ordinary PC rather than being dedicated to network management. The wait for the 'real' multi-tasking DOS continued, only to be satisfied much later by the OS/2 announcement.

But since the prospect of converting themselves and their users to Xenix was too horrible to contemplate, many software developers began to delve into DOS to see if there were any chance of implementing multi-tasking using normally unused portions of the operating system. And sure enough there was clear evidence — in the Mode and Print programs supplied with DOS — that at least two programs could be co-resident in the PC, and that in some circumstances they could be run simultaneously.



# Multi-User Multi-Tasking

# AT/286 AT/286



**Business Personal Computer**  
**Priced from \$3000 + tax**

**SEE US AT  
COMDEX '87  
AUGUST 19-21  
ON STAND  
NO. 1228**

#### MAIN FEATURES:

- 80286 Microprocessor, 10MHz 0 wait/ 6MHz 1 wait clock Switchable.
- 80287 Math-coprocessor optional.
- 8 Expansion slot, fully compatible with IBM PC/AT.
- 1MB RAM Standard on Motherboard, Max expandable to 15MB.
- Real time clock/calendar with battery back-up.
- Serial and parallel port.
- RGB Color or TTL monochrome display, optional.
- MADE IN JAPAN.



\* Registered Trade Mark International Business Machines.



- Double-sided 1.2MB high-density 5-1/4" floppy disk drive, second FDD optional.
- Sturdy metal case.
- 84 keys standard keyboard (100 keys advanced keyboard optional).
- 192W Power supply.
- 3-1/2" 20MB Hard disk, optional.
- O.S. MS-DOS 3.2, XENIX, optional.
- Hardware & software compatible with IBM PC/AT\*.

## ADE COMPUTERS PTY. LTD.

2 Dublin Street, East Oakleigh  
Victoria 3166

TEL: (03) 543 2677

TELEX: AA36384 FAX: (03) 543 5582

**Toll free order Hot Line**  
**(008) 03 3508**



Typing MODE just after booting the operating system brings up the message RESIDENT PORTION OF MODE LOADED, implying that it is a piece of software that will stay in memory while the 'real' applications are running. And Print is intended to give a taste of multi-tasking by allowing you to print files from disk while using the PC for something else entirely.

However, the fact that these are Microsoft's only attempts at providing two of multi-tasking's prerequisites — sharing memory and sharing processing time between applications — inside MS-DOS indicates that the built-in multi-tasking 'hooks' are unreliable. And they should not entirely be relied on by third-party developers trying to set up multi-tasking DOS applications.

On the other hand multi-tasking is such a big selling point that there has been no shortage of attempts. The dozens of pop-up, memory-resident, or terminate-and-stay-resident programs such as SideKick and Prokey use these 'hooks' to steal PC memory and intercept keystrokes aimed at DOS or other applications.

Then there are packages like Software Carousel which allow several standard PC applications to be loaded into memory at once. They do this with simple one-key switching and data cut-and-paste between them, although only one of the applications can be running at once. And other packages actually provide Print-style multi-tasking, using Print-style techniques to handle input and output while the rest of the PC is doing something else.

For example, modern communication software is often written so that it sits in the background, permanently resident in memory. It can do such things as download files from remote systems without interrupting the main task. Softklone's Mirror package, compatible with the non-resident but industry-standard Crosstalk XVI from DCA Microstuf, is one of these.

It is important to distinguish such limited but effective multi-tasking products, which really do run two programs at once, from other memory-resident applications like SideKick or even multiple application packages like Software Carousel. Here, calling up the pop-up program or switching to another application freezes the application already running and just starts running the new one.

But given that products like Mirror really can run communications in the background, why not go the whole way and use the DOS hooks to run two complete applications side by side in

separate chunks of PC memory? That is the theory behind SoftLogic's DoubleDOS, a \$99 utility now being distributed in Australia by the SNS Group in Sydney.

DoubleDOS is a simple utility which allows the user to run two programs at once. The PC is 'split into two' and the user can allot memory to both sides. It is then possible to load and run two packages and switch from one to the other.

DoubleDOS is claimed to be truly multi-tasking and both applications are allocated slices of processor time. Only one of the two applications is visible at any one time and the visible application gets processor priority so it runs faster than the other.

It is possible to boot the program with an AUTOEXEC file, running the DDOS program, and if the user hasn't specified the memory allocation, a screen comes up for the user to key in the amount of memory for each section. Then it is possible to set the hot key combination which will switch between tasks, and start the tasks running. The only way to tell that two programs are running at once is that the hard disk light goes on at unexpected times.

Since the memory available to each task is reduced and the central processor's time is being shared, there is some degradation in performance when two applications are running simultaneously on a single PC. In effect, each of the two tasks does run more slowly under DoubleDOS than it would if given a whole PC to itself.

Without the support of the multi-tasking and memory-protection sections of the 80286 and 80386 processors — which are used by Concurrent DOS 386 and will be used by OS/2 — DoubleDOS cannot really be much more than a useful utility. The MS-DOS operating system that provides the basis of the system is not, at bottom, a multi-tasking operating system and nothing will turn it into one. For example, DoubleDOS will not allow programs which write directly to the screen to operate in the background mode.

However, there is another approach to the DOS multi-tasking problem. Starting from an existing multi-user, multi-tasking operating system it should be possible to build a 'shell' round the low-level works of the software to make the package look and act like MS-DOS. Such an operating system could run standard DOS applications, since the applications would find it working like the Microsoft-supplied software they ex-

pect. But it could also multi-task these programs reliably, since the fundamentals of the operating system would have been written from scratch to support multiple simultaneous tasks.

## Wendin-DOS package

Wendin, a small software house based not a million miles from Microsoft in Washington State, claims to have built just such an operating system. The \$225 Wendin-DOS package is due for release in Australia around September, according to Peter Bell of The Computer Factory, the Australian distributor for Wendin products. The product is currently out on beta-test with OEMs and users.

According to Wendin's marketing director in the US Zane Troester, Wendin-DOS builds on Wendin's earlier work in operating systems. "We've been developing operating systems for the last four years and already have an operating system toolbox, a set of modules and tools to let anybody build a multi-user multi-tasking system," Troester said. "There are 29 modules on top of an essential kernel of service and we built two other systems out of that. One, PC/NX, is a Unix lookalike which you boot up with MS-DOS and then it takes over and you are in a Unix environment. The other is PC/VMS, which creates a DEC VAX/VMS environment."

With Wendin-DOS, according to Troester, the company has created a new toolbox to produce MS-DOS compatibility: "Now we have a DOS filter to translate MS-DOS calls and everything that MS-DOS does into system services that we provide. As a result we have a brand new MS-DOS compatible DOS that is multi-user, multi-tasking, and includes true record locking."

As it now stands, Wendin-DOS works with extended memory — the type of RAM used in ATs to provide up to 16Mbytes of space for Xenix. But Wendin is looking to provide support for Lotus-Intel-Microsoft-type expanded memory, where bank-switching techniques are used to get beyond the MS-DOS 640k limit. It is also considering the addition of a windowing interface like Microsoft Windows or OS/2's new Presentation Manager. According to Troester it will also "support networks before the year is out".

"With the situation as it is now, with OS/2 coming out in a while, the clone people don't have ammunition to compete," he added. "But with Wendin-DOS they can do it sooner and do it just as well, at a lower price. OEMs



can get our new DOS at \$US20 per copy and it can give them some real power in the market-place. Multi-tasking has been missing, and everybody wants a multi-tasking MS-DOS-compatible operating system. We offer that."

Troester is hoping that smaller companies, and users who want multi-tasking but don't want to trade in their old PCs for OS/2 machines, will go for Wendin-DOS now. "We're hoping to jump the gun on OS/2, looking for a niche market that lets smaller businesses stick with their Compaqs but still get multi-tasking."

Much higher up the performance scale there are other developments that are pre-empting the final release of OS/2, taking advantage of the inevitable limitations in the Microsoft product. Since OS/2 has to run on the 80286 processor in the AT but needs access to the full 16Mbytes of memory that the processor can address, it has to run in the processor's 'protected mode'. Unfortunately this means that ordinary MS-DOS applications — which run in the 8088 compatible 'real mode' of the 80286 — will not multi-task readily under OS/2.

In fact only one MS-DOS application can be run at once under OS/2, in a 'compatibility box', although any number of OS/2-specific applications can be run at the same time as this single real-mode program. The same restrictions occur when OS/2 is run on the 80386 processor — OS/2 just makes the 32-bit 80386 look like a 16-bit 80286.

However, other software houses are looking at ways to use the special features of the 80386 to provide DOS-compatible multi-tasking. The most important of these is the processor's 'virtual mode'. This turns the processor and its memory into a collection of 8088-compatible processors, each with its own Megabyte of memory space. These virtual 8088s are completely separate from each other, and each separate Megabyte of RAM is protected from interference by any other with special hardware in the 80386.

Using virtual mode it is possible for small 80386 'control programs' to set up a collection of virtual 8088s, load a standard copy of MS-DOS and a standard MS-DOS application into each one, and run them all simultaneously for true multi-tasking.

Already there are several such control programs on the market or close to launch. The next version of DesqView will support the virtual mode, as will a new version of Windows already shown to developers. Another developer, Phar Lap (presumably named after that famous Aussie race horse), has a product called DOS extender — already being used by the 80386 version of the dBase-compatible Foxbase database manager — which runs in the processor's protected mode, but intercepts MS-DOS calls and switches the chip back to real mode to cope with them. This gives ordinary MS-DOS applications access to 16Mbytes of RAM just as though they

had been specially written for protected mode (or OS/2, in fact).

And since the control program can be another operating system if required, there is nothing to stop Unix being used as the control program for a set of DOS-compatible virtual 8088s. Softguard's VM/386 and Locus Computing's Merge 386 both use this technique, and both allow you to run multiple MS-DOS applications simultaneously without even knowing that Unix is the controller.

There is even a new 80386 operating system, PC/MOS, coming from The Software Link, distributed in Australia by SPS in Sydney, and is due to be built into a new generation of Novell file servers. This will run in the 80386 native mode but will allow multiple virtual mode MS-DOS programs to run simultaneously.

One thing that all these control programs have in common is that they will run multi-tasking MS-DOS applications much better than OS/2 will, since OS/2 cannot use the virtual mode of the 80386 because of the need for 80286 compatibility. And for current users of the Compaq DeskPro 386, Zenith 386 or Kaypro 386, the wait for OS/2 and the new OS/2 applications might well be better spent in using a control program to do what they really want to do: run a set of existing MS-DOS programs side by side, with performance as good or better as running each one separately on an AT.

So there are ways of multi-tasking without having to learn a new operating system, and without having to buy a complete new set of applications. You don't even have to have an 80386 to do it if Wendin and SoftLogic are to be believed.

And it is a sign of the times, perhaps, that Microsoft has signed a licensing deal with Locus over the combination of MS-DOS and Merge 386. With developments like this at least the long wait for OS/2 will not be boring.

END



**DATA SERVICES**  
INTERNATIONAL

## SERVING BUSINESS MANAGEMENT

- Business Computers
- Business Systems Development
- Contract Computing Staff
- Permanent Staff Recruitment
- Data Preparation Services
- Office Management Services

**Telephone 481 0612**

**DATA SERVICES**  
**INTERNATIONAL PTY. LTD.**

Brecon House, 47 Colin Street, West Perth, 6005  
P.O. Box 950, West Perth, Western Australia, 6005

### Useful numbers

The Computer Factory — Wendin-DOS. (02) 938 2522  
SNS Group — DoubleDOS.  
(02) 958 2399  
SPS — PC-MOS. (02) 419 5879  
Phar Lap — DOS Extender. (00111) 617 661 1510  
Locus Computing — Merge 386.  
(00111) 213 452 2435  
Softguard — VM/386.  
(00111) 408 970 9240



# ROD IRVING ELECTRONICS HAVE THE CHEAPEST DISKS IN AUSTRALIA!!



Now you can buy absolute top quality disks that are also the cheapest in Australia! They even come with a 5 year guarantee, which indicates the quality of these disks. So why pay 2-3 times the price for the same quality?

## CHECK THESE PRICES!

DESCRIPTION	1-9 BOXES	10+ BOXES	100+ BOXES
5 1/4" S/S D/D	\$14.95	\$13.95	\$12.95
5 1/4" D/S D/D	\$15.95	\$14.95	\$14.50
(SEND \$2 FOR SAMPLE DISK!)			

## 5 1/4" D/S "NO FRILLS" DISKS FROM 80¢ EACH!!

Bulked packed, D/S D/D without boxes, or brand name, just their white paper jacket, index labels and write protects.

10-99 DISKS	100+ DISKS	1,000+ DISKS	5,000+ DISKS
\$1.10 <sup>ea</sup>	\$1.00 <sup>ea</sup>	\$0.90 <sup>ea</sup>	\$0.80 <sup>ea</sup>
(SEND \$2 FOR SAMPLE DISK!)			
(TAX EXEMPT PRICES LESS 10¢ PER DISK)			

## 3 1/2" "NO FRILLS" DISKS!

D/S D/D disks with white boxes, but no brand name. (These are a top name brand, but we can't tell you which.)

10-99 DISKS	100+ DISKS	1,000+ DISKS
\$39.50	\$37.50	\$35.00
(PER 10 DISKS)	(PER 10 DISKS)	(PER 10 DISKS)
(SEND \$5 FOR SAMPLE DISK!)		
(TAX EXEMPT PRICES LESS 40¢ PER DISK)		

## VERBATIM 5 1/4" HIGH DENSITY DISKS!

Rod Irving Electronics have made an unbelievable price break through on High Density Verbatim disks! And you're the one who benefits!

1-9 BOXES	10+ BOXES	100+ BOXES
\$44.95	\$42.95	\$41.95
(PER 10 DISKS)	(PER 10 DISKS)	(PER 10 DISKS)

**VERBATIM 20 M/BYTE HARD CARD \$1,195**



## IBM\* XT COMPATIBLE COMPUTERS from \$795\*

Check these features and our prices. We're sure you'll agree they're exceptional value for money!

- Assembled in Australia!
  - Tested by us for 24 hours prior to delivery!
  - 150W power supply
  - AT style keyboard
  - Operating manual
  - 8 Slot motherboard
  - 6 Months warranty!
- (Japanese drives available for an extra \$50 each)  
(4.77/8MHz Turbo Motherboard with Soft/Hard switch, available for an extra \$100)

### \* \$795 COMPATIBLE COMPUTER

256K RAM Single Drive, Graphics and Disk Controller Card ..... \$795

### 256K RAM COMPATIBLE COMPUTER

2 x 360K Disk Drives, Multifunction Card, (which has Disk Controller, Clock/Calendar including Timer disk, 2 Serial Ports, 1 Parallel Port and 1 Games Port) and your choice of Colour Graphics Card or Monochrome Graphics Card. .... \$1,095

### 640K RAM COMPATIBLE COMPUTER

2 x 360K Disk Drives, Multifunction Card, (which has Disk Controller, Clock/Calendar including Timer disk, 2 Serial Ports, 1 Parallel Port and 1 Games Port) and your choice of Colour Graphics Card or Monochrome Graphics Card. .... only \$1,150

### 20 M/BYTE HARD DISK COMPATIBLE COMPUTER

20 M/Byte Hard Disk, 360K Disk Drive(s), 640K RAM, Multifunction Card, (which has Disk Controller, Clock/Calendar including Timer disk, 2 Serial Ports, 1 Parallel Port and 1 Games Port) and your choice of Colour Graphics Card or Monochrome Graphics Card.

Single 360K Floppy Disk Drive ..... only \$1,850  
Dual 360K Floppy Disk Drives ..... only \$1,995

## IBM\* AT COMPATIBLE only \$2,975

ASSEMBLED & TESTED IN AUSTRALIA!

- 1 M/Byte Main Board
- 1.2 M/Byte Floppy Disk Drive
- Colour Graphics Display Card
- Floppy & Hard Disk Controller Card
- Printer Card and RS232
- 200W Power Supply
- 6 Months Warranty
- 6MHz
- 80286 CPU
- 8 Slots
- 20 M/Byte Hard Disk
- Keyboard
- Manual

only \$2,975

**RETAIL INQUIRIES:** Rod Irving Electronics,

MELBOURNE, 48 A'Beckett St. Phone (03) 663 6151

NORTHCOTE 425 High St. Phone (03) 489 8866

MAIL ORDER: (03) 543 7877 or P.O. Box 620, CLAYTON 3168

**WHOLESALE INQUIRIES:** Ritronics Wholesale, 56 Renver Rd. CLAYTON 3168. Phone (03) 543 2166





## VERBATIM DISK SPECIALS!

All prices 10 disk boxes!

Description	1-9 boxes	10+ boxes
5 1/4" S/S D/D .....	\$24.95	\$22.50
5 1/4" D/S D/D .....	\$29.95	\$28.50
5 1/4" D/S Q/D .....	\$75.00	\$70.00
5 1/4" D/S H/D .....	\$44.95	\$42.95
3 1/2" S/S D/D .....	\$47.50	\$46.50
3 1/2" D/S D/D .....	\$49.50	\$48.50



### RS232 INLINE SWITCHING BOX

- 25 pin "D" plug to 25 pin "D" socket
- DIP switches allow easy switching of internal wiring

Cat. X15662 ..... \$32.95



### CENTRONICS GENDER CHANGERS

- Female to Female
- Saves modifying or replacing non-mating Centronics cables
- All 36 pins wired straight through

Cat. X15663 Male to Male  
Cat. X15661 Male to Female  
Cat. X15664 Female to Female  
Normally \$33.95  
Only \$24.95



### RS232 GENDER CHANGERS

- Saves modifying or replacing non-mating RS232 cables
- All 25 pins wired straight through

Cat. X15650 Male to Male  
Cat. X15651 Male to Female  
Cat. X15652 Female to Female  
Normally \$14.95 each  
Only \$9.95




### RS232 MINI JUMPER PATCH BOXES

- Interface RS232 devices
- 25 pin inputs
- 25 leads with tinned end supplied
- Complete with instructions

Cat. X15653 Male to Male  
Cat. X15654 Male to Female  
Cat. X15655 Female to Female  
Normally \$25.95  
Only \$19.95


SAVE \$8



### RS232 WIRING ADAPTOR BOX

- Male to female
- 25 Detachable plug on leads
- 2 mini jumpers
- Ideal for experimenting or temporary connections

Cat. X15665 ..... Normally \$49.95  
Only \$44.95



### RS232C NULL MODEM ADAPTOR

- Male to female connections
- Pins 2 and 3 reversed
- All 25 pins connected

Cat. X15657 Male to Male  
Cat. X15658 Male to Female  
Cat. X15659 Female to Female  
Normally \$22.95  
Only \$14.95



### RS232 MINI TESTER

- Male to female connections
- All pin wired straight through
- Dual colour LED indicates activity and direction on 7 lines
- No batteries or power required

T.D. Transmit Data  
R.D. Receive Data  
C.S. Carrier Detect  
R.T.S. Request to Send  
D.T.R. Data Terminal Ready  
C.T.S. Clear to Send  
Cat. X15656 ..... Normally \$39.95  
Only \$29.95



### TELECOMMUNICATION EXTENSION LEADS

Cat. Y16010 5 metre ..... \$12.50  
Cat. Y16012 10 metre ..... \$14.95



### TELECOMMUNICATION PLUG/SOCKET

Plug Cat. Y16016 ..... \$3.95  
Socket Cat. Y16018 ..... \$4.95



### TELECOMMUNICATION PLUG TO 2 SOCKETS

Ideal for modem connections  
Cat. Y16014 ..... \$12.95



### TELECOMMUNICATIONS AUSTRALIAN TO U.S. ADAPTOR CABLE

Australian socket to U.S. plug  
Length 5 metres  
Cat. Y16017 ..... \$7.95




TELEPHONE ADAPTOR  
Australian plug to U.S. socket  
Length 10cm  
Cat. Y16026 ..... \$5.95



### TELEPHONE CURL CORD

U.S. plug to U.S. plug  
Replacement hand set cord  
Length 4.5 metres  
Cat. Y16023 ..... \$6.95



### TELECOMMUNICATIONS AUSTRALIAN STYLE ADAPTOR CABLE

Australian socket to plug/socket  
Length 10 metres  
Cat. Y16015 ..... \$14.95



### TELEPHONE EXTENSION CABLE UNIT

Allows 15 metres of telephone extension cable to be neatly wound into a portable storage container. The reel sits on a flat base and has a handle to wind cable back on to it after use. No tangles - no mess! Ideal for the workshop, around the house, office, pool etc.  
Cat. Y16013 ..... \$22.95



### U.S. TELEPHONE EXTENSION CABLE

U.S. plug to U.S. socket  
Length 10 metres  
Cat. Y16024 ..... \$7.95



### U.S. TELEPHONE EXTENSION CABLE

U.S. plug to 2 U.S. sockets  
Length 10 metres  
Cat. Y16028 ..... \$9.95



### JUMBO 5 1/4" DISK STORAGE

If you've got lots of disks, you'll appreciate the extra capacity of this disk storage unit when it comes to locating "that" disk!

- 100 disk capacity
- Smoked plastic cover
- Lockable (2 keys supplied)
- 9 Dividers/spacers

C16020 ..... only \$24.95  
C16027 (Hinged Lid) ..... \$26.95




### 5 1/4" DISK STORAGE

Efficient and practical. Protect your disks from being damaged or lost!

- 70 disk capacity
- Smoked plastic cover
- Lockable (2 keys supplied)
- Dividers/spacers

Cat. C16025 ..... only \$19.95



### 3 1/2" DISK STORAGE UNIT

- Holds up to 40 x 3 1/2" diskettes
- Lockable (2 keys supplied)
- High impact plastic lid and base
- Anti static

Cat. C16040 ..... only \$19.95



### 3 1/2" DISK STORAGE UNIT

- Holds up to 40 x 3 1/2" diskettes
- Lockable (2 keys supplied)
- High impact plastic lid and base

Cat. C16035 ..... only \$19.95



### 2 & 4 WAY RS232 DATA TRANSFER SWITCHES

If you have two or four compatible devices that need to share a third or fifth, then these inexpensive data transfer switches will save you the time and hassle of constantly changing cables and leads around.

- No power required
- Speed and code transparent
- Two/Four position rotary switch on front panel
- Three/Five interface connections on rear panel
- Switch comes standard with female connector

2 WAY Cat. X19120 \$125 \$89

4 WAY Cat. X19125 \$145 \$109

### 2 & 4 WAY CENTRONICS DATA TRANSFER SWITCHES

Save time and hassles of constantly changing cables and leads around with these inexpensive data transfer switches. These data switches support the 36 pin centronics interface used by Centronics, Printronics, Data Products, Epson, Micronics, Star, and many other printer manufacturers.

- No power required
- Speed and code transparent
- Two/Four position rotary switch on front panel
- Three/Five interface connections on rear panel
- Switch comes standard with female connector
- Bale locks are standard

2 WAY Cat. X19130 \$125 \$89

4 WAY Cat. X19135 \$145 \$109



### RS232 DATA SWITCH WITH TESTER

- No power required
- Ideal for 1 computer to 2 peripherals or 2 computers to one peripheral
- 25 pin RS232 "D" connectors
- Six dual colour LED indicators showing certain flow status

T.D. Transmit Data  
R.D. Receive Data  
R.T.S. Request To Send  
C.T.S. Clear To Send  
D.T.R. Data Terminal Ready  
Size: 200(W) x 68(H) x 150(D)mm  
Cat. X19110 ..... R.R.P. \$169  
Our Price \$149



### SEMICONDUCTORS!

Always check our prices before you buy!

1-9	10+	100+
2716 .....	\$9.95	\$9.50 \$8.95
2732 .....	\$8.95	\$8.50 \$7.95
2764 .....	\$7.95	\$7.50 \$6.95
27128 .....	\$9.95	\$8.95 \$7.95
27256 .....	\$11.50	\$10.50 \$10.00
27512 .....	\$19.50	\$18.50 \$17.50
4116 .....	\$3.95	\$3.50 \$2.95
4164 .....	\$3.95	\$2.95 \$2.75
41256 .....	\$7.95	\$6.95 \$5.95
555 8pin .....	\$0.50	\$0.40 \$0.35
6116 .....	\$3.95	\$3.75 \$3.50
6264 .....	\$7.95	\$6.95 \$6.50
6802 .....	\$5.00	\$4.00 \$3.75
6821 .....	\$5.00	\$1.80 \$1.70
6845 .....	\$5.00	\$4.00 \$3.75
7406 .....	\$0.40	\$0.30 \$0.25
INS8250 .....	\$29.95	\$27.95

### NE5534AN SCOOP PURCHASE!!!

1-9 ..... \$1.95 10+ ..... \$1.85 100+ ..... \$1.75

### WORLD MODEM CHIP

Cat. U21614 ..... Normally \$49.50  
Save \$25, SPECIAL \$24.95

### MEL9501

Have you blown up your Apple drive by plugging it in backwards or not turning off the power while changing boards? We have the MEL9501 chip!  
SPECIAL, ONLY \$29.95

### 8087

Genuine Intel chips with manual and data sheets packed in boxes!

8087-3 (4.7MHz) .....	\$269
8087-2 (8MHz) .....	\$385
8087-1 (10MHz) .....	\$585
80287-3 (6MHz) .....	\$475
80287-7 (8MHz) .....	\$679



### UV EPROM ERASER

Erase your EPROMs quickly and safely. This unit is the cost effective solution to your problems. It will erase up to 9 x 24 pin devices in complete safety, in about 40 minutes (less for less chips).

- Features include
- Chip drawer has conductive foam pad
- Mains powered
- High UV intensity at chip surface ensures EPROMs are thoroughly erased
- Engineered to prevent UV exposure
- Dimensions 217 x 80 x 68mm

WITHOUT TIMER  
Cat. X14950 ..... Normally \$119  
Special, \$89

WITH BUILT-IN TIMER  
Cat. X14955 ..... \$139  
Special, \$119

### SAVE

IBM XT & AT COMPATIBLE KEYBOARD

- 100% IBM XT, AT compatible
- Low profile keyboard design
- Proper placement of shift keys with large key tops to suit professional typists
- 3 step height/angle adjustment
- Cherry brand TS-M00001 19mm low profile switches, meet 30mm ergonomic requirement and provides high performance and maximum reliability
- Curly lead plugs straight into PC/XT
- 3 Status displays
- Just like the "Real McCoy" only at a fraction of the price!

Cat. X12020 ..... only \$129



### IBM XT & AT COMPATIBLE KEYBOARD

These new keyboards are both XT and AT compatible!

- 20 Dedicated function keys
- Enlarged "Return" and "Shift" key
- Positive feel keys
- Low Profile Design, DIN standard
- Separate Numeric and Cursor control keypads
- Additional Functions
- Key-in-lock, Audio Beep, Previous Word, Next Word, Fast Repeat, Line Feed, Pause, Clear Screen, Reset

Cat. X12022 ..... WAS \$299  
SPECIAL, ONLY \$199

### APPLE II SERIES COMPATIBLE JOYSTICK

These joysticks have adaptor connectors to suit the Apple II, IIc, IIe and II+ computers. Features include selectable "spring centring" or "free floating". Electrical trim adjustments on both axis, 360° cursor control and dual fire buttons.

Cat. C14201 ..... only \$39.95

### JOYSTICK FOR IBM

Features Selectable "Spring centring" or "free floating". Electrical trim adjustments on both axis 360 degree cursor control

Cat. C14205 ..... \$39.95





### IBM® XT COMPATIBLE CARDS

**NEW! NEW! NEW! NEW!**  
20M/BYTE HARD DISK CARD  
XT compatible, simply plugs straight in to your computer!  
Cat. X18002 ..... \$1.95

**Colour Graphics Card**  
(Hercules compatible)  
Cat. X18003 ..... \$145

**Floppy Disk Drive Controller Card**  
(2 Drives, 16 Bit)  
Cat. X18005 ..... \$59

**Floppy Disk Drive Controller Card**  
(4 Drives, 16 Bit)  
Cat. X18006 ..... \$65

**High Resolution Mono Card**  
Cat. X18007 ..... \$199

**Colour Graphics & Printer Card**  
Cat. X18010 ..... \$149

**768KB RAM Card** (without memory)  
Cat. X18012 ..... \$89

**Printer Card**  
Cat. X18017 ..... \$34.95

**Game I/O Card**  
Cat. X18019 ..... \$37.95

**XT Motherboard** (without memory)  
Cat. X18020 ..... \$225

**Clock Card**  
Cat. X18024 ..... \$57.50

**RS232 Card** (without cable)  
Cat. X18026 ..... \$52.50

**RS232 & Clock Card**  
Cat. X18028 ..... \$95

**XT Turbo Motherboard**  
(without memory)  
Cat. X18030 ..... \$275

**Multi I/O & Disk Controller Card**  
Cat. X18040 ..... \$169

**I/O Plus Card**  
Cat. X18045 ..... \$129

**768K Multifunction I/O Card**  
(includes cable but not 41256 RAM)  
Cat. X18050 ..... \$199

**Hard Disk Controller Card**  
Cat. X18060 ..... \$195

**Enhanced Graphics Adaptor Card**  
256K RAM on board  
Cat. X18070 ..... \$295

**64K Printer Buffer Card**  
Cat. X18077 ..... \$139

### (AT COMPATIBLE)

**Enhanced Graphics Adaptor Card**  
(Award Bios)  
Cat. X ..... \$495



### APPLE® COMPATIBLE CARDS

**PRINTER CARD**  
Cat. X17029 ..... \$89

**DRIVE CARD**  
Cat. X17019 ..... \$79

**80 COLUMN CARD**  
Cat. X17025 ..... \$85

**SUPER SERIAL CARD**  
Cat. X17035 ..... \$119

**RGB CARD**  
Cat. X17039 ..... \$79

**PAL COLOUR CARD**  
Cat. X17027 ..... \$95

**Z80 C/M CARD**  
Cat. X17041 ..... \$59

### APPLE® IIe COMPATIBLE CARDS

**80 COLUMN/64K CARD**  
Cat. X ..... \$69

**64K/128K CARD**  
Cat. X ..... \$69



### ANTI GLARE SCREEN

At the price of a cat! Relieve eye strain and headaches and increase productivity with these Anti Glare Screens. Suitable for 12" monochrome and colour monitors.  
Cat. X99995 ..... \$24.95




### NEC DISK DRIVES

**3 1/2" DISK DRIVE**  
● 1 M/Byte unformatted, (640K formatted).  
● Double sided, double density.  
● Access Time 3m/sec  
Cat. C11902 ..... \$265

**5 1/4" SLIMLINE**  
● Switchable 1.6 M/Byte to 1 M/Byte unformatted.  
● 1.2 M/Byte to 720K formatted.  
● Double sided, double density.  
● AT compatible  
Cat. C11906 ..... \$295

**8" SLIMLINE**  
● Double sided, double density.  
● 1.6 M/Byte unformatted.  
Cat. C11908 ..... \$795



### SAMSUNG TTL MONITOR

A quality 12" TTL monitor, with a high contrast, non-glare screen at a very reasonable price!

**SPECIFICATIONS:**  
CRT: 12" diagonal 90° deflection, non-glare screen.

**Active Display Area:**  
216(H) x 160(V)mm  
**Display Characters:** 2,000 (80 characters x 25 lines)

**Scanning Frequency:**  
Horizontal: 18.432 ± 0.1KHz  
Vertical: 50 Hz ± 0.5%

**Description Cat.No. 1-9 10+**  
**Green X14517 ..... \$189 \$179**  
**Amber X14518 ..... \$189 \$179**



### SAKATA 13" RGB COLOUR MONITOR


High quality IBM® compatible monitors, great with VCR's too!

**SPECIFICATIONS:**  
CRT: 13", 90° deflection colour  
**Input Signal:**  
Video Signal: Separate video signal  
Video Positive  
Sync: Positive  
Input Level: TTL Level

**Scanning Frequency:**  
Horizontal: 15.7KHz  
Vertical: 50Hz

**Display Size:** 245(H) x 182(V)mm  
**Resolution:**  
Horizontal: 640 dots  
Vertical: 200 lines

Cat. X14530 ..... \$695



### INTRA 14" RGB HIGH RESOLUTION COLOUR MONITOR

Compatible with IBM® and compatibles, and EGA Cards.

**Why pay more?**  
**Resolution:** 640 x 350 dots  
**Dot pitch:** .31mm  
**Display Format:** 80 x 25 characters  
Cat. X14514 ..... Normally \$1,295  
**Our price \$995**

### INTRA 14" RGB COLOUR MONITOR

**Resolution:** 640 x 200 dots  
**Display Format:** 80 x 25 characters  
**Display Colours:** 16  
**Dot pitch:** .39mm

**Sync Horiz. Scan Freq:** 15.75 KHz  
**Sync Vert. Scan Freq:** 50Hz  
**Band Width:** 18MHz  
Cat. X14520 ..... \$695



### RITRON 2 MONITORS

Stylish 20MHz, non-glare 12 inch monitors available in green or amber displays and featuring swivel base that tilts forward and back and swivels right to left!

Green Cat. X14506 ..... Normally \$235  
Amber Cat. X14508 ..... Normally \$239  
**SPECIAL, ONLY \$199**

# RED HOT BARGAINS!



### IBM® COMPATIBLE DISK DRIVES

Tired of paying out more for Japanese Disk Drives? These "direct import" Hong Kong disk drives are the solution! They feature Japanese mechanical components, yet cost only a fraction of the price!

**Cat.No. Description Price**  
C11801 500K ..... Normally \$199


**SPECIAL, ONLY \$179**  
C11805 1.6 M/Byte ..... \$259



### PAPER TAMER

● Restores order to the top of your desk or work area.  
● Made of white plastic coated steel.  
● Stores up to 900 continuous sheets.  
● Allows perfect paper feed.  
● Allows easy examination of print out.


C21050 (10") ..... only \$49.95  
C21050 (15") ..... only \$79.95  
(Printer and paper not included)



### CANON A-40 PRINTER

● Serial Impact Dot Matrix  
● 140 C.P.S.  
● Near Letter Quality Mode  
● 1.4K Buffer

Cat. C20040 ..... \$595



### INSIDE THE IBM PC (Revised and expanded edition)

**Peter Norton**  
The widely acclaimed guide to the IBM PC's inner workings. The latest edition now covers every model of the IBM micro: PC, XT and AT, and every version of DOS from 1.1 to 3.0

B20080 ..... \$44.95



### SENDATA DIRECT CONNECT MODEM

● CCITT V21 300 baud full duplex  
● CCITT V23 1200/75  
● Bell 103 300 Full duplex  
● Bell 202 1200 Half duplex

● Auto answer, auto disconnect  
● LED display for Power, TX, RX, CD  
● AC power adaptor included

● DB25 pin connector  
● Telecom Approval N° C83/37/1045  
Cat. X19120 ..... \$295

(SOFTWARE FOR VIATEL ..... \$95)



### Rod Irving Electronics

46 A Beckett St, MELBOURNE  
Phone (03) 663 6151

425 High St, NORTHCOLE  
Phone (03) 489 8866

Mail Order and Correspondence:  
P.O. Box 620, CLAYTON 3168

Telex: AA 151938



### MAIL ORDER HOTLINE 008 335757 (TOLL FREE)

(STRICTLY ORDERS ONLY)

### LOCAL ORDERS & INQUIRIES (03) 543 7877

POSTAGE RATES:		
\$1	\$9.99	\$2.00
\$10	\$24.99	\$3.00
\$25	\$49.99	\$4.00
\$50	\$99.99	\$5.00
\$100	\$199.99	\$7.50
\$200	\$499.99	\$10.00
\$500 plus		\$12.50

The above postage rates are for basic postage only. Road Freight, bulky and fragile items will be charged at different rates.

All sales tax exempt orders and wholesale inquiries to:  
RITRONICS WHOLESALE,  
56 Renner Rd, Clayton,  
Ph. (03) 543 2166 (3 lines)

Errors and omissions excepted

\*Apple and IBM are registered trade names



### PRINTER RIBBONS

CP80, BX80, DP80, BX100, MB100  
**ALL A CRAZY LOW \$9.95**



### PRINTER LEAD FOR IBM®

● Suits IBM® PC XT and compatibles  
● 25 pin "D" plug (computer end)  
to Centronics 36 pin plug


Cat. P19029 1.8 metres ..... \$17.95  
Cat. P19030 3 metres ..... \$22.95



### PASCAL PRIMER

**Mitchell Waite, David Fox**  
If you are learning programming or have dabbled in the popular language BASIC and wish to learn the capabilities of Pascal, this book is definitely written for you. Written and illustrated with a touch of humour, the informative text describes Pascal program structure, Pascal variables, Pascal procedures, and many other features. There are chapters on decision making statements, numeric functions, string functions, arrays and sets, and much more. The eight appendices present facts about the advantages and disadvantages of Pascal, components of a Pascal system, interfacing assembly language routines, and other useful information.


Cat. B ..... \$24.95



### SUPER 5 EP-1201 DOT MATRIX PRINTER

● 120 C.P.S.  
● Pica or Elite character set  
● Print Modes: NLQ, Dot Graphics, Proportional Font, Draft.  
● Proportional Printing  
● Reliable and Compact  
● Proportional Printing  
● Logic Seeking  
● 1K Printer Buffer

Cat. C20035 ..... only \$595



### COMPUTER PAPER

Quality paper at a low price! 2,000 sheets of 70 gsm bond paper.  
Cat. C21003 11 x 9 1/2" ..... \$39.95  
Cat. C21005 15 x 11" ..... \$67.95



*Invest in  
these...*



*...and get a  
free scanner  
worth \$3,950!*

## **How would you like a free scanner with your new desktop publishing package!**

Now's the time to invest in an Apple Macintosh desktop publishing package from Rob's Computer Centre.

Just present this advertisement at the time of purchase and we'll give you a Canon Scanner worth \$3,950 for absolutely nothing!

A scanner is a must for the serious desktop publisher.

Use it to scan logos, bromides, and illustrations for

inclusion in your artwork.

Your new desktop publishing package contains everything you need and is pure state-of-the-art hardware and software.

It contains a Macintosh SE with internal 20 meg hard disk, LaserWriter Plus, Adobe Illustrator, Express or Pagemaker layout software, and of course your free Canon scanner. All for

\$18,577 Tax Exempt or  
\$20,999 inc. Tax.

So don't miss out. Call us now on (03) 794 8990 for more information, or details on other configurations.

**Rob's**

**Rob's Computer Centre**

Cnr Thomas & Scott Sts, Dandenong, 3175  
Phone (03) 794 8990





***This is your chance to air your views — send your letters or contact us via Microtex on Telecom's Viatel, page 666. The address to write to us is Australian Personal Computer, 124 Castlereagh Street, Sydney 2000.***

## Benchmarks with Ability

I was interested in Mike Liar-det's article on the Silk spreadsheet in the June issue of *APC*, and particularly in his Benchmark test.

Since we recently purchased the Ability program and a 640k twin disk Amstrad PC, it seemed like an interesting exercise to try out the spreadsheet Benchmark test on this combination.

We found that Ability would load up to 830 rows

of the 13-column test, and recalculation from A1 = 1 to A1 = 1.5 took 73 seconds without the benefit of a maths coprocessor.

At this level of loading, the screen said '6 per cent Free' and started at '96 per cent Free'. The 6 per cent seems to be reserved as we could not cram any more in. SideKick will also reside quite happily with Ability, but reduces free memory such that only about 729 rows of the test could be accommodated.

Further, we have a spreadsheet which demonstrates

the goal-seeking ability of Ability, and since it is a program that calculates Great Circle distance and Bearing of any two global locations, it makes a refreshing change from the financial and actuarial applications usually cited.

Since Ability seems unable to list cell values or formulae in a single column as does, say, SuperCalc, I have had to arrange the layout solely in column A, to list it. However, since all the cells are named, and Ability has good cell-moving commands, it is easy to arrange the finished form in a more compact way.

The goal-seeking, although not very useful here, shows the use of a macro to start off the calculation and arrive at a goal entered in cell 'Target'.

**M Barge**

*Okay readers — get typing.*

## Driving the point home

Nick Walker, in his review of the Compaq Portable III (*APC* June), seems rather confused about the problems of compatibility between 360k and 1.2Mbyte disks. He states: 'Even disks that were formatted on the straight PC clone were sometimes unreadable after files had been added by the Compaq.' This is hardly surprising since this is the worst possible thing to do!

The salient difference between the formats is that 1.2Mbyte disks have a track 'pitch' half that of 360k disks. When a high-density drive is used to format or write a 360k disk, the head is stepped two tracks at a

time so that only the even numbered tracks are used. This will produce a 'compatible' disk as long as the gaps between the tracks (corresponding to the odd numbered tracks of a 1.2Mbyte disk) are not recorded. If any signals are present in these gaps, they will be picked up by the (wider) heads of a 360k drive and interfere with the wanted signal.

To produce a disk that can be reliably read by a 360k drive, you should start with an unrecorded disk (either new or bulk-erased), format it on the high-density drive (in 360k mode) then write the data. In this way you ensure that the gaps between the tracks are free from interfering signals. Subsequent writing to the disk with a 360k drive is, of course, acceptable but you should not write to it with a high density thereafter.

**Richard Russell**

*Thanks for the advice. However, no method is 100 per cent reliable.*

## If it's a question of style . . .


I was intrigued by your review of various 'style checkers' in the June issue ('Putting on the style'). While I find word processing and spell-checking to be invaluable aids to written work, I view this latest computerised incursion into the literary domain with some trepidation, and was relieved that your reviewer, Jonathan Green, concurred with me.

The concept of 'style-checking' seems fundamentally flawed. Style is such a

```
*ABILITY formulae, Great Circle Distance and Bearing. By M.R.Barge.
*N&E +ve:SEW -ve: Enter DDD.MMSSSS
*North:East:Start:End.
dna=51.5
dee=8.5
dne=38
de=adder
*Distance, Kms. Rem. change 111.12 to 68 for NML. or to 66.66 for SML.
distance=atemp/100/PI/180
*Bearing, Decimal Degrees.
bearing=IF((dee-dee(0)),tang2,tang1)
*REM F1 MACRO for Iteration= /F3gcopy/ent@/entcopy=adderent/F2orutest/ent
copy=adder
test=IF(d(distance)=target,0,1)
adder=copy+1
target=1922
temp1=MOD(dna,1)8100
den1=(INT(dna)+INT(temp1/60)+MOD(temp1,1)/36)*PI()/180
dtemp=(SIN(den1)*SIN(den2))+COS(den1)*COS(den2)*COS(dee2-dee1)
temp2=MOD(dee,1)8100
de1=(INT(dee)+INT(temp2/60)+MOD(temp2,1)/36)*PI()/180
atemp=ACOS(dtemp)
temp3=MOD(dne,1)8100
den2=(INT(dne)+INT(temp3/60)+MOD(temp3,1)/36)*PI()/180
tang1=ACOS((SIN(den2)-SIN(den1)*COS(atemp))/SIN(atemp)/COS(den1))8100/PI()
temp4=MOD(dee,1)8100
dee2=(INT(dee)+INT(temp4/60)+MOD(temp4,1)/36)*PI()/180
tang2=360-tang1
ABILITY values Great Circle Distance and Bearing. By M.R.Barge.
N&E +ve:SEW -ve: Enter DDD.MMSSSS
North:East:Start:End.
51.5
8.5
38
32
Distance, Kms. Rem. change 111.12 to 68 for NML. or to 66.66 for SML.
1,953.92
Bearing, Decimal Degrees.
119.27
REM F1 MACRO for Iteration= /F3gcopy/ent@/entcopy=adderent/F2orutest/ent
31
0
<CIRC>
1922
38
8.08
8.04
38
8.01
8.57
0
8.52
119.27
8
8.56
248.73
```

*A spreadsheet showing Ability's goal-seeking ability*





# Trade up to the new Mac SE for only \$2,595!\*

The new generation Macs have arrived, and the changes are more than cosmetic.

The new Macintosh SE is so fast that even the Mac Plus looks slow in comparison.

Other features on the Mac SE include:

- Twin internal 800K floppy disk drives
- Optional internal 20meg hard disk drive
- 1 Meg of RAM, expandable to 4 Meg
- 256K ROM. Twice that of the Mac Plus for improved system performance

\*with approved trade-in

● Expansion slot allows you to customize with products such as accelerator or MS DOS coprocessor cards.

● Choice of two new larger keyboards

● Seven built-in ports that support Appletalk; up to seven high-speed SCSI peripherals; and up to 16 Apple Desktop Bus Devices.

Apple doesn't have a trade-in policy but we do.

We'll find a caring new home for your old Mac and give you a new Mac SE in return.

Check the following table for your changeover investment:

Trade-in your old Mac ...	Get a new ...	
	Mac SE Twin Floppies	Mac SE 20 Meg H/Disk
Plus	\$2,595	\$3,950
512K/800	\$2,895	\$4,395
512K	\$3,150	\$4,650
512K(Up/g)	\$3,250	\$4,750
128K	\$3,495	\$4,980

**Phone now for more information**  
Give us a call now on (03) 794 8990.  
Your new SE is eagerly awaiting.



**Robs Computer Centre**

Cnr Thomas & Scott Sts, Dandenong, 3175  
Phone (03) 794 8990

AdShop/Rob 215



## LETTERS

complex and personal issue that, to my mind, no computer program can be capable of any but the crudest analysis. The FOG index is Okay as far as it goes, but surely the only adequate test of readability is the reaction of a human reader. The computer's total lack of any real comprehension of a written work relegates 'style-checking' to nothing more than clever word-counting: this is not what style is about at all. While the use of one of these programs may improve readability to a certain extent, I believe it will actually inhibit the growth of an author's genuine style. For this reason, unlike your writer, I find the whole idea objectionable.

Furthermore, because people tend to believe that if a computer tells them something, it must be true, these programs could well cause

grammatical errors among those not totally confident with their English. Even your reviewer falls into this trap; the piece tested on page 98 contains two instances of a punctuation mark appearing after an inverted comma. This is correct in both cases as only a fragment of a sentence is quoted each time. Only if a whole sentence, or at least a clearly marked clause, is within quotes should the punctuation be placed before the closing quotation mark. The computer, in robotic fashion, marks both of these occurrences as 'wrong'; your writer, at least in the first case, appears to agree with it. I can well imagine some inexperienced students I have known reinforcing their poor grasp of English with these programs — religiously 'correcting' their 'errors' because the computer told them to. This makes these

AUSTRALIA'S LOWEST PRICED DISK DRIVES  
WHERE CAN YOU *BUY*  
A 5.25"  
DISK DRIVE FOR \$85.00 ??

**MPi MODEL 5.25"** **\$85.00**  
MICRO PERIPHERALS INC. Floppy Disk Drives fully reconditioned 60 days warranty will fit most P.C.'s and home computers.

**PRECISION™**

**FLEXIBLE DISKS** Manufactured by Xidex®

■ Floppy Diskettes 5.25" \$19.90 per box of 10  
■ Floppy Diskettes 3.5" \$52.50 per box of 10

■ Nashua ■ Xidex ■ quality magnetic media at the lowest price in the country, diskettes DSDD fully boxed by Xidex and Nashua 100% error free.

**Nashua®** Professional Magnetic Media

CALL US ON (02) 662 4884

**MDS** PTY. LTD. Incorporated in N.S.W.  
MAGNETIC DATA STORAGE  
59a Boronia Street, Kensington, N.S.W. 2033 Australia  
Tel: National: (02) 662 4884 Fax: 662 1339 Telex: AA121822 (SY2567)

**NEW!**

**2 MEGABYTE MODEL  
AVAILABLE SOON!**

## THE 3.5" CONNECTION!

This internal 720K 3.5" disk drive is a "drop-in" replacement for 5.25" drives! It's the ideal solution for exchanging data between your PC/XT/AT and the new generation of laptops. Disk format is compatible with IBM, Toshiba and Zenith portables. The Model 850W drive kit contains everything you need, including interface adapters, premium SONY drive, and complete documentation. Uses your existing disk controller (no additional slots required). Requires DOS 3.2 for maximum performance. Ask about our special prices on SONY DISKS!

**ICT INTERNATIONAL COMPUTING TECHNOLOGIES**

SUITE 2  
LEVEL 8  
HARLEY PLACE  
BONDI JUNCTION 2022

**\$450**

**FOR ORDERS: (02) 387 8033**

**Run Your  
Software  
2 to 10 times  
faster!**

*No Additional Hardware (Cards or Chips)  
Required*


**INTRODUCING POLYBOOST**

**Faster & Enhanced Keyboard Boost Display Speed**  
**Boost Disk Speed**

For the IBM PC,  
XT, AT & Compatibles

Not Copy-  
Protected

Requires  
DOS 2.0  
or higher



**60 Day  
Money Back  
Guarantee**

**\$179.00**  
INC. TAX

**ICT**  
**(02) 387 8033**  
VISA/BANKCARD  
ORDERS



programs downright dangerous, even in education where the fact that they really operate only on grammar is not necessarily a limitation.

Unless we wish our language to degenerate into nothing but tedious pap with miniscule, one-clause sentences containing nothing but two-syllable words, I believe we should leave these 'style checkers' well alone.

My style checkers are invariably human; I think their opinions are infinitely more perceptive and valuable than any mechanical analysis.

**James Fryer**

## ... the human touch is best

Coincidentally, I read your

review of style checkers ('Putting on the style', APC June) just as I finished a review of Grammatik for my user group. I have been using this program for some three years.

Perhaps Jonathan Green is already an accomplished writer. I found that he has missed the point as, in referring to style checkers, he suggests that they picked up silly or not very useful points. This is because he used the dictionary with which they came. But the directory of Grammatik (the only one of which I have experience) is capable of being tailored to any use, particularly the needs of the user. Unlike spelling, style is a matter of taste, and if I choose to include particular points such as 'vague adverbs', it is because I am

having a blitz in getting rid of 'very's' and 'rather's' which add precisely nothing to my meaning.

He is wrong in that individual error types can be included or omitted at will; and the range of categories, including user-defined types, can be created to suit individual needs. Equally, displaying to the screen and waiting for Return to be pressed on errors, are fully user-definable through the configuration screen — or better still, in the configuration file.

The other error of fact is that, contrary to Mr Green's statement that Grammatik picks up only single words, it *will* pick up phrases in which every word is spelt correctly, but which is otherwise wrong. A simple example would be 'can not' in

place of 'cannot', and more complex phrases like 'under the circumstances' can be detected and reported.

APC is usually excellent in its use of English, but even *you* sometimes include an 'it's' when you mean 'its'. Grammatik would at least alert the author to this common error.

In short, people working on their style, like me, can benefit from these 'style checkers'. The reports, however limited, make us think how we could write more clearly; and, by including good advice, keep us improving!

**Michael J Davis**

*Our production editor is insistent that 'it's' and 'its' are always used correctly in APC. Ed)*

END



## FEATURES

- ERGONOMIC DESIGN
- ERGO1 ARM PROUDLY AUSTRALIAN DESIGNED & MANUFACTURED.
- EASILY ADJUSTABLE
- CLEAR DESK TOP WORK AREA
- CABLING CONCEALED INTERNALLY

## Office Ecstasy Package includes

1. Fully Adjustable Ergo1 Ergonomic Arm **\$240** (\$288 inc S/T)
2. Premium Quality High Res Monochrome Monitor **\$200** (\$240 inc S/T)
3. Soft Touch Non Tactile AT Style Keyboard **\$200** (\$240 inc S/T)

## CALL FOR DEMONSTRATION/PRICES ON

- Quality PC XT AT compatibles
- Novell and Transnet networks
- Computer training

We also offer our established on road service back up covering Melb, Syd, Adelaide and Brisbane.

- SOFTWARE SELL OUT ON DESK TOP PUBLISHING

Please phone or write for catalog/brochures on our products

**MICROFUSION**  
COMPUTERS

OFFICE ECSTASY PACKAGE BY **MICROFUSION COMPUTERS**

7 FREIGHT RD TULLAMARINE 3043

PH: (03) 330 1944 FAX (03) 3303939

SYDNEY OFFICE (02) 519 5120 ADELAIDE OFFICE (08) 234 0004

ERRORS AND OMISSIONS EXCEPTED

IBM IS A REGISTERED TRADE NAME



# ATTENTION LOTUS USERS

## we have the BEST

## news for YOU

INTRODUCING OUR EXCITING RANGE OF LOTUS ENHANCEMENTS

### ABOVEDISC

Get 8 megabytes of RAM on your hard disc. Now you can use those large spreadsheets without splitting them.

**NOW \$199**

### SIDEWAYS

Print that large spreadsheet sideways down your computer paper. Don't alter your spreadsheet to fit the paper, make the paper fit it.

**ONLY \$127**

### INWORD

The sophisticated word processing package that fits inside Lotus 1-2-3. Now you can have those figures merged with the facts.

**\$166**

### NOTEWORTHY

Let's face it, some of your spreadsheets can be pretty complex, and to help your remember how your formulae and assumptions interrelate you need Noteworthy.

**\$150**

### SQUEEZE

those large spreadsheets down to a respectable size. You can save up to 90% of your hard disc space introducing ARC, the world's most popular data compression software.

**ONLY \$99**

All Prices Exclude Sales Tax

**YES!** I want to save thousands and experience the true power of Lotus

PLEASE! BEFORE I FORGET, SEND ME COPIES OF

☐ ABOVEDISC ☐ SIDEWAYS ☐ INWORD ☐ NOTEWORTHY ☐ SQUEEZE

I ENCLOSE A CHEQUE OR PLEASE DEBIT MY

VISA ..... B'CARD ..... EXP. DATE .....

NAME .....

ADDRESS .....

COMPANY .....

SIGNATURE ..... PLEASE ADD  
\$10 FOR DELIVERY

# ICT

## INTERNATIONAL COMPUTING TECHNOLOGIES

SUITE 2, LEVEL 8, 251 OXFORD STREET, BONDI JUNCTION, NSW. PH: (02) 387 8033





# MindWrite

***MindWrite offers the Mac user comprehensive word processing facilities with built-in outlining features. But unless the company finds a distributor, MindWrite's chances of success here look slim. Goef Wheelwright looks at the facts.***

Few new major high-end word processing applications are being released these days without an outlining facility. Thus Microsoft incorporated an outlining function into its Word 3.0 word processor update for the IBM PC, and Lotus announced and delivered an outlining 'add-in' application for its PC Symphony integrated package.

That trend is being reflected in the Macintosh software market with the recent release of MindWork Software's sub-\$200 MindWrite — a word processor with built-in outlining features. The fact that MindWrite is — as the California-based company boasts in its product literature — a 'power word processor with integrated outlining' has to be a big bonus for all Mac users, who have waited with some anticipation for an outlining system that was not missing a lot of the formatting and text manipulation features which they had grown used to on 'proper' word processors.

MindWrite's integrated outlining can be used in a number of different ways — but is unobtrusive enough not to force itself on you. Documents can contain different sorts of items: paragraphs, pictures, page breaks, and rulers that set the format. These items are thus independent objects, so you can select them and drag them with the mouse. You can also position them at different levels to give your document outline structure.

A level is 'a position in an outline hierarchy'. You place items at varying

## Features

Here are some of MindWrite's goodies:

- File conversion facilities to read and write in MacWrite, ThinkTank and ASCII formats.
- A word count facility that gives you word count by either counting the spaces between words or by dividing the total number of words by a factor you set.
- A table of contents system tied into the outlining facility.
- Multiple document-handling — limited only by memory and the amount you can get onscreen at any one time.
- Picture and text integration — although only of the limited MacWrite type. You cannot, for example, conduct the same kind of side-by-side picture/text mixing as operates in Microsoft Works. A picture area is a picture area and no text can be placed beside it — only above it and below.
- A 'marking' facility which allows you to set aside certain recently edited parts of a long document for immediate editing or manipulation — thus cutting out the long business of finding your way around the document.

levels to indicate subordinate and superior relationships between them. Items at level one, the outline's highest level, appear at the left margin, and MindWrite automatically indents items you position at deeper levels.

This, however, is not an entirely intuitive process. When you have finished working on the contents of a given item and press the RETURN key, the next item appears at the same level unless you subsequently highlight it and use an OPTION-R to make it a subordinate (moving it one tab setting to the right) or an OPTION-L to make it a superior heading (moving it up one level to the left).

Any MindWrite item can be placed at any level, although I found one important exception. This relates to the first paragraph, which I kept trying to move to the right, with no particular success.


## Help

The 'Help' system is actually configured as a MindWrite document itself so that you can size it as well as have it available while working on another document. The fact that it comprises 'levels within levels' of information, however, might come as something of a shock when you first access the Help system.

All you see is a black diamond (the MindWrite symbol for a 'top-level' document with information hidden beneath it) at the left of the MindWrite Help document. Double-clicking to the left of




# As of now, there's no



**New SQ-2500. Only \$1820, Save \$767!**

Large 136 col; superquick 540 cps;  
24 nozzle ink-jet dot matrix; 5 fonts; noise free.



**LQ-1000. Only \$1125, Save \$416!**

Large 136 col; fast 180 cps; Roman  
font; 24 pin dot matrix.


# to save yourself



**FX-1000. Only \$870, Save \$337!**

Large 136 column; fast 240 cps; 9-pin dot  
matrix.

# money



# on an

**LX-800. Only \$480, Save \$197!**

80 col; 180 cps; two fonts; 9 pin dot matrix.

# Epson printer!

**Don't miss out. Phone now.**

We're celebrating our new Epson dealership  
with some fantastic offers, but stocks are limited.

So don't miss out. Phone us now on  
(03) 794 8990 for more information.



A stylized red logo for Robs Computer Centre, featuring the word 'robs' in a bold, rounded, lowercase font with a dotted pattern.

**Robs Computer Centre**

Cnr Thomas & Scott Sts, Dandenong, 3175  
Phone (03) 794 8990

AdShop/Rob 248





*MindWrite is essentially a wordprocessor with outlining features, rather than the other way round. To look at the detail on any of the above topics, you double-click on them using the pointing finger icon*

*MindWrite is very flexible. This flexibility extends from standard outlining facilities to the kind of detailed, statistical analysis of documents shown here. Note the Word Count features — unusual in Mac applications*

this diamond reveals a series of MindWrite 'levels', each with information on a different aspect of using the system. And, unlike some other Help systems, the on-line MindWrite help system can be resized and does not need to take up the full screen. And, as it is a MindWrite document, it actually uses the MindWrite outlining facility to allow you to move around it. In fact, it's a good way of learning how to use the outlining part of the software.

The one limitation to developing the Help system in this way, however, is that in the very early stages of using MindWrite you may not know the software well enough to move around the software which is supposed to tell you how it is used!

## Editing

It is fair to say that Apple set a pretty high standard for the operation of any Mac-based word processor with the original development of MacWrite, such that anything which followed had to start from a good base. With that in mind, I found it no surprise to see all the regular cut, paste, save (and save as), font and style settings in this application — indeed, it would have been disappointing if any had been missing.

To this 'standard' list, MindWork has added some interesting extras — some to handle the outlining process and others just to improve the overall use of the package. These facilities include:

- **Delete file** This is the second Mac package I have seen recently which incorporates a delete function. I can only

applaud this trend, as it means that you can free disk space (particularly important when running MindWrite on a twin-drive Mac with no hard disk) and tidy up your files without having to either use the Switcher or quit your program to go back to the Desktop.

- **Just Print** The Mac is a very fastidious machine which constantly asks you to set parameters to confirm things — particularly when printing. The standard Print command on a Mac W/P package means that you have to fill out a little box detailing your preferences before printing can begin. The addition of a 'Just Print' now means that you can go directly to printing with default settings.

- **Preferences** This is another 'fine-tuning' command that allows you to decide just exactly how you want MindWrite to look and act when you open or create a document. Not only does it allow the setting-up of basic parameters for dealing with the outlining function (that is: with the Preferences menu, you can set new documents to be opened in either straight 'word processing' mode or as the start of an outline), but also allows control of the data formats in which documents will be loaded or saved. In recognition of the pre-eminence of ThinkTank, you can set the system to open documents in ThinkTank format, text format or MindWrite format. MindWrite will also recognise MacWrite document formats.

- **Launch** Another feature which more applications should employ. Launch merely allows you to quit MindWrite and run another application — without the

need for returning to the Desktop. While it's not a major feature, it does make things a little faster if, for example, you are in the habit of moving between your word processor and communications package.

- **Go To Page** A command like this should be in every Mac word processor. Being able to move directly from one page to another — without having to go through the scrolling and approximations (not to mention the waiting time) of using the scroll bar — is a real plus.

- **Mark** Using the Mark command, you can get the system to 'mark' all the changes that have been made since the last save. Thus if you gave someone a MindWrite document on disk to edit, you would be able to immediately scroll through all the changed sections when you got the disk back.

- **Table of Contents** This feature again should make MindWrite suitable for long documents. Provided you use the outlining facility built into MindWrite, the Table of Contents command can be used to construct an immediate title page. Although this is done relatively simply by creating a new file which just lists — in order — all the marked headings in the outline, the ability to construct a table of contents is still quite useful.

## Rulers and formatting

Like most Mac word processors, MindWrite gets its formatting information from a 'ruler' — normally at the top of the document. In common with other Mac WP packages, however,





# As of now,

**Epson PC+. Only \$2,958, Save \$836!**  
20 Mb hard disk, twin floppy disk drives, 640K RAM,  
keyboard, colour/mono interface, 5 slots, two CPU speeds,  
keyboard, MS-DOS 3.1 and GW Basic software.

# there's no better



**Epson PC. Only \$1,436, Save \$405!**  
Complete with disk drive, keyboard, desk stand,  
512K RAM, MS DOS 2.11 & GW Basic software.

# place to save



# yourself money

**Epson PC AX. Only \$3,611, Save \$1,020!**  
Epsons AT compatible, 20 Mb hard disk, 640K RAM,  
1.2 Mb floppy, 9 slots, serial and parallel ports, 3 CPU speeds  
(Up to 10Mhz!), MS DOS 3.2 and GW Basic software.

# on an Epson PC!

**Don't miss out. Phone now.**

We're celebrating our new Epson dealership  
with some fantastic offers, but stocks are limited.

So don't miss out. Phone us now on  
(03) 794 8990 for more information.

**robs**  
**Robs Computer Centre**

Cnr Thomas & Scott Sts, Dandenong, 3175  
Phone (03) 794 8990

AdShop/Rob 222



MindWrite also allows for the use of multiple rulers so that documents may use a variety of line spacing, margin and justification options in a single document.

This issue is slightly complicated in MindWrite, however, by the outlining facility — where you have to remember when setting a ruler that there will be text within a given level that is going to be affected by that new ruler.

The ruler at the top of a new document has a preset format that cannot be changed. There are two other types of rulers which can be inserted in documents. A ruler labelled with a diamond governs the format of headings and any body text not governed by a body ruler. A ruler labelled with a paragraph symbol governs the format of body text.

A ruler is sensitive to the level at which it is inserted and sets the format only for its own and deeper levels — a subordinate ruler does not influence format at higher levels, even when text at those levels follows the subordinate ruler in the document.

Despite this seeming complexity, it is quite easy to use the formatting options from the MindWrite ruler. The same is true of the arrangement for headers and footers — which are each defined using a window that allows the insertion of a file name, dates, page numbers and even the time. While I personally didn't find this as simple as the inclusion of both header and footer options in a page set-up menu screen, it probably allows for greater flexibility.

MindWrite is also very WYSIWYG (What You See Is What You Get) as both headers and footers — along with

current line spacing — are actually shown in position in the document onscreen.

## Document control

In terms of cursor control and use of keyboard, MindWork has incorporated a lot of keyboard-based 'shortcuts' that save you having to pull down any menus (the most useful of which is OPTION-S for SAVE — as also used in Microsoft Works and some other new Mac applications). While a horizontal 'scroll bar' has not been used on the

*'if you have to order  
from the US by post,  
pay \$300 in US currency  
and then add tax, it  
works out a bit pricey'*

system, a few 'sizing' options have been added to the standard vertical scroll bar. Three icons at the bottom of the scroll bar allow you to size a window as half, quarter or full screen, in addition to the standard custom sizing control in the bottom right-hand corner. The sizing icons are handy when working on multiple documents, as they allow you to size multiple documents exactly so that they will all fit on the screen at the same time. The other nice feature of these sizing 'buttons' is that they also determine position.

Imagine, for example, that you have two documents on the screen at once,

but that the 'half-size' command has laid one document on top of the other. Rather than having to 'eyeball' the position of the document you want to move, MindWrite's positioning buttons will move it automatically in place.

## Outlining

Outlining is MindWrite's greatest claim to fame over the other standard word processors, and it has certainly achieved something worth boasting about. Outlines can easily be constructed — in much the same manner as on PC Outline or ThinkTank — and collapsed using the commands in the 'Arrange' menu. Bringing the formatting into the standard word processing format is also simple, with commands such as 'Convert to Paragraph' and 'Flatten all Hierarchies' which remove most of the physical evidence of your outline when you've finished the document.


## Documentation

The written documentation — in the form of a standard Mac-style soft cover book — is less heavy-going. It is divided via shaded 'tabs' along the side into sections that comprise a 'Welcome' section — largely for those who have never really used a word processor before; a 'Learning MindWrite' step-by-step guide — which includes a number of tutorials; a 'Using MindWrite' section — that concentrates on all the major word processing and outlining operations; and a 'MindWrite Reference' area which runs through all the basic MindWrite operations at the back of this slim manual.

Thus the manual seems to work reasonably well on three levels: addressing novice Mac users, first-time word processing users and experienced users of Mac word processors — all in the same package. This gets away from the rather tedious and intimidating volume of documentation that tends to come with much PC software and gives a nod to the Mac-born concept of 'self-documenting' software.


If I had any real criticism of the documentation, it would be the way the 'outlining' function and the actual writing functions are separated. While MindWrite spends a good deal of time boasting about just how integrated the application is (a view with which, by the way, I concur), it does not seem to treat the package that way in its documentation. There are sections on word processing and sections on outlin-

*You can heavily  
customise  
MindWrite for your  
own use. Here  
you see how  
everything from  
default file format  
to standard fonts  
are controlled by a  
'Preferences'  
menu. Note the  
choice offered in  
how heading  
markers (which  
punctuate the  
beginning of each  
MindWrite topic)  
are shown —  
either numerically  
or using indented  
diamond icons*





# Only Computers 2000 offers...



**Free 300<sub>dpi</sub> digitizer\***  
with your Macintosh desktop publishing system<sup>#</sup>

**Free Word & Excel\***  
with your Mac SE Hard Disk & Imagewriter II

**Free Pagemaker\***  
with your Mac SE Dual 800k Drives & Imagewriter II

*All of these popular packages are available now at Computers 2000, but if you have different requirements, let us help you write your own special deal. After 7 years designing and supplying Apple computer packages, we know our business well enough to be able to concentrate on yours.*

<sup>#</sup>Comprising Macintosh SE Hard Disk, Apple LaserPlus and Software

\*Offers available until August 31st



29 Ross Smith Avenue  
Frankston Vic. 3199  
Phone (03) 781 4244



Distributor, OEM, VAR Enquiries welcome  
**See us at COMDEX Australia**  
Aug 19-21 Booth No. 1600

## **EVA/480 APPLICATIONS:**

### **CAD/CAM/Graphics Presentation**

EVA/480 offers AutoCAD and Dr. Halo in EGA (640×350) and PGA (640×480) or 720×512 (higher resolutions on future EVA Adapters) with hardware window, hardware zoom and smooth panning in window. It more than pays for itself in your first project by just saving the engineer's design time.

### **Spreadsheet**

If you are satisfied with Lotus 1-2-3, it is because you have not used Tseng EVA/480. 132-column × 44 lines spreadsheet is just the beginning. With hardware window and smooth panning on EVA/480, EGA and Lotus 1-2-3 will be much more valuable! If you are a serious Lotus 1-2-3 user, you will be happier with EVA/480.

### **Mini/Mainframe Communication**

For serious computer user, PC-Mini/Mainframe communication application is a definite possibility. Tseng offers proven display adapter hardware and software supported by virtually all major PC - Mini/Mainframe data communication companies such as DCA (IRMA), CXI, Persoft and AST ... Tseng is the trusted display company for data communication.

### **Word Processing**

EVA/480 offers 60-lines or 132-column display for

*Also available:*

EVA/3505 — World's most powerful EGA card

V/P short — low cost Hercules 132 column

Ram VIEW — Hercules. 132 column. CGA. 2048 soft characters.

word processing package including Word Star, Word Perfect. The EVA/480 hardware window can be easily programmed to show secondary documents or user interface with smooth scroll to make learning and using word processing programs easier.

### **Window and Multitasking**

EVA/480 supports Microsoft Windows in 640×480. The EVA/480's window capability can also be used to display background processing information efficiently and reliably since hardware window requires minimal programming and no data transfer. With little software modification, future higher resolution EVA display adapters will accommodate 1024×1024 Microsoft Windows. EVA display adapters' EGA compatibility and growth path is what all display adapters should offer.

### **Desktop Publishing**

EVA/480 includes the popular Dr. Halo II package for graphics presentation and desktop publishing. Halo's DPE (optional) Desktop Publishing Editor software and interface with Aldus' PageMaker and Ventura's Ventura Publisher Edition will provide full graphics and text desktop publishing. The ET2000 has the most powerful EGA graphics (1280×1024 or beyond) and text capabilities to meet the needs of desktop publishing.



**TSENG INTERNATIONAL LTD.**

Rm. 7-2 No. 12, Lane 222, Tun Hwa N. Rd.,  
Taipei, Taiwan, R.O.C. Tel:(02)713-9974  
Telex:29609 TII TWN Fax:886-2-7121075

*Distributor/OEM/VAR  
enquiries invited*

Hercules, CGA, EGA, PGA, Multisync, Dr. Halo, M S Window, Lotus 123, WordStar, Word Perfect, Auto CAD are Registered trade marks.



# The New EGA Generation


**POWER:** Hardware Window, Hardware Zoom, Co-processor.....  
**RESOLUTION:** EGA (640 × 350), PGA (640 × 480) and 720 × 512.....  
**TEXT:** 80/132 Columns × 25/28/44/60 Lines  
**MULTISYNC:** NEC GB-1 MultiSync Display Adapter Compatible



1. MS Window 640 × 480



2. Guaranteed EGA Compatibility




4. 132 Column EGA



5. Dr. Halo Zoom Window in EGA or "480" Mode

Free Drivers  
 Auto CAD  
 M/S Windows  
 Lotus 1-2-3  
 Dr Halo II  
 (full package)

3. 80 × 60 Lotus Spreadsheet in "480" Mode



Available from:  
 NEC Home Electronics (Australia)  
 or Tseng's Authorized Distributors.

6. Hercules Compatible

**Eva™/480**

**MORE THAN JUST  
 HIGHER RESOLUTION!**

## ■ Extended EGA

EVA/480 is based on Tseng Labs' ET2000 VLSI Chips providing EGA (640 × 350) and PGA (640 × 480) or 720 × 512 resolutions. All resolutions maintain EGA compatibility to assure software availability.

## ■ MultiSync Compatible

EVA/480 is fully compatible with NEC's GB-1 MultiSync display adapter. It also supports NEC MultiSync monitors and compatibles.

## ■ Flexible Text

60 lines × 80 columns full page display or 132 columns × 25/28/44 lines display for Lotus 123, Word Perfect....

## ■ Hardware Window & Hardware Zoom

Zoom your screen 10 times faster with smooth panning! Hardware window and hardware zoom make your Auto CAD, Versacad, Drafix, Prodesign and Dr. Halo etc fly. EVA/480 is much more than just higher resolution!

## ■ Mini/Mainframe Connections

EVA/480 offers the most proven DEC, IBM terminal emulation capabilities with 132-column display supported by DCA (IRMA), CX1, Persoft, AST.....

## ■ Reliable Compatibility

EVA/480 offers reliable hardware emulation for CGA and Hercules (all modes are software switchable). It maintains the same reliability as you add math co-processor or RAM-resident programs. EVA/480 includes a co-processor for versatile emulation of old and future display specifications.

## ■ Best Technologies

EVA/480's VLSI custom chips, adapters, BIOS and standard utilities drivers are 100% designed in USA by Tseng Labs., a US public company since 1984. Our main customers have been corporate and military institutes that demand the best. Tseng, the leader in technology.





## MACBUREAU

### The desktop publishing experts

Now you can produce presentation-quality type and design your own layouts for laser or Linotronic 300 printing. Send your Mac, WP or IBM PC disk or use our typing, design and assembly services. You'll be delighted with the results and the cost savings.

Download and laser print from Mac disk from \$1 per A4 page

**MacBureau—the first and best in desktop publishing**



**(02) 94 5207**  
“...you've come to the right place”

## ABE

**COMPUTERS P/L**

24 Burwood Highway,  
Burwood, Vic. 3125

Ph. 03-2882144 or 03-2889067

### MODEM KIT \$95

300/300 - 1200/75 - 75/1200

Direct Connect, Answer/Originate.  
Single sided for easy Building

Built & Tested.....\$155.00

Complete with Phone.....\$240.00

### COMMUNICATION SOFTWARE

for.... Viatel, with Auto Log on.

PUBLIC DOMAIN

SOFTWARE.....\$10.00

## \$590

20 Meg SEGATE Hard  
Drive Including Sales Tax.

Full Range of PC add on cards.

PC - Compatible from.....\$1250.00

AT 12mhz from.....\$3475.00

386 18.7 Norton Utilities.

Performance Plus at .....\$8300.00.

Auto dial MODEM Kit .....\$145.00

Bankcard and Visa Welcome.

To: All Lotus/Symphony Users

## BOEING CALC

### The 3-D Power Spreadsheet

#### If you are:

- \* Running out of MEMORY
- \* Wanting more power than LOTUS or SYMPHONY spreadsheets
- \* Wanting to create larger consolidation models
- \* Not willing to leave the familiar LOTUS environment

Then BOEING CALC is for you! BOEING CALC was created specifically to meet the limitations of conventional spreadsheets.

#### FEATURES:

- \* Disk based (no memory problems — spreadsheet up to 32 Mb!!)
- \* 3-Dimensional (rows, cols, and pages)
- \* Existing LOTUS and SYMPHONY spreadsheets run without conversion
- \* Room to move (16,000 rows x 16,000 cols. x 16,000 pages)

#### AVAILABLE IN LAN VERSION

- \* Up to 32 simultaneous users
- \* Full cell range security

#### BOEING 3-D GRAPHICS

- \* Fully compatible with BOEING CALC, LOTUS and SYMPHONY
- \* Superb graphs and facilities

Evaluation systems for BOEING CALC and BOEING GRAPH are available.

## B M S

### THE MODELLING SPECIALISTS

83-87 WELLINGTON STREET,  
WINDSOR, VICTORIA, 3181

Telephone: (03) 51-1572

## SCREENTEST

ing, but some essential editing and integration questions — such as how to get round the problems of placing text and graphics side by side — are not really addressed.

### Pricing and support

Unfortunately, the price of MindWrite was on the rise at press time as MindWork Software sought to 'reposition' the product in the US market. It has been considered very much a word processor with an outlining function — rather than an outliner with good word processing functions.

At the \$US125 price it had been selling MindWrite, however, MindWork was finding that many professional writers, engineers, scientists and lawyers (at whom the system is primarily aimed) considered the product 'too cheap' to be worthy of merit. Thus MindWork will be selling a revised version of MindWrite which should be available by the time you read this — with improved screen updating (the version I tested is a little slow — with the onscreen display usually lagging a few characters behind what you have actually typed) and possibly a spell-check facility. Its suggested retail price will be \$US295.

The idea, according to the company's marketing director Susan Robb, is to change the market perception of the product from being a 'low-end word processor' to that of a 'high-end outliner', although that's just semantics as far as I can see.

### Conclusion

MindWrite is an innovative and worthwhile addition to the current range of Mac word processors and offers everything — with the possible exception of a spell-checker — that the average writer will need in a word processor. It's an excellent choice for anyone who needs the facilities of a good outlining program without losing the power of a top class word processor.

END

MindWorks can be contacted in the US on (408) 625 2720.

(While MindWrite is not officially distributed in Australia, a Sydney-based firm, Status Graph, is prepared to import the product on customers' behalf. Status Graph estimates the cost, landed here, for MindWrite would be around \$320. For more information telephone (02) 699 7662 — Ed.)



# \$1950

(INC S/TAX)  
\* 15 MONTHS  
WARRANTY



**DOS-TECH PC/XT TURBO  
EPSON LX800 PRINTER  
SAMSUNG COMPOSITE MONITOR  
(GREEN OR AMBER)  
WHITTY MOUSE + SOFTWARE  
20 QUALITY BLANK DISKS**

#### **DOS-TECH PC/XT TURBO**

- 640K RAM ON MOTHERBOARD
- 8088 PROCESSOR
- PROVISION FOR 8087-2 CO-PROCESSOR
- AT STYLE KEYBOARD
- 8 EXPANSION SLOTS
- 2 360K DOUBLE SIDED DISK DRIVES.
- CENTRONICS PARALLEL, SERIAL (second optional), GAMES PORTS
- REAL TIME CLOCK CALENDAR, BATTERY BACK-UP
- TURBO SWITCH BUTTON
- 150 WATT POWER SUPPLY
- RESET BUTTON
- KEYBOARD LOCK

**\* \$1195**

**\* BOOKS \* JOY STICKS \$45 \* WHITTY MOUSE + SOFTWARE \$100 PERIPHERAL CARDS \* MONITORS FUJITECH COLOUR \$565 SAKATA COLOUR \$620 SAMSUNG GREEN COMPOSITE \$195 SAMSUNG T.T.L \$195 SPEEDY COLOUR \$615 TVM MDT EGA (P.O.A) \* PRINTERS EPSON LX 800 \$595 SUPER 5EP 1201 \$580 \* KEYBOARDS: EXTENDED 100 KEY \$250 84 KEY XT/AT SWITCHABLE \$190 \*MODEMS (P.O.A) COMPUTERS PC/XT 4.77 MHZ PC/XT TURBO 4.77/10 DOS-TECH AT 6/8 MHZ\***

**FOR ORDERS AND ENQUIRIES.**


## **DOS-TECH COMPUTERS AUST**

**362 SYDNEY ROAD, COBURG, VICTORIA, 3058 (03) 384 1554 FAX: (03) 384 1535**

**AGENTS AND DISTRIBUTORS WELCOME**

\*IBM is a registered trade mark for Int'l Business Machines\* All prices include sales tax\* Epson is a registered trade mark of Seiko Epson Corporation. Prices subject to change\*





# Protect and survive

**Chris Long, Richard Jinman and Kester Cranswick get clued up on coding and report on software and hardware products for safeguarding your PC.**

PC power has been widely adopted in organisations of all sizes, even if they are equipped with rooms of mainframes. PCs have the advantages of being easy to use, able to run an enormous number of applications, and having more privacy than dumb terminals hanging off big donks.

Yet these advantages can turn out to be disastrous. The reason is the ease with which valuable data and hardware can be stolen, copied or vandalised. Vast numbers of corporate secrets are tied up in computers. Those same computers help chart the course of an enterprise. Without them, many businesses would be lost.

There are several classes of people able to hurt business data. The hacker is a well known phenomenon. The hacker's goal is to gain access to (supposedly) secure systems, often just for the challenge, but it can be to damage or steal data, too.

Equally dangerous is the common thief, who sees an unguarded PC as an item that can be quickly turned into cash down at the local pub.

And, in the fiercely competitive world in which we live, there is always the threat of industrial espionage or sabotage, either by internal or external people.

For all these reasons, PC security is becoming more and more important to aware PC owners. And it has brought with it a wide range of security devices to prevent the theft of hardware or restrict access to data.

There are two types of security: that to keep equipment from being stolen, and that to make sure only authorised users gain access to files. The former consists of means to bolt or attach hardware to the desk. The

latter can be either physical locking devices, data encryption devices or access control devices.

The anti-theft items you can buy are self explanatory in what they aim to do. Anything to deter a thief can save the financial cost of losing a computer, and the often far more damaging cost of losing a hard disk full of irreplaceable data.

Restricting access to a computer, or the data in it, can be done in many ways. The simplest is a physical lock, so that only a user with the correct key can operate the machine. However, this often means that a valuable resource is wasted on just a few key employees.

More advanced, and less physically obvious, are the various password protection systems that exist. Unfortunately, a knowledgeable PC user can often gain access to sensitive files by the use of the many PC tools, such as Norton or Mace utilities, which are readily available. Dumping the contents of the hard disk, for example, may give away all your secrets, and even the passwords.

The most secure protection is that afforded by encryption devices. They code data so it is unreadable unless the user has access to the correct 'key' to unencrypt the software. Combine that with a strict back-up program, in case the machine or disks are stolen, and any business can rest assured that sensitive information is safe and secure.

Encryption works by taking the bits in a file, and changing them. A simple system might simply add one to the ASCII value of each character, so that a D would become an E, a space becomes an exclamation mark.

More advanced encryption uses a

'key' — a string set by the user. The ASCII values of the letters of this key are added to the characters in the file, and the process reversed to unencrypt the file. Unless the key is known, the chances of decoding an encrypted file are very, very remote.

To further fool hackers, two or more keys might be used, each encoding the results from the previous key. Any such process is encapsulated in an algorithm.

In the United States, a particular encryption algorithm was invented by the National Bureau of Standards. Called Data Encryption Standard, or DES, it is embodied in a particular chip that carries out encryption. It is also available on software. With 72 quadrillion keys to choose from, security should be watertight.

## The software


Security software will encrypt software, allow password protection of files, prevent their being copied, or a combination of these things. Other facilities that can improve security are also found among the utility programs available for the PC market. These can, for instance, wipe a deleted file so that it cannot be recovered or read. Remember that a Delete operation merely removes the first character of a file name from the disk directory and clears the 'sector in use' flag of the file allocation table.

Note, too, that with some software, encrypting a file may leave an unencrypted back-up file on the disk that could be read with the right utility. Or, if the original file is overwritten, the encrypted file may be smaller, leaving part of the original file readable. These are things to









# EPSON

---

## COMPUTERS & PRINTERS

FOR THE BEST PRICES IN AUGUST

TELEPHONE EDCOM COMPUTER

**(07) 844 9501**

EDCOM COMPUTER PTY LTD,  
394 MONTAGUE ROAD, SOUTH BRISBANE





*Cylock allows access for up to eight users and issues each user with key, password and access privileges*



*For the highest level of security, the Australian-made Encryptor is hard to beat*

bear in mind when gunning for a totally secure system.

## Filelok

Filelok is a data encryption program for PCs from the Vault Corporation, in the US. It is able to encrypt up to 50 data files at a time. To read an encrypted file, the user must have the Filelok disk and, optionally, know a password up to eight characters. That should be enough to keep most data thieves at bay.

To encode a file, put the Filelok disk in drive B and key in B:FL followed by the name of the application at the DOS command line. A /P option allows a password to be specified. Only spaces are displayed on the screen as the password is entered.

A password can be changed, but only if the original password is known. This might be necessary if the first password becomes known by an unauthorised user.

With Filelok executed, any files created under the application will be protected. It is as simple as that. The application will be able to read both protected and unprotected files.

Changing from password to non-password protection is tedious though, as the application must be terminated and Filelok run again. That takes a couple of minutes.

The way Filelok works is to store the encrypted files on the Filelok disk, when the file is saved. It takes no longer than normal saving. The drawbacks are that Filelok does not allow the user to encrypt unencrypted files and Filelok has to be invoked each time the application is started.

A command line option will display the protected files on the disk. Hard

disk users will have to use DOS to transfer these files to the hard disk. So long as the Filelok disk is in the system, the data can be accessed.

As encryption software goes, Filelok is not the most efficient or usable system available. It is best suited to a single user who wishes to keep a small number of files secret and wants a simple, effective system.

## Fortress Plus

You would expect a firm of accountants to be concerned about the loss of business assets, so it is no surprise to find Deloitte Haskins and Sells distributing this security program.

It is in fact more than a program, being perhaps better described as a security environment. For an office PC which is used by a number of people, it has some novel features and effectively restricts access to other users' data.

With Fortress Plus installed, a user logs onto the machine. He or she is then prompted for an ID and password. Correct response gives the user the access privileges that have been set by the system manager.

Authorised users are presented with an icon menu, giving functions from file maintenance to disk formatting. Any icon can be set up to allow only certain users to action it, again through the use of an ID and password. By this means, a system manager can set up a system so that each user can do only what they are allowed to.

Full auditing is available, so the system manager can see who has been using the machine, and at what times. The PC can also be set up on a timed use base, so that users are requested to log off when their pre-set time is up.

The PC can also be set up so that it cannot be used outside certain times, to prevent after hours computing, for instance. Unless the internal clock is fiddled with, this is a secure system.

Nor can a user circumvent the security by inserting a system disk in drive A and powering up. Fortress Plus can be set to shut down the floppy drive so that the PC cannot be booted from disk.

A proprietary encryption algorithm is available as an option to Fortress Plus, for added file security. Unfortunately, this was not included with the review sample, so its speed could not be checked.

## Prolok

This is the sort of program that should be used by every software developer who wants to prevent unauthorised copying of software. It comes from Vault Corporation.

Two files are found on the single 3.5in or 5.25in Prolok disk: one for software developers, and one for end users. HDPROLOK.EXE is for software developers.

This adds about 14k to the size of an application. It gives each protected .COM or .EXE file a unique fingerprint and the application can only be run if the same fingerprint is found on the PC's hard disk, or the Prolok disk is in the PC.

The developer can also use Prolok to specify how many hard disk installs or back-up copies of an application can be made by a user. The default, and maximum value, is four. There is also a clever means to prevent users from trying to boot up a second PC with a Prolok disk, without first exiting from all protected applications in use on the first PC.





## Scramble to shut out hackers

Hackers who break into computers have much ingenuity — almost as much as those who design products intended to prevent hackers from getting into systems.

Two California-based companies are developing security systems that identify users by their distinctive typing patterns. The products, under development at Electronic Signature Lock, in San Francisco, and International Bioaccess, in Palo Alto, recognise users by monitoring their timing between keystrokes.

"It sometimes requires several attempts by authorised users to gain access by this procedure," said Charles Wood, a security consultant at Information Integrity, in San Francisco, who has seen demonstrations of the products.

"But it's still very appropriate even if you don't touch-type. You can also monitor who is on the system and do it unbeknown to the user," he said.

Another plus for the system is that it does not require purchasing another data-capturing device, unlike those biometric identification methods, Mr Wood said.

Manufacturers have demonstrated

their ingenuity by building extra features onto user-authentication packages. Dynatech Computer Power, in California, designed Turn-On, a hardware and software package, both for powering up a PC in another location and for authenticating a user's identity before he or she accesses the machine.

The package was designed for individuals who have 'more than a passing need' to hook up with a home or office computer from another location, yet do not want to keep the machine on continually, according to George Karabatsos, Dynatech's vice president of marketing and sales.

"Almost anything can be broken into, but this renders the casual intruder ineffective," he said.

Modem and telephone lines plug into the Turn-On device box, which senses an incoming phone call, powers up the PC and verifies a user's password before allowing communication to continue. The package comes with a dial-back option for added security. It can also turn off the PC at the remote location when communications are over.

Another option writes a serial number for the application to the Prolok disk, so the developer can verify the user has a legitimate version of the application by checking a particular memory

location. Developers can also put their own text strings on the opening screen of the user Prolok program.

The user file, HDUTIL.EXE, is used to install or back-up Prolok-protected ap-

plications. When run, it brings up a choice of functions, including placing the Prolok 'fingerprint' on the hard disk. The process could be automated by the software developer. With that done, software piracy should be almost impossible.

Prolok is a product every software developer should have. It saves having to develop copyright protection mechanisms, it cuts down the chances of piracy, is easy to use, and given its modest price, is worth its weight in silicon.

## Protec

Like Fortress Plus, Protec is a security environment, and comes complete with a choice of DES or proprietary encryption algorithms.

It is installed to sit in front of the AUTOEXEC.BAT file. The installation is pretty simple, though the manual is not the easiest to get to grips with. Setting up the security is an easy process too.

Users will see the Protec menu when the PC is booted. It lists all users and controls which parts of the PC can be accessed by each user. DOS and some internally driven utilities can be accessed from this screen.

The utilities include DOS commands COPY, ERASE, TYPE, DIR and CHDIR, plus the encryption facilities. It is not as comprehensive a selection as a non-secured PC would have, but adequate for basic housekeeping.

Encryption of the hard disk is automatic. Data is encoded as it is stored to disk, and decoded as it is called into memory. The choice of algorithm is up to you.


The proprietary algorithm runs faster than the DES algorithm. A 3Mbyte text file was encrypted in six minutes 42 seconds, under DES, and an amazing 80 seconds under the proprietary algorithm, on an AT compatible running at 8MHz.

The value added feature of Protec is an electronic mail facility called EcM. Under Protec, the PC can be set up for from one to 52 users, and EcM allows users to electronically message each other, individually or globally. A flag is posted next to the user's name when a message is waiting to be read. Users can also browse through messages, selecting by date or sender name.

Like Fortress Plus, Protec has an audit trail facility, allowing the system manager to check who has been using the system, and if illegal use has been attempted by user, application, date or violation.



# The Japanese made storage a fine art.



## Our disk drives continue the tradition.



At Fujitsu the Japanese tradition of attention to fine detail has enabled us to produce disk drives with astounding performance and reliability.

Our disk drives range from 3.5 inch to 10.5 inch. They're fast, they're cost-competitive and enjoy the best MTBF of at least 30,000 hours.

**FUJITSU**

Our disk drives are compatible with just about every computer system worldwide.

At Fujitsu, information storage is indeed a fine art.

Phone now for the name and location of your nearest supplier. Fujitsu Australia Limited Sydney (02) 959 6544, Melbourne (03) 529 7633.

FUJ 2059



Protec comes with a systems manager handbook, and a separate handbook for users. The former is detailed, the latter keeps the secrets of Protec in the hands of the system manager.

For the money, Protec offers just about everything you need to control the use of a PC and make data safe. In a sensitive environment, it fulfills a valuable task.

### Secret Disk

This is a new PC data encryption product on the market, fresh from the US, where it has been developed by Lattice. The importer is so confident that the encryption cannot be broken that it has offered a \$10,000 prize to anyone who can do so.

It incorporates the DES algorithm, and the claim is made that it has been on the American National Security List of restricted exports because it was such a secure product. In fact, it is even classed as a military product, and is only available in the US, UK, Australia and New Zealand. Other products in this review also use the DES algorithm, so those claims are not that extraordinary.

Secret Disk is a software product,

and needs no associated hardware. When installed, one or more sections of the hard disk are set aside as hidden disks, and given an encrypted password. Each is given a password of up to 24 characters. The data on those hidden disks is not encrypted though, so any hacker who knows how to use one of the better disk utilities may be able to see the files.

Because more than one hidden disk can be set up, more than one user can therefore have encrypted files on the same hard disk. The files can be manipulated under DOS, but only if the correct password is known.

The software can also hide a floppy disk, and files for transmission by modem. Data is hidden automatically by the software as it is needed by the user.

The way files are stored means no extra time is needed for protection, as it is only the password which gives access to the drive that is hidden.

A security expert who has seen the product says that it is virtually identical to an existing product called Phantom Disk. His opinion was that while it would keep files hidden, anyone who knew what files to look for, and had the right utility, would not be stopped.

Combine this with the price and we are looking at a product that may not be as good as it is cracked up to be.

### SuperKey

Borland is well known for its super value software. Superkey is no exception, providing a data encryption facility for well under \$200.

Unlike the encryption software above, SuperKey is a utility that has to be called up by the user for a file to be encrypted. ALT/ brings it into play, and brings up a function menu at the top of the screen.

The manual refers to DES encryption, and a file, KEYDES.COM. This was not on the review disk, apparently because of export restrictions. Other importers have managed to bring DES products into the country — Borland must be slipping. So, do not waste time trying to use DES encryption.

Encryption is provided with a file called KEY.COM, giving Borland's own encryption algorithm. It worked pretty well, and encoded the 3Mbyte test file in almost three and a half minutes.

Files can be encrypted in text or non-text modes. The text mode is designed for communications, and results in a

# DATA SECURITY FOR YOUR IBM THAT'S EVEN EASIER THAN CALLING US

A hardware and software system, CyLock authenticates your personal password and then matches airtight system codes against encrypted codes stored on a memory chip encased in a plastic key. Authorised users get keys. Others don't.

CyLock gives you complete management control over PC access and data protection with file encryption, user authorisation, and a comprehensive audit trail. Simple. Complete. Effective.

(02) 819 7322

**ANCHOR PAD (AUST)  
PTY LTD**

**SUITE 5, 159 VICTORIA ROAD  
DRUMMOYNE 2047**



*Data security ought to be simple, complete, effective.  
CyLock PC Access and Data Protection is.*



# Join the 3½" Revolution!

UPGRADE TO THE NEW STANDARD AND SAVE \$\$\$\$

# EXTERNAL 3½" DISK DRIVES



**12 MONTH'S  
WARRANTY**

**JUST PLUG IN  
AND USE!**  
Upgrade to the new  
industry standard  
at a fraction of the cost!

~~**\$775**~~

**BE EARLY!**  
**SPECIAL INTRODUCTORY OFFER**  
**First 100 Drives sold**  
**only \$695.00**

**Phone (02) 957 6686 NOW!**

The industry standard has changed! You don't have to rush out and buy a new \$5,000 3½" P.C. — instead just add an external 3½" disk drive to your existing P.C.

These 3½" drives are the same found in the new IBM PC's. They are fully compatible with IBM's Personal System/2 Series.

With a 3½" drive you can back-up your hard disk with fewer diskettes in a fraction of the time with 730K per disk — and increase your storage space.

**PERFECT INTERFACE (Aust.) Pty. Ltd.**

7th Floor, 8 West Street, N. Sydney NSW 2060  
Phone (02) 957 6686

Please send me \_\_\_\_\_ 3½" Disk Drive, \$695 each.

I enclose my cheque for \$ \_\_\_\_\_ or please debit my American Express, Diner's Club, Visa, Mastercard or Bankcard plus \$6.50 freight.

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------

Card expires \_\_\_\_\_ Signature \_\_\_\_\_

Name \_\_\_\_\_ Company \_\_\_\_\_

Address \_\_\_\_\_

Phone No. \_\_\_\_\_



coded file that contains only uppercase alphabetic characters, and does not overwrite the original file. The restricted character set means that coded files can be up to twice the size of the original file, and the non-overwritten original file could be a security risk. Good housekeeping will minimise this risk.

The non-text encryption is for disk-stored files only. It overwrites the original file and uses the full character set. It is therefore far more secure. One trap for young players, however, is to remember in which mode a file is encrypted, because the file carries no flag to indicate under which mode it was encrypted. If you are unsure, TYPE the file. If it is presented in upper case characters only, it is likely to have been encrypted in the text mode.

Borland provides a few extras with SuperKey. One freezes the keyboard when the PC is booted, and it can only be unlocked with the right password.

SuperKey is not the most secure software package on the market. It is ideal for the occasional encryption of files, providing users are aware of the shortcomings. The manual is clear and concise, the price is affordable, and it is a useful security product for all but the most security-sensitive users.

## The hardware

Data encryption is only one means to guard data against unauthorised access. However, the theft of a PC can result in the loss of data that may be irreplaceable. That's where hardware theft protection devices come in and by that I mean more than a locked door between the thief and the computer.

Within this field, there are a number of mechanical devices to make a criminal's life more difficult. Some will bolt a PC to a desk, others will lock the device to all but authorised users, who must possess a key or a password.

There is also a small number of hardware encryption devices, affording more secure protection than software. But all these systems must be measured against the inconvenience they bring to users. There does come a point when the security precautions make the use of a system so tedious that users are not going to use it. So, evaluate all these systems from the point of view of their transparency.

Hardware encryption devices are markedly faster than their software equivalents. They have a proprietary chip that does the encryption. The speed of a chip, with direct I/O to the

CPU board, makes bulk encryption and decryption as fast as any other computer process.

The speed is such that an encryption card, once installed, can be all but forgotten. Apart from password routines, users need not be aware that data is being encrypted.

Each encryption card has an on-board battery to drive the clock and power the RAM which holds passwords and ID data. Cards may also store an audit trail that keeps track of who has been using the PC and what they have used it for.

But besides encryption devices, there are also many anti-theft devices, and peripherals to restrict user access to a PC. Our review of hardware security items therefore covers a range of different types of products.

## Anchor Pad

Losing a computer, printer, monitor or other piece of hardware is never pleasant. Beside the cost and inconvenience of having to replace the equipment, you may also lose all the data that is stored on its hard disk.

Yet a computer is not the sort of thing you can lock away in a cabinet every night. It sits on a desk, inviting the attention of thieves or dishonest employees.

That's where a device such as the Anchor Pad comes in. American made, it is a means of securely attaching anything from a telephone to a complete PC to a desk, unobtrusively, securely and effectively.

Anchor Pads come in a range of sizes, with different versions for the Macintosh, a PC, PC and monitor, or a device such as a printer. Some versions allow the device to be swivelled, adding an extra level of functionality.

The Anchor Pad consists of a metal plate that is attached with a strong adhesive plate to any flat surface, and another locking plate that is bolted to the bottom of the computer.

The two plates are locked together with two steel bolts. The holes that give access to the bolts are covered by a cylindrical lock that cannot be removed without a key.

It means that the computer, or whatever, is solidly locked in place — the manufacturers claim that the adhesive pad will withstand a force of over five tons. Yet, within a few minutes, and with the appropriate key, the equipment can be removed from its mount.

The design is clever, effective and does not mar the appearance of the of-

fice desk. It is, however, a fairly expensive security device, with a cost of over \$300 per PC when tax is included. And it does not prevent unauthorised use of the PC. It is best suited to situations where the actual removal of the computer is the prime concern, or as an ancillary protection measure to encrypting or access restriction devices.

## AT Lock

IBM PC/AT, AT-compatible and PS/2 users have a basic but effective level of security built into their machines — the keyboard lock. If you haven't already lost the keys, it could be all the security needed to prevent unauthorised access to the data on the machine.

IBM's lock is better than that of many of the clone makers. It is built by the Chicago Lock Company, to a design invented by the firm's founder, Lyle Schinn, way back in 1934. It has more variations than other circular locks, making keys harder to forge. The shallow design also means that there is minimal interference with internal wiring.

The AT lock freezes the keyboard, by interrupting a two wire link between the keyboard and the motherboard that lets the CPU sense whether a key is pressed. But, as it only interrupts the flow of current, a determined hacker could hot-wire the AT when the cover is removed.

The problem with the AT lock is that getting a replacement key is difficult. If it is lost, you can be out of action for a long time, as you have to notify the Chicago Lock Company of the tag number of the original key before it will issue a replacement.

But, if you are worried about security and have an AT, then the lock can be a simple but effective means of security.

## Codercard

This full length card and associated software gives full data encryption to any PC and, optionally, controls access to a PC though a security card and card reader.

The system manager is the person in control of security. The Codercard card is inserted in a spare slot of any PC needing to be protected. The card reader, a plastic box the size of an external disk drive, is connected to that. Users are then named, authorised and given access privileges by the system manager. Users are given a plastic card to access the computer. System managers can use an audit feature to



# Instant Replay

## Version II

SOFTWARE  
AHEAD  
OF ITS TIME

**Instant Replay™** is a unique authoring system for creating:

**Demonstrations • Tutorials • Music Presentations • Prototypes • Menus**

When active, *Instant Replay™* is a DOS Shell that runs, memorizes, and replays programs. It has the unusual ability to insert prompts, pop-up windows, prototypes, user involvement, music, and branching menus into replays.

Building a Demo or Tutorial is easy. Just run any program with *Instant Replay™* and insert explanation pop-up windows, prompts, user involvement, music and so on. *Instant Replay™* remembers everything; it builds a demo that will re-run the actual program or a screens only prototype version.

*Instant Replay™* includes a **Screen Maker** for building pop-up windows, prototype windows, and menu windows. Other useful tools include a **Prototyper**, **Keystroke Editor**, **Music Maker**, **Menu Maker**, **Presentation Text Editor**, **Control Guide**, and **Insertion Guide**.

The screen editor **Screen Genie™** is designed to be memorized by *Instant Replay™*. Creating animations is easy and fun; just run **Screen Genie™** and memorize your activity.

*Instant Replay™* for IBM and True compatibles, requires DOS 2.0 or greater. *Instant Replay™* is not copy protected, and there are no royalties required for distribution of Demos.

*Instant Replay™* is an exciting new product. Because of the quality of this product, **Nostradamus™** provides a 60-day satisfaction money back guarantee. Call or write for ordering information. We accept VISA, AmEx, C.O.D., Check and P.O. Demo diskettes and product brochure available. **Nostradamus, Inc.**, 3191 S. Valley Street, Suite 252 Salt Lake City, Utah 84109 (801) 487-9662.

### **Instant Replay™** Features:

- Illustrated manual with index
- Screen Painter
- Memorize and Replay actual programs
- Memorize and Replay screens only
- Insert: prompts, pop-ups, prototypes, music, and user involvement into replays
- Make insertions while creating or reviewing
- Generate Vapor Ware from actual programs
- Resident Screen Painter for creating and grabbing windows on the fly
- Prototyper that includes slide shows, menus, and nesting
- Keystroke/time editor, inserter, and merger
- Replay chaining and linking
- Modular demo making facilities
- Fast forward and single step modes
- Music Maker
- Text Editor
- Magic Demo Animator
- Online Help
- Self Made Tutorial included
- Timed Keyboard Macros
- Numerous and powerful operator input options for Tutorials
- Dynamic Menu Maker
- Text File Presentation facility
- Transparent Windows
- Change Defaults
- Foreground or Background Music
- Canned special sound effects
- Unlimited replay branching
- Plus more

"Instant Replay™ is one of those products with the potential to go from unknown to indispensable in your software library." *PC Magazine*

"Incredible . . . We built our entire Comdex Presentation with Instant Replay." *Panasonic*

"Instant Replay™ brings new flexibility to prototypes, tutorials, & their eventual implementation." *Electronic Design*

"I highly recommend Instant Replay." *Computer Language*

**Instant Replay™**  
**Screen Genie™**  
**Word Genie™**  
**NoBlink Accelerator™**  
**Assembler Genie™**  
**DOS Assistant™**  
**Programming Libraries**  
**HardRunner™**  
... and more

**Nostradamus®**



## PC SECURITY

track the use of the PC, without users being aware of the fact that their activities are being logged.

To boot a PC, the user slots his or her card in the reader, and enters their password. Then it is operation as normal, with the PC working until shut down and the card is pulled from its holder. For unattended operation, Argus, the software supplied with Codercard, has a facility which allows the card to be removed without disabling the PC.

Users can change their passwords by invoking the relevant software function.

The major feature of Argus though is its encryption facility. Through this, a portion of a hard disk can be set aside as a hidden disk. Files can be saved to this, and given access rights for any authorised system user, the member of a user group or just the owner.

In addition to the hidden disk, there is proper file encryption, using the DES algorithm. A version of Codercard without DES is available.

File encryption can be done automatically, or already stored files encrypted manually, with wild cards permitted in file designations. Options to the encryption facility will hide a file on the directory and prevent files

overwriting their encrypted source files when decrypted.

Other utilities on Argus create 'hidden' floppy disks, enlarge the size of the hidden part of a hard disk, remove the hidden disk and show its owner. The only security concern with the hidden disks and without the DES option is that backing up a disk unencrypts the hidden files. That is a curious oversight that ill-intentioned hackers could well exploit.

Codercard is not a cheap means to protect a network of PCs, but it is effective. It combines a number of security approaches, can handle a number of users and is not difficult to administer. For top security, get the DES version.

### Cylock

This combined hardware and software security package is a sophisticated means of controlling the access of several users to one or more PCs. It is based on a lock and key approach that gives each authorised user a plastic key with which to unlock the PC and allows the PC manager to set up different file access parameters for different users.

For each PC to be secured, a half



card must be inserted in the motherboard. To this is attached a plastic housing into which a key can be inserted. There is also a disk containing the installation and set-up programs.

Any PC can be set up to be accessed by up to eight users, each with a separate key, password and access privileges. Keys can be copied, to increase the number of users.

Each user gains access to the PC by inserting his or her key in the lock and entering the correct password. Five wrong password attempts erases the key — that is enough to minimise hacking attempts.

The PC will only work while the key is in the lock. Remove it and the system shuts down. The only exception to this is if a user sets the PC to carry out a long, unattended operation. Remove the key in this instance and the keyboard will freeze, but the PC keeps on working until the operation is finished. Only the original user can interrupt the process, with key and password.

Setting up a system is simple enough. The manual is very detailed, function key actions are clearly shown at the base of the screen, and all choices are from on-screen menus, with copious on-



WHEN YOU COMBINE  
**EPSON PRINTERS**  
AND  
**SYSPAK PTY LTD**  
YOU GET THE  
**BEST PRICES**  
**AND THE BEST SERVICE**

HERES AN EXAMPLE

**LQ-2500** — 136 COL — 24 PIN — LQ — 5 FONTS — TRACTOR —  
SERIAL & PARALLEL INTERFACE  
**EX-1000** — 136 COL — 300 CPS — NLQ — TRACTOR — SERIAL &  
PARALLEL INTERFACE & COL OPT  
**FX-1000** — 136 COL — 240 CPS — 2NLQ FONTS — WP CAPABILITY  
— IBM COMPATIBLE

**\$1679.00**  
INCL SALES TAX

**\$1155.00**  
INCL SALES TAX

**\$885.50**  
INCL SALES TAX

THESE ARE ONLY A FEW EXAMPLES WE HAVE ON  
PRINTERS

GIVE US A CALL NOW TO FIND OUT OUR PRICES ON  
PC's LASER'S, INKJETS, DOT MATRIX & WYSE TERMINALS.

**SYSPAK PTY LTD**  
**15a AVON ROAD**  
**NORTH RYDE NSW 2113**  
**FAX: (02) 888 6911**

**(02)888 9855**

Price subject to change  
without notice



**Announce**

the opening of our **New Location**

TO CELEBRATE we are offering  
only for the month of AUGUST

**FROM IMAGINEERING**




**\$4900** inc. tax

**the ULTRA XT. INC.**

- ☒ Windows/Mouse
- ☒ Learning Dos
- ☒ M1109 Printer & Cable
- ☒ 640K RAM
- ☒ Public Domain Software
- ☒ Parallel/Serial Ports
- ☒ Clock Calendar
- ☒ 20Mb HD
- ☒ 360K Floppy
- ☒ EGA Screen
- ☒ MS-DOS
- ☒ 10 Disks

**TOSHIBA**

**NEW T1100+**



- ☒ Supertwisted LCD
- ☒ Twin Drives
- ☒ 640 K RAM
- ☒ MS-WORD
- ☒ Carry Case
- ☒ DOS 3.2
- ☒ Battery & Mains Operation
- ☒ Car Adaptor Pack

**\$3900** inc. tax


*Inquire about our normally competitive prices on*

- \* Microsoft Products
- \* Imagineering Products
- \* Toshiba and Brother Printers
- \* Customized Programming

**OFFER APPLIES TO ALL ORDERS PLACED BEFORE SEPTEMBER 1st 1987 AND INCLUDES METROPOLITAN DELIVERY ANYWHERE IN AUSTRALIA. PHONE ORDERS ACCEPTED.**



# ACCOUNTING MADE EASY



## BOOKWORKER \$950

Bookworker has been designed to ease the transition of small businesses from manual book keeping to a fully computerised business management system. There are no complicated account numbers or codes to remember. Bookworker is fully integrated.

## DAC EASY \$290

Dac Easy gives you a fully integrated accounting system with instant access to General Ledger, Accounts Receivable, Accounts Payable, Inventory, Purchase Order, Billing and Forecasting. Computerised accounting does not need to be expensive to be valuable.


## SYBIZ PLUS Per Module \$800

Sybiz Plus offers a total solution with modules that cover all aspects of sales, purchasing, general ledger, stock control, costing, production and wages.

## OUR SUPPORT

Software Express offers you support second to none. Choose your own training schedule. Our reasonable rates are charged by the hour, so you can decide when you are confident enough to proceed on your own. Call us if you would like a free helpful and informative demonstration on the packages mentioned. Software Express offer a free courier delivery service for businesses within a 5km radius of Melbourne. Compare

our friendly and helpful approach to others.



# SOFTWARE Express

48 A'Beckett St, MELBOURNE 3000

Phone (03) 663 6580

**Mail Orders Welcome!**

## PC SECURITY

screen assistance. It is child's play.

Users can change their passwords and set file access privileges. The options here are to make text files read only or read/write, or make .EXE and .COM files executable only by certain users.

There is a file encryption facility too. With a template file on the hard disk bearing the relevant access privileges, any new files will be automatically encrypted. Files can be encrypted manually too, by naming them at the relevant screen. A 3Mbyte text file takes just over a minute to encrypt, about three times as long as it takes to copy under DOS.

Extensions to the encryption facility allow a file to be dumped to another disk in encrypted form, for transport, or unencrypted for data transmission.

Cylock also allows the system manager to keep both time accounting and audit trail records. The former records which users have used the PC, and for how long, with the user filling in the on-screen form that appears, and logging off with a Cylock command.

The latter gives this information, plus a detailed log of what files have been accessed, and which applications have been run. Auditing is invisible to the user.

Cylock is an excellent means of securing any PC that is used by a number of people. It is even better suited to an office with a number of PCs shared by several users.

The drawback is cost, for each PC must have the half card and key holder device. Software is cheaper, and more portable. However, if you are sold on the benefits of a hardware solution, Cylock is worth examining.

## Mac Security Kit

The Anchor Pad is an elegant security device for almost any computer. Here's an alternative for the Macintosh that is almost as effective, but considerably cheaper.

It consists of two metal plates that snap into the 'chain' slot on the back of the Mac and its keyboard. These plates will take a padlock and a heavy duty, nylon covered cable can be attached. The cable is attached, at one end, to an immovable object, such as the desk.

Installation takes only a minute or two and the brackets allow several Macs to be daisy-chained together. Each cable is some three metres long, and has a loop at each end. One loop is attached to the Macintosh bracket, the other has the cable threaded through it, and

around a crossbar on the desk.

If the desk has no crossbar, a heavy U-bolt is included. This can be screwed into the side of the desk.

Moving the computer is as simple as undoing the padlocks. The only possible drawback is that once the plates are snapped in place, they cannot be removed, as this reviewer found to his annoyance! The accessory also does nothing to prevent unauthorised use of the Mac.

A determined thief could cut a desk's crossbar with a saw, but as a means to prevent theft of the Macintosh, this is as effective a device as any. It is also affordable, costing just \$79. That much for peace of mind is quite a reasonable price.

## PC Encryptor Board

Security devices come no better than this Australian made PC Encryptor, from Eracom. It has DES encryption and such tight security that Bill Landreth would not be able to beat it.

For the money you get a full length card for your PC, with the DES encryption chip on it, a single disk and copious documentation of the very highest standard. The hard disk, as tested, had full communications facilities and battery backed storage of the encryption keys. A cheaper version, without key storage, is available too.

Installation is a little more complicated than for other security devices, as there are so many variables to consider.

Software installation is done by simply following on-screen prompts. You can set which utilities and demo files will be installed, and the level of help needed. You can also install routines that give high level programming interfaces for Basic, Fortran and Turbo Pascal applications. The experienced programmer could therefore write applications that draw on the security features of the PC Encryptor.

The board has a number of switches that may need to be set, depending on system characteristics. Even such things as the I/O address for the on-board ROM can be altered. It is an extremely flexible installation procedure.

With the system rebooted, a screen of operational options is presented. These are loading programs from encrypted or unencrypted disks, encrypting a disk, initialising the storage of cypher keys and displaying various access codes.

Each of these functions is guarded by a password, with the default set to



# From monitor size to overhead projection size. Instantly.




## The LCD display range from ASK.

The Flat-Screen LCD monitor takes up only 5% of the space of a conventional PC monitor and still with full text and graphics capabilities plus true picture resemblance.

It comes with an ergoarm that allows you to position the screen where YOU want.

The Flat-Screen LCD monitor is like reading a newspaper. Absolutely flicker-free and with in-built contrast control. It is based on the latest "supertwisted" LCD technology and is radiation free.



The Flat-Screen Overhead is the display system which takes your PC text and graphics into a larger-than-life overhead format.

Now large audiences can see what happens on your screen. Just place the Flat-Screen on a conventional overhead projector.

It's ideal for presentations and education. Attributes such as inverse, blinking, highlighting etc. are of course available. And the Flat-Screen Overhead is designed for true portability.

Let us show you the difference.  
**Call us for the name of a dealer near you.**



**PANTEK CORPORATION**  
PTY LTD (Inc. in Vic)

A Member of the DATACONICS Group

757-9 Riversdale Road, Camberwell, Vic. 3124  
Tel: (03) 836 9633 Fax: (03) 836 1682



# DISCWARE

## The Empire Strikes Back

Clearance Sale – All Products Latest Versions

Lotus 123 ..... \$ 560

### IBM SOFTWARE

Ability .....	\$150
Above Disk .....	\$240
Clipper .....	\$799
Coda .....	\$575
Copywrite .....	\$ 95
Crosstalk XVI .....	\$170

dBase III plus ..... \$799

Fastback .....	\$180
Fox Base+ .....	\$550
Fox Base+ Multiuser .....	\$760

Framework II ..... \$930

Freelance Plus .....	\$680
Harvard Professional Publisher .....	\$1150
Harvard Total Project Manager .....	\$669
Javelin .....	\$350
Lotus HAL .....	\$220
Lotus 123 .....	\$580

Lotus Manuscript ..... \$680

Microsoft Word .....	\$680
Mirror .....	\$ 49
MultiMate 3.3 .....	\$615

MultiMate Advantage II ..... \$690

Norton Advanced .....	\$219
Norton Utilities ver. 4 .....	\$140
Paradox .....	\$850
PC Alien .....	\$ 99
RapidFile .....	\$490
Reflex 1.1 .....	\$229
Silk .....	\$270
Super Calc 4 .....	\$599

Clipper ..... \$ 799

### IBM SOFTWARE

Supercom .....	\$150
Symphony .....	\$899
Timeline .....	\$615
Turbo Basic .....	\$169
Turbo C .....	\$169

Ventura Publisher ..... \$1495

VP Planner ..... \$150 |

Word Perfect ..... \$590

### MODEMS

NetComm 3+ 12 modem .....	\$229
NetComm Smart 123A .....	\$875
NetComm Smart 1234A .....	\$1075
NetComm In/Modem .....	\$360
NetComm In/Modem 1234 .....	\$859
NetComm In/Modem 123 .....	\$705
NetComm In/Modem 1200 .....	\$529
NetComm Smart 2400 .....	\$855
NetComm Smart 1200 .....	\$579
NetComm Trailblazer .....	\$Call

### PRINTERS

Brother M1709 .....	\$999
Brother M1509 .....	\$827
Epson LQ1000 .....	\$1325
Epson RX 100+ incl. csf .....	\$650
Impact L800-1 .....	\$4950
Impact L800-2 .....	\$6900
Impact L800-2+ .....	\$7300
NEC P5 Pinwriter .....	\$1769

Toshiba P 341 ..... \$ 990

### PRINTERS

NEC P6 .....	\$880
NEC P7 .....	\$1190
Toshiba P351 .....	\$1695
Toshiba P341 .....	\$990

### STORAGE SYSTEMS

Archive 45 MB .....	\$1525
DSDD floppies (10) .....	\$18
DSDD floppies (100) .....	\$150
Irwin 10MB tape internal .....	\$1150
Miniscribe 30MB .....	\$850
Plus HardCard 20 MB .....	\$1290
Plus HardCard 40 MB .....	\$1990
Seagate 30 MB Kit .....	\$750

### IBM HARDWARE

Hercules Ram Font .....	\$499
Hypertec Multifunction 512 KB .....	\$399
Intel Above Board .....	\$599
Microphonics Voice Command .....	\$999
Microsoft Mouse .....	\$299
NEC Multisync .....	\$1299
Qubie 6 Pak 384KB .....	\$429
Sigma Color 400 .....	\$990
Tall Tree JLASer+ AT .....	\$1100
Taxan Super Vision IV .....	\$1350
TVM EGA MD7 .....	\$950
8087 .....	\$279



# DISCWARE

5th Floor, 3 Smail St., Broadway, NSW 2007. TLX: AA23509

ALL PRICES INCLUDE SALES TAX. AVAILABILITY MAY BE LIMITED AT PRICES ADVERTISED. PRICES APPLY TO STOCK HELD AS AT 14/7/87.

# (02) 212-6933



# DISCWARE

## The Best Amongst the Best

Clearance Sale – All Products Latest Versions

Toshiba T 3100/20 MB . \$6550

AT-286/40 MB ..... \$3995

Kaypro PC 20 ..... \$2300

### THE DISCWARE AT-286 – MADE IN USA

INTRODUCTORY PRICE \$2995



CPU:	80286, 8/10 MHz
RAM:	1 MB RAM
ROM:	IBM AT compatible.
DISK STORAGE:	1.2 MB Floppy Drive, 20 MB Tandon Hard Disk.
EXPANSION:	6 x 16 bit slots. 2 x 8 bit slots.
INPUT/OUTPUT:	Parallel/Serial.
POWER:	180 watt power supply.
OPTIONS INC:	Mono or Colour Card. Key Lock 12 months warranty. 45 MB option.

LIMITED QUANTITY AVAILABLE AT THIS PRICE

### TOSHIBA T3100

THE AT FOR THOSE ON THE GO

CPU:	8 MHz 80286
RAM:	640 KB expandable internally to 2.5 MB
ROM:	IBM AT compatible
DISK STORAGE:	720 KB 3.5" floppy disk drive, one 20 MB hard disk, connection for external 360 KB 5.25" floppy disk drive.
EXPANSION:	Internal expansion slot
INPUT/OUTPUT:	Serial and parallel ports.



### KAYPRO

THE PERFORMANCE SETTERS

#### Kaypro 386

CPU:	16 MHz 80386.
RAM:	2.5 MB 32 Bit wide RAM, expandable to 16 MB.
ROM:	IBM AT compatible.
DISK STORAGE:	1.2 MB floppy, one 40 MB High Speed hard disk.
EXPANSION:	One 32 Bit, three 16 Bit and two 8 Bit slots.

#### Kaypro 286i

CPU:	10 MHz 80286.
RAM:	640 KB expandable to 15 MB.
ROM:	IBM AT compatible.
DISK STORAGE:	1.2 MB floppy, one 40 MB High Speed hard disk.
EXPANSION:	Eight expansion slots.

#### Kaypro PC/PC30

CPU:	8.0 MHz 8088/V20.
RAM:	768 KB
ROM:	IBM PC/XT compatible.
DISK STORAGE:	2 x 360 KB/1 x 360 plus 30 MB hard disk.
EXPANSION:	Nine expansion slots.



# DISCWARE

5th Floor, 3 Smail St, Broadway, NSW 2007. TLX: AA23509

ALL PRICES INCLUDE SALES TAX. AVAILABILITY MAY BE LIMITED AT PRICES ADVERTISED. PRICES APPLY TO STOCK HELD AS AT 14/7/87.

# (02) 212-6933



## SMALLTALK V



### SMALLTALK/V FEATURES \$199

Smalltalk/V is an ideal tool for solving both simple and complex problems on a personal computer. It is currently in use by scientists, engineers, students, teachers and professionals, both for research and application development. These and other users have chosen Smalltalk/V because of its unique qualities: it is easy to learn, yet offers an unsurpassed array of tools for solving problems in a variety of fields, and is powerful enough to serve as a delivery vehicle for real-world applications - all on an IBM PC or compatible!!

### COMMUNICATIONS EXTENSION KIT \$90

Four communication windows are provided: a UNIX browser window, a TTY window, a BIX browser window and a BIX reader window. The Unix browser window gives you the Smalltalk/V mouse and menu driver interface to a remote UNIX system. You can browse the remote file/directory hierarchy with the disk browser window.

The Bix browser window is used for all on-line access to Bix and the Bix reader window is used for organizing, reading and replying to messages off-line.

### "GOODIES" EXTENSION KIT...\$90

The "Goodies" extension kit offers a number of new capabilities that allow you to extend the Smalltalk/V environment to handle applications that require discrete event simulation, forward-chaining inference operations, or connection to external sensors and instrumentation.

MULTIPROCESSING, ZOOM, DOS CALL, MUSIC, OBJECT LOADER, FORWARD CHAINING INFERENCE ENGINE,

### EGA COLOUR EXTENSION KIT...\$90

The EGA colour extension kit integrates full EGA colour capabilities with Smalltalk/V's environment, greatly enhancing the system's already extensive bit-mapped graphics capabilities, and therefore enhancing your ability to create interfaces that communicate complex information simply graphically.

# SOFTWARE Express

48 A'Beckett St, MELBOURNE 3000

Phone (03) 663 6580

**Mail Orders Welcome!**

'password'. By changing the password, the system manager immediately restricts access to these functions by other users of the PC.

For maximum security, the boot disk is encrypted. When the machine is booted from this, the user will be asked for the right access code. The user then has to know the password for each of the initial menu functions. Through software, the system can be set to boot off the hard disk, preventing access by anyone without a password.

The keys are your security. The board can store up to 240 keys, in four groups of 60. The 16 hexadecimal character keys are entered in two eight character parts, so for added security, the system manager could give each of two users half the key. Keys can be encrypted by a master key too.

Eracom has produced a quality product. Evidence of this is that the software is programmed to recognise 'weak' DES keys. These are keys that, if used to double encrypt files, are likely to turn them back into readable text. On screen messages warn that a weak key is being entered, and refuse to accept it.

The user key is combined with a hardware key, unique to the PC Encryptor board, so that files from one machine cannot usually be run on another, even if the user key is known. However, there is a set of 60 'absolute' keys that are not hardware dependent, for transporting files between PCs.

Various utilities allow authorised users to change encryption keys, set drives to read only, encrypt an entire disk, check the encryption status of a disk and even double encrypt a file for added security. This last facility has the ability to detect if a file has been altered since it was encrypted, make it read only and hide it from the directory.

Through passwords, key security can be made very tight. At the most secure level, the user has to know the password to run the SETKEY utility, the key's group and number, the group access code, the key access code, a master key access code and the two eight digit passwords already set for the key. Break that and you are Houdini.

The communications facilities are comprehensive, with XON/XOFF supported, data transfer rates from 50 to 9600 Baud, synchronous or asynchronous communications and much more.

For an organisation needing the highest level of data security, PC Encryptor is hard to beat. It is highly priced, but sophisticated enough to cope with even ASIO work.

## PC Stopper

With the release of the PC/AT, IBM introduced the concept of restricting access to a computer by the simple means of electronically locking the keyboard. This humble device gives owners of PCs and PC XT's, or compatibles, exactly the same facility, for considerably less than \$100.

The device goes over the PC's on/off switch, if it is in the normal position. Installation takes about five minutes.

The screws holding the casing on are undone, and the casing slid forward. The cylinder lock, made by the Chicago Lock Company, is twiddled until fingers on the inside engage with the power switch. The Stopper is screwed to the PC's backplate, the main cover replaced, and you are in business.

From here on, you turn the PC on and off with the supplied keys. Lose them and you are in trouble, as the device cannot be removed unless it is unlocked. The distributor does claim to offer an express key replacement service though.

The only possible inconvenience is that a power off/on reset is a little more fiddly than flicking the switch, and only the holders of the two keys can use the machine once it is switched off.

The advantage over the standard PC/AT lock is that this lock controls power, not just the keyboard. The key can also be removed with the PC on, preventing an accidental power down. The device is reasonably unobtrusive, not expensive, sturdy and a useful accessory if a PC is to be restricted to the use of only one or two people.

## PC/AT Kollar

While a computer may be attached to a desk through some of the devices detailed above, it is often the peripherals that attract a thief's attention. This inexpensive accessory is the means to attach power cords or peripherals to the back of a PC, so that they can only be removed with a key, and to prevent the casing being removed, so internal cards can be stolen.

The Kollar consists of two sturdy metal plates. One is screwed to the back of the PC cabinet, using two of the screws that hold the casing on. The second fits over the top and has two raised ridges which can hold cables. The size of the cable connections prevent them being pulled through.

Attaching a padlock holds the two plates together, your cables are held securely in place, and the PC casing



# Choose the Toshiba T1100 Plus. Or settle for a pale imitation.



The Toshiba T1100 Plus portable personal computer is small, light, and outstandingly quick.

But, when you switch it on, the first thing you will notice is how easy it is to read the new blue screen.

Technically, this is because it is a super-twisted display, but all you'll need to know is that it is probably the most readable LCD screen ever.

Of course, there's a lot more to the T1100 Plus than its screen.

Although it looks too small to be serious (less than 31cm x 31cm), the T1100 Plus is capable of a large volume of computing work. At speeds that will embarrass many larger computers (the T1100 Plus has two internal 3.5" floppy disk drives, each with 720KB capacity).

Naturally, the T1100 Plus is compatible.

And unlike many large computers, all this speed and power can be used wherever you need them. The T1100 Plus has built-in, rechargeable NiCad batteries that allow up to 8 hours continuous running.

All in all, the more you look into it, the more you will appreciate the Toshiba T1100 Plus.

And, like all Toshiba computer products, it is one less thing to go wrong.

## **TOSHIBA**

ONE LESS THING TO GO WRONG

TOSHIBA (AUSTRALIA) PTY LIMITED, COMPUTER PRODUCTS DIVISION, 84-92 TALAVERA ROAD, NORTH RYDE 2113.  
SYDNEY (02) 887 3322. MELBOURNE (03) 765 2111. BRISBANE (07) 352 9888. CANBERRA (062) 805 100.



## MANDAX ADDS TURBO POWER TO YOUR SALES



### MANDAX TURBO PC/XT

- \* 8088-2 CPU, 640K on board, 4.77/8MHz selectable by software or hardware switch
- \* Keylock, reset button and turbo switch button



### MANDAX TURBO PC/AT

- \* 80286 CPU, 1MB on board, 8/10/12MHz, 0 wait state selectable by software or hardware
- \* Unique feature: complete set-up software in licensed BIOS ROM (No disk required for set-up)

**Monochrome/Graphic/Printer card  
fully Hercules compatible under  
US\$30.00!**

FCC Class B Approved & Legal BIOS

We are professional manufacturers of every kind of IBM  
PC/XT, PC/AT compatible add-on card and peripheral.

OEM orders are most welcome.  
Contact us today for full details!

80386 Also Available



WE SERVE OEMs

**C&D TECHNOLOGY INC.**

P.O. Box 5-250 Taipei, Taiwan, R.O.C.

Fax: 886-2-7916312 Telex: 24458 CDTECH

Cable: CDTECH Taipei

IBM PC/XT/AT

are registered trademarks of International Business Machines Corp.

## PC SECURITY

cannot be removed. An optional extra to the AT/Kollar is a cable to secure the PC to an immovable object.

At \$49, it is certainly an affordable security device. However, it will only

work with cables that are permanently attached to the peripheral. It is also no use if the thief decides to cut the cable with a pair of pliers.

END

### Product information

#### Anchor pad

Anchor Pad Australia  
Suite 5, 159 Victoria Road  
Drummoyne NSW 2047  
(02) 819 7322  
**\$330.60 plus tax (PC/XT)**

#### PC Encryptor Board

Eracom Pty Ltd  
81-91 Military Road  
Neutral Bay NSW 2089  
(02) 908 4177  
**\$1235 plus tax**

#### Codercard

Securicom,  
24 Gerbera Crescent  
Strathpine QLD 4500  
(07) 205 7218  
**\$620 plus tax**

#### PC Stopper

Micro Expansion Technologies  
48 Lugarno Road  
Lugarno NSW 2210  
(02) 534 6355  
**\$87**

#### Cylock

Anchor Pad Australia  
Suite 5, 159 Victoria Road  
Drummoyne NSW 2047  
(02) 819 7322  
**\$1054.50 plus tax**

#### PC/AT Kollar

Micro Expansion Technologies  
48 Lugarno Road  
Lugarno NSW 2210  
(02) 534 6355  
**\$49**

#### Filelok

Communication Control  
Suite 9, 1 Terminus St  
Castle Hill NSW 2154  
(02) 899 1133  
**\$153**

#### Prolok

Communication Control  
Suite 9, 1 Terminus St  
Castle Hill NSW 2154  
(02) 899 1133  
**\$24 plus tax**

#### Fortress Plus

Deloitte Haskins & Sells  
461 Bourke Street  
Melbourne Victoria 3000  
(03) 602 0622  
**\$1400**

#### Protec

Unixbuilt  
6 Leon Street  
Wheelers Hill NSW 3150  
(03) 561 1275  
**\$595 plus tax**

#### Mac Security Kit

Micro Expansion Technologies  
48 Lugarno Road  
Lugarno NSW 2210  
(02) 534 6355  
**\$79**

#### Secret Disk

Fagan Microprocessor Systems  
95 Canterbury Road  
Middle Park, Victoria 3206  
(03) 699 9899  
**\$629 plus tax**

#### Modem Security Unit

Symbiotic Computer Systems  
PO Box 142  
Camberwell, Vic 3124  
(03) 882 2248  
**\$1200**

#### Superkey

PC Extras Pty Ltd  
PO Box K9  
Haymarket, Sydney NSW 2000  
(02) 319 2155  
**\$187**



# TELEX ELIMINATOR

**Turns every Computer Terminal in your office into an instant Telex.**

Because of the Telex Eliminator's unique ability to apply your computer's intelligence to the telex network you receive a host of benefits.

#### **OPERATIONAL SIMPLICITY**

A clear menu of instructions makes it easy for inexperienced telex users. The office word processor, with its own inherent advantages can be used to prepare messages which can be sent at any time. The system's versatility allows messages to be prepared for sending even while the unit is transmitting or receiving other telexes.

#### **ELIMINATES YOUR TELEX MACHINE**

Big saving in equipment cost and office space.

#### **FLEXIBILITY**

Works with any computer system.

#### **CONVENIENCE & TIME SAVING**

Perform all Telex functions without leaving their desks.

#### **TEXT PREPARATION**

Messages can be checked on screen before sending.

#### **SECURITY**

Confidential information sent and received, can be accessed only by chosen personnel.

#### **PRIORITY ACCESS**

Important messages can be programmed to "jump the queue".

#### **SEND YOUR TELEXES AFTER HOURS**

Big savings in line rates.

#### **AUTOMATIC RE-TRY**

Save staff time re-dialing. Enter message once, the machine will re-try at intervals until it can get through.

#### **ANSWERBACK VERIFICATION**

Automatic check that you have reached the right number.

#### **MULTIPLE ADDRESSING**

You can send your message to everyone at the touch of a key.

#### **SYMBOLIC ADDRESSING**

Send your message to selected people at the touch of a key.

#### **INTELLIGENT INTERPRETOR**

Allows standard strings to be simply coded, a big time savings for volume users.

#### **NOTIFY FAILURES**

Telex Eliminator can detect and notify you of failures in the system.

#### **TELEX MANAGEMENT INFORMATION**

Telex Eliminator will prepare telex management reports showing the status of the telex system. Logs of telexes sent and received are compiled allowing a valuable breakdown of telex usage.



If you would like to know more about what the Telex Eliminator can do for you, give us a call and let one of our representatives show you how you can have the world of communications at your fingertips.

Unix Systems Australia Pty. Ltd.

**(02) 764 4566**

21 Young St Concord NSW 2137  
Telex AA73482

Designed and manufactured in Australia.





# Patterning CD-ROM

***CD-ROM technology signals a quantum leap in information dispersement: a new publishing medium has been born. Peter Jansson explains that the key to its widespread use is a workable standard, now close to approval.***

A sophisticated technology first made popular in the audio world promises to revolutionise the manner in which information is dispersed. Just as personal computers brought the power of computing to virtually every desktop, the tremendous capacity of CD-ROM (compact disk read-only memory) cannot help but impact the PC world. A single CD-ROM disk will hold the contents of an entire bookshelf — more than half a gigabyte of data (500Mbytes) — or the equivalent of about 1500 5¼inch disks.

The key to success for CD-ROM is widespread use. Producing disks and read-out devices for this technology is as yet an expensive proposition. It has become economically viable for the microcomputer market only because it can share technology with the broad based consumer audio CD. Even so, producing data on CD-ROM entails an expensive mastering step that limits it to applications with broad appeal.

CD-ROM is not just another storage device: it is a full-fledged publishing medium that cannot succeed if it is limited to a few classes of hardware. A universal standard is needed to make the information on a CD-ROM as recognisable to a computer as the printed word is to a human reader. It must be readable to anyone with a CD-ROM drive and a computer, regardless of the brand of equipment or software.

Such a standard for data recording must be applied on three levels. The physical level defines the medium's dimensions and properties, the characteristics of recording and playback equipment, and the methods to encode and record data. The logical-format level specifies the organisation of data

into structures such as volumes, directories, and files. The applications level defines and interprets recorded data.

The physical level has been addressed by the owners of the technology, Phillips of the Netherlands and Sony of Japan. These companies defined the specifications for optically recording digital audio in a document popularly known as the *Red Book*. Using the same technology, the two firms extended the specifications to CD-ROM data recording in the *Yellow Book*.

Taking the idea one step further in recognising that this purely physical standard is insufficient for publishing optically recorded information, the following group of companies has proposed a standard for the logical organisation of data on a CD-ROM: Apple Computer, Digital Equipment, Hitachi, Microwave Systems, Microsoft, Phillips, Reference Technology, Sony, 3M, TMS, Videotools, Xebec and Yelick. Meeting at Lake Tahoe in the US, in May 1986, the group developed a file structure that has become known as the High Sierra Group (HSG) proposal; its formal title is the 'Working Paper for Information Processing: Volume and File Structure of Compact Read-Only Optical Disks for Information Interchange.'

The physical standards for the CD-ROM are controlled by patents held by Phillips and Sony; thus, the HSG has no power to enforce its proposal. However, attempts are currently under way to have the proposal approved as a voluntary standard through the International Standards Organisation (ISO). The proposal has been submitted to

the ISO by several national groups, including the European Computer Manufacturer's Association (ECMA) and the National Information Standards Organisation (NISO) of the US National Bureau of Standards. The document's approval as an international standard is expected to be complete by the end of 1987.

Left unaddressed at this point is the applications level of standardisation. The HSG proposal specifies only how data is organised into files, not what files contain. For example, HSG specifies ASCII for encoding file names within directories, but does not specify how to encode data within those files.

## *Physical disk organisation*

The *Yellow Book* specifies that data on a CD-ROM be divided into physical sectors of 2352 bytes each: 304 bytes for drive-mechanism synchronisation, sector addressing, and error correction and detection, and the remaining 2048 bytes for user data.

The physical layout of information on a CD-ROM is fundamentally different from the corresponding layout of a magnetic disk. In CD-ROM, sectors are arranged in one continuous spiral similar to the grooves of a phonograph record; in magnetic disks, they are arranged in concentric circular tracks. In CD-ROM, data is read at constant-linear velocity (CLV), in magnetic disks at constant-angular velocity (CAV). With CLV, each sector of data at any point on a disk has the same length; with CAV, each sector subtends the









# Computers

A  
baby  
it ain't.



## ACD BABY AT COMPUTER.

**SWITCHABLE 6/10/12 Mhz**

■ 512 Kb Ram memory ■ 1.2 megabyte disk drive ■ serial port ■ parallel port ■ 180 watt power supply ■ 84 key keyboard ■ battery backed clock/calendar ■ colour graphic or hercules compatible monographic card.

**ADD** AN ADDITIONAL 512 Kb RAM MEMORY **ONLY \$100**

**ADD** A TANDON 20 MEGABYTE HARD DISK **ONLY \$600**

**ADD** AN EGA MONITOR AND CARD **ONLY \$1200**

**ONLY \$2199**

ACD computers are suitable for all business applications, including word processing, accounting, inventory control, spreadsheet analysis, engineering, technical and scientific work.

Australian Computer Distributors P/L carry a wide range of peripherals, including printers, plotters, colour and mono monitors, enhanced graphics cards and monitors, mouse, computer stands, floppy disks, disk boxes and modems.



**Australian  
Computer  
Distributors P/L**

76 ST. KILDA ROAD, ST. KILDA, VIC. 3182. PH. (03) 537 1722 FAX No. 534 1597

69 OXFORD STREET, BONDI JUNCTION, N.S.W. 2022. PH. (02) 389 4922

AVAILABLE AT CAMPUS BOOKSHOPS AT: LA TROBE UNIVERSITY: 470 2011  
CHISHOLM COLLEGE: 573 2147 SWINBURN: 819 4266 RMIT: 660 2072  
NEWCASTLE UNIVERSITY UNION: (049) 68 3717



same angle (see Fig 1). The rotation speed of the CLV disk varies in inverse proportion to the radius at which data is being read, whereas with CAV, the disk spins at a constant rate of speed.

Although variable speed requires a more complex drive mechanism, CLV provides for a maximum information carrying capacity at every point on the recording surface. The simpler, constant rotation speed of CAV allows maximum recording density only on the inner tracks; outer tracks typically use only about half the capacity.

CD-ROM's use of CLV and its spiral organisation are separate design decisions — neither implies the other: a phonograph record spinning at a constant rate uses spiral organisation with CAV, but a variable speed magnetic disk drive uses concentric organisation with CLV. The combination of CLV and spiral organisation was chosen for CD-ROM because it is optimal for CD audio, and by using CD audio components, CD-ROM can take advantage of mass production economics.

Although spiral organisation is ideal for CD audio because it is the most efficient method for reading sequential data in realtime, it is not the best arrangement for random-access retrieval. Finding a particular sector on one long track is more difficult than finding a concentric track at a fixed radius and searching through a small number of sectors on that track.

To search for data on a CD-ROM, the head moves to the general area of the sector being sought, then synchronises with the spiral and follows the spiral until it reaches the correct sector. To maintain the constant velocity of sectors past the head, the drive's rotation must speed up or slow down as the

head moves radially across the disk. This results in a slower access time: access to CD-ROM data takes between one-half and one full second. By comparison, access to data on a PC/AT hard disk takes less than 1/25th of a second (40 milliseconds).

As with the audio CD, sectors on a CD-ROM are identified by playing time (minute and second) and by sector number. Sectors are read at the rate of 75 per second, which results in an effective transfer rate of 150kb per second. With a nominal 'playing time' of one hour, a CD-ROM contains  $60 * 60 * 75$ , or 270,000 sectors. Thus, at 2k per sector, total capacity equals 540Mbytes. According to the *Yellow Book*, 00:02:00 is the first sector that can contain user data.

## Logical format

Although the logical format proposed by HSG is (necessarily) based on the underlying physical organisation of CD-ROM, it does not depend on the size or spatial layout of physical sectors. Its aims are to optimise file formats on a medium where data layout is predetermined and invariant: to compensate for the slow seek times of the physical device; and, to facilitate CD-ROM's implementation on a variety of popular operating systems, specially MS/PC-DOS, Unix, VMS, and Apple DOS.

Space on a CD-ROM is mapped in units called logical sectors — the length of each is identical to the length of user data recorded on each physical sector. A logical sector is divided into logical blocks. Block length varies with the application, but it must be a power of two and at least 512 bytes.

Logical blocks are numbered consecu-

tively on the disk, beginning with zero for the first block in the first sector. To avoid dependence on the physical specification, the HSG proposal avoids references to physical-sector numbering or to the number of sectors reserved before the data area. As the specification now stands, the mapping between a logical block number (LBN) and a physical sector is as follows:


$$\text{LBN} = (\text{minute} * 60 * 75 + \text{second} * 75 + \text{sector} - 150) * \text{blocks per sector}$$

All data locations are specified in terms of LBNs, which are recorded as 32-bit integers, permitting a maximum 4.3 billion blocks. With the current sector size, the data capacity is almost 9 terabytes (9 trillion bytes) per disk.

The HSG proposal organises these numbered logical blocks into named files. To this end, it defines two kinds of structures. One describes the volume — the data space of the entire disk (or set of disks); the other describes and locates files within that space. The HSG proposal also specifies how to encode the information that describes these structures. The proposed character set is a subset of ASCII. Because the HSG proposal defines a standard at the logical, not the applications, level, it specifies only the characters to be used for recording the volume and file structures; that is, the characters in the headers and directories. It places no restrictions on the characters that are used to record data within the files. It also specifies that directories and other organisational information can be recorded in alternate character sets in order to support specific applications or languages other than English.

Numeric quantities in the directories are recorded as binary integers of various lengths. In most computers, quantities occupying more than one byte can be recorded in order of least significant byte (LSB) or most significant byte (MSB). For example, the number 1234H (4,660 decimal) can be recorded as either 12H 34H or 34H 12H. Most microprocessors, including the Intel line, use MSB ordering; most mainframes use LSB. Instead of choosing between the two, the HSG proposal specifies that all multibyte quantities be recorded in both orders: LSB, then MSB. Thus, 1234H would be recorded in four bytes: 34H 12H 12H 34H.

Under this encoding scheme, a processor is not forced to switch bytes in order to convert numbers into its native format. Although the processing time is saved at the expense of storage space, this is a decidedly good



**Fig 1 CLV Spiral versus CAV Concentric Organisation.** At constant angular velocity (CAV), all sectors on a disk subtend the same angle, while at constant linear velocity (CLV), all sectors are the same length





**MCK-101** 101 Keys  
for PC RT/AT/XT Compatible  
**MCK-860** 84 Keys  
for PC AT/XT Compatible

Comm Features:

- \* Sharp click Feel and Tactile Feedback
- \* High-reliability mechanical keyswitch
- \* Multi language available

**OEMMAX** can offer not only  
finished products, but also  
CKD form and OEM projects

# MOUSE & KEYBOARD

**MS-810 II** CAT MOUSE II

**MS-810** CAT MOUSE

- \* For PC/XT & PC/AT Compatible
- \* Optical rotary encoder
- \* 3 Tactile switch buttons
- \* Max tracking speed 200mm/sec
- \* Standard RS-232C output
- \* Silicon rubber coated ball

**MCK-101**



**MCK-860**



**OEMMAX**

**OEMMAX COMPUTER  
SUPPLIES CO., LTD.**

SUITE 204, NO. 1, LANE 8, SEC. 1,  
CHUNG SHAN N. ROAD, TAIPEI, TAIWAN, R.O.C.  
P.O. BOX 8-156 TAIPEI, TAIWAN, R.O.C.

TELEX: 14261 OEMMAX TEL: 381-0695

FAX: 886-2-3819439 CABLE ADDRESS: "OEMMAX" TAIPEI

IBM PC AT/XT/RT are registered trademarks of International Business Machines Corp.



trade-off considering the aforementioned capacity of a CD-ROM. In some systems, multibyte quantities must be located on certain boundaries; or at least, they are more efficiently retrieved from certain memory locations than others. The HSG proposal ensures that all word and double-word numbers are properly aligned by specifying zero filled padding bytes as it becomes necessary.

## Volume structure

The portion of a CD-ROM that is available for recording data is its volume space, which is divided into a system area, in the first 16 sectors, and a data area in all remaining sectors. The HSG proposal does not specify the structure and use of the system area. Although the HSG format is intended for a variety of operating systems, it provides for only one system area. However, unstructured partitions in the data area can be used to provide information for more than one operating system.

At the beginning of the data area is a sequence of fixed-length records called volume descriptors that describe the general layout of volume space. They comprise the only data structure in the HSG proposal with fixed-length records and an assigned location. The five types of volume descriptor include a standard-files-structure volume descriptor (SFSVD type 1), which describes volume space and points to the head of the standard-file structure; a coded-character-set-file-structure volume descriptor (type 2), which defines a standard-file structure for directories in an alternate character set; an unspecified structure volume descriptor (type 3), which defines a partition having a format that does not conform to the HSG proposal; a boot record (type 0), which provides unstructured data within the descriptor itself; and, a volume-descriptor sequence terminator (type 255), which indicates the end of the sequence of volume descriptors.

Every set of volume descriptors must include one SFSVD type 1, and only one is allowed per CD-ROM. Although several duplicate descriptors may be present to ensure the integrity of directory data, they all must define the identical file structure. The last descriptor must be a sequence terminator; otherwise, any number of volume descriptors can occur in any order.

Boot records and type 3 unspecified-structure descriptors can be used to provide system-dependent information to more than one operating system.

They can, for example, be used to supplement the system area at the start of the CD-ROM. The System ID field in these descriptors identifies the system that interprets the data. Unstructured partitions also can be used to record other file structures — for example, an image of a DOS disk.


Each volume descriptor is 2048 bytes long. HSG specifies the length in absolute terms, not in relation to logical sector size. The information in the first 15 bytes is the same in all volume descriptors. See Table 1 for layouts of the two most important descriptors, SFSVD type 1 and type 2, which

define the variations of standard file structure.

The volume descriptor's LBN (byte position 1) is the logical block number where the descriptor starts. It is a 32-bit number, recorded in both LSB and MSB order, that identifies the particular copy of the descriptor. If a descriptor is replicated for purposes of data integrity, the LBN is the only field that varies from copy to copy. The volume-descriptor type (BP 9) identifies the descriptor, such as type 1 or type 2. The Standard Identifier (BP 10) contains the characters CDR0M to identify the standard to which the CD con-

## Diamond Systems Printer Qr

Queues your data not your computers



### PRINTER Qr

The Printer Qr is an intelligent Data Buffering & Queueing device designed to manage shared Printing/Plotting resources with up to 5 computers.

Ideal for office, wordprocessing, technical and other areas where productivity and ordered system operations are important.

Some of the Printer Qrs features are:

- Up to 512K of common buffer memory; all inputs can be active simultaneously.
- Printer Qrs can be cascaded to increase capacity and ports.
- Sophisticated character compression techniques: 750K plot file compressed to 120K.
- Comprehensive set of software commands allow selection of printer, copies, single sheet feed control, status report and more.

...ALL AUSTRALIAN... Designed and manufactured by Diamond Systems.

Call for details (03) 714 8269 P.O. Box 105 Hurstbridge 3099.



SHOP 3  
134 CHACTERS  
TOWERS RD  
HERMIT PARK  
TOWNSVILLE  
PH (077) 211743

**\*MANUFACTURER**  
**\*IMPORTER**  
**\*DISTRIBUTOR**



279 VICTORIA  
STREET WEST  
MELBOURNE 3003  
PHONE: 329 2555  
FAX: (03) 329 2279  
(HEAD OFFICE)

SHOP 3  
144 JUNCTION  
STREET NOWRA  
(044) 216913

SHOP 3,  
BELCHERS ARCADE  
171-181  
MOORABOOL  
STREET GEELONG  
3220 PHONE:  
(052) 21 8566

**MICRODOS**  
**COMPUTERS AUSTRALIA**

**\*PACKAGE DEALS\***

640K TURBO MOTHER  
BOARD  
..10MHZ..  
180W POWER SUPPLY  
NATIONAL 360K D/DRIVES  
PARALLEL - SERIEL -  
GAME PORT  
BATTERY CLOCK  
CALENDAR B/U  
RGB CARD  
DRIVER CARD  
NX-10 STAR PRINTER  
MOUSE  
JOYSTICK  
SOFTWARE (INCL)  
ALL CABLES (INCL)

**AT ONLY  
\$1949 INC  
MONITOR**

**\*FINEST IBM COMPATIBLES\***  
**INTRODUCING**



**\*NEW \* NEW \* NEW**

BABY CASE  
**MIX + MATCH FOR: AT'S**  
**1 MEG TURBO 4.77/8.0 MHZ**  
**640K TURBO 4.77/10.0 MHZ**

**FROM  
\$1499  
INC MONITOR**

**\*PRINTERS\***

LARGE RANGE AT  
COMPETITIVE PRICES  
**\$CALL**

**\*HARD DISKS\***

10 MEG BASF \$899  
20 MEG MINISCRIBE \$899  
INCLUDING CARD  
**\*SORRY WE ONLY SELL  
QUALITY**

**APPLE-COMPATIBLE  
LASER-\$CALL**

**AUGUST -  
DECEMBER**

**\*\* SPECIAL \*\***

- 256K RAM MOTHER BOARD
- 360K (1) DISK DRIVE
- PARALLEL/SERIAL PORTS
- GAME PORT
- BATTERY CLOCK CALANDER B/U
- 180W POWER SUPPLY
- RGB CARD
- DRIVER CARD

**AT ONLY  
\$899 INC  
MONITOR**

**\*MONITORS  
\*MONITORS  
....COLOUR....**

**FUJITSU GENERAL**

.....\$CALL  
THOMSON RGB .....\$599  
THOMSON EGA/RGB\* \$CALL  
(DUAL) Also has blue screen  
TAXAN 111 .....\$CALL  
TOPCON.....\$545

**....COMPOSITE...**  
COMPOSITE.....\$189  
TTL.....\$194  
AMBER OR GREEN

**\*PORTABLES\***

PHC 1602.....\$1999  
BONDWELL BW8.....\$1699

IBM IS REGISTERED NAME - INTRENATIONAL BUSINESS  
MACHINES PRICES SUBJECT TO CHANGE WITHOUT NOTICE ALL  
JAPANESE COMPONENTS

\*NOTE PRICES MAY VARY FROM STORE TO STORE DUE TO TRANSPORT AND OTHER COSTS

**BOOKS - BOOKS - BOOKS \$CALL**



forms, and the Standard Version (BP 15) identifies the particular version of the standard. Currently, all CD-ROMs conforming to the HSG proposal have the value 1 in the Standard Version field.

The remaining contents of a descriptor depend upon its type. SFSVD types 1 and 2 contain the following fields: Volume Flags (BP 16) and Coded Character Set ID (BP 97) identify the nonstandard character set used in a type 2 descriptor. In a type 1 descriptor, these fields are set to zero. System Identifier (BP 17) identifies the system using the system area.

Volume ID (BP 49) is informational. Its function is analogous to the DOS Volume ID. A retrieval system would use this field to ensure that the proper disk is mounted. Volume Space Size (BP 89) lists the total number of logical blocks in the volume space, including the system area and any unstructured data areas defined by type 3 descriptors. Volume Count and Volume Sequence (BP 129 and BP 133) define multi-volume sets. Logical Block Size (BP 137) defines the length of the CD-ROM's basic allocation unit on the disk — currently 512, 1024 or 2048 bytes.

Several fields beginning at BP 141 describe the root directory and the Path Table; they point to the head of the standard file structure. The fields at BP 343, 471, and 599 (128 bytes each) identify the publisher, data preparer, and application. File Structure Standard Version (BP 855), and the fields at BP 10 and 15, identify the standard to which the CD-ROM conforms; all of these fields are informational.

The fields at BP 727 and 759 identify files that contain copyright notices and abstracts of the information contained on the volume. These files, if present, reside in the CD-ROM's root directory. Four time stamps beginning at BP 791, encoded in ASCII, give the creation, modification, expiration, and effective date/times. Expiration and effective dates can be used to control time-sensitive information.

The ability to define directories in alternate character sets supports files that are named in languages other than English. Type 2 file structures specify characters only for directories, not for encoding data in files. Although alternate and standard structures use different directories, the directories need not point to totally disconnected files. For example, each structure may point to its own text files recorded in a different language, but to a common set of files containing numeric data.

Byte position	Byte length	Format	Field contents in standard and coded character set descriptors
1	8	N	Volume descriptor logical block number (LBN)
9	1	N	Volume descriptor type
10	5	C	Volume structure standard identifier ('CDROM')
15	1	N	Volume structure standard version
16	1	N	Reserved/Volume flags
17	32	C	System identifier
49	32	C	Volume identifier
81	8	0	Reserved (used in unspecified structure descriptor)
89	8	N	Volume space size (logical blocks)
97	32	N	Reserved/Coded character set ID
129	4	N	Number of volumes in volume set
133	4	N	Sequence number within volume set
137	4	N	Logical block size (bytes)
141	8	N	Path table size (bytes)
149	4	N	Pointer to path table in LSB order
153	12	N	Three pointers to optional occurrences of path table
165	4	N	Pointer to path table in MSB order
169	12	N	Three pointers to optional occurrences of path table
181	34	*	Directory record for root directory
215	128	C	Volume set identifier
343	128	C	Publisher identifier
471	128	C	Data preparer identifier
599	128	C	Application identifier
727	32	C	Copyright file name
759	32	C	Abstract file name
791	16	D	Volume creation data and time
807	16	D	Volume modification date and time
823	16	D	Volume expiration date and time
839	16	D	Volume effective date and time
855	1	N	File structure standard version
856	1	0	Reserved (pad to word boundary)
857	512	U	Reserved for application use
1369	680	0	Reserved for future standardisation
<b>Total</b>	<b>2048</b>		

N = Binary integer  
0 = Binary zero  
C = Character

D = Digit character 0-9  
U = Unspecified  
\* = See Table 3

*Table 1 File Structure Volume Descriptor. A CD-ROM must have one volume descriptor to define a standard file structure; it may have any number defining other structures coded in alternate character sets*

## File structure

The file structure defined by the HSG proposal is a tree shaped, multi-level directory structure similar to DOS and Unix except that it allows only eight levels of directories. Further, it does not fix the location of the root directory; instead, the SFSVD points to it.

The slow CD-ROM seek time makes a deeply nested tree structure inefficient. Opening a file listed in a sub-directory three levels below the root might require three or four separate

seeks just to obtain the file's location, plus another to open the file. To speed access, the HSG file structure defines a Path Table that lists the locations of all directories on the disk, at all levels. Each directory (including the root directory) can be accessed through either of two paths: one directly through the Path Table, another along the pointers from the root through the branches of the tree (see Fig 2).

The Path Table contains a directory descriptor for each directory on the disk (see Table 2). A directory name






Fig 2 High Sierra Group CD-ROM Directory Structure. This directory is similar to MS-DOS's, but the added Path Table allows locating any directory without traversing the entire path

can have up to 31 characters, including uppercase letters, digits, and underscores. No punctuation characters are allowed because various operating systems assign different meanings to them.

Directories are assigned numbers by their position in the Path Table, and are ordered in the table by directory level (root first), by parent directory number, and alphabetically within the parent directory. In the sample structure shown in Fig 2, the order of entries in the Path Table is as follows:

- 1 Root Level 0
- 2 ABC Level 1
- 3 JKL
- 4 STU
- 5 DEF Level 2
- 6 GHI
- 7 MNO
- 8 PQR
- 9 AAA
- 10 BBB
- 11 XYZ

Because of this hierarchical ordering and the variable length of the entries, the Path Table can be searched only sequentially. Efficient look-up algorithms, such as binary search, cannot be used.

Each CD-ROM must have at least two copies of the Path Table. One copy has multi-byte numeric values (LBN of the directory, number of its

parent) recorded in LSB order, the other in MSB order. The entire table — not just each numeric value — is repeated to save space when the table is read into memory. The Path Table is meant to reside in memory so that directories can be found quickly with minimum accesses to the CD-ROM. Recording the number twice would add six bytes to each entry; instead, extra space for the table is allocated on CD-ROM, where high capacity produces a low per byte cost.

Each mandatory copy of the Path Table can be replicated three times for data integrity. All copies must define the identical directory structure, but need not point to the same directory files.

The directories contain records called file descriptors that point to file locations in the data space (see Table 3). Within a directory, each file descriptor is arranged alphabetically by a file identifier that contains up to three components: a file name, followed by a full stop; a file extension, followed by a semicolon; and a file version number. The name and extension can contain uppercase letters, digits, and underscores; the optional version number is made up of digit characters representing a number between 1 and 32,767. Either the name or extension

(but not both) may be omitted. If the name is omitted, the identifier begins with a full stop. The file-identifier string is also limited to 31 characters.

Files with multiple extents (for spanning more than one disk volume) have one directory entry for each file extent. Because all of the entries for a multi-extent file contain the same file identifier, these entries are grouped consecutively in the directory. The file size is a 32-bit integer interpreted as an unsigned quantity so that it provides a file extent size of more than 4GB.

Interleave information in BP27 and BP28 of the file descriptor indicates whether the file is recorded on consecutive sectors. The first value specifies the number of consecutive sectors, and the second specifies the number of sectors skipped. Skipping sectors allows the retrieval system more time to process the data — to reduce the effective transfer rate to less than the nominal 150k per second.

Interleave on the spiral track of a CD-ROM differs fundamentally from interleave on the concentric tracks of a magnetic disk. On concentric tracks, the skipped sectors are eventually encountered again and can be read without moving the head from the track. On a spiral track, a sector is not en-



# basic time

## BT-40 Tape Streaming Unit

**NEW MELBOURNE  
STORE NOW OPEN  
GROUND FLOOR  
11 QUEENS ROAD  
MELBOURNE 3001  
PHONE (03) 820 9090**

The BT-40 is a state-of-the-art tape streaming unit of 40 Megabytes capacity that can be added to most desk top personal computers for data backup.

Back-up and storage of blocks of data can be accomplished from the computers hard disc. Data is stored in formatted form over 20 sectors on a high density DC-2000 mini tape cartridge.

The BT-40 has proven to be very reliable and replaces directly the floppy disc drive of your PC.

For further information on the BT-40 please refer to specifications below or visit us at our Parramatta showroom for a hands-on experience of the sensational BT-40 tape streaming unit.



**\$999**  
(INC TAX)

### SPECIFICATIONS BT-40 TAPE BACK-UP UNIT

Media	DC-2000 Mini-Cartridge
Capacity (formatted)	40 Megabytes
Recording Format	MFM bit-serial
Recording Density	8333 bpi
Number of Tracks	20 Tracks
Blocks per Track	256 Blocks
Bytes per Block	8192 Bytes or user selectable
Data Transfer Rate	250Kbs/second = 1.875Mb/minute
	500Kbs/second = 3.750Mb/minute
Tape Speed (Read/Write)	30/60 ips
Tape Speed (Rewind)	78 ips nominal
Error Rate	Soft Error Read Rate 1 x 10e9
	Hard Error Read Rate 1 x 10e11
	Seek Error Rate 1 x 10e6
Size and Mounting	3 1/2" or 5 7/8" Form Factor
Overall Size	4" x 1 5/8" x 5 7/8"
Overall Weight	Less than 20 oz.

Mounting	3 1/2" Standard
	5 1/4" Half-Height
Interface	SA-450/475 with Intelligent Command
	Set Drive Select - A B C D
Power Requirements	15 Watts Maximum
	+12 VDC 0.75A Typical
	+5 VDC 1.5A Maximum
	0.65A Typical
	1.0A Maximum
MTBF	20,000 Hours
MTTR	30 Minutes
Environmental	Operational
Temperature	+5C - +45C
Humidity	20% - 80%
Altitude	-1,000 to 15,000
	Non-Operational
	-30C - +60C
	0% - 99%
	-1,000 to 50,000

The two transfer rates are to support the XT and AT, the slower speed will support both.

# basic time

20 PARKES STREET PARRAMATTA 2150  
TELEPHONE (02) 635 8877

STORE BUSINESS HOURS:

MON - FRI 9am - 5pm SATURDAY 9am - 4pm

CREDIT CARDS:

MAIL ORDERS WELCOME  
PHONE FOR DETAILS



**CALL INTO OUR  
PARRAMATTA SHOWROOM  
AND MEET THE FRIENDLY STAFF  
WHO WILL BE ONLY  
TO PLEASED TO SHOW  
THE BASIC TIME  
RANGE OF COMPUTER EQUIPMENT**





plug in  
computer accounting

- BILL OF MATERIALS
- CREDITORS
- DEBTORS
- EXAMINER
- GENERAL LEDGER
- INVENTORY
- JOB COST
- PAYROLL
- POINT OF SALE
- PURCHASE ORDER
- SALES ORDER
- TIME COST

## ALL-INTERACTIVE -MULTI-USER

Operating systems include:

DOS - XENIX -  
NOVELL - 3COMS -  
CCPM - CONCURRENT

## C & S COMPUTER SERVICE

100 PACIFIC HIGHWAY  
WAITARA 2077  
PH: (02) 489 1181

## ATAC (VIC) PTY. LTD.

111 LT LONSDALE ST  
MELBOURNE 3000  
PH: 903) 662 2755

## TECHNOLOGY

Byte Position	Byte Length	Format	Field contents
1	4	N	LBN of directory start
5	1	N	Length of extended attribute record
6	1	N	Length of directory name (value=LDN)
7	2	N	Parent directory number
9	LDN	C	Directory name
Next	1	0	Present if necessary for even length

N = Binary integer    C = Character    0 = Binary zero

Table 2 Directory Descriptor (Path Table Record). The Path Table contains a descriptor of each directory on the volume and permits quick access to any directory, regardless of its position in the hierarchy

Byte position	Byte length	Format	Field contents
1	1	N	Length of this directory record
2	1	N	Length of extended attribute record
3	8	N	Pointer to file extent (LBN)
11	8	N	File size in bytes
19	6	D	Recording date and time
25	1	B	File flags
26	1	0	Reserved for future use
27	1	N	Interleave size, logical blocks
28	1	N	Interleave skip factor, logical blocks
29	4	N	Volume set sequence number
33	1	N	Length of file name (value = LFN)
34	LFN	C	File identifier
34+LFN	1	0	Reserved (present only if LFN is odd)
Next	Rest	U	Reserved for system use (optional)

N = Binary integer  
0 = Binary zero  
C = Character

D = Digit characters 0-9  
B = Bit flags  
U = Unspecified

Table 3 File Descriptor (Directory Record) Similar to MS-DOS, a directory may contain entries identifying both files and other directories, but unlike MS-DOS, the entries are variable-length

countered again after it has passed the head unless the head is backed up and resynchronised to the spiral (a task too time-consuming to be practical). Therefore, the skipped blocks are either left as blank space or allocated to another file with a complementary interleave.

As in DOS, the first two entries in every subdirectory point to the directory itself and to its parent, but instead of using full stops to identify them, the HSG proposal specifies 00H for the current-directory descriptor and 01H for the parent-directory descriptor. Unlike DOS, the root directory also includes these two pointers: because the root has no parent directory, its parent pointer points to itself.

The attribute byte proposed by HSG is also similar to DOS (see Table 4). The existence attribute is analogous to the hidden attribute of DOS, and the associated attribute allows two different files to have the same name. The file with the associated attribute turned on is, in effect, a hidden file. The use of two files having the same name is system-dependent: for example, the main file could contain encrypted data and the associated file, the decryption keys.

The attribute byte has eight bits, many of which act as switches to enable other attributes to be specified in an extended-attribute record (EAR), see Table 2. An EAR, if present, begins in the location specified by a



# TECHNOLOGY

Bit position	Name	Meaning if set
0	<b>Existence</b>	Existence of file need not be revealed upon user query
1	<b>Directory</b>	This directory record identifies a subdirectory, not a file
2	<b>Associated</b>	The file is associated in a system-dependent manner with another file of the same name
3	<b>Record</b>	The record structure specified in the extended attribute record for this file does apply
4	<b>Protection</b>	The protection modes specified in the extended attribute record are enabled
5-6	<b>Reserved</b>	Must be zero
7	<b>Multi-extent</b>	This is not the final (or only) extent for this file

Bit 0 = Least significant bit

Table 4 File Attribute Byte. The function of the CD-ROM file attribute byte is similar to that in MS-DOS. To allow specifying more attributes than can fit in one byte, some of the flags enable extended attributes to be recorded elsewhere on the volume

Byte position	Byte length	Format	Field contents
1	4	N	Owner identification code
5	4	N	Group identification code
9	2	B	Permissions (see Table 6)
11	16	D	File creation date and time
27	16	D	File modification date and time
43	16	D	File expiration date and time
59	16	D	File effective date and time
75	1	N	Record format
76	1	N	Record attributes
77	4	N	Record length
81	32	C	System identifier
113	64	U	Reserved for system use
177	1	N	Standard version
178	64	0	Reserved for future standardisation
243	4	N	Parent directory number
247	4	N	Length of applications area (value=LAA)
251	LDR	*	Directory record for this file
Next	LAA	U	Applications area

LDR = Length of directory record, in first byte of directory record  
 N = Binary integer  
 0 = Binary zero  
 B = Bit flags

C = Character  
 D = Digit characters 0-9  
 U = Unspecified  
 \* = See Table 3

Table 5 Extended Attribute Record. This optional area precedes the data space of a file. It records the additional file attributes that are enabled by flags set in the file attribute byte

file's LBN; the actual data begins immediately after the EAR. Existence of an EAR is indicated by a non-zero length value in the EAR field at BP 2 of the file descriptor. Directories can also have extended attributes.

One purpose of an EAR is to

specify who may access the file. As in Unix, permissions are specified for four classes of users: the system, the owner, members of the owner's group, and all other users, sometimes called 'the world'. (See Table 6 for a list of permission flags.) The permis-

NEC PC-8201A  
 microcomputer  
 8k RAM Module



Peter Bancroft (03) 428 3492  
 PO Box 359 South Yarra 3141  
 40 Balmain St Richmond 3121  
 \$25 + \$5 Sales Tax each  
 \$5 Handling charge per order

## COMPUTER ★ REPAIR ★

- ☆ We are specialized in IBM and CLONES
- ☆ We also care for Apple and CLONES
- ☆ We look at your problem very long and hard (we never give-up)
- ☆ Quick turn around, LOW RATES
- ☆ Easy parking, open 6 days (9.30 am-7 pm)

HANTRON DATA SYSTEMS (HDS)  
 Unit 4, 191 Victoria Road,  
 Gladesville 2111.  
 Tel: (02) 816-3879

Computerised  
 Accounting  
 for the one fingered  
 manager  
 From \$995




Please send me more information on the  
 Sybiz Accounting Solutions.  
 Mail to: Sybiz Software  
 309 Angas Street or Phone (008) 88 8342.  
 Adelaide 5000

Name: .....  
 Title: .....  
 Company: .....  
 Address: .....  
 .....P/C .....  
 Phone: ( ) .....

APC



# THE INTERFACE PC/AT TURBO FROM TECHNOLOGY INTERFACE PTY LTD



Only

**\$1790.00**

includes s/tax

## QUALITY FEATURES INCLUDED AS STANDARD

- Intel 80286-10 Processor running at 10MHz
- 512 Kbyte internal memory expandable to 4Mbyte on board
- Licensed System BIOS
- Toshiba 360 Kbyte Disk Drive and controller
- Genuine 200 Watt power supply
- Colour, Graphics, Printer Card
- AT Format keyboard
- Flip-top case with keylock, reset + turbo switches
- User manuals
- Warranty - 12 months

**STOP PRESS**

Also available our beautiful "Baby" PC/AT  
our Turbo PC/XT and our Portable PC/AT

For your nearest Technology Interface Centre call: SYDNEY (02) 684 4449 MELBOURNE (03) 329 2922  
ADELAIDE (08) 316 722 BRISBANE (07) 525 318

Dealer Enquiries phone Sally on (02) 684 4999 or Toll Free (008) 224 154

Interface Technology Pty Ltd is a subsidiary of Castle Technology Holdings Limited.



Bit position	When clear	When set
0 (LSB)	<b>System may read</b>	System may not read
1		Reserved: must be set
2	<b>System may execute</b>	System may not execute
3		Reserved: must be set
4	<b>Owner may read</b>	Owner may not read
5		Reserved: must be set
6	<b>Owner may execute</b>	Owner may not execute
7		Reserved: must be set
8	<b>Group member may read</b>	Owning group member may read
9		Reserved: must be set
10	<b>Group member may execute</b>	Owning group member may execute
11		Reserved: must be set
12	<b>Any user may read</b>	Group member may read
13		Reserved: must be set
14	<b>Any user may execute</b>	Group member may execute
15		Reserved: must be set

*Table 6 File Permission Flags. The four levels of file protection offered (system, owner, group, and world) are similar to those available in Unix, except that write protection is obviously not needed. This feature is available only if the operating system supports it*

Record format ID	Record format
0	Does not conform to HSG format
1	Fixed length records
2	Variable length records, each preceded by a 16-bit integer length in LSB format
3	Variable-length records, length values in MSB format

Record attribute	Formatting control
0	Precede with LF, follow with CR
1	Formatting specified in first byte of each record, per ISO/FORTTRAN conventions
2	Formatting specified within the record, to be interpreted by application

*Table 7 Record Format and Record Attributes. If specified in the extended attribute area, these characteristics define the structure of data records and how to display records on screen or on paper*

sions specified in the HSG proposal are highly system dependent — a CD-ROM is protected by permission flags only if the operating system or the application offer such protection. MS-DOS does not; under MS-DOS, a disk can be protected only by its applications software.

The EAR also can specify the

record format of a file as fixed length, variable length, or unstructured. BP 77 of the EAR specifies the length for fixed-length records and the maximum length for variable-length records. A variable-length record is preceded by a 16-bit integer that specifies its length; the EAR's Record Format field (BP 75) indicates

whether this integer is written in LSB or MSB order (see Table 7).

A copy of the entire file descriptor (directory entry) for the file is incorporated in the EAR. The EAR therefore provides in one place all the information about the file, including the attribute byte, pointer to its location on disk, file size, and pointer to the parent directory entry in the Path Table.

## Multi-volume sets

Multiple sets of CD-ROMs are used when the information to be recorded exceeds the capacity of one disk and when supplementing or replacing information on the original disk. Information defining a multi-volume set is located in three fields of the SFSVD type 1 (see Table 1): the volume-set identification (BP 215), the number of volumes in the set (BP 129), and the sequence number of each disk within the set (BP 133).

If all the volumes of a set are released together, the directory information on each volume describes the entire file structure on all disks of the set. Thus, the location of any file on any disk can be determined regardless of

# MicroGram

## COMPUTERS

## NETWORKING CARDS

- Easily networks 2 to 64 IBM PC/XT/AT computers.
- Share programs, data files, printers, plotters, etc.
- Transfer data at 1 million bits per second.
- Standard software includes:
  - Record locking with DBase III and DBase III Plus programs.
  - File lock and unlock during write operations to prevent interleaved updates, while still allowing read access by others.
  - Three levels (owners, group, all) of read/write protection for all files.
  - View remote station screen displays from master.
  - Transmit master display to remotes.

These last two points are particularly applicable to an educational environment.

- Optional software:
  - PC Network emulation.
  - Novell Netware emulation.

**\$599 EACH** including sales tax  
**DEALER ENQUIRIES WELCOME**  
**Phone (043) 328 651**

17 Barry St, Bateau Bay, NSW, 2261





# COMMUNICATIONS BREAKTHROUGH

*Microtex 666 is the foremost publisher on Telecom Australia's national videotex service  
— Viatel.*

*Take a giant step into the 21st century and join Microtex 666 today. Microtex is the largest  
and fastest growing information provider on Viatel and caters extensively for  
microcomputer users.*

*Feast from the ever changing software library - available for you to load straight into your micro  
and save on disk or cassette. There are over a THOUSAND programs from Australian, American  
and British software houses, all discounted and some absolutely free.*

*All this and much more is part of the vast service linking thousands of Microtex and Viatel users  
across Australia, 24 hours per day, 7 days per week.*

SUBSCRIBE TO: **MICROTEX 666**, now for 3, 6 or 12 months.  
PHONE: (03) 531 8411 for more details  
or access page \*666599# on VIATEL.



	Volume ID	Volume set ID	Volume set size	Volume set sequence
<b>INITIAL SET</b>				
Disk 1	DISK_A	MY_SET	2	1
Disk 2	DISK_B	MY_SET	2	2
<b>UPDATE</b>				
Disk 3	DISK_C	MY_SET	3	3

*Table 8 Example of Multi-volume Set. The determination of which disk in a set actually contains the valid directory is made by comparing the volume set size to the volume set sequence number*

the identity of the disk mounted. The directory entry for a file contains both its disk number and a pointer to the file's starting location. The user may have to change disks before the file can be read, but no more than one disk change is ever necessary.

Although the information on a CD-ROM cannot be altered, a multi-column set can be updated by releasing a new disk with a different directory structure. This updated disk then contains the only valid directory for the entire set: any files on earlier disks that do not appear in the updated directory cannot be accessed and are, in effect, deleted. If the updated directory contains pointers to new copies of files, these files appear to replace the previous files.

When using an updated set on a single-drive system, it might be necessary to change disks several times to read one file. In the example in Table 8, the disk set called MY\_SET initially consisted of two volumes, each containing a directory structure so that any file listing could be located using either disk. When a third disk is issued to update the set, only that disk contains a correct directory for the three-disk set. The directories on disks 1 and 2 are rendered obsolete and the system must be started with disk 3 mounted. When disk 3 is read, the system records that it is part of a three-volume set.

If a file is needed from disk 1 or 2, the system prompts the user to mount the appropriate disk. When the disk is read, the system records the fact that its directory is obsolete because its volume count is less than the current set size. When the user is finished with the file on disk 2 and wants to access another, the system must prompt for disk 3 so as to access the current version of the directory. Once it has located the next file, it may need to prompt for disk 1 or 2 again. The developer of a CD-ROM application

that may be updated should try to minimise this disk swapping by a careful lay-out of files and by maintaining appropriate portions of the directory structure in memory.

## Levels of interchange

The HSG proposal defines three possible levels of implementation or levels of interchange of the disk format. The purpose is to accommodate the widest variety of operating systems. Not all of them can support all features described in the proposal, but instead of allowing each implementing party to choose which features to support, the proposal defines several acceptable subsets.

In level 1, directory and file names are limited to eight characters and file extensions are limited to three. Level 1 does not support file-version numbers, multi-extent files, multi-volume sets, hidden and associated files, interleaving, or protection. Level 2 supports interleaving, and file and directory identifiers up to 31 characters long, but still does not allow file-version numbers. Level 3 is the full implementation.

A system can read equal or lower-level CD-ROMs, but may produce errors when reading disks prepared to a higher level. In the HSG proposal, a retrieval system cannot determine the interchange level of a particular disk. The proposal also does not specify how a system implemented at one level should react to information recorded at a higher level. These issues are being addressed by the standards committees currently studying the proposal.

## MS-DOS extensions

One of the first implementations of the HSG proposal on a popular operating system is Microsoft's CD-ROM extensions for MS-DOS. These extensions, available only to OEM CD-ROM drive

manufacturers, consist of two components: first, specifications for a device driver that controls the physical device, and, second, a terminate-and-stay-resident (TSR) program called MSCDEX that interfaces between MS-DOS and the device driver. The end user obtains the device driver and the program from the CD-ROM drive manufacturer.

To incorporate a CD-ROM drive into a PC configuration, the user must add a DEVICE statement to CONFIG.SYS specifying the CD-ROM device driver file and the number of physical drives it supports. He then must run MSCDEX from the DOS prompt or a batch file.

The device driver is defined as a character, not a block, device; because DOS block devices are restricted to file sizes of 32Mbytes — far from adequate considering the capacity of a CD-ROM. Therefore, the CD-ROM drive cannot be treated as an ordinary disk drive accessed by a block device driver.

When the MSCDEX program is installed, it assigns the next available drive letter to the CD-ROM using the DOS Redirection facility available in MS-DOS versions 3.1 and later. The LASTDRIVE parameter might need to



## BAR CODE READER

- Designed for IBM PC/XT computers
- Keyboard interface, enter data from keyboard or reader, no need to modify your software.
- Bi-directional scanning.
- Audible beep/LED indication of correct reading.
- Switchable to select most bar code standards e.g. UPC/EAN/JAN/Code 39/Codabar/Interleaved 2 of 5.
- Selectable baud rate 4800 to 9600.
- Selectable CR, CR & LF, TAB or no termination character.
- Software to print barcodes on dot matrix printer.

**\$549** including Sales Tax.

DEALER ENQUIRIES WELCOME

**Ph (043) 328 651**

PEMB 4572


17 Barry St, Bateau Bay, NSW, 2261





# **ASI-800T (SUPER TURBO) PERSONAL COMPUTER**

- Intel 8088-1 CPU (10 MHz)
- Multifunction I/O ports
- 8 expansion slots
- Compatible with IBM PC/XT software
- Keyboard available in major languages
- OEM/SKD requests welcomed



AUSTRALIAN DISTRIBUTOR:



**TOTAL PERIPHERALS PTY LTD**

Unit 22 / 1 Short Street  
Chatswood, Sydney Tel:  
(02) 417 7455



be set in CONFIG.SYS to assure that sufficient drive letters are available.

An installation option specifies the number of sector buffers allocated by MSCDEX: the more buffers, the less frequently the CD-ROM must be accessed. This parameter is analogous to the BUFFERS command in CONFIG.SYS. Sector buffers also can be allocated in expanded memory (EMS), if available.

The interface between MSCDEX and EMS memory has two problems. First, if the read of the CD-ROM drive fails (because of an open drive door, for example) and the user answers 'Abort' to the DOS error message, the EMS memory becomes unusable and the CD-ROM interface is inoperative until the system is rebooted. Second, on the next warm reboot after a successful read of the CD-ROM, the expanded memory manager (EMM) does not recognise the presence of EMS memory until the reboot is repeated. (Microsoft is working to correct both problems.)

After MSCDEX is installed, the CD-ROM drive can be treated like a DOS disk drive: it can be made the current

*'... submissions to various standard setting groups are proceeding at a fast pace. Almost certainly, the final standard will be modified from the original.'*

drive, its directories can be listed, and files can be read from it. However, because DOS treats it like a network drive, CHKDSK, SUBST, JOIN, and ASSIGN, along with a few other commands are not allowed. At the end of a directory list, the space remaining on the drive is listed as zero, which is technically correct — because the drive does not allow writing, no additional space can be allocated.

Because the CD-ROM device driver is a character device, DOS cannot call it directly to read blocks from CD-ROM. All calls to the device driver come from MSCDEX. DOS and MSCDEX communicate by means of undocumented interrupt 2FH (multiplex interrupt) calls: DOS issues several interrupt 2FH calls at every disk I/O request. During installation, MSCDEX hooks itself to interrupt 2FH and then intercepts all calls from DOS for disk

AL	FUNCTION
0	Get CDROM drive info
1	Get CDROM drive list
2	Get copyright file name
3	Get abstract file name
4	Get bibliographic documentation file name
5	Read VTOC
8	Absolute disk read
9	Absolute disk write

*Table 9 MSCDEX Interface. These MSCDEX interface functions are implemented through the multiplex interrupt 2FH with AH = 15H*

I/O, processing those that refer to the CD-ROM drive.

Microsoft specifies that a device driver for use with MS-DOS/CD-ROM extensions must support the following commands: INIT, IOCTL INPUT, INPUT FLUSH, IOCTL OUTPUT, DEVICE OPEN, DEVICE CLOSE, READ LONG, READ LONG PREFETCH, SEEK, PLAY, and STOP PLAY. These commands are implemented by the device-driver manufacturer, not the developer of the retrieval software. INIT, OPEN, CLOSE, and FLUSH perform standard functions essentially as documented for any device driver in the DOS *Technical Reference Manual*. IOCTL INPUT allows MSCDEX to request status information from the device driver, including the address of the device header, location of the read head, whether the disk was changed, and the presence of audio tracks. IOCTL OUTPUT allows the drive door to be locked and unlocked, the disk to be ejected, and the drive to be reset (if the drive supports these functions under software control).

READ LONG, which requests the transfer of data from the CD-ROM to the system, is the crux of the MSCDEX program: it provides a way to specify a 32-bit sector number to an otherwise straightforward block-device driver. READ LONG operates in several modes. 'Raw data mode' returns all 2352 bytes of the physical sector, including the 2048 data bytes of the logical sector and the error-detection codes (EDC) and error-correction codes (ECC).

'Cooked mode' returns only the user data, leaving the EDC/ECC for the drive controller to handle. Two options are available for specifying the address of data to be read: in HSG 'addressing mode', the sector number is specified as a 32-bit logical sector number; in Red Book 'addressing mode', sector

addresses are specified in physical format, as minute:second:sector.

The READ LONG PREFETCH command helps compensate for the device driver's slow average access time. It initiates a low-priority seek operation and returns immediately. If a subsequent command is received by the drive before the seek is completed, the seek is cancelled and the next command is performed. An option controls whether the requested sectors are actually read in if the seek is successful. According to the documentation, this command is used for 'advisory seek' operations to improve drive performance.

The SEEK command performs an explicit seek. Although the call also returns immediately, any subsequent disk operation waits until the SEEK operation is completed. Like the advisory seek, this command also can be used to improve performance by sending the head to the next data area while the previous input is being processed.

PLAY and STOP PLAY need to be supported only by an 'extended' device driver. The PLAY command begins reading audio information at a specified sector number and sending it to the drive's audio output. Control returns im-

## MicroGram COMPUTERS

### "MOUSES"

- Designed for IBM PC/XT/AT, and compatible computers
- Optical rotary encoders
- 3 tactile buttons
- Resolution 0.16mm/count
- Max. tracking speed 200mm/s
- Connection via RS232C port and keyboard socket — no interface card needed
- Silicon rubber coated ball
- Compatible with all major software: AUTOCAD, DBASE III, GEM, LOTUS 123, MICROSOFT WORD, MULTIPAN, PC PAINT, PC PAINTBRUSH

**\$89 EACH** including sales tax  
DEALER ENQUIRIES WELCOME  
**Ph (043) 328 651**

17 Barry St, Bateau Bay, NSW, 2261





# THE WORLD OF PROFESSIONAL ACCOUNTING WITH POWERFUL SOFTWARE AT A MICRO PRICE

**ENTER DEBTORS                      ENTER CREDITORS**  
**ENTER GENERAL LEDGER**  
**ENTER INVOICING**  
**ENTER INTERFACE (TO WORDPROCESSING &  
SPREADSHEETS)**

If you thought that Professional Accounting Software was too expensive for you then think again!

Enter Accounting at just \$450.00 (including tax) for all kinds of small to medium sized businesses.

Full reporting options including profit & Loss & balance sheets that you can design yourself, on-screen enquiry details, password protection and easily changeable menus. Interface your accounts with a wordprocessor or spreadsheet. Comprehensive Chart of Accounts provided. Optional colours for different parts of the screen. Multi Company operation and many more easy to use features.

**ALL FOR JUST \$450.00** (including tax).

Minimum Hardware requirements: Most MSDOS or PCDOS based PC's, XT's or AT's. 128K RAM and 2x360K floppy disks.

**Now also available for the new IBM models: 30, 50, 60, 80,**  
*Phone Now or return the coupon provided to:*

**COMPACT SOFTWARE AUSTRALIA PTY. LTD.**  
**Phone: (02) 371 9333**

(MSDOS Trademark of Microsoft Corporations).  
(PCDOS Trademark of IBM).

**COMPACT SOFTWARE,  
P.O. Box 138, Rose Bay 2029**

**\*Bankcard or Mastercard  
accepted.**

*Send this coupon with a cheque or money order (add \$10 delivery & handling)*

☐ B/C, ☐ M/C No ..... Expiry Date.....

Name .....

Address ..... Postcode .....

City ..... State .....

Phone ..... Signature .....

## TECHNOLOGY

mediately to the caller, but playback continues until a specified sector count is satisfied or a STOP PLAY command is issued. The calling program can monitor the busy bit in the device driver's status word to determine when playback has been completed.

The above commands are issued to the device driver by MSCDEX. Commands to MSCDEX, in turn, usually come from DOS through interrupt 21H. However, Microsoft also provides a way for applications to communicate directly with MSCDEX, allowing them to obtain information not available through DOS.

The programming interface with MSCDEX is implemented through the multiplex interrupt 2FH with AH = 15H. Available functions are shown in Table 9. To invoke a function, the application loads 15H into the AH register, the function number into the AL register, and other information into other registers as required, and executes an interrupt 2FH. Function 0 returns the number of DOS drive letters assigned to CD-ROM drives and the starting drive letter. Function 1 returns, for each DOS volume, a pointer to the device header for the CD-ROM drive and a subunit number of the drive within the driver. For example, if one device driver were supporting three CD-ROM drives, this function would fill an array with three subunit numbers 0 through 2 and three far pointers all set to the same value.

Functions 2, 3 and 4 return the names of the indicated files from the type 1 volume descriptor. The copyright and abstract file names are defined in the HSG proposal, and the bibliographic document file is expected to appear in the ISO standard. Read VTOC (function 5) displays the Volume Table of Contents, Microsoft's name for the sequence of volume descriptors at the front of the data area. Each call to this command reads the next descriptor in sequence. Function 9 is analogous to DOS interrupt 25H: it is directly converted into a READ LONG call to the device driver that reads in sectors identified by logical sector number.

Although formal CD-ROM standards do not as yet exist, the process of standardising CD-ROM has been quite successful. Because the HSG proposal is already widely accepted, submissions to various standard setting groups are proceeding at a fast pace. Almost certainly, the final standard will be modified from the original. The appearance of CD-ROM retrieval tools, such as the Microsoft DOS extensions, indicates that applications conforming to a base level can begin to reach the market.

END



# IS THIS HOW YOU FIND A POST CODE?


**POST  
CODE**

## LET POST CODE FIND IT FOR YOU!

Hassled by not having the postcode  
for your letter or database?  
Can't find the Postcode booklet?  
No room on your desk for the Phone  
Directory?  
Here is a program to make life easier.  
**PostCode!**

A great little utility. PostCode gives you an  
index to over 12 000 Australian  
postcodes — ready to pop-up its window  
anytime with a single keystroke, even  
from inside your favourite programs.

You can scroll through the list or jump  
direct to the locality name. Once you're  
there, another keystroke pops the window  
down and you are back in your program.  
If you prefer, send the code to your  
program with a single keystroke — just  
as if you had typed it.



PostCode uses a tiny 13K of memory and  
a 70K data file that you can use  
comfortably, even without a hard disk.  
Small, efficient and compatible. Just what  
you would expect from the company  
which invented resident software.  
PostCode. Order it today and make your  
life that little bit easier. Only \$49.

**FBN  
Software**

AUSTRALIAN SYSTEMS SOFTWARE  
2 SOLANDER COURT  
YARRALUMLA ACT. 2600  
(062) 81 2021

THE ARTWORKS 222MAR7

## How to make your personal computer display a little more public.



Introducing the first  
electronic display system under  
two thousand dollars\*.

New Kodak Datashow.

Any image you can generate  
on your IBM or IBM-compatible  
personal computer, you can  
plaster across a wall.

Place Datashow on your  
overhead projector, connect  
to your PC, and away you go.

You can program. You can  
forward and reverse. You can  
random access, split screen,  
reduce and highlight. And all  
by fully remote control.

For full Datashow data,  
in Melbourne call 353 2185.  
Elsewhere, 008 (toll free)  
33 9801.

**Project yourself  
like a professional.**



Kodak is a registered trademark.\* Plus sales tax if applicable. 342P7007



# 5-1/4" Half Height Floppy Disk Drive for Commodore

Fully compatible with Commodore C64 and C128.

1/3 faster than 1541

The best price what you have never Seen.

The fastest delivery: 3 days after your order

## OCEANIC ELECTRONICS CORP.

Please call for:

ADDRESS: 7TH. FL, 123 SEC 1,  
NEI HU RD, TAIPEI,  
TAIWAN, R. O. C.

P. O. BOX: 25 NEI HU, TAIPEI

TLX: 19423 OCNEC

TEL: (02) 7962377

CABLE: "OCNEC" TAIPEI

FAX: 886-02-7962994

Transfer Rate (K bytes/sec)			125
Memory Capacity (K bytes)	Unformatted	Per DISK	174
	Formatted	Per DISK	167
Inside track recording Density (bpi)			2768
Inside Track Flux Density (bpi)			5536
Sectors Per Disk			17 to 21
Tracks Per Disk			36
Track density (tpi)			48
Number of heads			1
Track to Track Access time			6ms
Disk Rotational Speed (rpm)			300
Motor Starting Time			150ms

MEASUREMENT (mm): 150 × 50 × 270


5pcs/CTN/18.5Kg/2.22'

**DISTRIBUTORS are WELCOMED!**

**OC-118N**







**Stephen Applebaum dons his trendiest gear for a trip to Tonetown, and then decides to throw a murder party. How, and why does he do it? Find out in the best of this month's games.**

## Time of your life

**Title:** Tass Times in Tonetown

**Computer:** Commodore 64, IBM PC

**Supplier:** Imagineering

**Price:** \$37 (C-64), \$66 (IBM PC)

Tonetown is a unique world on the other side of your imagination: it is oddly familiar, and yet so different, that survival there depends on your ability to assimilate into the sub-culture created by the ultra-hip inhabitants.

To be acceptable to the denizens of Tonetown you must be chic, urbane and a little on the weird side. Tourists are definitely not 'cool'. Their 'Jonboi Waltune' (red-neck) outfits are reviled by the locals and can even lead to a bad case of rigor mortis if not traded in for the right gear; such is the extent of the hatred their dowdiness inspires in the sartorially aware Tonetownians.

Cool is tass and tass is a dyecut dyeorama hairdo, a Troppewear jumpsuit or the Daglets singing 'Tass', their smash hit single.

On the surface, Tonetown is a Sybaritic paradise: there's music, 'acid' cocktails, glo burgers and even a wood where 'magic' mushrooms grow wild. But below this exterior of unmitigated superficiality there flows an undercurrent of dread.

Everything bad that happens in Tonetown — and there is plenty — can be traced back to Franklin Snarl, an evil character who resembles a cross between an alligator and a shagpile carpet. He, it would be fair to assume, is solely responsible for the disappearance of Gramps, the reason for your foray into Tonetown.

Having discovered a way of passing between dimensions, Gramps has got himself stuck in Tonetown and is unable to return to his cosy, winterised log cabin. His only hope of making it back is if you, too, enter Tonetown and show him the way.

You are escorted throughout the adventure by Ennio the Legend, an esteemed reporter employed on the




*Tonetown Times*, who would not warrant a mention were it not for him being a dog. In fact, Ennio is the incarnation of Gramps' faithful hound Spot's alter ego.

Excellent as it is, Tass Times in Tonetown will most likely be ignored by adventure purists since it goes against virtually everything they believe in; not only does it have graphics, but also a system that allows commands to be executed without the necessity for typing them in beforehand. (It is worth noting here that the graphics can be turned off and the game played as a straight adventure. But if you are going to do that, why buy the game in the first place?)

All the most commonly used commands may be accessed by 10 function keys. This means that if you want to drop an object, for example, all you need to do is press the key programmed with the 'drop function' and then either type in the name of the object or point to it onscreen using the mouse.

Tass Times in Tonetown's display is divided into a number of different sections, the largest being a graphical representation of the current location. There are quite a few such pictures in the game, many of which are animated. The opening frame, for instance, depicts the interior of Gramps' cabin, where a clock complete with swinging pendulum ticks away noisily on one of the walls.

Some of the aforementioned pictures contain objects which can be picked up and kept for use later on in the game. An inventory of all that you are carrying is



displayed in a strip running along the bottom of the picture. In addition to the graphics, each location is also described using text. This gives the story so far, telling you what is happening in the picture and who the characters are.

On the right-hand side of the display are a number of icons, some of which represent the same operations programmed onto the function keys: 'talk to' and 'tell me about' are different though, and allow you to communicate with characters.

To talk to someone, you must know his or her christian name, as this is the accepted form of address. Some people's first names are not available from the program itself, and in this case you must refer to the copy of *Tonetown Times* supplied as part of the overall Tass Times in Tonetown package. The newspaper is not simply a piece of otiose gimmickry, cynically tossed in at the last minute to beef-up the package (a practice currently pursued by some companies I could mention). Rather, it is an extra dimension that contributes to the adventure's atmosphere.

Tass Times in Tonetown is one of the most enjoyable computer adventures I have played. The graphics are excellent, the storyline is unusual and, most important of all, it is accessible. And because many of the clues needed to progress in the game have been conspicuously 'hidden' in the newspaper, not even the most naive adventurer could get so stuck as to give up. Definitely one for the collection.



## Murder made easy

**Title:** Make Your Own Murder Party  
**Computer:** Commodore 64/128, Apple, IBM PC  
**Supplier:** ECP  
**Price:** \$69.95 (C-64), \$79.95 (Apple), \$69.95 (IBM PC)

Murder parties have apparently been popular in the US and various other countries for over a century. These peculiar events entail a bizarre game of charades, where visitors play the different characters involved in a murder investigation: the aim of the game being to uncover who has committed the crime.

Make Your Own Murder Party is quite a departure for Electronic Arts. It is a difficult package to define, since it does not slot neatly into any of the accepted divisions of software; anyone thinking they were buying a detective adventure, for example, would be sadly disappointed, and no doubt want his or her money back. People looking for something a little unusual, on the other hand, might just find it to their liking.

The preparations for a good murder party are time-intensive and laborious. Not only do you have to think up a good scenario, but also design and send out invitations as well as write personalised clue books for each of the guests. With Make Your Own Murder Party this is all handled by the computer; leaving you with the less onerous tasks of deciding who to invite and what you are going to give them to eat and drink. And since a murder party is a kind of cross between human *Cluedo* and *The Mouse Trap*, you are also responsible for creating the right ambience. A murder party could be a fiasco from the start if the atmosphere is not right, as players might find it difficult to act out their respective roles unless they had something other than the game to stimulate their imagination.

Make Your Own Murder Party comes complete with two mysteries entitled *The Big Kill* and *Empire*. The first tale is about the 'apparent' suicide of an actor, while the second one surrounds the murder of a wealthy widow.

Both scenarios require a minimum of six players including yourself. Whom you choose to invite depends mainly on the personalities of the characters in the story.

To help you decide, Electronic Arts provides a file containing 'close-ups' on the personalities of the characters in both stories. Reading these provides useful information on each of the characters' strengths and flaws which you can match as closely as possible to those of your prospective guests.

A Murder Party!

You've just been invited to a party where the object is murder...

Years ago, back in the heady days of the Woodstock Nation, you rented a room in an old Victorian house in Berkeley. It turned out to be more than just a place to hang your macramé: your housemates were the most far out people you'd ever met.

There was Babsie: a true innocent, she saw magic everywhere; Zing, inquisitive, loyal, and adventurous; Liptoi, who turned an alternative lifestyle into a small fortune; and Wallaby, whose quest for justice inevitably led to Berkeley.

But the guru and guiding light was Jeremy Summers. Loved by everyone who met him, he went on from a life of quiet contemplation to become, incredibly, a great film star.

And now, years later, even though you and the others have drifted into separate orbits, you continue to feel somehow linked with one another. Perhaps that link ran most strongly through Jeremy, the one who brought you together in the first place. What will happen to that binding force now that Jeremy is dead, a suicide, a person you'd least figure to take his own life...? And why would he kill himself?

You'll have a chance to find that out when you spend a few hours with your old pals. Take the time to get reacquainted with them. Read the profiles on the next couple of pages, and pay close attention to your own profile (including the "bitter truth"). Who knows? Maybe the answers lie hidden there...

Casting guests in the right parts is important, as it wouldn't do to ask a timorous person to, say, take the role of a playboy, as they would be unlikely to do the part justice and therefore detract from the game's realism.

Having completed the guest list, you are ready to get down to the business of designing the party, a procedure akin to forming a band of adventurers in a fantasy role-playing game. When you create a party, you first tell the computer the date of the drama, the time it is to start and the location. Then you cast the roles, keying-in personal information about each of the guests requested by the computer. It pays to be truthful here because the computer bases the clues on the information you give it.

Most of the information fed into the computer is incorporated into clue-booklets, a personalised form of which is given to each player. Inside the booklet is contained two different kinds of information, some which must be read out and some which must only be disclosed if the player cannot do otherwise.

The booklets, together with the invitations, envelopes and special set of materials for the host — designed to help the evening run smoothly — can be output to a variety of devices including a laser printer. Because of the sheer volume of written material needed for a game, the time taken to print everything can be quite extensive. Of course, this is entirely dependent on the speed of your printer. Those lucky enough to own a laser printer can have everything ready for *The Big Kill* in a matter of 35

minutes or for *Empire* in 45 minutes. A printer that works at only 15cps takes much longer — at two and a half and three hours respectively.

When the 'big night' comes around and the guests arrive, the host begins by handing each one a clue book. One of the books is a page longer than the others and reveals its owner to be the killer. Players must therefore be disciplined enough not to turn the pages of their clue-books unprompted.

A game takes place over four rounds during which players reveal the information given on the current page of their clue-books. At the end of each round, players question each other further, which is when the second kind of information, mentioned earlier, might possibly be revealed. When all the rounds are finished, the host requests that the guests write down who they think is the murderer on a special verdict sheet at the end of their booklets. The winner is the one who guesses the villain of the piece, motive, the means and the opportunity.

Make Your Own Murder Party is an excellent idea, well-executed (if you will excuse the pun) and painstakingly detailed. But having never held a murder party of my own, I cannot tell whether or not it is better or worse than the 'real thing'.

What I can say is that the amount of information included in the package would take a long time to put together without the help of such a program, so on the level of time-saver alone, Make Your Own Murder Party is a good investment.

END





# ATLANTIS INTERNATIONAL COMPUTERS

ATLANTIS INTERNATIONAL PTY LTD

49 WADHAM PARADE,

MT. WAVERLEY,

VIC. 3149

PH: (03) 277 3139 277 7187 277 9514

FAX: (03) 277 6824

IMPORTERS  
SUPPLIERS  
DISTRIBUTORS  
& SALES

## \$985.00

Inc-Tax  
\$830x-Tax

**NEW RELEASE**



### SPECIFICATIONS:

- \* Turbo Motherboard
- \* 256K Ram (Expandable to 640K)
- \* 1 x 360K Disk Drive
- \* Multifunction Card
- \* Serial, Parallel, Joystick Ports
- \* Clock/Calender/Timer
- \* Battery Back Up.
- \* Color Graphics Card
- \* Composite Port

- \* R.G.B. Port
- \* Power Supply
- \* Keyboard XT Style
- \* Green Screen Monitor
- \* All Cables & Manuals
- \* **DATA CRAFT WARRANTY SUPPORT 3 MONTHS AUSTRALIA WIDE**

Note: • Price and specifications Subject to Change at any time.  
• Option second disk drive and mouse shown, not included in the package.  
• Budget PC-Turbo Assembled in Australia.

### NEW PRODUCT

Atlantis is pleased to announce the release of their Smart Dialer. This device has been designed by the R & D team at Atlantis so that users of programs like Sidekick, can now call all those people on their Database without the need for an expensive autodial modem. The smart dialer is fully compatible with the Hayes command set. This means that the smart dialer can be used with all those popular communications program like Crosstalk, Procomm, Supercomm etc. The smart dialer can be used to dial numbers from your database and word processing programs that have Telecommunications facilities. The smart dialer simply plugs into the RS232 serial port of your PC. The smart dialer's recommended retail price is only **\$119.00** tax paid.

Contact: Richard Budge  
at Atlantis International Computers.


**Dealer enquiries welcome.**

### COMPUTER SALES AGENT REQUIRED INTERSTATE

Melbourne's foremost PC importer and wholesaler requires the services of interstate agents in all major capital cities and country areas. Since the expansion of our operations earlier this year, we are offering this excellent opportunity for agents to expand into the domain of PC computing hardware and software.

If you perceive that your organisation can benefit from this offer, please write to or phone our sales manager, Richard Budge.





### \*\*\*BASF DISK SPECIALS\*\*\*



ITEM		PRICE		
		10	10+	100+
5 1/4" D/S D/D	2D	\$2.50	\$2.25	\$1.99
5 1/4" D/S 80 TRACK	2/96	\$4.50	\$4.25	\$3.99
5 1/4" HIGH DENSITY	2HD	\$5.89	\$4.89	\$4.65
3 1/2" D/S D/D	3 1/2	\$5.89	\$5.49	\$4.99

**ALL PRICES INCLUDE SALES TAX**

**\*10+ - FREE PLASTIC DISK BOX PAY \$5.00 EXTRA AND RECEIVE THE LIBRARY CASE**


**\*100+ - FREE PLASTIC DISK BOX AND LIBRARY CASE**

NAME:.....  
 ADDRESS:.....  
 POST CODE:.....  
 CHEQUE ☐ MONEY ORDER ☐ VISA CARD ☐ BANKCARD ☐  
 MASTER CARD ☐  
 CARD NUMBER/ORDER NUMBER  
 EXPIRY DATE .....SIGNATURE  
**CPM DATA SYSTEMS 184 A BARKLY STREET, FOOTSCRAY VIC  
 3011 (03) 687 6790 FAX (03) 689 6894**

### QUANTITY

	10	10+	100+
2D			
2/96			
2 HD			
3 1/2			
TOTAL \$			

MINI/MAIN FRAME OR  
OTHER NETWORK



Since 1983 SuNet local area networks have been used by customers in business and industrial as well as educational fields all over the world. With this versatile network, computers can have access to large common data bases, exchange information and mail, and share the printer or modem to communicate with other networks.

Unlike other so-called networks, SuNet uses the Star Topology which would not allow any commercial spy to steal your corporate data by intersecting a data cable between network nodes. SuNet is supported with the largest base of networking application software in the world, which provides you with automatic file, record locking and security functions in addition to the original features of the software itself. Your existing single user software can also be utilized without any modification.

SuNet gives your computer access to data at lightning speed. Since it was designed with no data collision allowed, it can transfer data at a speed of 1 Megabyte per second, which is equivalent to about 20 Megabits per second on other networks.

The SuNet Network Server lets you store data from 30 Megabytes to 305 Megabytes on the built-in single hard disk drive and is expandable up to 1220 Megabytes with optional add-in hard disk drives.

COMPUTERS WITH SUNET NETWORK INTERFACE



# Popping out your pop-ups

***Unloading resident programs on an IBM PC usually means editing your AUTOEXEC.BAT and rebooting. Jeff Prosise presents INSTALL and REMOVE which allow you to pop TSRs in and out on the fly.***

The pop-up utilities we all take for granted today won't even run under the operating system introduced with the original PC in 1981. DOS 1.0, which in many ways mirrored the then-popular CP/M operating system, lacked what every memory-resident program must have. Only with DOS 1.1 did the PC's operating system provide a terminate-and-stay-resident feature — better known by the acronym TSR — that allows a portion of code to attach itself to the operating system.

Beginning with DOS 1.1, memory claimed by resident code could be set aside and protected from being overwritten by a subsequently loaded file. The ease with which a program could be made resident brought to the PC world a host of utilities — SideKick and SmartKey, to name but two — that let you do everything from maintaining an electronic desk to implementing complex keyboard macros.

Although the TSR tradition has been carried on with every release of DOS up through the current version (3.30), one often-needed additional feature is still conspicuous by its absence: the ability to remove resident code from memory. Interrupt 27h and DOS function 31h, the vehicles that allow a program to remain resident after completion, have no direct complement. Unless a TSR includes its own facilities to reverse the installation process, there's no way to clear memory of an unwanted TSR utility other than to reboot the entire system.

Theoretically, writing a TSR deinstallation utility is easy. A resident program

does two things not typical of a normal one: it doesn't release the memory blocks it occupies upon termination, and it chains to itself one or more of the interrupt vectors stored in low memory. All it takes to erase a resident program from memory, therefore, is the two-step process of reclaiming the space and restoring the altered interrupt vectors.

Practically, it's easy enough to take

---

*'A removal utility must locate all of the blocks, verify that they belong to the TSR, and then deallocate them with function 49h.'*

---

care of the displaced interrupt vectors. What's more difficult is letting the operating system know that the memory occupied by the TSR program is free for reuse by another program. The removal utility must know exactly where the resident code lies in memory. Moreover, although DOS provides convenient functions for freeing up memory (see the box 'DOS Memory Management' later in this article), the deallocation requests must reverse the original allocation requests DOS made when it loaded the TSR very specifically. Thus, a prerequisite to writing a removal utility is under-

standing just what goes on behind the scenes when a file is loaded for execution.

By using the pair of utilities I'll present here, you'll be able to freely shuffle resident programs in and out of memory. INSTALL and REMOVE work together to eliminate the need to reboot in order to purge the system of resident code. You can selectively erase TSR programs in the reverse order in which they were loaded, eliminating one (or one group) at a time while leaving underlying ones active. And, so that you can check exactly what's happening, Robert Hummel has provided a logical addition to INSTALL/REMOVE in the form of PCMAP, a short utility that displays a memory map of the names, addresses, and sizes of all your currently loaded programs. (See the box 'A Memory Mapping Utility'.)

## *Getting your copies*

All three programs, INSTALL, REMOVE and PCMAP, are available for downloading by modem from Microtex on Telecom's Viatel (page \*6663#), or by sending a blank formatted disk with a stamped, self-addressed packet to the attention of Jean, APC, 124 Castlereagh Street, Sydney 2000. If you prefer, you can enter the appropriate listings from this article at your keyboard (INSTALL.ASM or INSTALL.BAS). The listings for REMOVE.ASM, REMOVE.BAS, PCMAP.ASM and PCMAP.BAS are also reproduced in this article.



# Data Parts makes good buying cents

## Here's how to turn \$1000 into \$1250.

Buy any new model IBM system 30, 50 or 60 and receive \$250 in "BONUS DOLLARS" for every \$1000 you spend. This is how it works — Buy an IBM system 30 for \$3500 and get \$250 for every \$1000 you spend, for example. Spend \$4000 and receive \$1000 in "BONUS DOLLARS" you could buy software or printers and so on



Here are a few examples  
Microsoft Mouse \$295  
IBM 8513 Color Monitor \$1510,  
Page Maker \$1795

This offer is only available from Data Parts.

NB: These "BONUS DOLLARS" are valid for 14 days from date of purchase on RRP only. GOVT CONTRACT PRICE INQUIRIES WELCOME.

## NEW EPSON LASER PRINTER "IS HERE" \$3950 (inc)

and watch out this for a complete Desk Top Publishers Deal

## PRINTER SPECIALS

Quietwriter, letter quality, 15" carriage, so quiet you could hear a pin drop.  
Was \$2106  
**NOW \$1440 (inc)**

## IBM WHEEL WRITER

Super daisy wheel from IBM, variety of wheels and fonts true commercial quality, inc fractions & CSF, Was \$4200

**Now \$1995 (inc)**

## EPSON PRINTERS

From the big mover in Epson with 12 months nation wide warranty.

LX 800 T/F Feed 180 CPS + NLQ totally IBM, but will fix almost any computer. Compatible, best buy in Aust.



**\$482 (Inc)**

incl. cable of your choice & pkt paper etc

FX1000 \$895 (inc)  
LQ1000 \$1090 (inc)  
EX1000 \$1095 (inc)

## LOW LOW PRICE ON THE BEST HARD DISKS KITS

The famous Seagate Kits, inc. hard disk controller, cables, manual, nuts and bolts, software and manual.

20Mb kit **\$665 (inc)**  
30Mb kit **\$698 (inc)**

## LOOK DISK STORAGE

DX65 (5½) **\$18.95**  
DX100L (5½) **\$24.50**  
DX100 (3½) **\$24.50**  
DX40 (3½) **\$19.95**



## BEST BUY ULTRA XT

(From imagineering)  
The best in compatible quality, 20 MB HARD DISK & 1x FDD, 640K Memory, parallel/serial RT Clock/Cal. Loads of applic. s/ware included.



**\$1960 (inc)**

Inc. 12 months warr.  
Hi res. screen \$159  
Color screen \$498  
DOS 3.20 & basic \$149

## DATALAND PC. XT COMPATIBLE

Dual drives 640K  
RT C/Cal, Parelled/serial  
Every feature  
You could ask for  
**\$995 (inc)**

## TAPE BACKUP UNITS

Fit any PC or XT type computer 40MB back up. Save you hours and \$ in disks

INTRO PRICE  
**\$995 (inc)**  
save **\$1000**

## DISK DRIVES

Now in stock  
Apply 2C \$248 (inc)  
Other Apple \$228 (inc)  
IBM Comp \$185 (inc)  
The best Japanese  
Quality, buy now at these new low prices.

## Nice 1200/1200

9 Full Duplex viatel 1200/75 auto dial, answer and disconnect plus every feature you could ask for, suits most bulletin boards.  
Just \$680 (inc)

## MODEMS

Sendata 300/120/75 super viatel modem. inc. software and cable. Just \$288. (inc)



## HOBBIEST POWER SUPPLIES

IBM 63W **\$ 68 inc**  
IBM 160W **\$198 inc**  
Apple Universal **\$116 inc**

## COOLING FANS APPLE

Plugs onto 2E  
2T Compatible  
**\$49.50 SAVE \$20**

## JOYSTICKS

Any Apple **\$35**  
IBM PC/XT **\$49**  
IBM JX **\$49**  
BBC (Pair) **\$49**  
Commodore **\$10**

## SWIVEL BASES



Revolving Monitor  
Stand Fits most monitors.  
Pan tilt revolving 360°, High impact plastic  
**\$29.50**

## DISK CLEANING KITS

New wet ones complete kit  
**\$9.95 SAVE \$10**

## PC CARDS

Color  
Mono/graphix  
Controller  
Special price **\$99**  
Printer  
Serial—asyac  
games **\$30**

Other makes and types POA

## NEW FAST DRIVE for COMMODORE 64 or 128

Go a quiet drive in the fast lane with the newest Commodore plug compatible drive.

**\$355**

6 months warranty

## FAMOUS BRAND "IBM" COMPATIBLE

COLOUR MONITOR BY COMMODORE

Medium Resolution  
16 Colours

Text Switching  
RGB Colour  
Composit Green  
14" Wide Style Screen  
**\$495 (inc)**

## SUPER HI RES GREEN SCREEN

Suit any computer from IBM to MICROBEE  
Switchable TTL or Composite  
**\$198 (inc)**

Apple is a reg' trade mark  
IBM is a reg' trade mark

TRADE INQUIRIES WELCOME  
(Exc IBM Products)

MAIL ORDER SHEPPARTON (058) 21 7155

Available from these outlets—

The best computer people in the country.

# DataParts



TELEPHONE YOUR ORDER NOW CREDIT CARDS

SHEPPARTON: 11 Edward Street  
CAMBERWELL: 519 Burke Road  
BENDIGO: 419 Hargreaves Street  
WAGGA WAGGA: 11 Thompson Street

(058) 21 7155  
(03) 20 7897  
(054) 43 4866  
(069) 21 6466

FREE DELIVERY ANYWHERE IN AUSTRALIA  
CALL NOW AND SAVE!  
YOU WON'T BEAT OUR PRICES!



# "Here's what makes us the best computer people in the country."

## NEW EPSON LASER PRINTER "IS HERE"

**\$3950 (inc)**

and watch out this for a complete Desk Top Publishers Deal

## EPSON PRINTERS

From the big mover in Epson with 12 months nation wide warranty. LX 800 T/F Feed 180 CPS + NLO totally IBM, but will fix almost any computer. Compatible, best buy in Aust.

## PACKAGE DEAL

**\$497 (inc)**

Includes cable of your choice and pkt paper and deluxe disk head cleaner. FX1000 \$895 (inc) LQ1000 \$1090 (inc) EX1000 \$1095 (inc)

## LOW LOW PRICE ON THE BEST HARD DISKS KITS

The famous Seagate Kits, inc. hard disk controller, cables, manual, nuts and bolts, software and manual.

20 Mb kit \$665 (inc)  
30Mb kit \$698 (inc)

## LOOK DISK STORAGE

DX65 (5/2) \$18.95  
DX100L (5/4) \$19.95  
SS 50 (3 1/2) \$19.95  
DX40 (3 1/2) \$19.95



## THE BEST DEAL IN AUSTRALIA



## ON DISKS

### Offer 1

OSDD 5 1/4 in boxes of 10  
1 box \$15.90  
10 boxes \$14.90  
100 boxes \$13.90  
NOT CHEAP KOREAN IMPORTS!!!

(Yes the price includes tax)

### Offer 2

DSPD 3 1/2 Verbatim Datalife in boxes of 10.

1 box \$49.50  
10 boxes \$46.80  
100 boxes \$44.80

(Yes the price includes tax)

### Offer 3

DATA PARTS GUARANTEES

to have the best mail order prices on any disk product.

## TAPE BACK UP UNITS

Fit any PC or XT type computer 40MB back up. Save you hours and \$ in disks.


INTRO PRICE  
\$995 (inc)  
save \$1000

## SPECIAL DISK DRIVES

Now in stock.  
Apply 2C \$248 (inc) \$199  
Other Apple \$228 (inc) \$199  
IBM at comp \$265 (inc) \$299  
The best Japanese quality, buy now at these new low prices.

## MODEMS

Sendate 300/120/75 super viatel modem (inc) software and cable. Just \$288 (inc).



## Nice 1200/1200

Full Duplex viatel 1200/75 auto dial, answer and disconnect plus every feature you could ask for, suits most bulletin boards. Just \$688 (inc).

## HOBBIEIST POWER SUPPLIES

IBM 63W \$ 68 inc  
IBM 160W \$198 inc  
Apple Universal \$116 inc


## COOLING FANS APPLE

Plugs onto 2E, compatible \$49.50. SAVE \$20.

## JOYSTICKS

Any Apple \$35  
IBM PC/XT \$49  
IBM JX \$49  
BBC (Pair) \$49  
Commodore \$10

## SWIVEL BASES



Revolving Monitor Stands Fits most monitors. Pan tilt revolving 360°. High impact plastic.  
**\$29.50**

## DISK CLEANING KITS

New wet ones complete kit. \$9.95 SAVE \$10.

## THE FAMOUS DATALAND RANGE

Dataland PC XT 8000, dual drive 640K, RT C/Cal. Paralled/seriel, every feature you could ask for.

**\$995 (inc)**

★ We won't be beaten on any quality compatible prices  
● 20, 30 MB hand disk optional.

## Dataland Ultra XT

(From imagineering). The best in compatible quality, 20 MB HARD DISK & 1 x FDD. 640K Memory, parallel/serial RT Clock/Cal. Loads of applic. s/ware included.

**\$1960 (inc)**

## Dataland AT '286

Full feature at compatible 80286 main pro @ 8MHZ color/mono/ printerdriver cords. Phoenix Bias 640K kam (exp to IMB +) 20, 30 or 40 MB hard disk option.

**\$1562 (inc)**

or \$2995 with 20 mg H/D

## IBM model '30 '50 '60

Now in stock. Phone for our super package deals.

APPLE\* compatible cards, most cards in stock from

**\$40.00**

IBM\* Compatible cards. Many cards in stock, paralled, seriel games etc from

**\$40.00**

## NEW FAST DRIVE for COMMODORE

**64 or 128**

Go a quiet drive in the fast lane with the newest Commodore plug compatible drive.

**\$355**

6 months warranty.

## FAMOUS BRAND "IBM" COMPATIBLE COLOUR MONITOR BY COMMODORE

Medium Resolution 16 Colours  
Text Switching  
RGB Colour  
Composit Green  
14" Wide Style Screen

**\$495 (inc)**

## SUPER HI RES GREEN SCREEN with swivel base

Suit any computer from IBM to MICROBEE Switchable TTL or Composite. **\$198(inc)**

Apple is a reg' trade mark  
IBM is a reg' trade mark.  
Trade inquiries welcome  
(Exc IBM Products)

**FREE DELIVERY ANYWHERE IN AUSTRALIA  
CALL NOW AND SAVE!  
YOU WON'T BEAT OUR PRICES!**

**MAIL ORDER SHEPPARTON (058) 21 7155**

Available from these outlets-

The best computer people in the country.

# DataParts

SHEPPARTON: 11 Edward Street  
CAMBERWELL: 519 Burke Road  
BENDIGO: 419 Hargreaves Street  
WAGGA WAGGA: 33 Tompson Street

(058) 21 7155  
(03) 20 7897  
(054) 43 4866  
(069) 21 4466

Fax 222800 TELEPHONE YOUR ORDER NOW CREDIT CARDS



;INSTALL.COM for the IBM Personal Computer - 1987 by Jeff Prosize

```

; code segment para public 'code'
; assume cs:code
; org 100h
; jmp install ;skip data area

begin:
; tsr_count dw 0 ;number of TSR's installed
; segment_table dw 64 dup (?) ;wedge program segments
; vector_table db 1024 dup (?) ;vector table storage area
; first_call db 0 ;INSTALL status flag
; old1ah label dword ;storage for interrupt 1Ah vector
; old1ah_vector dw 2 dup (?)
; errmsg db 13,10,'No room for more',13,10,'$'

; copyright db 'Copyright 1987 Ziff-Davis Publishing Co.'
; author db 'Jeff Prosize'

;-----
;NEW1AH routine intercepts calls to interrupt 1Ah. If the function code in AH
;is 44h, then the Installation Data Table (IDT) segment is returned in ES.
;-----
new1ah proc near
;enable interrupts
sti
;is the function code 44h?
je new1ahl
;yes, then handle the call here
;jump to the real int 1Ah handler
jmp old1ah
new1ahl:
push cs
pop es
dec bh
;decrement BH to verify call
;return to calling routine
ret
endp
new1ah
;-----
;INSTALL routine saves pertinent data needed for deinstallation.
;-----
install proc near
;assume ds:code
;Begin by determining if this is the first call to INSTALL.
;
mov ah,44h ;call int 1Ah, function 44h
xor bh,bh ;zero BH
int 1ah
cmp bh,0FFh ;BH=0FFh?
je install ;yes, then INSTALL is resident
mov first_call,1 ;no, then this is the first call

;See if there is room to record the installation of another TSR.
;
install:
mov di,offset tsr_count ;point DI to installation count
cmp word ptr es:[di],32 ;still room for more TSR's?
jb install ;yes, then continue
mov ah,9 ;no, then print error message
lea dx,errmsg

```

```

int 21h
ret ;terminate

;increment the count of TSR's installed and record current PSP and environment
;block segment values.
install2:
mov ax,es:[di] ;get TSR count in AX
inc word ptr es:[di] ;increment count
mov cx,4 ;multiply by 4
shl ax,cx ;complete offset address
add ax,offset segment_table ;transfer to DI
mov di,ax ;save current code segment value
mov es:[di],cs ;get env block segment from PSP
mov es:[di+2],ax ;store it

;Copy the interrupt vector table from low memory into storage.
;
push ds ;save DS
xor ax,ax ;point DS:SI to int vector table
mov dx,ax
assume ds:nothing
xor si,si
push cs ;point ES:DI to storage area
pop es
lea di,vector_table
mov cx,512 ;512 words to move
cld ;clear DF
cld ;suspend interrupts during move
rep movsw ;copy vector table
sti ;restore interrupts
pop ds ;restore DS
assume ds:code

;If INSTALL hasn't been called once before, reset the interrupt 1Ah vector.
;
cmp first_call,0 ;is this the first call?
je install3 ;no, then skip ahead
mov ax,351ah ;get old interrupt 1Ah vector
int 21h ;store it
mov old1ah_vector,dx
mov old1ah_vector[2],es
mov ah,25h ;point vector to NEW1AH routine
lea dx,new1ah
int 21h

;Terminate-but-stay-resident.
install3:
mov dx,offset install ;point DX to end
int 27h ;terminate-but-stay-resident
endp
;
code ends
end begin

```

**INSTALL.ASM:** the assembly language source code for INSTALL.COM

```

100 REM -- BASIC PROGRAM TO CREATE INSTALL.COM
110 OPEN "INSTALL.COM" AS #1 LEN = 1
120 FIELD #1,1 AS AS
130 CHECKSUM = 0
140 FOR I = 1 TO 27
150   LINESUM = 0
160   FOR J = 1 TO 8
170     READ BYTE
180     CHECKSUM = CHECKSUM + BYTE
190     LINESUM = LINESUM + BYTE
200     IF (BYTE < 256) THEN LSET AS = CHR$(BYTE)
210     PUT #1
220   NEXT J
230   READ LINECHECK
240   IF LINECHECK <> LINESUM THEN PRINT "Error in Line";280 + 10 * I
241   IF I <> 1 GOTO 250
242   LSET AS = CHR$(0)
243   FOR K = 1 TO 1152
244     PUT #1
245   NEXT K
250 NEXT I
260 CLOSE
270 IF CHECKSUM = 19990 THEN PRINT "Successful Completion!": END
280 PRINT "COM file is not valid!": END
290 DATA 233, 224, 4, 0, 0, 0, 0, 0, 461
300 DATA 0, 0, 13, 10, 78, 111, 32, 114, 358

```

```

310 DATA 111, 111, 109, 32, 102, 111, 114, 32, 722
320 DATA 109, 111, 114, 101, 13, 10, 36, 67, 561
330 DATA 111, 112, 121, 114, 105, 103, 104, 116, 886
340 DATA 32, 49, 57, 56, 55, 32, 90, 105, 476
350 DATA 102, 102, 45, 68, 97, 118, 105, 115, 752
360 DATA 32, 80, 117, 98, 108, 105, 115, 104, 759
370 DATA 105, 110, 103, 32, 67, 111, 46, 74, 648
380 DATA 101, 102, 102, 32, 90, 114, 111, 115, 757
390 DATA 105, 115, 101, 251, 128, 252, 68, 116, 1136
400 DATA 5, 46, 255, 46, 134, 5, 14, 7, 512
410 DATA 254, 207, 207, 180, 68, 50, 255, 205, 1426
420 DATA 26, 128, 255, 255, 116, 5, 198, 6, 989
430 DATA 133, 5, 1, 191, 3, 1, 38, 131, 503
440 DATA 61, 32, 114, 9, 180, 9, 141, 22, 568
450 DATA 138, 5, 205, 33, 195, 38, 139, 5, 758
460 DATA 38, 255, 5, 177, 2, 211, 224, 5, 917
470 DATA 5, 1, 139, 248, 38, 140, 13, 46, 630
480 DATA 161, 44, 0, 38, 137, 69, 2, 38, 481
490 DATA 51, 192, 142, 216, 51, 246, 14, 7, 919
500 DATA 141, 62, 133, 1, 185, 0, 2, 252, 776
510 DATA 250, 243, 165, 251, 31, 128, 62, 133, 1263
520 DATA 5, 0, 116, 21, 184, 26, 53, 205, 610
530 DATA 33, 137, 38, 134, 5, 148, 6, 138, 621
540 DATA 5, 180, 37, 141, 22, 211, 5, 285, 886
550 DATA 33, 186, 227, 5, 285, 39, 0, 0, 695

```

**INSTALL.BAS:** a Basic program that will automatically create INSTALL.COM

## Using INSTALL/REMOVE

Normally, a TSR utility is loaded simply by entering its name at the DOS prompt or as an entry in your AUTOEXEC.BAT file. In order to be able to control the loading/unloading of each TSR, you must run the INSTALL program before each TSR (or group of TSRs) is loaded. That way, pertinent information needed for removal can be intercepted and stored away. The syntax for INSTALL is

**INSTALL [namelist]**

where namelist is the name of the TSR utilities comprising the group about to be loaded. The namelist parameter is

an optional descriptor containing up to 119 characters; it does not have to match the TSR filenames. The descriptor is used in the list of installed utilities presented when REMOVE is requested to perform a deinstallation.

The INSTALL utility is perhaps best understood if you think of it as a sort of bookmark applied to the operating system. When INSTALL is invoked, it records the current state of the system; each time REMOVE is run, it restores the system to the state it was in just before the last INSTALL. Any TSRs that were loaded since the last INSTALL are disabled. Up to 32 system states can be docketed. If you want

the ability to delete TSRs individually, you must be sure to run INSTALL before loading each TSR. At the other extreme, you could run INSTALL only once, right after the system power-up, then load all the resident utilities your system can hold. In this latter case, a single call to REMOVE would purge them all.

To illustrate just how INSTALL is used, the following sequence (which might be included in an AUTOEXEC.BAT file) installs four resident programs. XDIR (June APC) and NPAD (APC Utilities Disk) are each preceded by INSTALL, so that they can be deleted one at a time.




## A black and white line drawing of a vintage desktop computer. It consists of a CRT monitor on top of a system unit. A keyboard and a mouse are connected to the system unit. The monitor has a dark screen and a small speaker on the bottom left. The system unit has a floppy disk drive and a power button. The keyboard is a full-sized QWERTY keyboard, and the mouse is a two-button mouse.

of

BY COMMODORE®



## Products we have to offer



### LANGUAGES

*AC Basic	\$399.95
AC Fortran (Absoft)	\$599.95
Amiga LISP	\$379.95
Amiga Pascal	\$219.95
Aztec C (Commercial)	\$899.00
Aztec C (Developers)	\$599.00
Key to C	\$89.95
Latitice C	\$284.95
Latitice DBC III	\$299.95
Latitice MacLibrary	\$199.95
Latitice Make Utility	\$245.95
Latitice Panel	\$345.95
Latitice Screen Editor	\$199.95
Latitice Text Utility	\$239.95
Modula 2 Compiler Editor Pak	\$189.95
Modula 2 Developers Pak	\$279.95
Multi-Form	\$279.95
UCSD Pascal (Pecan)	\$259.95

### UTILITIES & PROGRAMMING TOOLS

A-Disk	\$49.95
Amiga Programme Editor	\$219.95
Amiga Macro Assembler	\$219.95
*CLI Mate	\$79.95
*Custom Screens	\$129.95
DOS Online	\$99.95
DOS-2-DOS	\$169.95
DOS-2-Disk 64/128 Txtsr	\$99.95
Disk Wlk	\$149.95
Explorer (Interactive) Analytic	\$399.95
Grabbit	\$74.95
K Seka Assembler	\$299.95
Linear & Non-Linear Programming	\$169.95
Macro Assembler	\$299.95
Orator	\$59.95
*Power Windows	\$199.95
Printer Driver Universal	\$99.95
Softworks Basic Compiler	\$245.95
T Utilities	\$129.95
True Basic	\$399.95
True Basic 3D Graphics	\$119.95
True Basic Advanced String Library	\$119.95
True Basic Sorting & Searching	\$119.95
Tychon Utilities	\$79.95
Zing	\$169.95
*Zing Keys	\$99.95

### EDUCATION & TRAINING

Amiga Tutorial Video	\$74.95
Discovery Maths	\$69.95
Discovery Spelling	\$69.95
*Discovery Trivia	\$69.95
First Shapes	\$119.95
Fraction Action	\$99.95
Keyboard Kadet (Typing Tutor)	\$89.95
Kid Talk	\$119.95
Kinderama	\$119.95
Kwik Speak Spanish	\$119.95
Masterpiece (Typing)	\$89.95
Match It	\$69.95
Math Talk	\$119.95
New Tech Colouring Book	\$59.95
Queue Education Adventure Series	\$59.95
11 Titles incl. Vocabulary, Talking Analogies, History, Geography, Business, Reading	\$89.95
Read & Rhyme	\$119.95
Speller Bee	\$139.95

Talking Colouring Book	\$69.95
Winme the Pooch	\$49.95

### GRAPHICS

Aegis Animator	\$245.00
Aegis Draw	\$299.95
Aegis Draw Plus	\$399.95
Aegis Images (Business Graphics)	\$195.95
Aegis Impact	\$379.95
Alternate Fonts I	TBA
Alternate Fonts II	TBA
Art Pak I	\$169.95
Brush Works	\$79.95
*Butcher	\$79.95
Deluxe Help	\$69.95
Deluxe Paint	\$169.95
Deluxe Paint II	\$245.00
Deluxe Paint Art Disk I	\$59.95
Deluxe Paint Art Disk 2	\$69.95
Deluxe Print & Utility Disk	\$169.95
*Dimmer	\$39.95
DynamiCAD	\$995.95
Easy Touch Tablet	\$995.95
Graphicraft	\$99.95
Kurta Penmouse Tablet	\$669.95
Pagesetter (Desktop Publishing)	\$229.00
Printmaster Plus	\$139.95
Printmaster Art Gallery I	\$89.95
Printmaster Art Gallery II	\$89.95
*Prism	\$139.95
Publisher 1000	\$369.95
Screen Editor	\$99.95
Zuma Fonts I, II, III	\$69.95

### WORD PROCESSORS

Laserscript	\$69.95
Nancy Spell	\$129.95
Orator (Talking Word Processor)	\$59.95
Post Script	\$59.95
Prowrite	\$245.95
Scribble	\$245.95
Spellcraft II	\$99.95
Talker	\$99.95
Textcraft	\$99.95
Unit Edit	\$149.95
Write Hand	\$145.95

### DATABASES

A-File	\$595.95
Acquisition	\$79.95
DBMan	\$99.95
Datamat A200	\$359.95
Datamat A300	\$499.95
Home Inventory	\$79.95
Info+	\$194.95
Informinder	\$249.95

Mi Amiga	\$239.95
Omiga File	\$239.95
Organise	\$249.95
Record Master	\$119.95
Superbase	\$299.95

### MUSIC

Deluxe Music Construction Set	\$249.95
Future Music (Synthesizer)	\$249.95
Instant Music	\$149.95
It's Only Rock & Roll	\$69.95
MIDI Interface (Midi Designs)	\$179.95
MIDI Interface (Mimetics)	\$179.95
Pro MIDI Studio	\$395.95
Music Studio	\$89.95
Perfect Sound Digitizer	\$229.95
*Sonix!	\$179.95
Soundscape Digitizer	\$319.95

### BUSINESS, ACCOUNTING, INTEGRATED

*Best Business Management: Accounting	\$699.95
Financial Cookbook	\$69.95
Logixst (Spreadsheet, Database, Time Management)	\$599.95
ML Ledger	\$229.95
*PAR Home Accounting	\$89.95
*PHASAR Home Accounting	\$149.95
Rags to Riches (Cred. Debit, Gen/LED)	\$799.95

### SPREADSHEETS

Analyse I	\$199.95
Analyse II	\$179.95
*Flipside (Sideways Printing)	\$129.95
Maxplan	\$299.95
*Maxplan Plus Macros	\$389.95
Unicalc	\$179.95
VIP Professional	\$385.95

### COMMUNICATIONS

A-Term	\$99.95
BBS Bulletin Board	\$229.95
DIGAT Telecommunications	\$179.95
Maxcomm	\$195.00
Mi-Term	\$79.95
Netcomm 3 + 12 Modem (Hayes Compat.)	\$495.00
On-Line	\$184.95
Supertex (Viatel)	\$89.95

### VIDEO

Deluxe Video	\$245.00
Digiview II	\$458.95
GenLink	\$1,595.00

\* NEW TITLES EVERY WEEK \* C64 \* C128 \* AMIGA \* PC5/10/20/40

CALL FOR CURRENT  
PRICES

\*Denotes New Titles  
Prices as at 10/6/87  
Subject to change without notice

★ SALES ★ SERVICE ★ SUPPORT ★

*Free Parking and plenty of it!*

Open Mon.-Thurs. 8.30-5.30 • 9.00 Frid. • 12.30 Sat.

**Just phone 03 419 6811**

(6 lines)



## SAME DAY DESPATCH



# DISCWARE

## New Software Products

GET A NEW HANDLE ON YOUR BUSINESS WITH SBT.



### SBT

Now you can handle up to 254 users, all working in the same data files, with the SBT MultiNet Database Accounting Library.

The accounting software written in dBASE III PLUS. So whether your business is large or small, you can grow to the limits of the most advanced PC networks available.

When you want that special report, or your business needs something we didn't think of, you can quickly and easily modify our programs to meet your needs exactly (because our dBASE source code is included absolutely free).

And if you don't have time to make the changes yourself, there's a nearby consultant who can make them for you.

So if your company has two users or two hundred and fifty, you can add customers, update records, and have as many people enter orders as it takes to keep your business growing.

Isn't it nice to know there's software you can't outgrow? The SBT MultiNet Database Accounting Library.

Now you can get a new handle on your business.

Call today for our demo disk and brochure.

#### THE SBT DATABASE ACCOUNTING LIBRARY

dProfessional	Time & Billing	\$695
dOrders	Sales Orders	\$535
dInvoice/dStatements	Accounts Receivable/Inventory	\$695
dPurchase	Purchase Order	\$535
dPayables	Accounts Payable	\$695
dPayroll	Payroll/Labor	\$695
dLedger	General Ledger	\$695
dAssets	Asset/Depreciation	\$535
dProject	Project/Job Accounting	\$695
dMaterials	Material Requirements	\$695
dMenu/Backup	Menu/Backup	\$129

Multi user versions \$400 additional per module.  
Clipper and FoxBase compatible.

### DRAFIZ 1 PLUS

CAD SOFTWARE YOU'LL BE USING IN MINUTES – CAD SOFTWARE YOU'LL BE USING FOREVER



**Drafiz 1** totally changed the image of low priced CAD software.

It proved that you could have extremely sophisticated performance and features demanded by serious CAD users. Yet still be very easy to learn and use for the novice. All at an amazingly low price.

Now we've done something even more dramatic. We've improved it.

**Drafiz 1 Plus. A great new package at a great new price. \$955.**

Reviewers call Drafiz 1 a "breakthrough" in design, speed and ease of use.

Drafiz 1 Plus is a breakthrough in value.

Check these exciting new features:

- A pop-up text editor for writing, editing and rearranging even large blocks of copy.
- Function key macros so you can store and customize Drafiz commands to your personal workstyle.
- Sophisticated curve-fitting splines and free-form sketching

functions to let you draw complex shapes.

Plus we added two more bonuses. A symbol library with 450 pre-drawn, time-saving symbols.

And along with our standard pen-plotter support, our DotPlotter software that lets you create high resolution plots of any size on your dot matrix printer.

**A powerful CAD tool you'll be using in minutes.**

You'll never use an easier menuing system than Drafiz.

Everything is on display all of the time so there's no searching, backtracking or memorizing.

In just minutes you'll be doing drawings that would take days to learn on most other CAD software.

And you'll find yourself easily using features that are normally found only on software costing more than 10 times as much as Drafiz.

Rotating, scaling, stretching and trimming, multiple object snap modes – they're all included along with much, much more.

Drafiz is a powerful, full-featured CAD tool. It just doesn't happen to be priced like one.

DISCWARE

## DISCWARE

# (02) 212-6933

5th Floor, 3 Smail St, Broadway, NSW 2007. TLX: AA23509

ALL PRICES INCLUDE SALES TAX. AVAILABILITY MAY BE LIMITED AT PRICES ADVERTISED. PRICES APPLY TO STOCK HELD AS AT 14/7/87.



# DISCWARE

## Latest and Greatest

### PRINT Q

#### COMPUTE WHILE YOU PRINT

#### Finally, a real mainframe print spooler for your IBM PC or compatible

If you spend part of your PC time running applications. Part of it printing. And a lot of time waiting . . .

*Imagine a program that prints up to 10,000 pages while you run applications.*

**PrintQ** does that. And more. It's the first really complete print spooling subsystem for your PC. And your biggest time saver ever!

#### How PrintQ Works

Run your application programs as usual, but instead of stopping after the print command, keep right on computing! **PrintQ** intercepts the documents bound for the printer, spools them to disk, then prints them according to your commands.

*"Using PrintQ could become very addicting, and users may never want to go back to ordinary printing again."*

— PC Week

With PrintQ you can . . .

- Re-start printing from any page.
- View documents on screen with or without printing.
- Print up to 255 copies automatically.
- Save reports for reprinting.
- Minimize form changes. **PrintQ** groups similar documents.
- Print in order of priority.
- Simplify forms alignment.
- Work while printer is down.
- Copy reports to ASCII files.
- Control from within a batch file.
- Use any printer (including laser).
- No program modifications required.

. . . and much more

**Print Q** ..... \$219

### THE BROOKLYN BRIDGE

The Solution to incompatible drives: forget expensive, add-on hardware and use the software solution, the Brooklyn Bridge. The Brooklyn Bridge provides fast, convenient transfer of programs and data between desktop 5.25" floppy and laptop 3.5" floppy computers. Once you have installed the Brooklyn Bridge software and connected your two machines with the cable provided, all you need to do is enter one single command to copy files from one machine to another.

Besides copying files, you can use the Brooklyn Bridge to update or edit files on either machine, or to direct a document to a laser printer or other peripheral device, all without having to disconnect and reconnect devices or load any additional software.

"This thing is fabulous"

— John Dvorak

PC Magazine

**Brooklyn Bridge** ..... \$249

**Lap Link** ..... \$249

### SMART NOTES

SmartNotes is a memory-resident program that lets you attach notes to data base records, spreadsheet cells, letters, memos and reports. *It's like 3M Post-it Notes for your computer.*

- Attach removable notes anywhere on computer documents.
  - Any phrase or passage in a word processor.
  - Any spreadsheet cell.
  - Any field in a data base or accounting record.
  - Any entry in a DOS file directory.
  - Any line in a program listing.
- Data files and application programs are not altered.
- View the computer screen with notes showing:
- Or hide notes to reveal what's underneath.
- Two note sizes and five note colors.
- Print notes.
- Transfer files via network or modem with notes attached.
- Very easy to use.
- Extensive on-line HELP.
- Not copy protected.

### THE UI PROGRAMMER

#### dBASE CODE GENERATOR

We all know what a great user interface can do for our systems. Bounce bar menus, pop-up helps, on-screen forms intelligently coloured or shaded. And we all know there are only 24 hours in a day.

Could a code generator automate the programming, so we can create the systems we want in the time we've got? With The UI Programmer's release, the answer to that question is now YES!

UI is the next generation in programming — it makes the code generator a professional tool. The reason? UI is programmable. The UI Programmer is limited only by your skills and imagination.

UI comes with many basic templates to get you started. Putting all the fields from a DBF onto the screen and adding a bounce bar 'Add Edit Delete . . .', menu takes about a minute. The rest of your time can go into the screen artwork.

And we paid attention to the artwork. The UI editor takes the text mode of the PC to the limit. Of course it's driven from pull down menus, for easy learning. And it has a clean expert mode and keyboard macros for advanced users.

UI includes a public domain, memory resident screen pop-up system and lots more.

**WallSoft's UI Programmer** ..... \$575

### dbSCOPE

#### dBASE COMES ALIVE WITH dbSCOPE

dbScope is an interactive dBASE debugging utility.

With dbScope, you can watch your source code in a Trace Window while the program is running. Pop-up dbScope, slow it down, or single-step through your program one line at a time. At anytime you can use WordStar-like commands to review the last 100 lines executed by dBASE. You can even change the Trace Window's colour, position and size. Compatible with Clipper and Foxbase.

**dbScope** ..... \$199

For users of IBM, PC, AT, XT and most IBM compatibles. Dealer Enquiries Invited.

Please send me the products indicated:

I enclose my cheque for \$ \_\_\_\_\_ (plus \$8 for freight) or please debit my Visa ☐, Mastercard ☐ or Bankcard ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

Card expires: ☐ ☐ ☐ ☐

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

PCode \_\_\_\_\_ Tel: \_\_\_\_\_

- |  |  |
|--|--|
| <input type="checkbox"/> dProfessional | <input type="checkbox"/> dProject        |
| <input type="checkbox"/> dOrder        | <input type="checkbox"/> dMaterials      |
| <input type="checkbox"/> dInv./Stat    | <input type="checkbox"/> dMenu           |
| <input type="checkbox"/> dPurchase     | <input type="checkbox"/> PrintQ          |
| <input type="checkbox"/> dPayables     | <input type="checkbox"/> Brooklyn Bridge |
| <input type="checkbox"/> dPayroll      | <input type="checkbox"/> LapLink         |
| <input type="checkbox"/> dLedger       | <input type="checkbox"/> UI Programmer   |
| <input type="checkbox"/> dAssets       | <input type="checkbox"/> dbScope         |

Please send me information only  
on the products indicated:

Discware, 5th floor, 3 Small Street, Broadway NSW 2007, TLX: AA 23509, Tel: (02) 212 6933  
Prices apply to stock held as at 14/7/87

APC 15-7



SuperKey and SideKick, the venerable Borland utilities, are here loaded consecutively so that they will be erased as a group:

**INSTALL XDIR  
XDIR  
INSTALL NPAD  
NPAD  
INSTALL SUPERKEY SIDEKICK  
KEY  
SK**

Eliminating the last TSR or group of TSRs is as simple as running REMOVE. REMOVE displays a list of utilities currently installed (by echoing the descriptive names you typed in on

INSTALL's command line) and prompts you to verify by pressing the Enter key. If the four utilities had been installed as shown above, running REMOVE would produce the following display:

**Number of installations: 3  
XDIR  
NPAD  
SUPERKEY SIDEKICK  
Press ENTER to remove, ESC to abort**

If you press the Enter key, the last group, SuperKey and SideKick, will be released from memory. Pressing the Esc key simply terminates the deinstallation harmlessly. Successive utilities

may be deleted through successive calls to REMOVE. Running REMOVE a second time in the example above would show only two installations recorded, with NPAD the topmost TSR queued to be deleted next.


It's perfectly legitimate to load more TSRs than was indicated in the namelist parameter. REMOVE will still delete everything entered since the last INSTALL. REMOVE's list of installed utilities, however, reflects only those designated on INSTALL's command line. If you choose, you can even leave the command line empty. It's usually convenient, however, to have an accurate list of TSRs presented every time you run REMOVE.

```
;REMOVE.COM for the IBM Personal Computer - 1987 by Jeff Prosize
;
;tsr_count      equ 0103h      ;pointer to installation count
;segment_table  equ 0105h      ;pointer to wedge segment values
;vector_table   equ 0185h      ;pointer to vector table
;
;code          segment para public 'code'
;              assume cs:code,ds:code
;              org 100h
;
;begin:        jmp remove      ;skip data area
;
;copyright     db 'Copyright 1987 Ziff-Davis Publishing Co.'
;author       db 'Jeff Prosize'
;
;errmsg1      db 13,10,'None installed',13,10,'$'
;errmsg2      db 13,10,'Deinstallation failed',13,10,'$'
;text1        db 13,10,'Number of installations: $'
;text2        db 13,10,'Press ENTER to remove, ESC to abort',13,10,'$'
;text3        db 13,10,'Deinstallation completed',13,10,'$'
;
;data_segment dw ?             ;Installation Data Table segment
;last_segment dw ?             ;temporary segment storage
;mcbs_start    dw ?             ;segment address of first MCB
;count         dw ?             ;number of TSR's installed
;
;-----
;REMOVE procedure is the main body of the program.
;-----
;remove        proc near
;
;Make sure there is at least one TSR installed.
;
;              mov ah,44h      ;call interrupt 1Ah, function 44h
;              xor bh,bh      ;zero BH
;              int 1Ah
;              cmp bh,0FFh     ;BH set to 0FFh on return?
;              je remove6     ;yes, then continue
;              lea dx,errmsg1   ;no, then there's nothing to remove
;              mov ah,9        ;print error message and exit
;              int 21h
;              ret
;
;Print list of all installed and verify that the deinstallation should proceed.
;
;remove1:      mov ah,9        ;print 'Number of installations:'
;              lea dx,text1
;              int 21h
;              mov ax,es:[tsr_count] ;retrieve installation count
;              mov count,ax    ;save it
;              call print_number ;print the installation count
;              call print_crlf  ;advance cursor 2 lines
;              call print_crlf ;print list of TSR's installed
;              lea dx,text2     ;request verification to proceed
;              mov ah,9
;              int 21h
;
;remove3:      mov ah,0        ;get user response
;              int 16h
;              cmp al,13       ;was ENTER pressed?
;              je remove4      ;yes, then proceed
;              cmp al,27       ;was ESC pressed?
;              jne remove3     ;no, then try again
;              ret             ;terminate
;
;Restore the interrupt vector table in low memory.
;
;remove4:      push ds         ;save DS
;              mov ds,last_segment ;point DS to wedge PSP segment
;              assume ds:nothing
;              mov si,vector_table ;point SI to stored vectors
;              mov data_segment,es ;point ES to DI to main vector table
;              xor ax,ax
;              mov es,ax
;              xor di,di
;              mov cx,512
;              cli
;              rep movsw
;              sti
;
;Determine the segment address of the first memory control block.
;
;find:         mov es,ax
;              inc ax
;              cmp byte ptr es:[0],4Dh ;is MCB signature there?
;              jne find        ;no, then loop
;              cmp ax,es:[1]    ;does next segment own this one?
;              jne find        ;no, then loop
;              mov mcbs_start,es ;yes, then store it
;
;Scan all memory control blocks from the last wedge forward for PSP blocks.
```

```
mov ds,data_segment ;set DS to code segment
mov si,count         ;calculate pointer into IDT
dec si
mov ci,2
shl si,ci
add si,segment_table
mov bx,[si]          ;PSP segment of last wedge
dec bx               ;address memory control block
mov es,bx
add bx,es:[3]        ;calculate address of next MCB
inc bx
mov es,bx
inc bx
cmp bx,es:[1]        ;is this a PSP block?
jne remove5          ;no, then advance to next block
mov ax,cs
cmp bx,ax
je remove7           ;have we reached our own PSP?
;yes, then exit loop
;
;Deallocate all blocks that belong to the code whose PSP segment is in BX.
;
remove5:         mov ax,mcbs_start ;retrieve address of first MCB
mov es,ax
add ax,es:[3]       ;calculate address of next MCB
inc ax
mov es,ax
cmp byte ptr es:[0],5Ah ;last block in the chain?
je remove5          ;yes, then exit loop
cmp bx,es:[1]       ;does the ownership word match?
jne remove6         ;no, then try next block
mov dx,ax
inc ax
mov es,ax
mov ah,49h
int 21h
jc mem_error        ;branch on error
mov ax,dx
jmp remove6         ;restore AX
;loop back for more
;
;Deallocate the memory used by the resident wedge left behind by INSTALL.
;
remove7:         mov es,[si+2] ;point ES to wedge env segment
mov ah,49h
int 21h
jc mem_error        ;branch on error
mov es,[si]
mov ah,49h
int 21h
jnc remove8         ;branch if no error
;
;Memory deallocation failed. Print message and terminate.
;
mem_error:       pop ds
assume ds:code
lea dx,errmsg2
jmp exit1
;
;Memory was successfully deallocated. Decrement TSR count and exit.
;
remove8:         pop ds
mov es,data_segment ;restore DS
dec word ptr es:[tsr_count] ;decrement installation count
lea dx,text3
jmp exit1
;
;PRINT_NUMBER writes the number held in AL to the display.
;
print_number     proc near
;
;              add ax,3030h ;convert value in AL to BCD in AX
;              cmp ah,30h  ;binary to ASCII
;              je print1   ;first digit zero?
;              push ax     ;yes, then don't print it
;              mov di,ah   ;save AX
;              mov ah,2    ;transfer digit to DL
;              int 21h     ;INT 21h function number
;              pop ax      ;print the first digit
;              mov ah,2    ;recover AX
;              mov di,al   ;INT 21h function number
;              int 21h     ;transfer digit to DL
;              ret         ;print the digit
;
;              endp
;
;PRINT_TSR_LIST writes a list of all TSR's present in memory.
```

**REMOVE.ASM: the assembly language source code for REMOVE.COM**





# Pay-If-You-Like Software

Why pay hundreds of dollars for software? There is an inexpensive alternative for your IBM PC or compatible – and it's not illegal.

Just a couple of software packages could cost more than your clone. Unfortunately many users faced with exhorbinant software costs resort to illegal copying. Now there is a legal way to acquire software for little more than the cost of a diskette.

The concept is known as User Supported Software. This approach to software marketing bypasses the high publishing and distribution costs associated with most software. For a nominal fee you can obtain high quality software and if you like the software you are encouraged to send a donation to the author, usually between ten and one hundred dollars. In other words you pay if you like the software. If the software is not to your liking you may still keep it. Manuals are supplied on the diskette and are printed out by the user.

PC-SIG is the world's largest distributor of user supported software with a library which now contains over 750 disks. Anybody can purchase disks or join as a member. Members receive our Directory, discounts and a bi-monthly magazine with descriptions of the latest additions and reviews of the more popular disks. Our magazine is not just a couple of photocopied pages but a professional publication of over 60 pages.

A full listing of the library is available in our 400+ page directory. The directory specifies any system requirements and is categorised into various applications.

The following is a small selection from the library...

## #5 & #730 PC-FILE +

Jim Button's very popular database filing system now easier to install and use and it runs faster. Reports can be prepared or set up for your word processor.

## #10 CHASM

A CHearp AsseMbler useful for those wishing to learn about assembly language.

## #90 & #594 GENEOLGY ON DISPLAY

Written with concern for the novice Geneologist. As well as expected features eg printing family trees, family group sheets, and descendants charts the program creates parent/child indexes and prints ID numbers.

## #105 PC PROFESSOR

A tutorial on the BASIC programming language which increases in complexity.

## #120 PC-CHESS

Match your skills against another player or the computer in colour.

## #133 ULTRA UTILITIES

Some very useful tools including recover erased files, modify and look into files, and write a database in BASIC.

## #184 DISKETTE UTILITIES AND UNPROTECT

Create disk sized directories to store with the disk, create RAM disks and run popular software on your hard disk.

## #199 PC-CALC

Complete with tutorial and many advanced features. Similar to Visicalc. Able to import data from PC-FILE.

## #254 PC-DOS HELP

Just type help for an on-line help on DOS commands – very convenient for hard disk users.

## #274 BEST GAMES

A collection of better games from earlier PC-SIG disks – Packman, Breakout, Lander, Life2 and more.

## #287 & #288 FILE EXPRESS

A fully documented database management system which is very easy to use yet extremely flexible.

## #292 SPACEWAR

An excellent version of an asteroid-type arcade game for colour or Hercules cards. Also some small BASIC DEMOS.

## #293 ARCADE GAMES

An assortment of colourful arcade games that will catch and hold the attention of games fans for hours.

## #310 QMODEM

An extraordinary telecommunications program with windowing, DOS command shell, Xmodem protocol and many other features.

## #344 & #345 PC KEY-DRAW

Provides keyboard to screen drawing, graphics printing, and slide shows. Also allows creation and editing of graphics screens.

## #376 PATCHES

Allows placement of specific programs on hard disks and creation of copies.

## #378 DICTIONARY

A must if your WP doesn't have a spell checker, or character and word counters.

## #403 PC-TUTOR

Ideal for new users to gain a basic understanding of their PC and how to use it.

## #455,681,682 PC-TYPE +

Jim Button's WP– Mailmerge which works with PC-File, Wordstar, and ASCII files, spelling checker, whoops key and on-line help.

## #457 ARCADE GAMES

An assortment of arcade games including Flightmare and Spacewar.

## #476 PATRICK'S BEST GAMES.

An assortment of five games which will run on the Mono monitor.

## #480 PC OUTLINE

Can outline and organise documents point by point – ideal for typing essays etc.

## #505 PC STYLE

Analyses text files for readability, – considers number of words per sentence, % of words of specific length, personal words, action words. Make your writing read better!

## #523 SIDEWRITER

Your spreadsheet too wide to print? This program turns your printout 90 degrees and prints down the page.

## #528 NEW YORK WORD

A full function word processor even including automatic hyphenation (and de-hyphenation). Unlike some WP it can edit large documents.

## #641 MAHJONG

A fascinating game with extraordinary graphics. Excellent documentation for beginners with play levels from beginners to excellent.

## #646 AMY'S FIRST PRIMER

Six games to teach basic reading skills to a pre-reading child – positive reinforcement promotes "learning is fun" attitude.

## #669-670 GRAPHTIME II

Business presentation graphics with line, column, and pie charts. Works with dBASE Multiplan and Lotus. Has help key.

## #683 BUTTONWARE ADVENTURES

Two text adventure games - be a Castaway or travel to South America on a spy mission. Runs on Mono.

## #705 CHILDREN'S GAMES

A straight forward approach to making fun educational with mono graphics. Geared for 2 to 10 year olds.

## #718 LQ PRINTER UTILITY

Enables your matrix printer to print a variety of fonts in near letter quality. You can even create your own fonts plus print large letter banners.

## #723 SUPER PINBALL #1

Become a pinball wizzard with these five great pinball games. Uses your shift keys as flippers.

## #726 GOALSEEKER

Work your LOTUS, Multiplan, Supercalc4, VP Planner backwards with Goalseeker.

## #727 POWERMENU

Relieve you of the worry of sub-directories. All your applications can be just one keystroke away.

## #728-729 HOMEBASE

A second generation desktop organiser. PC Magazine said "it delivers the most bang for the buck among desktop organisers."

## #741 PURCHASE ORDER SYSTEM

Keep track of outstanding orders and print them by account, supplier or purchase order.

## #749 QUANTOIDS,SPACE RESCUE & LOTTERY

Quantoids puts you in the spaceship cockpit to do battle with the enemy Quantoids. Requires a lot of skill to master. Space rescue is a lunar lander type of game.

Yes, I would like to try PC-SIG software.  
Please forward me these disks:

TOTAL 5.25" @ \$13

3.5" @ \$15

(not JX 360kb drive)

Annual membership ..... @ \$28

Starter Pack Six disks

& Membership 5.25" ..... @ \$85

3.5" ..... @ \$95

Postage and handling \$5.00

TOTAL

Payment by ☐ Cheque ☐ Bankcard

☐ Visa ☐ M/charge

Card No. \_\_\_\_\_

Expiry \_\_\_\_\_ Signed \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

State \_\_\_\_\_ Code \_\_\_\_\_

Mail to MANACCOM Pty Limited

PO BOX 381,

Pennant Hills, NSW. 2120.

Call on 02 875 3538

Fax on 02 875 2810

Viatel \*49000#

Look for PC-SIG's logo on grey diskettes

© PC-SIG/Manaccomm 1987



;Entry: ES - Installation Data Table segment

```
print_tsr_list proc near
    cid
    mov cx, count
    mov di, segment_table
    push ds
    assume ds:nothing
    mov ds, es:[di]
    mov last_segment, ds
    mov si, 2
    cmp byte ptr [si-2], 1
    jbe printnum1
    push cx
    mov cl, [si-2]
    xor ch, ch
    dec cx
    printnum2: lodsb
    mov ah, 2
    mov di, al
    int 21h
    loop printnum2
    pop cx
    printnum3: call print_crlf
    add di, 4
    ;clear DF
    ;get count of TSR's installed
    ;point DI to wedge segment values
    ;save DS
    ;get wedge segment address in DS
    ;store it for later
    ;point SI to command line
    ;more than 1 character entered?
    ;no, then no name defined
    ;save TSR count
    ;get length of TSR name in CX
    ;get a character
    ;print it
    ;loop until done
    ;retrieve TSR count
    ;advance cursor to next line
    ;point ES:DI to next segment value
```

```
loop printnum1
pop ds
assume ds:code
ret
print_tsr_list endp
;PRINT_CRLF advances the cursor to the beginning of the next line.
print_crlf proc near
    mov ah, 2
    mov di, 0
    int 21h
    mov ah, 2
    mov di, 0
    int 21h
    ret
endp
print_crlf endp
code
endb
end begin
```

```
100 REM -- BASIC PROGRAM TO CREATE REMOVE.COM
110 OPEN "REMOVE.COM" AS #1 LEN = 1
120 FIELD #1,L AS AS
130 CHECKSUM = 0
140 FOR I = 1 TO 69
150 LINE$ = 0
160 FOR J = 1 TO 8
170 READ BYTE
180 CHECKSUM = CHECKSUM + BYTE
190 LINE$ = LINE$ + BYTE
200 IF (BYTE < 256) THEN LSET AS = CHR$(BYTE)
210 PUT #1
220 NEXT J
230 READ LINECHECK
240 IF LINECHECK <> LINE$ THEN PRINT "Error in Line";200 + 10 * I
250 NEXT I
260 CLOSE
270 IF CHECKSUM = 51809 THEN PRINT "Successful Completion!" : END
280 PRINT "COM file is not valid!" : END
290 DATA 233, 202, 0, 67, 111, 112, 121, 114, 960
300 DATA 183, 103, 104, 118, 32, 49, 57, 56, 622
310 DATA 55, 32, 90, 105, 102, 102, 45, 68, 599
320 DATA 97, 118, 105, 115, 32, 80, 117, 98, 762
330 DATA 108, 105, 115, 104, 105, 110, 103, 32, 782
340 DATA 67, 111, 46, 74, 101, 102, 102, 32, 635
350 DATA 08, 114, 111, 115, 105, 115, 101, 11, 754
360 DATA 19, 78, 111, 118, 101, 32, 105, 110, 657
370 DATA 115, 116, 97, 108, 108, 101, 100, 13, 758
380 DATA 10, 36, 13, 10, 68, 101, 105, 110, 453
390 DATA 115, 116, 97, 108, 108, 97, 116, 105, 862
400 DATA 111, 110, 32, 102, 97, 105, 108, 101, 766
410 DATA 108, 13, 10, 36, 13, 10, 78, 117, 377
420 DATA 109, 98, 101, 114, 32, 111, 102, 32, 699
430 DATA 105, 110, 115, 116, 97, 108, 108, 97, 856
440 DATA 116, 105, 111, 118, 115, 58, 32, 36, 683
450 DATA 13, 18, 80, 114, 101, 115, 115, 32, 580
460 DATA 69, 78, 84, 69, 82, 32, 116, 111, 641
470 DATA 32, 114, 101, 109, 111, 118, 101, 44, 730
480 DATA 32, 69, 83, 67, 32, 116, 111, 32, 542
490 DATA 97, 98, 111, 114, 116, 13, 10, 36, 595
500 DATA 13, 18, 68, 101, 105, 110, 115, 116, 638
510 DATA 97, 108, 108, 97, 116, 105, 111, 110, 852
520 DATA 32, 99, 111, 109, 112, 108, 101, 116, 788
530 DATA 101, 100, 13, 10, 36, 0, 0, 0, 260
```

```
540 DATA 0, 0, 0, 0, 0, 180, 68, 50, 298
550 DATA 255, 205, 26, 128, 255, 255, 116, 9, 1249
560 DATA 141, 22, 55, 1, 188, 285, 13, 646
570 DATA 195, 188, 9, 141, 22, 180, 1, 205, 853
580 DATA 11, 38, 161, 3, 1, 161, 203, 1, 603
590 DATA 232, 211, 0, 232, 30, 1, 232, 27, 965
600 DATA 1, 32, 227, 0, 188, 9, 141, 22, 812
610 DATA 128, 1, 205, 33, 188, 0, 285, 22, 774
620 DATA 60, 11, 116, 5, 60, 27, 117, 244, 642
630 DATA 195, 10, 142, 10, 199, 1, 190, 131, 920
640 DATA 1, 46, 140, 6, 197, 1, 51, 192, 634
650 DATA 142, 192, 51, 255, 185, 0, 2, 250, 1877
660 DATA 243, 165, 251, 142, 192, 64, 38, 128, 1223
670 DATA 62, 0, 0, 77, 117, 245, 38, 59, 598
680 DATA 6, 1, 0, 117, 238, 46, 140, 6, 554
690 DATA 201, 1, 46, 142, 38, 197, 1, 46, 664
700 DATA 139, 54, 203, 1, 78, 177, 2, 211, 865
710 DATA 230, 129, 198, 5, 1, 139, 28, 75, 885
720 DATA 142, 195, 38, 3, 38, 3, 0, 67, 478
730 DATA 142, 195, 67, 38, 59, 30, 1, 0, 532
740 DATA 117, 237, 140, 200, 59, 216, 116, 44, 1129
750 DATA 46, 161, 201, 1, 142, 192, 38, 3, 784
760 DATA 6, 3, 0, 64, 142, 192, 38, 128, 573
770 DATA 62, 0, 0, 90, 116, 289, 38, 59, 574
780 DATA 10, 1, 0, 117, 233, 139, 208, 64, 792
790 DATA 142, 192, 180, 73, 205, 33, 114, 21, 960
800 DATA 139, 194, 235, 216, 142, 68, 2, 188, 1176
810 DATA 73, 205, 33, 114, 0, 142, 4, 188, 759
820 DATA 73, 205, 33, 115, 0, 31, 141, 22, 628
830 DATA 74, 1, 233, 39, 255, 31, 142, 6, 781
840 DATA 197, 1, 38, 255, 14, 3, 1, 141, 650
850 DATA 22, 168, 1, 233, 22, 255, 212, 10, 921
860 DATA 5, 48, 48, 128, 252, 48, 116, 8, 653
870 DATA 68, 138, 212, 180, 2, 285, 33, 85, 938
880 DATA 188, 2, 138, 208, 205, 33, 195, 252, 1213
890 DATA 139, 14, 283, 1, 191, 5, 1, 30, 584
900 DATA 38, 142, 29, 46, 140, 30, 199, 1, 625
910 DATA 190, 138, 0, 128, 124, 254, 1, 118, 945
920 DATA 17, 81, 138, 76, 254, 58, 237, 73, 926
930 DATA 172, 180, 2, 138, 208, 205, 33, 226, 1164
940 DATA 247, 89, 232, 7, 0, 131, 199, 4, 989
950 DATA 226, 214, 31, 195, 180, 2, 178, 13, 1039
960 DATA 285, 33, 180, 2, 178, 10, 205, 33, 846
970 DATA 195, 0, 0, 0, 0, 0, 0, 0, 195
```

**REMOVE.BAS:** a Basic program that will automatically create REMOVE.COM

INSTALL is itself a short memory-resident utility. Every time it's called, it consumes about 1600 bytes of memory, but, more importantly, it inserts a resident 'wedge' in memory that contains a complete copy of the PC's interrupt vector table. A utility not preceded somewhere in memory by one of these wedges cannot be removed. REMOVE recovers both the memory used by the programs it unloads and the memory dedicated to their identifying wedge.

INSTALL answers the command to load additional groups beyond the limit of 32 with the message, 'No room for more'. Likewise, when REMOVE is executed with no TSRs installed, it responds with the warning, 'None installed'. Resident programs can be freely INSTALLED and REMOVED as many times as you wish. In addition, there's no limit to the number of TSRs you can place in a group.

Note that programs (or groups of programs) can be deleted only in the reverse order in which they were in-

stalled. The removal of an intermediate one would create all sorts of problems, one being the tricky proposition of moving all resident routines above it down in memory to fill the hole, rerouting all appropriate interrupt vectors to the modified addresses, and altering any references to absolute addresses. Unfortunately, that's next to impossible. If you have to purge a set other than the one most recently loaded, run REMOVE as many times as necessary to regress to the one targeted, then reinstall the ones above it.

It's also legal to run REMOVE immediately after INSTALL, with no TSRs loaded in between. The wedge left by INSTALL will be erased. In fact, although there's no obvious reason to do so, you can run INSTALL several times in succession, then reverse the action a layer at a time. You may also run other applications, if you prefer, between the time INSTALL is invoked and a TSR is loaded.

In the unlikely event that you en-

counter a 'Deinstallation failed' warning in the course of removing a TSR, you should probably reboot the system. It's possible you might encounter no adverse side effects without the reset, but it's also possible that down the road somewhere (and at the worse possible time) execution might skid to a halt with a critical memory allocation error.

## The method

The premise of INSTALL/REMOVE is simple: immediately below each group of memory-resident utilities is a 1600-byte layer of resident data left behind by INSTALL that retains, among other things, the entire interrupt vector table as it appeared before the TSR group was loaded. When REMOVE is called on to eliminate the topmost set of TSRs, it locates the highest wedge, copies the contents of the vector table stored inside it into the real vector table, and frees all memory used by the wedge and everything loaded after it.



**Is this  
another  
PRIZE  
WINNER?**

**WALKOM**



CRT QUALITY IN AN LCD PORTABLE — the new WALKOM LCD mini portables expand the limits of LCD technology. Similar in size and convenience to other laptops, their non-glare built-in backlit displays offer improved contrast comparable to standard CRTs, from any viewing angle. And both the XT-compatible LCD-88 and AT-compatible LCD-286 have all the power and expansion capacities of desktop units twice their size, including six expansion slots, two 5¼" floppy (or one floppy and one hard) disk drives, and an auto-switching power supply for direct use with any 110V or 220V power outlet.

Combine these features with a detachable 86-key keyboard, 45° adjustable screen and stylish ergonomic design, and you'll agree there's only one way to go for both lightweight flexibility and heavyweight performance — the WALKOM way.

## LCD PORTABLES

UNMATCHED PERFORMANCE AND UPGRADABILITY — the new WALKOM PTC portable microcomputers offer all the capability and expandability of the larger desktop PC systems combined with the convenience and versatility of true portables.

Both the XT-compatible PTC-900 and AT-compatible PTC-286 come equipped with two 5¼" floppy disk drives, and can be easily enhanced with an optional hard disk drive and tape back-up to meet the needs of more serious users. With their built-in 9" high resolution monochrome displays and detachable 84-key keyboards, WALKOM's powerful portables provide an ideal combination of features, functions and flexibility for computer users either at home, office or on the road.



## PTC PORTABLES

**DEALER  
ENQUIRIES  
WELCOME**

ALL PRICES PLUS SALES TAX.

AT & XT ARE REGISTERED TRADEMARKS OF INTERNATIONAL BUSINESS MACHINE CORP.

a unit of Pannell Plant Engineers Pty. Limited (Inc. in N.S.W.)

**WINNERS OF THE:-**



**AMERICAN  
Business Machines**

P.O. Box 1, Berkeley Vale 2259  
9 Claremace Crescent,  
Berkeley Vale, 2259  
Ph: 043 88 5133 Fax: 043 88 5035



## PRODUCTIVITY

The most difficult task is to determine which memory blocks to free up. Every TSR initially owns two memory blocks one for its copy of the environment, and

one for its PSP (short for Program Segment Prefix), code, data, and stack. (For more details on how DOS loads a program, refer to the box 'Behind the

Scenes with EXEC'.) I'll refer to the former as the 'environment block' and the latter as the 'PSP block' hereafter.

One potential complication is that a

```

; PCMAP - Search through memory and print out the program names (for
; DOS 3.x) and the number of bytes assigned to each in memory.
;-----
CSEG      SEGMENT      PARA PUBLIC 'CODE'                ;Start CODE segment
          ASSUME        CS:CSEG,DS:CSEG,ES:CSEG,SS:CSEG  ;Set by DOS Loader
          ORG           100H                             ;COM file format
;-----
CR         EQU          0DH                             ;Common equates
LF         EQU          0AH
TAB        EQU          09H
;-----
ENTPT:    JMP          PCMAP                            ;Jump over data
;-----
;-----
COPYRIGHT DB "PCMAP 1.0 (c) 1987, Ziff-Davis Publishing Corp."
AUTHOR   DB "CR,LF,LF,$','LAH,"Robert L. Hummel"
;-----
HEADING_MSG DB "Segment Paragraphs      Program"
CR_LF_MSG  DB "CR,LF,$'"
COM_MSG     DB "COMMAND.COM"
UNK_MSG     DB "(Unknown)"
FREE_MSG    DB "(Free)"
SPACE_MSG   DB "7 DUP(' ','$'"
N_BLK       DB 0
VER3        DB 0
;-----
;-----
;Count table entries
;=1 if Version 3.x
;-----
PCMAP     PROC         NEAR
          MOV          DX,OFFSET COPYRIGHT
          MOV          AH,9
          INT          21H
          ;Display string
          ; Thru DOS
          MOV          AH,30H
          INT          21H
          ;Check DOS version
          ; Thru DOS
          CMP          AL,3
          JB           NOT_3
          ;If not 3.x
          ; don't turn on flag
          ; else, indicate
          INC          VER3
NOT_3:
;-----
; Find the first MCB by scanning through memory.
; On exit, ES points to the MCB.
; AX=Block Address, BX=ES, CX=Owner, DX=Top of memory.
          XOR          BX,BX
          ;Zero BX
SEARCH_MEM:
          MOV          ES,BX
          ASSUME        ES:NOTHING
          ;Point segment to 0
          ;Tell the assembler
          CMP          BYTE PTR ES:[0],'M'
          JE           CRAWL
          ;Is this a MCB?
          ; might be
CRAWL:
          INC          BX
          JMP          SEARCH_MEM
          ;Point to next segment
          ; continue search
CHECK_MCB:
          MOV          AX,BX
          INC          CX
          MOV          CX,WORD PTR ES:[1]
          CMP          AX,CX
          JNE          CRAWL
          ;The MCB segment should
          ; belong to the next segment
          ; If owner of this block
          ; is the same as the block
          ; is first legitimate block
FOUND_FIRST:
          MOV          DX,WORD PTR DS:[2]
          ;Top of memory
;-----
; If the owner=0, then this block is unallocated (free).
; AX=Mem Address, BX=ES, CX=Owner, DX=Top of memory.
; Look up OWNER in table.
;-----
WORK_1:
          CLD
          MOV          DI,OFFSET TABLE
          ;String moves forward
          ;Where to look
          MOV          CX,WORD PTR ES:[1]
          MOV          AL,N_BLK
          ;Get owner of this block
          ; number to look at
SEARCH_TABLE:
          OR           AL,AL
          JZ           CREATE_ENTRY
          ;If no entries are left
          ; create a new one
          DEC          AL
          ;Adjust valid entries
          OR           CX,CX
          JZ           SKIP_ENTRY
          ;If unallocated
          ; just skip to end
          MOV          SI,WORD PTR [DI]
          CMP          CX,SI
          ;Get PID of owner
          ; If owner matches
          ; add more length
          JE           ADD_LEN
          ;
          ADD          DI,17
          JMP          SEARCH_TABLE
          ;Point to next entry
;-----
; Assume di points to 1st empty spot.
;-----
CREATE_ENTRY:
          INC          N_BLK
          MOV          AX,CX
          OR           CX,CX
          JNZ          NOT_FREE
          ;Adding new entry
          ; If block is free
          MOV          AX,BX
          INC          AX
          ;Put mem address as owner
          ;
NOT_FREE:
          MOV          WORD PTR [DI],AX
          MOV          WORD PTR [DI+2],0
          ;Put owner in table
          ;Zero initial length
          MOV          SI,WORD PTR ES:[3]
          ;Block Length
          INC          BX
          ;Use len to point bx...
          MOV          AX,BX
          ; (point AX to mem)
          ADD          BX,SI
          ;...to next MCB
          ADD          WORD PTR [DI+4],SI
          ;Increase para count
          MOV          SI,OFFSET FREE_MSG
          OR           CX,CX
          JNZ          HAVE_OWNER
          ;Memory is free
          ; if owner = 0
          MOV          CX,6
          JMF          COPY_NAME
          ;Length of string
          ;copy to TABLE
HAVE_OWNER:
;-----
; Is this block a primary (program) block?
;-----
          CMP          AX,CX
          JND          NEXT
          ;Is mem = owner
          ;No
          ;-----
NEXT:

```

```

; This is a program block. Word at offset 2Ch into the block contains
; environment segment address. (offset from current ES by 1 paragraph)
-----
MOV SI,WORD PTR ES:[2Ch+10h] ;Get env segment
JNE N_BLK,1 ;If not first block
CHK_ENV ; look for environment
-----
MOV SI,OFFSET COM_MSG ;Put name in table
MOV CX,11 ;String length
COPY_NAME:
ADD DI,4 ;String destination
PUSH CS ;Point ES to
POP ES ; this segment
REP MOVSB ;Move the bytes
MOV AL,'$' ;DOS string terminator
STOSB ;Store it
PUSH CS ;Restore DS
POP DS
JMP SHORT FIND_NEXT
-----
; Is the environment still allocated to the owner?
-----
CHK_ENV:
CMP VER3,0 ;If not 3.x
JE NO_ENV ; skip this section
DEC SI ;Point to env MCB
PUSH SI ;Put arg in DS
POP DS
CMP CX,WORD PTR DS:[1] ;Compare owners
JNZ NO_ENV ;Not our property
-----
; Point DS:SI to the environment and scan for the double zero entry.
-----
INC SI ;Point SI to environment
PUSH SI ; and put in DS
POP DS
XOR SI,SI ;DS:SI = ENV:0
INC SI
SCAN_ENV:
DEC SI ;Backup one byte
LODSB ;Look at word
OR AX,AX ;If not double 0 byte
JNZ SCAN_ENV ;Continue to look
-----
; Find the end of the program pathname.
-----
LODSW ;Skip a word (0 strings)
MOV BP,SI ;Point to last char
DEC BP
SCAN_PATH:
LODSB ;Read char at SI
OR AL,AL ;If 0, end of string
JNZ SCAN_PATH ; else continue reading
-----
; SI points past the terminating 0. Scan backwards for the \.
-----
DEC SI ;Point SI to 0
MOV CX,SI ;Point CX past last char
SCAN_NAME:
DEC SI ;Point to char
CMP SI,BP ;Is it last char?
JPE STRING_START ;No, continue
CMP BYTE PTR [SI],'\ ' ;It is backslash?
JNE SCAN_NAME ; No, continue
STRING_START:
INC SI ;Point to start of string
SUB CX,SI ;Length of string
JMP COPY_NAME ;Transfer
NO_ENV:
PUSH CS ;Restore DS
POP DS
MOV CX,9 ;Number of chars
MOV SI,OFFSET UNK_MSG ;Unknown
JMP COPY_NAME ;Transfer
-----
; Point ES to next MCB and continue search. Stop at top of memory.
-----
FIND_NEXT:
MOV ES,BX ;Set ES to next paragraph
CMP BX,DX ;At top of memory?
JE NO_MORE ; then done
JMP WORK_1 ;else continue
-----
; Display the resulting table on the screen.
-----
MOV DX,OFFSET HEADING_MSG ;Display the heading
MOV AH,9 ;Display string
INT 21h ; Thru DOS
MOV SI,OFFSET TABLE ;Table location
MOV CL,N_BLK ;Number of entries
XOR CH,CH ; as a word
PRINT_TABLE:
CALL PRINT_WORD ;Print owner
CALL PRINT_WORD ;and size
MOV DX,SI ;Name of owner
MOV AH,9 ;Display string
INT 21h ; Thru DOS
ADD SI,1 ;Point to next entry
MOV DX,OFFSET CR_LF_MSG ;Newline
MOV AH,9 ;Display string
INT 21h ; Thru DOS
LOOP PRINT_TABLE
MOV AH,4Ch ;Terminate program
INT 21h ;Thru DOS
POWER ENDP
-----
PRINT_WORD PROC NEAR

```

**PCMAP.ASM:** the assembly language source code for PCMAP.COM



# C CODE FOR THE PC

*source code, of course*

## C Source Code

FSP (screen manager)	\$400
GraphiC 4.0 (high-resolution, DISSPLA-style scientific plots in color & hardcopy)	\$275
Vitamin C (MacWindows)	\$200
Essential C Utility Library (400 useful C functions)	\$160
Essential Communications Library (C functions for RS-232-based communication systems)	\$160
Panache C Program Generator (screen-based database management programs)	\$150
PC/IP (CMU/MIT TCP/IP implementation for PCs)	\$100
B-Tree Library & ISAM Driver (file system utilities by Softfocus)	\$100
The Profiler (program execution profile tool)	\$100
QC88 C compiler (ASM output, small model, no longs, floats or bit fields, 80+ function library)	\$90
CBTree (B+tree ISAM driver, multiple variable-length keys)	\$80
ME (programmer's editor with C-like macro language by Magma Software)	\$75
Wendin PCNX Operating System Shell	\$75
Wendin PCVMS Operating System Shell	\$75
Wendin Operating System Construction Kit	\$75
Entelekon C Function Library (screen, graphics, keyboard, string, printer, etc.)	\$70
Entelekon Power Windows (menus, overlays, messages, alarms, file handling, etc.)	\$70
EZASM (assembly language macros bridging C and MASM)	\$60
Multi-User BBS (chat, mail, menus, sysop displays; uses Galacticommodem card)	\$50
Make (macros, all languages, built-in rules)	\$50
Vector-to-Raster Conversion (stroke letters & Tektronix 4010 codes to bitmaps)	\$50
Coder's Prolog (inference engine for use with C programs)	\$45
PC/MPX (light-weight process manager; includes preemption and coroutine packages)	\$45
Biggerstaff's System Tools (multi-tasking window manager kit)	\$40
TELE Kernel (Ken Berry's multi-tasking kernel)	\$30
TELE Windows (Ken Berry's window package)	\$30
Clisp (Lisp interpreter with extensive internals documentation)	\$30
Translate Rules to C (YACC-like function generator for rule-based systems)	\$30
6-Pack of Editors (six public domain editors for use, study & hacking)	\$30
ICON (string and list processing language, Version 6 and update)	\$25
LEX (lexical analyzer generator)	\$25
Bison & PREP (YACC workalike parser generator & attribute grammar preprocessor)	\$25
C Compiler Torture Test (checks a C compiler against K & R)	\$20
PKG (task-to-task protocol package)	\$20
A68 (68000 cross-assembler)	\$20
Small-C (C subset compiler for 8080 and 8088)	\$20
tiny-c (C subset interpreter including the tiny-c shell)	\$20
Xlisp 1.5a (Lisp interpreter including tiny-Prolog in Lisp)	\$20
List-Pac (C functions for lists, stacks, and queues)	\$20
XLT Macro Processor (general purpose text translator)	\$15
C Tools (exception macros, wc, pp, roff, grep, printf, hash, declare, banner, Pascal-to-C)	\$15

## Data

Protein Sequences (roughly 4,000 protein sequences with similarity search program)	\$60
Webster's Second Dictionary (234,932 words)	\$60
U. S. Cities (names & longitude/latitude of 32,000 U.S. cities and 6,000 state boundary points)	\$35
The World Digitized (100,000 longitude/latitude of world country boundaries)	\$30
KST Fonts (13,200 characters in 139 mixed fonts: specify T <sub>E</sub> X or bitmap format)	\$30
NBS Hershey Fonts (1,377 stroke characters in 14 fonts)	\$15
U. S. Map (15,701 points of state boundaries)	\$15

The Austin Code Works

11100 Leafwood Lane

Austin, Texas USA 78750-3409

(512) 258-0785

Free surface shipping on prepaid orders

MasterCard/VISA



# Software On The Cheap

Phone (02) 51-3615

200-100-1000  
100-100-1000  
100-100-1000

**Software on The Cheap does just what its name says. We provide top quality software for many types of personal computer at the BEST prices!**

**We have software for IBM and compatibles in both 5 1/4 and 3 1/2 inch format to suit IBM JX and lap top portables as well as the new PS2 series. We also cater for Commodore 64 and 128, AMIGA, Apple 2 series, Macintosh, ATARI ST, and CP/M. Catalogues are available FREE for all these machines. Just call or write and let us know what you want. Please specify your computer!**

**Just a small sample from our catalogue below.**

## MS DOS

**MS1000 NY WORD:** Excellent word processing program which allows multiple windows on screen. Includes pop up calculator, automatic hyphenation, contents and index generation, and on screen help. Two Disk Set. Recommended.

**MS1001 GALAXY:** Fast RAM based word processor that has a wealth of features yet is easy to use. Has pull down menus as well as fast keyboard controls.

**MS1016 MAXIREAD STYLE ANALYSER:** Great new program to analyse the grammatic style of your writing. Analyses text files for style, understandability, and personal tone.

**MS1018 EZ SPELL:** New spelling checker. Has its own large dictionary which can be added to easily.

**MS1020 FILE EXPRESS DATABASE:** Excellent, easy to use database which allows customised reports and mailing labels and more! Two Disk Set.

**MS1026 3 BY 5 DATABASE:** Easy to use, free form card index type database. Type in data in any form and index and search on full or partial keys.

**MS1028 KEEP IN TOUCH:** Great new program for those involved in personal contact industry. Allows you to keep upto twenty address books with contacts of various types. Includes report facility, alarm clock, and more!

**MS1042 FREECALC:** Spreadsheet designed for first time user. Easy to use, with help and comprehensive documentation.

**MS1043 ASEASY:** Excellent spreadsheet, compatible with LOTUS files and capable of graphing and advanced statistical and mathematical functions. Excellent value!

**MS1050 LOTUS WHITEROCK:** Macro based, menu driven front end for LOTUS 123. Designed to make LOTUS easier to use. Requires LOTUS 123.

**MS1060 FINANCE MANAGER GENERAL LEDGER:** Excellent menu driven general ledger program for home and small business use. Double entry system with two sample chart of accounts.

**MS1061 CHEQUEBOOK MANAGER:** Great menu driven chequebook managing program for home and small business use. Allows analysis of cheque expenses, reconciliation, and full summaries.

**MS1067 CASHTRAC:** Excellent personal finance manager. Allows you to keep track of all accounts, bills, investments, tax deductible expenses, and more.

**MS1069 MR BILL DEBTORS SYSTEM:** Debtors package designed for small to medium sized business. Suit product and service industry. Allows invoicing, statements, and full report facility. Two Disk Set.

**MS1076 PDS QUOTE:** Prepares project quotation in terms of costs involved. Includes own database to allow you to manipulate your data.

**MS1081 MORTGAGE ANALYST:** Financial analysis package to examine loans, and mortgages and simulate future financial scenarios to allow you to form financial plan

## PRICES

IBM 5.25 Inch.....\$10 DISK  
IBM 3.50 Inch.....\$15 DISK  
Commodore 64/128...\$8 DISK  
APPLE 2.....\$8 DISK  
AMIGA.....\$15 DISK  
MACINTOSH.....\$15 DISK  
ATARI ST.....\$15 DISK  
CP/M 5.25 Inch.....\$10 DISK

Prices include Sales Tax

Postage and Handling  
\$3 per order

**MS1085 PORTWORTH STOCK MONITOR:** Package designed to help you monitor and evaluate your stock portfolio. Produces graphic representation.

**MS1089 PROJECT MANAGER:** System of interactive programs for project management using critical path analysis method. Menu driven and well documented.

**MS1100 PC TUTOR:** Interactive tutorial program on PC and DOS. Menu driven, covers basics as well as advanced features.

**MS1171 PC DRAW:** Great graphics design program for PC. Provides simple computer aided design facility. Enables you to draw, edit, add text. Also known as KEYDRAW. Two Disk Set.

**MS1173 3-D:** Program allows you to create, edit and save three dimensional figures using keyboard.

**MS1178 MACINTOSH EMULATOR:** Give your PC a Macintosh like interface, with its own interactive personality. very interesting!

**MS1180 FARM MANAGEMENT:** Series of basic programs to help the man on the land!

**MS1200-1205 UTILITIES:** Six disks of great utilities for the PC! Excellent value. Upto twenty or more programs per disk!

**LARGE RANGE OF GAMES AVAILABLE FOR THE PC! SMALL SAMPLE BELOW:**

**MS1500: JETSET FLIGHT SIMULATOR**  
**MS1501: GAMES #1:** Six Great games!  
**MS1513 MONOPOLY**  
**MS1515 KARKOTH:** Great Adventure game!  
**MS1518 PINBALL RALLY**  
**MS1530 AIR TRAFFIC CONTROLLER**

**MANY MORE TO CHOOSE FROM!**

Also new range of PC educational software for all age groups available!

**COMMODORE 64**  
**GAMES DISKS: 12 GAMES PER DISK**  
**UTILITIES: GREAT VALUE!**  
**BUSINESS**  
**EDUCATIONAL: OVER 30 DISKS!**

**AMIGA**  
Great range of Business, Utilities, Graphics, Music and more!

**APPLE II**  
Large range of games, business and educational!

**MACINTOSH:** Large range of Business, Games, Utilities, Graphics and MORE!

**ATARI ST**  
Great disks for a great machine. Covers all fields. Business, games, graphics and MORE!

At Software On The Cheap we are constantly updating our huge collection of public domain and user supported software. If you want a program let us know. Chances are we already have it, or can get it at our LOW price.

Our catalogues are free for the asking. No membership fees or subscriptions. We update our catalogues as often as possible. Free updates are available.

To obtain your free catalogue just call  
**(02) 51-3615**

and leave your name address and **COMPUTER TYPE!** If unattended leave message on answering machine or call our **24 HOUR 7 DAY** service centre on (02) 260-0546 and give your particulars to one of the girls who will pass it on to us!

Or if you prefer write to:

**Software On The Cheap**  
**P.O. Box 63**  
**Erskineville NSW 2043**

**PLEASE SPECIFY YOUR COMPUTER TYPE WHEN REQUESTING CATALOGUE**

**BANKCARD, VISACARD and MASTERCARD WELCOME**

**PHONE AND MAIL ORDER**  
Copyright Software On The Cheap 1987



```

LODSM          ;Get owner
CALL  HEX4     ;Write 4 digits
MOV  DX,OFFSET SPACE_MSG ;space over
MOV  AH,9      ;Display string
INT  21H      ; Thru DOS
RET

PRINT_WORD     ENDP

;-----
; HEX4 - Write AX as 4 hex digits to console
; HEX2 - Write AL as 2 hex digits to console
;-----
HEX4            PROC    NEAR

    PUSH  AX    ;Save register
    MOV  AL,AH  ;Show high digits first
    CALL HEX2   ;Display AL
    POP  AX     ;Restore low digits in AL

HEX2            PROC    NEAR

    ;Display AL
    PUSH  AX    ;Save register
    PUSH  CX    ;Save CX during shift
    MOV  CL,4
    SHR  AL,CL  ;Get high 4 bits
    POP  CX     ;Restore CX

    CALL H2C    ;Display upper AL digit
    POP  AX     ;Restore lower

```

```

AND  AL,0FH    ;Mask and display

H2C:
    ADD  AL,90H ;Convert AL to ASCII
    DAA
    ADC  AL,40H
    DAA

    PUSH  DX    ;Save register during call
    MOV  DL,AL  ;Character in DL
    MOV  AH,2   ;Display Output Fn
    INT  21H    ; Thru DOS
    POP  DX     ;Restore register

    RET

HEX2            ENDP
HEX4            ENDP

;-----
; Format is TABLE DD 20 DUP (0,0,0,0)
;-----
TABLE          LABEL  BYTE

;-----
CSEG           ENDS
                ENTPT

```

```

100 REM -- BASIC PROGRAM TO CREATE PCMAP.COM
110 OPEN "PCMAP.COM" AS #1 LEN = 1
120 FIELD #1,1 AS A$
130 CHECKSUM = 0
140 FOR I = 1 TO 59
150   LINESUM = 0
160   FOR J = 1 TO 8
170     READ BYTE
180     CHECKSUM = CHECKSUM + BYTE
190     LINESUM = LINESUM + BYTE
200     IF (BYTE < 256) THEN LSET A$ = CHR$(BYTE)
210     PUT #1
220   NEXT J
230   READ LINECHECK
240   IF LINECHECK <> LINESUM THEN PRINT "Error in Line";200 + 10 * I
250 NEXT I
260 CLOSE
270 IF CHECKSUM = 44969 THEN PRINT "Successful Completion! : END
280 PRINT "COM file is not valid! : END
290 DATA 233, 136, 8, 80, 67, 77, 65, 80, 738
300 DATA 32, 49, 46, 48, 32, 48, 99, 41, 387
310 DATA 32, 49, 57, 56, 55, 44, 32, 98, 415
320 DATA 185, 182, 182, 45, 68, 97, 118, 185, 742
330 DATA 115, 32, 88, 117, 98, 108, 105, 115, 770
340 DATA 104, 105, 110, 103, 32, 67, 111, 114, 746
350 DATA 112, 46, 13, 18, 18, 36, 26, 82, 335
360 DATA 111, 98, 101, 114, 116, 32, 76, 46, 694
370 DATA 72, 117, 189, 109, 101, 108, 83, 731
380 DATA 101, 103, 109, 101, 110, 116, 32, 89, 752
390 DATA 97, 114, 97, 103, 114, 97, 112, 104, 838
400 DATA 115, 32, 32, 32, 32, 89, 114, 111, 548
410 DATA 103, 114, 97, 109, 13, 18, 36, 67, 549
420 DATA 79, 77, 77, 65, 110, 107, 110, 111, 719
430 DATA 119, 118, 41, 40, 78, 114, 101, 101, 696
440 DATA 41, 32, 32, 32, 32, 32, 32, 265
450 DATA 36, 8, 8, 186, 3, 1, 108, 9, 415
460 DATA 285, 33, 188, 48, 285, 33, 68, 3, 767
470 DATA 114, 4, 254, 6, 138, 1, 51, 219, 787

```

```

490 DATA 142, 195, 38, 128, 62, 8, 77, 642
500 DATA 116, 3, 67, 235, 243, 139, 195, 64, 1862
510 DATA 38, 139, 14, 1, 8, 59, 193, 117, 561
520 DATA 241, 139, 22, 2, 8, 252, 191, 213, 1060
530 DATA 2, 38, 139, 14, 1, 8, 168, 137, 491
540 DATA 1, 18, 192, 116, 17, 254, 288, 11, 891
550 DATA 281, 116, 6, 139, 53, 59, 286, 116, 896
560 DATA 25, 131, 199, 17, 235, 235, 254, 6, 1182
570 DATA 137, 1, 139, 193, 11, 281, 117, 3, 892
580 DATA 139, 195, 64, 137, 5, 199, 69, 2, 818
590 DATA 8, 8, 38, 139, 54, 3, 8, 67, 381
600 DATA 139, 195, 3, 222, 1, 117, 2, 198, 869
610 DATA 123, 1, 11, 281, 117, 6, 185, 6, 650
620 DATA 8, 235, 23, 144, 59, 193, 117, 97, 968
630 DATA 38, 139, 54, 68, 8, 128, 62, 137, 618
640 DATA 1, 117, 28, 198, 183, 1, 185, 618
650 DATA 11, 8, 131, 199, 4, 14, 7, 243, 689
660 DATA 164, 176, 36, 178, 14, 31, 235, 65, 891
670 DATA 128, 62, 138, 1, 8, 116, 48, 78, 571
680 DATA 86, 31, 59, 14, 1, 8, 117, 39, 347
690 DATA 78, 86, 31, 51, 246, 78, 78, 173, 885
700 DATA 11, 192, 117, 258, 173, 139, 218, 77, 1197
710 DATA 172, 18, 192, 117, 251, 78, 139, 286, 1165
720 DATA 78, 59, 245, 116, 5, 128, 68, 92, 783
730 DATA 117, 246, 78, 43, 286, 235, 187, 14, 1118
740 DATA 31, 185, 9, 8, 198, 114, 1, 235, 765
750 DATA 177, 142, 195, 59, 218, 116, 3, 233, 1143
760 DATA 67, 255, 186, 71, 1, 188, 9, 285, 974
770 DATA 33, 198, 213, 2, 138, 14, 137, 1, 728
780 DATA 50, 237, 232, 25, 8, 232, 22, 8, 798
790 DATA 139, 214, 188, 9, 285, 33, 131, 188, 1189
800 DATA 13, 186, 188, 1, 188, 9, 285, 33, 727
810 DATA 236, 232, 188, 76, 285, 33, 173, 232, 1357
820 DATA 8, 8, 186, 129, 1, 188, 9, 285, 718
830 DATA 33, 195, 88, 138, 196, 232, 1, 8, 875
840 DATA 88, 88, 81, 177, 4, 218, 232, 8, 961
850 DATA 23, 3, 8, 88, 35, 8, 144, 522
860 DATA 39, 28, 64, 39, 82, 138, 288, 188, 770
870 DATA 2, 285, 33, 98, 195, 8, 8, 8, 525

```

**PCMAP.BAS:** a Basic program that will automatically create PCMAP.COM

TSR may have additional data blocks allocated to it if it explicitly requested them with DOS function 48h. Moreover, TSRs frequently choose to conserve memory for other programs by deallocating their own environment blocks before termination.

To complicate matters further, only the PSP blocks are guaranteed to be located physically above the wedge in memory. A removal utility must locate all of the blocks, verify that they belong to the TSR, and then deallocate them with function 49h. DOS provides no documented way of doing that. But as we'll see later, REMOVE has a unique way of finding memory blocks and determining who owns them.

## The INSTALL utility

INSTALL's role in the deinstallation scheme is two-fold: it saves a copy of the interrupt vector table before that gets altered by a subsequent TSR, and it also saves the segment addresses of its own environment and PSP blocks.

The PSP is the 256-byte header that DOS builds in front of every executable program when it is loaded into memory. The PSP memory block will be larger than 256 bytes since it also contains the program's code and data.

INSTALL has to stash away a copy of the entire 1024-byte interrupt vector table simply because it has no way of knowing exactly which vectors the next TSR will borrow. With the whole table saved, REMOVE can disable a routine by replacing the current vector table (including patches made by the last TSR) with a copy of it as it appeared before the latest TSR was made resident.

INSTALL next stores the pair of segment addresses that denote its own location in memory. It pulls its own PSP segment value right out of the CS register. The CS register of a .COM file is always coincident with the PSP segment upon entry. The segment address of its environment block is stored and accessible at offset 2Ch inside the PSP.

What INSTALL can't tell is where in memory DOS will load the next executable program. True, INSTALL could make an educated guess, based upon its own length and the length of its environment block, but any serious attempt to predict the exact address could be thwarted by a number of factors. Changing a PATH string, for example, could alter the length of the environment block inherited by the next program. And if more than one TSR is loaded after INSTALL, INSTALL can't even begin to guess where the second or third will go. The somewhat difficult task of determining where they're located is left to REMOVE. But the two segment values saved away by INSTALL are critical to that determination.

The two segment addresses must be deposited where REMOVE can find them later. To that end, the very first time INSTALL is run, it sets up a table in memory called the Installation Data Table, or IDT. The IDT stores two vital pieces of information: the number of installations recorded and the two seg-



# AFFORDABLE COMPUTER PERIPHERALS

- EXTERNAL 3"/5.25" DISC DRIVES SUIT AMSTRAD 464/664/6128/8256 FROM \$325 . . . INCLUDES EXTERNAL POWER PACK WHERE NEEDED
- EXTERNAL 3.5"/5.25" DISC DRIVES SUIT COMMODORE-AMIGA FROM \$375
- EXTERNAL DRIVES TO SUIT APPLE 11c/11e/11+ FROM \$219
- AMIGA SOFTWARE AND PERIPHERALS INCLUDING PAL-D GENLOCK - RING!
- CABLES OF ALL KINDS AND TYPES AT VERY COMPETITIVE PRICES!!!
- NASHUA 3.5" DSDD DISCS - AUGUST SPECIAL \$42/10s . . . 5.25" \$19/10s
- MEMOREX BRAND DISCS - \$54/10s BOXED WHILE THEY LAST!!!
- ALL DRIVES ARE NEC/MITSUBISHI/HITACHI - TOP QUALITY ENSURED
- ALL PRICES INCL S.TAX
- for freight add \$6.25 to 3 kg, \$9.95 above 3 kg

## EASTERN COMPUTER SERVICES

SHOP 5, KINGSVALE CENTRE ROSS RIVER RD AITKENVALE TOWNSVILLE QLD 4614  
(077) 251 089

# THE TDA TEMPLATE SERIES

## NOW AVAILABLE FOR THE IBM ENHANCED KEYBOARD

The surface of each template shows the complete menu structure of the program. It may also include such things as page number references to the mini-manual, cursor control information for various environments, etc. . .

The function keys are directly referenced. Colours are used to help you identify keys to be used along or in conjunction with other keys.



Description
Word Perfect 4.0/4.1/4.2
Lotus 1-2-3 1.1a/2.0
Symphony
Wordstar
Wordstar 2000
dBase II *
DisplayWrite 4 / DisplayWrite 3
Turbo Pascal
Microsoft Word 2.0/3.0
DOS/BASIC
Multimate
Blanks-Create your own

The Mini-manual acts as a perfect complement to the template. Explanations, examples and graphics will help you get your job done.

# PCA

## ACCESSORIES PTY LTD

P.O. Box 374 TURRAMURRA  
N.S.W. 2074.  
Telephone: (02) 449 4721.

PCACCESSORIES P/L  
P.O. BOX 374  
N.S.W. 2074

Mr/Mrs/Ms \_\_\_\_\_  
(Please print clearly)

Address \_\_\_\_\_  
P/code \_\_\_\_\_

Sydney (02) 449 4721 Phone \_\_\_\_\_ (Optional)



## DOS memory management

The DOS memory management scheme is one of moderate sophistication that lends itself well to use by applications programs. Nearly all memory is divided into a number of blocks whose length can theoretically range from 16 bytes (one paragraph) to 1Mbyte. Each block of allocated memory is preceded by a 16-byte memory control block that contains important information concerning, among other things, the length of the block and its current allocation status.

DOS provides three memory allocation/deallocation functions. Accessed through interrupt 21h, they are as follows:

- 48h** Request a memory block
- 49h** Free a block allocated through function 48h
- 4Ah** Modify a block received through function 48h

The ground rules for a program claiming and discarding blocks of

memory are simple: any free space can be reserved through DOS function 48h, and any block reserved can be released through function 49h or modified in length with function 4Ah.

There are several reasons why an application might want to make use of these memory allocation services. A .COM file is allocated every byte of memory available in the system when it's loaded, although such files rarely use more than one 64k segment. A well-behaved .COM file (and one that wants to work in an environment like Windows) should release the unneeded memory when it first receives control. Conversely, programs sometimes need additional memory for data storage or buffering. Getting it is as easy as calling DOS function 48h with the size of the requested block (in paragraphs) stored in BX.

You might think that if two consecu-

tive blocks were requested and allocated, and this was followed by a call to function 49h to free the first (lower) of the two, both would come free. Fortunately, that doesn't happen. If it did, REMOVE couldn't deallocate the memory dedicated to a TSR whose environment block didn't immediately precede its PSP without destroying everything in between. Blocks can be deallocated in any order, regardless of the order in which they were reserved.

The operating system will allow holes to develop in memory and can deal with them quite elegantly. It appears that while DOS will never locate the PSP block of a program inside a hole, it's perfectly willing to place environment blocks there. It will also parcel out an island of unclaimed memory to satisfy a program's function 48h request.

**Jeff Prosis**

ment addresses of each wedge's environment and PSP blocks.

The reasons for maintaining a count of the TSRs installed is probably obvious. For one thing, INSTALL has to know when its internal limit of 32 TSRs is reached. For another, REMOVE has to know when there are none left. More important, the count is used as an index into the IDT when segment values are stored or retrieved. Since up to 32 wedges can be present at

once, care must be taken not to overwrite the segment values stored for one with those of another.

The IDT has 64 words (enough, that is, for 32 pairs of segment values) set aside to record the segment addresses of each INSTALL wedge. The 64-word area retains them in staggered order. The first word is the PSP block segment of the first wedge, the second is the environment block segment of the first wedge, the third is the PSP block

segment of the second wedge, and so on. When REMOVE wants to locate a set of segment values, all it has to do is obtain the number of installations, multiply by 4, then use the result as a pointer into the table.

Creation of the IDT presents a couple of problems. First, it has to be located where it won't be destroyed by DOS. Second, both INSTALL and REMOVE must be able to find it. The IDT is set up inside the first INSTALL wedge made



### PC/XT TURBO (8MEGHZ)

- \* 640k RAM on mother board
- \* Twin 360k drives (Japanese)
- \* Parallel & Serial ports
- \* Games port
- \* Real time clock, batt. backup
- \* Colour graphics card
- \* 8087 socket
- \* Front mounted reset switch
- \* Keyboard lock
- \* Leds for Turbo & Hard drive on
- \* 150 watt power supply
- \* Delivery Australia wide \$20
- \* 12 months full warranty



## AUSTRALIA'S TOP SELLING PC HIGHEST QUALITY — LOWEST PRICE \$1295 inc tax —

### FULL RANGE OF PERIPHERALS INCLUDING

- \* 12" Hi-Res Comp. Mon. ....\$175
- \* 12" TTL Hi-Res Mon. 720 x 348 ....\$215
- \* 14" RGB Hi-Res Mon. 720 x 240 ....\$650
- \* 100 Key Keyboard Extra ....\$50
- \* Whitty Mouse ....\$115
- \* DSD Diskettes Box 10 ....\$15
- \* EGA Monitor & Card ....\$995
- \* Star NX-10 Printer NLQ ....\$495
- \* 14" EGA Monitor 720 and 360 ....\$795

- AT 286 1 meg of Ram. Serial Parallel and Games Port. Real time clock. CGA card, twin floppies, small footprint motherboard (inc. tax).....\$1995
- \* CPB-H136 NLQ 15" 160 CPS .....\$695
- \* 20Meg. Drive with DTC Cont. ....\$ 695
- \* EGA Card .....\$390
- \* AT Style Keyboard .....\$145
- \* CGA Card .....\$155
- \* Extended Keyboard .....\$195
- \* Monochrome Card .....\$190
- \* I/O Card .....\$190

NEW 386 AT RELEASE COMING SOON

**COMPUTER & ELECTRONIC SERVICES PTY LTD**

(03) 561 8947 Wheelers Hill, Victoria 3150 (03) 561 4683 AH



## Behind the scenes with EXEC

When the DOS command processor wants to load a file for execution, it calls the built-in EXEC function to do the dirty work. Among the many tasks to be taken care of is reserving a portion of memory for the new resident. EXEC requests the memory in two distinct phases.

First comes the area to be set aside for the program's environment block. The environment block holds a set of strings inherited from the master environment block in low memory, strings like the path to the command processor and text of the current command path defined with the PATH command. This block is typically small (160 bytes or less), but can be larger. DOS 3.2, in fact, sets the maximum size to 32k.

The second block requested is for the file itself. A PSP is built at offset 0 in the new block, and this is followed by the code and data that make up the program itself. If the program is a .COM file, this block constitutes all of

the remaining memory since DOS has no way of knowing up front just how much memory the program will require. If it's an .EXE, the block will consume only the amount of memory specified in the file header.

If all allocated memory comprises one contiguous block, DOS locates a program's environment block immediately before its PSP block. But if there is a large enough hole in memory, DOS will stuff a copy of the environment strings there. These holes frequently develop when a TSR deallocates its own environment block before becoming resident. Then (providing the size of the environment doesn't change) DOS will separate the next environment block and PSP block.

Contrary to popular belief, EXEC doesn't always explicitly use functions 48h and 4Ah to manipulate memory. DOS 3.2, for example, appears to forgo the functions in favor of either jumping directly to them (without ex-

ecuting an interrupt 21h) or manipulating the memory control blocks itself. The DOS 2.x EXEC is more faithful about using its own internal services but still doesn't use them in all cases.

Your own applications can use the EXEC function to invoke another program, just as DOS does. The function number is 4Bh, and it is accessed through interrupt 21h. Be warned, however, that this is one of the most complex DOS functions: the parent program must pass the addresses of an environment block, a command tail, and two file control blocks to the child process. The most comprehensive treatment of the EXEC function is contained in Ray Duncan's *Advanced MS-DOS*, a relatively new offering from Microsoft Press (available through Penguin Books). If you want to experiment with EXEC, this is *the* book to buy, and it will prove an invaluable resource in other areas, as well.

Jeff Prosis

resident. Every time it is called to record a new installation, INSTALL leaves behind a portion of itself in memory. Each one of these wedges contains room for an IDT. Only the space inside the very first one is used, however. Any time the program is run thereafter, it does its usual job of obtaining the two required segment addresses. But these addresses

aren't stored within the current code segment; they're placed in the area that was reserved when the first INSTALL terminated.

To make the IDT accessible to an external program, INSTALL chains an additional function to the BIOS time-of-day service interrupt. Interrupt 1Ah normally has only two functions defined,

numbered 0 to 1. INSTALL adds function 44h. If an interrupt 1Ah is executed with AH set to 44h and at least one copy of INSTALL is resident, the segment of the IDT is returned in the ES register. To know if the IDT does exist, then, the calling routine monitors the value of the BH register before and after the call. If the IDT is present, BH



### Solid Software - for Professional Aussie Software

#### LOTTOCheck (\$95)

19 7 21 6 15 37

☐ (Tattslotto 6-45 ver. for PC, AT & close clones)

- includes database of all past draws (since 6-45). NSW 6-40 ver. avail. soon.
- PRIZE option: you select any 6 nos. or system entry, Lottocheck tallies up all prizes that they would have won over the history of lotto (6-45).
- EVALUATE option: uses your selected rankings to test theories and predict next weeks draw.
- RANDOM option: a random set of lucky numbers (6-15)
- GRAPH option: produces histogram of frequency of numbers drawn so far.
- Full database functions ADD, MODIFY, DELETE, LOOK, BROWSE using professional input screen forms, multi-windows, context sensitive HELP, indexed B-Tree data file for fast access. Comes with an extensive handbook on using Lottocheck, winning strategies and math theory of LOTTO.

(Also 3 disk vers. of LOTTOCheck available for Commodore 64 & 128 (\$59))

☐ Tattslotto 6-45. ☐ NSW Golotto 6-40. ☐ Pools 6-38.)

#### The CAT (\$95)

☐ (for PC, AT & close clones)

- Fullscreen, multi-windows (colour) with easy Lotus-like menus system: Do you have trouble finding your data/letters/programs etc, because you can't remember the filename or on which hard disk directory or floppy disk you put it? Yes! Then you badly need The CAT. Face it, its hard being descriptive with only 8 character filenames. With The CAT:
- 65,000 filenames can be CATalogued, each with a 50 character file description, last modify date and time, and the disk (volume) on which it resides.
  - You may search this catalogue for any word in the name or description.
  - Has a built in full featured file manager, with more features than XTREE.
  - Has a built in fullscreen editor with user installable commands.
  - XTREE users, trade up now, send original XTREE disks for a \$30 discount.
  - Has many more features, including an alternative mouse interface.
  - Comes with an 80 page User Manual. The CAT is simply outstanding value!

ALSO - the very best of Public Domain and Shareware for the PC - only \$15 each:

- ☐ 3BY5 - automated card system, suit any text retrieval application eg. client details, book catalogue etc.
- ☐ PC Calc 2.0 - a spreadsheet calculator.
- ☐ PCWrite 2.7 - the now famous wordprocessing software, leaves many expensive competitors wanting.
- ☐ PC File III 4.0 - a great database system.
- ☐ OMNI - fullscreen editor, written by renowned author of COPYWRITE.
- ☐ Best of PC Utilities - many indispensable routines that DOS should have had.

All prices are the full prices (they include postage, handling etc.). Please send me free informations on

Tick the boxes of those items you want. I wish to pay by \_\_\_\_\_ (eg. Bankcard, Visa card, cheque, money order).

Card No: \_\_\_\_\_ Expiry date: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Name: \_\_\_\_\_ Address: \_\_\_\_\_



Solid Software,  
P.O. Box 218,  
Belgrave, Vic. 3160.





# AUSTRALIAN BUILD 8088, 80286, 80386 BASED COMPUTERS

We import components from all over the world and build computers of various configurations in our Mortdale factory, which we own and have occupied for 30 years. Thousands of customers like Monash University, NSW Institute of Technology, Macquarie University, CSIRO, Telecom, OTC, government, business and private users will testify for our quality and service. As to prices, see for yourself! hereunder, all tax paid!



## TRADE INQUIRIES INVITED

**GCS 88 (IBM XT compatible) 4.7n, 8mb, parallel serial ports, video card, disk drive card, clock calendar, 150w power supply, keyboard. No hidden extras!**

256k RAM 1 360k Disk Drive ..... Taiwan parts \$ 900 Japan parts \$1,000  
640k RAM 2 360k Disk Drives ..... Taiwan parts \$1,100 Japan parts \$1,200  
640k RAM 1 1.2mb Disk Drive ..... Taiwan parts \$1,200 Japan parts \$1,300  
640k RAM 2 1.2mb Disk Drives ..... Taiwan parts \$1,400 Japan parts \$1,450

**GCS 286 (IBM AT compatible) 1mb, 120as RAM, parallel serial ports, clock, calendar, video cards, 200w power supply, keyboard. No hidden extras!**

1 1.2mb Drive ..... 6.8mhz \$1,500 — 6.8mhz \$1,800 — 6.8,12mhz \$2,000  
1 1.2mb 1 360k Drive 6.8mhz \$1,700 — 6.8,10mhz \$2,000 — 6.8,12mhz \$2,200  
2 1.2mb Drives ..... 6.8mhz \$1,800 — 6.8,10mhz \$2,100 — 6.8,12mhz \$2,300

**GCS 386 1mb 120 NS RAM, PARALLEL SERIAL PORTS, CLOCK CALENDAR, VIDEO CARD, KEY BOARD, LEGAL BIOS**

1 1.2mb Drive ..... 16mhz \$3,900 — 21mhz \$4,100  
2 1.2mb Drives ..... 16mhz \$4,150 — 21mhz \$4,240

All GCS computers are with award or phoenix BIOS and MS-DOS 3.2 and GWBASIC option is available

XT HARD DISKS DTC (USA) Controllers

.....20mb \$850 — 30mb \$1,050 — 40mb \$1,500 — 60mb \$1,750 — 71mb \$2,100 — 110mb \$3000

AT HARD DISKS DTC (USA) Controllers

.....20mb \$1,055 — 30mb \$1,400 — 40mb \$2,000 — 60mb \$2,750 — 71mb \$3,000 — 110mb \$3,300

TAPE STEAMERS for Back-up Hard Disk — 60mb ..... Japanese \$1300

**SUPER SPECIAL WE WILL UPDATE YOUR PRESENT IBM ORE  
COMPATIBLE XT TO IBM COMPATIBLE AN INCREASE THE  
SPEED ALMOST 6 TIMES AND INCREASE THE MEMORY TO 1MB  
BY EXCHANGING YOUR 8088 MOTHER BOARD WITH 80286  
MOTHER BOARD AT \$990.00**

### GCS MONITORS

High resolution monochrome:

720X385 ..... \$220  
RGB 640X300 ..... \$650  
EGA 640X350 ..... \$950

### PRINTERS

CTI. Made in Japan.

160cpi. MLO:  
10 inch ..... \$495  
15 inch ..... \$725

## SPECIALS

GCS DISKETTES UNCONDITIONALLY GUARANTEED S/S S/D \$1.50 D/S D/D \$1.80 D/S 4H/D \$4.80

80286 ADAPTERS. Make XT computers run like AT — four to eight times faster ..... \$525

SUPER MEMORY BOARDS. 2mb ..... For XT \$200 — For AT \$240

EGA VIDEO CARDS ..... \$360

COMPOSITE/HERCULES SWITCHABLE VIDEO CARD ..... \$200

HGA PGA CGA HERCULES AUTO SWITCH VIDEO CARD ..... \$450

MOUSES ..... \$130

MODEMS. Auto Dial/Auto Answer:

ccitt v22/v21 1200/1200 300/300 bell 212a/103 ..... \$299

v21/23 300 1200/75 ..... \$300

ccitt v21 v22 v23 1200/1200 300/300 1200/75 ..... \$520

Complete range of XT AT Apple Cases, Keyboards, Power Supplies, Drives, Main Boards, Cards, RAMs, ROMs, Joysticks, Mouses and Modems at Australia's best prices. Prompt repair facility and much more.

# GCS

**SYDNEY**  
67 Blackshaw Avenue  
Mortdale 2223  
Phone: (02) 5701215;  
5701225; 57068621

**CANBERRA**  
69 Paterson Street  
Ainslie ACT  
Phone: (062) 472880

**NEWCASTLE**  
4/22 Lake Street  
Warners Bay  
Phone: (049) 488566





### **EXPRESS** Super Turbo XT (SI = 5.1) \$1250 inc.

- 640K RAM (4.77/8MHz switchable)
- 8088-2 CPU or NEC V20 CPU
- Dual NATIONAL Floppy Disk Drives
- Color Graphic Card
- Parallel + Serial + Game port + Clock Calendar
- Reset switch + Turbo switch + Keylock
- AT Style Keyboard
- Complete documentation
- System with hi-res TTL/Composite monitor add \$199 inc.
- System with TANDON 20MB Hard Disk + OMTI (USA) Controller add
- **\$749 inc.**



### **EXPRESS** 12MHz Incredible AT (SI = 13.3)

- 1 MB RAM (6/8/10/12MHz switchable)
  - 80286-10 CPU
  - 1.2MB NEC Floppy Disk Drive
  - 20MB TANDON Hard Disk
  - WESTERN DIGITAL Hard Disk/Floppy Disk Controller
  - Color Graphic Card
  - Parallel + Serial + Clock Calendar
  - Reset switch + Turbo switch + Keylock
  - Enhanced Keyboard (separate cursor pad and 20 function keys)
  - Complete documentation
  - 30MB/40MB/70MB and even 110MB Hard Disks available with free installation.
  - All ranges of THOMSON monitors, STAR and EPSON printers available.
- Please call.

**Special Offer**  
**\$2900 inc until**  
**end of Sept 87**

1 yr warranty. All EXPRESS systems backed up by 3M Australia.

### **EFFICIENT COMPUTER SERVICES P/L**

4/FI., 728 George St., Sydney NSW 2000 Tel (02) 281-1255 Fax (02) 281 2973

# TOP DEAL COMPUTERS

**THE INCOMPARABLE NEC POWERMATE 2 IS NOW AVAILABLE.**

**640 KB RAM**  
**66MB Voice Coil Hard Disk**  
**10Mhz 80286 Switchable to 8MHz**

**NEC MACHINES ARE EXTREMELY COMPETITIVE AND SO ARE OUR PRICES!! CONTACT US TODAY FOR A QUOTE ON ANY OF THE WIDE RANGE OF NEC COMPUTERS AND PRINTERS**

AT TOP DEAL WE ALSO SPECIALIZE IN MULTI-USER OR NETWORK SYSTEMS AT AFFORDABLE PRICES. SO IF A STAND-ALONE IS NOT ENOUGH FOR YOUR BUSINESS, GIVE US A CALL.

**MELB (03) 600 0188**  
**271 WILLIAM ST**

**SYD (02) 221 559**  
**189 KENT ST**



## Tracking memory: DOS memory control blocks

To keep track of memory allocation, DOS Versions 2.0 and later build a 16-byte memory control block immediately before each discrete block of memory. Although the format of the control block (also known as an arena header, borrowing from Unix terminology) is officially undocumented by Microsoft, information about it has been published in a handful of reliable periodicals and reference books.

It turns out that only the first 5 bytes in the control block are used. The first byte will always have the value 4Dh or 5Ah. The value 5Ah indicates that the header is the last in the chain; all memory above it is unused. Hex 4D means that the control block is intermediate in the chain; the memory directly above it usually belongs to a program or, perhaps, to DOS itself.

The next two bytes hold the PSP segment address of the program that owns the corresponding block of memory. A value of 0 means the memory block is free to be claimed by someone else; any other value represents a segment address. An inspection of memory control blocks with DEBUG reveals that a program 'owns'

its own PSP block, its environment block, and any memory it sets aside through function 48h.

Bytes 3 and 4 (the fourth and fifth bytes in the header) indicate the size (in paragraphs) of the memory block. If you know where to find one control block, you can find the next one by adding the length of the memory block plus 1 to the segment address of the control block. Thus the memory control blocks are linked logically together, and, by scanning the chain, DOS gets a snapshot of the current memory structure.

Finding the first control block in the chain can pose a problem, however. DOS maintains a record of its address, but where the record is located depends upon the version of DOS, whether or not a hard disk is installed, and sometimes even the type of machine you're using. An easier (though not statistically foolproof) way is to begin at the bottom of memory, searching for a paragraph whose first byte has a value of 4Dh and that holds the segment address of the next paragraph in the word at offset 1. You can see an example of this in

REMOVE.COM. It works because the first memory block (which belongs to DOS and will be located somewhere above segment 50h) 'owns' itself.

Knowing this, a program can similarly peruse the chain and determine critical allocation information for itself. That's exactly what REMOVE does to determine where the TSRs loaded after INSTALL were located by DOS. Since INSTALL stored away its PSP segment address, REMOVE can retrieve it, then subtract 1 from it to address the memory control block that precedes INSTALL's PSP block. From there, it's a short jump forward to the next control block and the one after it.

It's reasonably safe to examine the chain of memory control blocks for information. But altering them yourself without benefit of the DOS services is extremely dangerous. If DOS determines that the chain has been corrupted, it responds by halting the system and displaying the message 'Memory allocation error'. The only recourse at that point is to reboot, sacrificing any data stored in RAM in the process.

**Jeff Prosis**

is decremented by 1; if it's not, BH returns unchanged.

### The REMOVE utility

When REMOVE is called upon to purge the last group of TSRs, it uses the groundwork laid by INSTALL as its foundation. It first calls interrupt 1Ah, function 44h, to verify that at least one utility (or group of utilities) is resident in memory. Then it prints the number of installations. A complete list of everything installed is printed, and the user is asked to verify that the deinstallation should proceed.

All REMOVE has to do to obtain the list of names of the utilities installed is to retrieve the address of each wedge from the Installation Data Table. It can then look inside each one to see what was entered on the command line. Everything entered on the command line when a program is invoked is deposited by the operating system into a buffer beginning at offset 81h in the program's PSP. The byte at offset 80h holds the number of characters entered. Each time INSTALL runs and exists through interrupt 27h, the PSP is left behind.

The IDT is accessible because when function 44h was initially called to see if any utilities were installed, ES addressed the table on return. REMOVE begins the deinstallation process by pulling the segment address of the most recently inserted wedge's PSP block from the IDT. The vector table in low memory is replaced with the contents of the vector table stored in the wedge. The only precaution to take here is to make sure that an interrupt doesn't occur while the table is being altered. Before reading the vector table, REMOVE disables interrupts with CLI before making changes, just as INSTALL does. (You can imagine what might happen if, say, a timer interrupt were generated by the system at the same time that its interrupt vector was being modified. Execution would jump off to some random place in memory, probably crashing or locking up the system as it went.)

Two of the segment addresses needed to start the memory deallocation process are immediately available: those of the environment and PSP block of the wedge. Both are stored in the IDT. But determining where DOS located any TSRs loaded after the

wedge isn't quite so easy. For lack of a more reliable way, REMOVE turns to the chain of memory control blocks that define the current structure of memory.

The memory control block for the wedge's PSP lies in the paragraph preceding the PSP itself. (A paragraph is a 16-byte region of memory; for more on control blocks, see the box 'Tracking Memory: DOS Memory Control Blocks' above.) Since it already knows the address of that PSP block, REMOVE taps into the chain at that point and uses it as a springboard to the memory blocks located above it.

Everything else REMOVE does hinges on a single assumption: that regardless of where DOS locates the various memory blocks that comprise TSRs loaded after INSTALL, all of their associated PSP blocks will reside at addresses above INSTALL's PSP block. That's the only way REMOVE can determine if a TSR were loaded after INSTALL. Fortunately, this is a safe assumption. Memory blocks can be located below INSTALL only if DOS finds a hole to fill when it loads the TSR. But such holes are fair game only for environment blocks or



# ATARI<sup>®</sup> SPECIALISTS

- HOME COMPUTERS
- BUSINESS COMPUTERS
- IBM COMPATIBLES
- DESKTOP PUBLISHING
- VIATEL

*Full Range of Software & Hardware*



**PH. COMPUTERS**  
89B Foster St, Dandenong 3175  
PH: 791 3129

## AUSTRALIA'S BIGGEST DISCOUNTS ON THE WORLD'S BEST HARDWARE

### ULTRA XT

640K RAM on 8 slot motherboard. Parallel, Serial and Games ports. 360K National Matsushita disk drive.  
Desktop or portable.

**Ultra XT with 4.77MHz 8088 CPU**  
\$950 ex., \$1,100 inc.

**Ultra V-20 (4.77MHz/8MHz V20-8 CPU)**  
*Three times the speed of an IBM*  
\$1,050 ex., \$1,230 inc.

### ULTRA AT

80286 CPU (8/10MHz or 6/8MHz). NEC 1.2MB disk drive.  
Printer and serial ports. Desktop or portable.

**Ultra AT 512K 6/8MHz switchable**  
\$1,850 ex., \$2,140 inc.


**ULTRA AT** IBM 8MHz and 10MHz switchable  
*The best value computer in Australia.*  
\$2,100 ex., \$2,490 inc.

Tandon 20MB hard disk with controller  
only \$730 ex., \$850 inc. *With computer*

Every LYSCo machine includes 1 year parts and labour warranty and a large range of software. Additional 360K drives are \$200. Portable versions with 9" green or amber screens are an extra \$500.

**LYSCo**  
PO Box 265  
BUNBURY, W.A. 6230  
TELEPHONE: (097) 21 4144 (5 lines)  
FAX: (097) 21 7006

*Resellers and sales people wanted nationally, give us a call!*



AND  
IF THAT MONITOR  
DOESN'T PUT THEM OUT  
OF BUSINESS

**THIS ONE WILL!**

*The 15" MULTIFLAT Color Monitor  
Advanced Technology from IDEC*

**Advanced Auto-Scanning MULTIFLAT  
Monitor for IBM PCs, IBM's Personal  
System/2 and PC Clones**

#### Features

- Fully automatic scanning from 15.5 to 37kHz
- Compatible with all three color boards used in IBM PC and clone systems
- 15" flat-square CRT
- Dynamic focus circuit for crisper images
- Separate high tension/reflection board has raster regulation of 1.5% or better
- 4-point presetting of timing chart
- Compatible with IBM's new PS/2 range



177 BARKLY ST, ST KILDA (03) 537 2222  
47 FALCON ST CROWS NEST (02) 957 2464



## A memory-mapping utility

With so many terminate-and-stay resident (TSR) utilities and permanent command shells in use today, it's often helpful to know just which programs are installed in your PC's memory and how much RAM they occupy. CHKDSK will report the number of free bytes of RAM, but it won't show what programs are loaded. My PCMAP utility is designed to do just that. It displays a list showing the name of each program (or process) and how many bytes of memory are allocated to it.

PCMAP works by tracing the chain of Memory Control Blocks (MCBs) that DOS uses to subdivide memory between different processes. Each MCB is like a 16-byte bookmark that identifies how much memory follows it, which process owns the memory, and whether it is the last MCB or not. (See Fig 1.) Byte 0 of an MCB contains the letter 'M' (4Dh) if it is not the last MCB in the chain, or 'Z' (5Ah) if it is the last block. Bytes 1 and 2 form a word (stored as low byte-high byte) that identifies the 'owner' of the memory following the MCB. This 4-digit hex number is called the Process ID (PID). For current versions of DOS, the PID is simply the Program Segment Prefix (PSP) segment address of the program that allocated the memory. Bytes 3 and 4 form a second word, which contains the number of paragraphs of memory allocated to that particular MCB by the operating system. (Note that the MCB itself is not included in the count.) The remaining 11 bytes are not used by current DOS versions. For this reason, they may contain values left over in memory from other programs.

*Continued on following page*




Fig 1 The structure of a DOS Memory Control Block

```

;Get the segment of the current copy of COMMAND.COM
; as stored in the INT 2Eh vector.

-D 0000:00BA L 2
0000:00B0                                     97 0B ..

;The memory control block is located at the previous
; paragraph: B97 - 1 = B96. Display the MCB.

-D 0B96:0000 L 10
0B96:0000 4D 97 0B D3 00 00 00 00-00 00 00 00 00 00 00 M.....

;Byte 0 = 4Dh, indicating a MCB. Bytes 1 and 2 form
; the word indicating the owner (0B97 in this case).
; Bytes 3 and 4 form a word showing the length of the MCB
; (MCB address + 1) + (length of block) = next MCB

-H B97 D3
0C6A 0AC4

;Show sum and difference. Use the sum.
;Display the next MCB.

-D 0C6A:0000 L 10
0C6A:0000 4D 7A 0C 03 00 00 00 00-00 00 00 00 00 00 00 Mz.....

;Calculate the address of the next block same way.

-H C6B 3
0C6E 0C68
-D 0C6E:0000 L 10
0C6E:0000 4D 97 0B 0A 00 00 00 00-00 00 00 00 00 00 00 M.....

;Each block is a link in the chain. Dos traces this
; chain each time it regains control.

-H C6F A
0C79 0C65
-D 0C79:0000 L 10
0C79:0000 5A 7A 0C 86 73 00 00 00-00 00 00 00 00 00 00 Zz..s.....

;The 5Ah indicates that this is the last block in the
; chain. The address total should be the end of memory

-H C7A 7386
8000 98F4

;8000h = 512k (in my machine). Quit DEBUG.

-Q

```

Fig 2 A DEBUG session that traces the MCB chain

separately allocated data blocks; PSP blocks are never placed there.

So REMOVE begins a scan of the memory blocks above INSTALL's PSP block, looking for other PSP blocks. A PSP block is identified by a unique characteristic: it owns itself. In other words, the segment address held at offset 1 inside its control block points back to the PSP itself. The segment value stored in an environment block's control block, on the other hand, points to an address different from its own.

When a PSP block is found, REMOVE records its segment address and begins another scan of DOS's

memory control block chain, this time starting at the very first control block in memory. Then it deallocates any block it runs across whose owner (as recorded in its control block) is the PSP block just noted. The scan ends when REMOVE reaches a control block whose first byte is 5Ah, the value that identifies it as the last in the chain.

To put it another way, when REMOVE finds a PSP block located anywhere above INSTALL's own PSP block, it has found the core of a TSR that was loaded after INSTALL. Any other block that belongs to that TSR, no matter where in memory it is, can

be identified by examining its control block for the segment address of the TSR's PSP block.

With one deallocation loop complete, REMOVE continues its search for PSP blocks right where it left off. Blocks other than PSP blocks are simply passed over at this point. If one that's skipped is actually an environment block that should be deleted, REMOVE will come back and get it later, after it has found the corresponding PSP block.

The search ends when the PSP block most recently encountered is REMOVE's own PSP block.



Continued from box on previous page

The sample interactive DEBUG session shown in Fig 2 illustrates DOS MCBs and how they are chained. While the actual addresses of the MCBs and their lengths will differ from other systems, the procedure remains the same. After studying the example, you can trace right through your computer's memory.

First, make sure that DEBUG is in either your current directory or path and enter DEBUG at the DOS prompt. Once DEBUG has loaded and displayed its prompt (a hyphen), you can follow the procedure to find your own memory chain.

One interesting thing about PCMAP is its ability to display the names of some of your TSR programs. When a program is loaded, DOS also gives it a copy of the DOS environment, which is a collection of strings of the form NAME=value, followed by a zero-byte. (ASCII-Z). The segment address of the

```

;Load any program under DEBUG (I used COMMAND.COM).
; You must use a version of DOS 3.0 or later.

A>DEBUG COMMAND.COM

;Display the word containing the segment address of the
; programs copy of the environment.

-D 2C 1 2
128E:0020                                7F 09                                ..

;Display the program's copy of the environment. If you
; don't see the name (because your environment is larger,
; enter the D command a few more times with no arguments
; until the program name appears. Then quit DEBUG.

-D 097F:0
097F:0000  50 41 54 48 3D 00 43 4F-4D 53 50 45 43 3D 41 3A  PATH=.COMSPEC=A:
097F:0010  5C 43 4F 4D 4D 41 4E 44-2E 43 4F 4D 00 00 01 00  \COMMAND.COM....
097F:0020  43 4F 4D 4D 41 4E 44 2E-43 4F 4D 00 00 00 00 00  COMMAND.COM.....

-Q

```

Fig 3 A DEBUG session for finding a program name

program's copy of the environment is stored in the word at offset 2Ch in the program's PSP. In DOS Versions 3.0 and later the full pathname of the program is stored at the end of the environment. PCMAP checks to see if the environment block is owned by the

program and, if so, copies the name to the screen. (Running PCMAP under versions of DOS prior to 3.0 will show '(Unknown)' for the program name.) Fig 3 is a sample DEBUG session that finds a program name.

**Robert Hummel**

REMOVE's PSP block will always be higher in memory than any TSR's PSP block, since the order of PSP blocks reflects their order of entry. The space allocated to REMOVE itself is reclaimed by DOS when the program terminates.

REMOVE finishes up by freeing the environment and PSP blocks of the wedge itself. With all targeted memory blocks deallocated, the TSRs are effectively erased, since subsequent files will be loaded over them.

If the carry flag is set on return from any call to function 49h — which would indicate that the deallocation request made by REMOVE was rejected by the operating system — execution branches to REMOVE's error-handling routine (labelled MEM\_ERROR in the assembly language source code listing REMOVE.ASM). A 'Deinstallation failed' message is issued, warning you of potentially unstable circumstances ahead. But upon successful completion, REMOVE bids you a warmer adieu: 'Deinstallation completed'.

## In closing

INSTALL and REMOVE are two of the most used utilities in my personal library. I like to use SideKick regularly but frequently need to get rid of it when developing and testing resident code of my own. The ability to shelve it without rebooting the computer is just what the doctor ordered.

By studying the source code for INSTALL and REMOVE, you can get a

fair amount of insight into DOS's memory management methods. Thanks to the effort of a multitude of programmers throughout the user community, the subject is now pretty well understood. One good way to see how DOS stacks your programs is to make use of the mapping utility provided by Robert Hummel in the box 'A Memory-Mapping Utility'. You will probably be surprised to see just how a stack of resident utilities can tangle things up.

Terminate and stay resident utilities may someday implement a standard header that contains the information needed to deallocate them. Until that day (*probably the eschaton — Ed.*) you can make use of INSTALL/REMOVE to keep your system running smoothly. Utilities are a key to productivity, and increased productivity is the primary justification for PCs in the first place.

END



*'We're hoping to get some more computers  
so we can teach them longer words.'*



# SHOW ME



**12MHZ SMALL FOOTPRINT  
AT® COMPATIBLE**

**OEM & DISTRIBUTOR WANTED!!**




**RECTRON LTD.**

3F, Kingland Trade Building, 415 Hsin-Yi Road,  
Sec. 4th., Taipei, Taiwan, R.O.C. Telex: 10582 RECTRON  
Tel: (02) 703 6100 Telefax: 886-2-709 8181  
Attn: Mr. Hanson Hsieh

XT/AT are registered trademarks of International Business Machines Corp.

## NETWORK GENIUS

- ARCLAN:  
Datapoint® ARCNET/Novell®-Netware  
Vianet compatible, 2.5 megabit data  
transfer rate
- ETHERNET®/STARLAN® Network  
card compatible coming soon
- COMSTAR 1200I:  
300/1200 bps modem (card), Hayes®  
compatible, CCITT V.22/V.21 & Bell  
212A/103 compatible, auto dial & answer
- COMSTAR 2400I: 2400 bps modem  
(card), Hayes 2400/1200/600 Async  
Bell 212A compatible 1200/300 Async  
(including MNP Error-correction)



## EMS CARD EXPERT

- Memoplus A: 2MB, memory expansion  
card, support 12MHz AT® CPU
- Memoplus X: 2MB, memory expansion  
card, support 8MHz XT® CPU
- DOALL A: 3MB multifunction card  
support 12MHz AT® CPU
- DOALL X: 2MB multifunction card  
support 8MHz XT® CPU



## HIGH SPEED/RELIABLE MAIN BOARD

- S286-10:  
6/8/10 MHz selectable, 1MB on board  
(640K + 384K), SI = 10.3
- S286-12:  
8/10/12 MHz selectable, 1MB on board  
(640K + 384K), SI = 13.2
- S286-12B:  
Small-foot-print, 6/12 MHz selectable,  
1MB on board (640K + 384K), SI = 13.2)

## AUTOSENSE 480:

- Enhanced EGA
- 480 line extended EGA mode
- 132 column text mode
- EGA/CGA/Hercules compatible

**OTHERS: Display card, FDC,  
I/O card... etc.**



# SUPER SPECIALS FOR AUGUST....

\* MOTHER BOARD PC XT SINGLE SPEED 256k \$199.95

Computer XT -Turbo 640k value at \$1595.00  
 Computer XT-Turbo 1 MEG super deal \$1765.00  
 Computer AT-Turbo 1 MEG Baby value \$2895.00  
 Computer AT-Turbo 2 MEG Full Size top shelf \$3157.00  
 Mother Board XT-Std 640k Ram 8088 \$373.00  
 Mother Board XT-Turbo 1 MEG Board (No Ram) \$365.00  
 Mother Board XT-Turbo 640k 8088-2 2 Layer Bd \$409.00  
 Mother Board XT-Turbo 640k 8088-4 Layer Bd \$445.00  
 Mother Board AT-Turbo 1 MEG Ram 6/8/10 Mhz Baby Bd \$1142.00  
 Mother Board AT-Turbo 2 MEG Ram 6/8 Mhz Full Size ALR \$1456.00

Power Supply 150 Watt for XT \$186.00  
 Power Supply 200 Watt for AT \$297.00  
 Color Graphics Card AT-XT Real Value \$136.00  
 Monographics Card (Hercules Compatible) \$163.00  
 Serial Card for XT \$83.00  
 Serial Parallel Card for XT \$131.00  
 Enhanced Graphics Card EGA \$478.00  
 Multi I/O Card 2 Serial (1 active), Parallel Port, Games Port, Real Time Clock, Floppy Disk Controller \$185.00  
 I/O Plus Card 2 Serial (1 active), Parallel Port, Real Time Clock \$140.00  
 Case AT Full Size \$214.00  
 Case AT Baby Size \$172.00  
 Case XT Open Top with Key \$149.00  
 Keyboard 84 Keys click type  
 XT-AT \$142.00  
 Keyboard 102 Keys click type

XT-AT \$173.00  
 Keyboard 84 Keys Japanese "OMRON" AT-XT \$154.00  
 Hard Disk with Controller XT 20 Meg \$950.00  
 Hard Disk with Controller XT 30 Meg \$1150.00  
 Hard Disk Controller Xt to format 20 meg drives at 38 meg \$355.00  
 Hard Disk Controller AT Low and Short to suit Baby AT board in standard XT case NCL (Japanese) \$455.00  
 Hardcard 20 Meg SMC \$1037.00  
 Hardcard 30 Meg SMC \$1237.00  
 Expansion memory Board for AT 2 Meg (No Ram) \$263.00  
 Malfunction Board for AT 3 meg (No Ram) \$399.00  
 Mouse for AT-XT Serial \$96.95  
 Joystick AT-XT \$45.50

ALL COMPUTERS COME WITH 1 YEAR IN HOUSE WARRANTY

*This is just a sample of our range of Equipment*

PRICES DO NOT INCLUDE FREIGHT - WE CAN QUOTE FREIGHT ON ENQUIRY

WE ALSO REPAIR MSDOS MACHINES

## COMPUTERWARE FOR MICROS

11 GRANTLEY AVE, ROSTREVOR, SA.- PH. (08) 336 6588 (all hours)

"OPENING SOON" AT 23 MAGILL ROAD, STEPNEY, 5069

We accept BANKCARD-VISA-MASTERCARD \*We Specialize in Mail Order



### PRINTERS WORLD RENOWNED SUPER 5

80 COL 100 CPS \$360  
 80 COL 120 CPS \$390  
 80 COL 180 CPS \$590  
 136 COL 240 CPS \$1300

MONITORS  
TVM - MD3 14"  
Colour \$550

FREIGHT  
FREE

HARDDRIVES  
Seagate ST225 +DTC Card  
\$850

### SHERRY PRO-286 AT

- 8/10 MHz 80286 processor
- 1MB RAM on Board
- 1.2 MB/360KB Disk Drives
- Colour Graphic Card
- 84 Key keyboard
- Serial/Parallel Ports

\$1900

### SHERRY PC-XT TURBO

- 4.77/8 MHz
- 1024 MB RAM
- 2x360KB Drives
- 155W Power
- Colour Graphic Card
- 84 Key Keyboard

\$990

### SHERRY PC-XT TURBO PLUS

- 477/8/14 MHz
- 640KB RAM
- 2x360KB Drives
- 155W Power
- Colour Graphic Card
- 84 Key Keyboard

\$1150

**Computer-Mart**<sup>TM</sup>  
THE DISCOUNTERS

DISTRIBUTORS OF SHERRY BUSINESS & PERSONAL COMPUTERS

ORDER HOTLINE  
(03) 698 7868





# A kind of magic

*Are you settled in your ways, prepared to opt for the tried and trusted methods of improving your programs? Mike James tempts you into devious means with a look at various 'magic algorithms'.*

The obvious way of doing something often produces simple, compact and clear programs, but just occasionally there is a devious trick which gives rise to a method that is lightning fast compared to the more obvious 'old plodder'. By 'devious trick' I don't mean tinkering with the mechanics of coding a method in a particular language, but some less-than-obvious ways of going about things.

For example, if you were working something out that involved multiplying two lists of numbers together, and I suggested that it would be a lot quicker to do all the odd pairs, then all the even pairs, and then combine them to give the result, you would probably think this perverse and unlikely to work! However, this is the basis of one magic algorithm — the Fast Fourier Transform or FFT — and its use has cut computing time in some branches of engineering and technology from hours to milliseconds! There are a few other examples of such magic algorithms to be found in more down-to-earth applications such as sorting and searching data, and basic calculations such as finding powers.

The most interesting thing is that before these methods were discovered, no-one even guessed that a better way might exist — how many more magic algorithms are there just waiting to be discovered? In this article I'll take a look at what makes such methods fast and how this might be applied to other, more general, programming problems.

## *The essence of the magic*

If you are faced with a problem that involves performing a task on  $N$  data items, then it is clearly important to try



to find a method for which the time taken to complete the task increases as slowly as possible as  $N$  increases. It is simple-minded to assume that there is one single, best algorithm in the sense of fastest algorithm because there is often no algorithm that is the fastest for all values of  $N$ . For example, some sorting methods are effi-

cient for small values of  $N$  but hopelessly inefficient for large values of  $N$ .

The basis of a lot of the magically fast methods is dividing the problem down into smaller and, hopefully, simpler parts. If a task is being performed on  $N$  data items, then there is a chance that it can be performed more quickly by dividing the  $N$  items



into two equal-sized groups of  $N/2$  items and performing the task separately on each half. That is, given  $N$  items:

Total Task
$N$ items

try to decompose the total task into two separate parts:

Task A	Task B
$N/2$ items	$N/2$ items

and derive the final result by combining the result from tasks A and B.

At this point it is difficult to see how it is that the amount of work involved can possibly be reduced by this division. Surely task A and task B together must take at least as long as the total task, and what about the extra time required to perform the division and recombination? Surprising though it seems, such

a division does, in practice, usually provide an increase in speed because the dominating factor is how many items the task is working on. If you assume that a speed gain is indeed produced by such a division — what would you do to increase it even further? The answer is that you would repeat the process by dividing each of the two sub-tasks into two sub-sub-tasks, and so on, until each section of the problem consisted of a single element and the task performed on it would usually turn out to be trivial.

If there are  $N$  items, how many times can this division process be repeated? The answer to this is (perhaps not surprisingly for those mathematically minded)  $\log_2 N$ . Of course, it is only possible to carry out this division exactly if  $N$  is a power of two, and this accounts for the restriction of many of the fast methods to values of  $N$  that are a

power of two. For example, if  $N=8$  then the division process can be applied exactly three times. It is sometimes useful to draw a diagram of the division process as a binary tree. In the case of  $N=8$ , see the example shown on the following page.

In general the decomposition tree for  $N$  items has  $\log_2 N$  levels, and this visualisation gives us a way of exploring the way that an increase in speed might be gained. If each division process takes time  $T$ , then the total time taken is  $T \log_2 N$  and this is often smaller than the time taken for the straightforward approach.

If you still think that all this is unlikely, then to a certain extent I have to agree with you. But it is surprising how often in practice a division process can be found which not only gives the same result as the original process, but is an order faster! The trouble with all this is

## Binary search

Binary search is perhaps the best known of all the fast methods. Indeed, it is so well-known and loved that it is often not counted as an improved method but as *the* method. If you are searching a list of items for a particular target item, then the simplest algorithm is the linear search — that is, start at the top of the list and compare each item to the target. It is not difficult to see that linear search takes, on average,  $N/2$  operations to find an item and  $N$  operations to discover that an item is not in the list. Thus, linear search is an algorithm that takes time proportional to  $O(N)$ .

If the list of items is sorted into order, a better method of searching — binary search — can be employed. This works by repeatedly dividing in two the range that the target is thought to be in. If the items are stored in the array  $A$  with the smallest in  $A(1)$  and the largest in  $A(N)$ , then at the beginning of the search we assume that the target will be in the range of  $L$  to  $U$  with  $L=1$  and  $U=N$  — that is, the entire array.

The first state in the division process is to decide if the target, stored in  $T$ , is in the lower or upper half of the array. If  $M$  is in the middle of the range, we can decide which sub-range the target must be in by the following tests:

```
IF A(M) < T THEN target is in upper range — that is,
M+1 to U
IF A(M) > T THEN target is in lower range — that is,
M-1 to L
```

Of course there is also the possibility that  $A(M)=T$ , and in this case we have found the target and the process terminates. That is: IF  $A(M)=T$  THEN target found

This division process continues until either the target is found or  $L>U$ , in which case the interval has been shrunk to nothing and the target is not in the array. This sketch of the method is sufficient to write a Basic subroutine to perform a binary search:

```
1000 L=1:U=N
1010 REM DIVISION LOOP
1020 IF L>U THEN I=0:RETURN:
1030 M=CINT((L+U)/2):
1040 IF A(M)<T THEN L=M+1:
1050 IF A(M)>T THEN U=M-1:
1060 IF A(M)=T THEN I=M:RETURN:
1070 GOTO 1010
REM EMPTY RANGE EXIT LOOP
REM COMPUTE MIDDLE OF RANGE
REM TARGET IN UPPER HALF
REM TARGET IN LOWER HALF
REM TARGET FOUND EXIT LOOP
```

When this subroutine terminates,  $I$  contains either the position of the target in the array or 0 to indicate that it hasn't been found.

Binary search is a clear application of the repeated division principle. Each division produces a pair of sub-tasks: that is, find the target in half the number of items, but one of the sub-tasks is trivial because we can decide that the target is not in its half of the array. In this case, each division takes the same amount of time and doesn't depend on the number of items in the list. As each division takes a constant time and the number of divisions is  $\log_2 N$ , the entire process takes  $O(\log_2 N)$ . This represents a considerable saving in time for large lists.

For example, a linear search of 1000 items takes 500 comparisons to find the target and 1000 to report that it isn't present. A binary search of the same set of items takes roughly 10 divisions either to find, or not find, the target.

Of course, for a binary search the items have to be in order and the additional time it takes to sort them has been taken into account, but often the list has to be sorted for other reasons. Even if this isn't the case, it doesn't need many look-ups to make binary search plus sort more efficient than linear search.

From the point of view of our general repeated division method, binary search is an example of an improvement on an  $O(N)$  method — linear search — that can be implemented as  $\log_2 N$  divisions in which each takes a time that doesn't depend upon  $N$ . Binary search is a very powerful and general algorithm that can crop up in many unexpected places.

For example, if you are looking for a serious bug in a program that completely crashes the system, the quickest way to track it down with minimum effort is to place print statements that divide the program into ranges in a manner of a binary search. That is, for the first run place the print statement in the middle of the program. If you see its output, the bug must be in the second half; if not, the bug is in the first half. Simply repeat the operation until the bug is pinned down into a small enough range for you to spot it. At most this will take  $\log_2 N$  runs and print statements, where  $N$  is the number of lines in the program.



# Star Printers.

## When you feel the need for speed



Star's new range of dot matrix printers gives your personal computer a triple-hit

- High quality output in draft or near-letter-quality mode
- High-speed output – up to 300 characters per second
- Fingertip control to select pitch, typeface, print mode, margins, paper feed

Whether you need quality output of word processed documents or full-width spreadsheets and graphics, you will find a Star printer that meets your exact needs.

Choose from the economy of the Star NX-10 with 120 cps draft and 25 cps NLQ, through to the top-line NB24-15 printer which boasts 15-inch carriage, a 24-pin print head, 300 cps draft output, and true letter-quality at 100 cps.

Add competitive pricing, interfacing with a range of PCs (Commodore, Apple II, Macintosh and IBM), a buffer that has twice the memory capacity of our competitors and a reputation for reliability second to none in the printer business.

Now ask yourself why you would look beyond Star. Phone now for the name of your nearest dealer.

**star**  
micronics

Phone: (02) 736 1144  
7/25 George Street  
Homebush, NSW 2140  
Telex: AA73872 Fax: (02) 736 1032  
Melbourne: (03) 544 6676  
Brisbane: (07) 875 1551

SM 4208B

## TURN YOUR PC INTO A CASH REGISTER!



With **TRADER IV PC KEYBOARD REGISTER** software your IBM PC/XT,/AT, or compatible, using MS-DOS, becomes a full featured cash register having 31 user programmable functions - unlimited PLU's - receipt and/or full invoice - UPC scanning - and mixed tendering. The **PC KEYBOARD REGISTER** software gives the user complete cash control analysis with comprehensive and detailed management reports including complete daily reports, timely inventory/bill of materials data updating and detailed transaction journal. Optional printers & cash drawers, UPC scanners, and multi-user versions of **PC KEYBOARD REGISTER** are available.

Order now by calling:

**(03) 429 5844**


Bankcard, MasterCard, Cheque or Money  
Order accepted.  
DEALER ENQUIRIES INVITED

### ABACUS SOFTWARE

512 Bridge Road, Richmond, Vic 3121

\*Applies to a single user system. Copyright 1987, POSitech. IBM, PC/XT/AT are registered trademarks of International Business Machines Corporation. MS is a registered trademark of Microsoft Corporation.





The division process of  $N=8$  as a binary tree

that at the moment it seems very abstract and gives us no clue as to what a real division process might consist of.

In the accompanying panels a number of practical fast methods are described for a variety of processes. In these cases it is all too easy to lose sight of the theory as outlined here and become bogged down in

the practical details of implementation. As you read the explanations and examine the programs, try to keep in mind the general principles described above.

Let's now take a look at the mathematics behind the operation of this kind of algorithm. Although it is not necessary to understand the mathematics in order to use the algorithms, taking the

trouble to work your way through the explanation will help. If you want to modify or use similar algorithms, it is essential to understand the mathematics — one small change can make a vast difference to the algorithms' execution time.

## Mathematics

To characterise completely the speed of an algorithm, it helps to draw a graph of how the time to complete the task increases with the number of items,  $N$ . This is, to a certain extent, overkill, in that how the time taken increases with  $N$  can be characterised by stating that the graph is roughly linear, quadratic, cubic, and so on. In the jargon this is equivalent to saying that the algorithm takes time proportional to  $O(N)$ ,  $O(N^2)$ ,  $O(N^3)$ , and so on (the 'O' is pronounced 'Order'). If algorithm A is  $O(N)$  and algorithm B is  $O(N^2)$ , then there is certain to be a value of  $N$  above which A is increasingly faster than B. In this sense we would prefer  $O(N)$  algorithms to  $O(N^2)$  algorithms and  $O(N^2)$  algorithms to  $O(N^3)$  algorithms, and so on.

Another way of looking at this is to

## Fast power

This example is a lot less well-known than binary search, and is a little more difficult to understand because it uses some binary arithmetic. The problem that we are trying to solve is to work out  $X^N$ . The straightforward way of working this out is to use a loop to multiply  $X$  by itself  $N$  times. That is:

```
P=1
FOR I=1 TO N
  P=P*X
NEXT I
```

and this clearly takes a time proportional to  $O(N)$ . There is a very simple method of computing powers that works in time proportional to  $O(\log_2 N)$ . Before reading on you might like to try to find it for yourself.

The principle of the fast power method is based on the observation that certain powers of  $X$  are very easy to calculate. For example,  $X^2$  is just  $X \times X$ ,  $X^4$  is  $X^2 \times X^2$ ,  $X^8$  is  $X^4 \times X^4$ , and so on. In other words, you can work out an  $X$  raised to a power of 2 by repeatedly squaring the previous result. If there were some way of breaking a general power of  $N$  down into a combination of powers of 2, then we would have a faster algorithm. In fact, any number can be represented as a sum of powers of 2; this is nothing more than its binary representation. For example, 7 is  $1 \times 2^2 + 1 \times 2^1 + 1 \times 2^0$  and its binary representation is 111; 5 is  $1 \times 2^2 + 0 \times 2^1 + 1 \times 2^0$  and its binary representation is 101; and so on. In the same way,  $N$  can be decomposed into a sum of powers of 2. This may not seem to be of much help in computing  $X^N$  but as  $X(a+b) = X^a \times X^b$ ,  $X^N$  can be calculated as a product of  $X$  raised to the powers of 2 that occur in the binary representation of  $N$ .

If this seems a little abstract then consider  $X^7$  which is

equal to  $X^4 \times X^2 \times X^1$  ( $4+2+1=7$ ) or  $X^5$  which is equal to  $X^4 \times X^1$  ( $4+1=5$ ). Notice that the only thing that makes this decomposition of  $X^N$  easier to compute is the simplicity of computing  $X$  raised to a power of 2. The final program is:

```
1000 P=1
1010 R=X
1020 REM START OF POWER LOOP
1030 IF N<=0 THEN RETURN: REM EXIT LOOP
1040 IF (N AND 1)=1 THEN P=P*R: REM INCLUDE R IF LAST BIT IS SET
1050 R=R*R: REM COMPUTE X TO POWER OF 2
1060 N=INT(N/2): REM REDUCE N BY FACTOR OF 2
1070 GOTO 1020
```

The only difficult points in the above program are the use of the AND in line 1050 to test if the right-hand bit of  $N$  is 1 or not; and the integer division by 2 in line 1060 which is equivalent to shifting all the bits in  $N$  one place to the right and discarding the right-hand bit.

The fast power algorithm works in time proportional to  $O(\log_2 N)$ . It is a subtle example of the division method described above in that what is being divided is a number,  $N$ , into its binary representation. That is,  $N$  is made up of so many lots of 1, so many lots of 2, so many lots of 4, so many lots of 8, and so on... and this corresponds to repeatedly dividing  $N$  by 2 until it is less than or equal to 1 (compare this to dividing the range in a binary search). Each division takes a constant amount of time and there are  $\log_2 N$  such divisions, so the entire algorithm is  $O(\log_2 N)$ . If you want to compute  $X^{10,000}$ , the simple method will take 10,000 loops but the fast algorithm will take only 14 loops!

Although the fast power method is interesting, it is only useful when a log function isn't available — for example, when writing in assembler — because it is usually just as fast to use  $N \times \text{LOG}(X)$  or  $X^N$  to compute powers.



# See the True Flow of your Operation


## FLOW CHARTING II+

**\$399**

Conceived from an intense belief that supervisors, managers, engineers, and company presidents could better themselves and their operation if they could really SEE the true flow of their operation. Produce ideas or concepts onto paper quickly, accurately, and with professional neatness while the ideas are still fresh or redraw it a few times without diluting the original concept. Flow Charting will bring vivid definition in simple-to-see and easy-to-understand pictures of your operation. Your operational staff maybe doing something quite different than what you intended. You can now view your complete operation (at your option) remake your flow diagrams at a macro or micro level depending on whether you are teaching a process, trying to eliminate bottlenecks, or presenting a justification for people and processes. Flow Charting II+ is a precision instrument specifically designed for flowcharts and org charts. Flow Charting II+ lets you type inside or outside shapes, on lines or free area. Define pieces of your chart to save for later use in other charts, define pieces anywhere on the chart, to move, copy, or even delete. Zip across your chart with an accelerated cursor or use the cross hairs on the shrink screen at a faster pace. Work equally well in floppy disk or hard disk environment. Choose among a total of ten font styles. Choose from 26 individual shapes. Print Multiple files without interruption. Presentation quality graphics or draft quality available. Blocks of text, words, or even just letters can be moved, deleted or inserted quickly and neatly. Auto Centering within shapes. Use Alpha-keys or Function-keys to select options. DOS paths/sub directories are completely supported. The last filename saved or loaded, you don't have to retype it! Flexible screen ensemble that makes chart construction and editing a pleasure. 40-column viewing screen on a blue or black background for detailed editing. 80-column viewing screen, still detailed, gives you twice the information.

Flow Charting II has been tested as a business program at several beta test sites and has been proclaimed as the "Missing Link" that has kept most business programs from truly making the business person "work smarter."

**Please Call or Send your Business Card for a Free Demonstration Kit!**



## TREE

DIAGRAMMER

**\$110**

Tree Diagrammer reads one or more source code files and generates an "organization chart" showing the hierarchy of calls to functions, procedures, and subroutines (eg. routines). The chart starts with a box for the "root" routine. The root routine is taken to be that routine which is called by no other routine or the fewest number of routines. The box for the root routine gives information about the definition of this routine. (The definition of routine is the section or sections of the source listing where the routine is listed.) A line extends downward from the bottom of this box and connects to inline lists and boxes for routine called by the root routine (ie. routines called within the definition of the root routine). Every called routine appears whether in an inline list or in a box. If not all routines are tied together by calls, then two or more disjoint charts will be generated. In particular, routines that are defined but not called will appear in disjoint boxes. Tree Diagrammer normally finds the root routine automatically. The Tree Diagrammer is an indispensable tool for C, Basic, Pascal, Dbase, and Modula-2 programmers.

## Source Print

**\$150**

Source Print is a formatting and comprehensive utility for professional software developers. Source Print is a utility for formatting and organizing programming language source codes: it is also useful when working with other types of text information. Source Print operates as a filter: it transfers all or selected portions of one or more text files to an output file. The output file may be the printer, the console, or a disk file. There is a wide variety of formatting selections, which may be used in combination. Any text file may be processed by Source Print. Source Print gives you clear organised source code in a matter of minutes!

## SOFTWARE

**Express**

48 A'Beckett St, MELBOURNE 3000

Phone (03) 663 6580

**Mail Orders Welcome!**



## Quicksort

Quicksort, invented in 1962 by CAR Hoare, is still the fastest sorting method that we know. And as it takes time proportional to  $O(N \log_2 N)$ , we know that it must be within a constant of being optimum. Simple sorting methods such as selection sort, insertion sort, and so on, take time proportional to  $O(N^2)$  or worse, so quicksort is a great improvement when  $N$  is large. For small numbers of items, simple sorting methods may actually be faster than the more complicated quicksort, but as  $N$  increases it doesn't take long for quicksort to live up to its name.

The fundamental operation of quicksort is a division of the array into a right-hand part that contains items greater than a given value  $A$ , and a left-hand part that contains items less than this value. (The value of  $A$  is arbitrary, but for an efficient method it is desirable that it divides the array into roughly two equal-sized portions.) That is, after the first partition the array is:



This partitioning operation can be performed using two pointers —  $I$  and  $J$ , say. Firstly, a scan to the right is performed using  $I$  to find an element bigger than  $A$ , then a scan to the left is performed using  $J$  to find an element smaller than  $A$ . These two elements are clearly in the wrong portions of the array, so they have to be swapped. That is:

```

REM SCAN RIGHT
I=1
x IF X(I)<A THEN I=I+1:GOTO x
REM SCAN LEFT
J=N
y IF X (J)>A THEN J=J-1:GOTO y
REM SWAP X (I) AND X(J)
    
```

After the first swap, the left and right scans continue from where they left off and elements are swapped until the two pointers meet somewhere in the middle of the array. At this stage the partition is complete, and all the elements to the left of the meeting place are less than  $A$  and all the elements to the right of the meeting place are greater than  $A$ .

A partitioning of this type doesn't result in a sorted array, but the array is more ordered in that during subsequent sorting, no elements will have to be moved between the two halves. This, of course, means that the two halves can be sorted independently of one another, and we have succeeded in splitting the task of sorting  $N$  items into two tasks of sorting  $N/2$  items.

The next stage should be obvious in that further applications of the partitioning method would reduce the task even more. Repeatedly partitioning the array finally results in partitions of single elements which need no additional work to sort: that is, the array can be completely sorted by use of nothing but the partitioning method.

You should recognise in this all the features of the general partitioning method described earlier. As each partition takes roughly  $O(N)$  operations and on average  $\log_2 N$  partitions will be needed, the entire quicksort procedure will take  $O(N \log_2 N)$ .

The subroutine given below performs a quicksort on the array  $X$ . It is essentially based on the methods described above but with some practical modifications to make the process more efficient. In particular, to minimise storage overheads, the smallest of the two portions of the array produced by a partition is selected for further partitioning. If you are not convinced that such an elaborate subroutine could be faster than a simple selection or insertion sort, it is worth examining the following table:

	256 items	512 items
<b>Insertion sort</b>	366	1444
<b>Selection sort</b>	509	1956
<b>Bubble sort</b>	1026	4054
<b>Quicksort</b>	60	146

(The times are in milliseconds for Pascal versions — taken from N Wirth, *Algorithms+DataStructures=Programs.*)

```

1000 REM QUICKSORT
1010 M=12:
1020 S=1:
1030 DIM STACK(M,2):
1040 STACK(1,1)=1:STACK(1,2)=N:
1050 REM LOOP POP STACK
1060 L=STACK(S,1):R=STACK(S,2):S=S-1
1070 REM DO DIVISION OF L TO R
1080 I=L:J=R:A=X(INT((L+R)/2))
1090 REM SWAP X(I), X(J) LOOP
1100 REM SCAN RIGHT LOOP
1110 IF X(I)<A THEN I=I+1:GOTO 1110
1120 REM SCAN LEFT LOOP
1130 IF X(J)>A THEN J=J-1:GOTO 1130
1140 IF I>J THEN GOTO 1190:
1150 W=X(I):X(I)=X(J):X(J)=W:
1160 I=I+1:J=J-1:
1170 IF I>J THEN GOTO 1190:
1180 GOTO 1090
1190 REM STACK SMALLEST PARTITION
1200 IF J-L<R-I AND I<R THEN S=S+1:STACK(S,1)=I:STACK(S,2)=R
1210 IF J-L>R-I AND L<J THEN S=S+1:STACK(S,1)=L:STACK(S,2)=J
1220 REM SORT REMAINING PARTITION
1230 IF J-L<R-I THEN R=J ELSE L=I
1240 IF L>R THEN GOTO 1260:
1250 GOTO 1070
1260 IF S=0 THEN GOTO 1280:
1270 GOTO 1050
1280 RETURN
    
```

REM DEPTH OF STACK  
 REM STACK POINTER  
 REM \*\*\*MOVE TO MAIN PROGRAM\*\*\*  
 REM INITIALISE STACK

REM EXIT SWAP LOOP  
 REM SWAP VALUES AT I AND J  
 REM SET POINTERS FOR NEXT SCAN  
 REM EXIT SWAP LOOP

REM EXIT DIVISION LOOP

REM EXIT LOOP STACK EMPTY

ask how much the time taken increases if  $N$  is doubled:

$N$  doubles:  $O(N)$   $O(N^2)$   $O(N^3)$   
 Increases time by: 2 4 8

Using this table, it isn't difficult to see that an  $O(N)$  algorithm remains practical long after you have grown old waiting for an  $O(N^3)$  algorithm to finish. You might think that this is an exaggeration: an  $O(N^3)$  algorithm that takes one second to process 100 items seems inefficient, but not ridiculously so when compared with an  $O(N)$  algo-

rithm that takes .001 seconds. However, for 1,000,000 items the  $O(N)$  algorithm would take something like 10 seconds, but the  $O(N^3)$  algorithm would take 32,000 years!

Algorithms which take times proportional to  $O(N^c)$ , where  $c$  is a constant, are called 'polynomial time algorithms'. But there are algorithms that perform worse than polynomial time algorithms.

For example, an exponential time algorithm  $O(e^N)$  performs worse than any polynomial time algorithm. In other

words,  $O(e^N)$  is another order of badness! Most of the magic algorithms described in this article take time proportional to either  $O(N \log_2 N)$  or  $O(\log_2 N)$ . An  $O(N \log_2 N)$  algorithm is worse than  $O(N)$  but better than  $O(N^2)$ , and an  $O(\log_2 N)$  is particularly prized because it is even better than  $O(N)$ . If  $N$  is doubled, the time taken by an  $O(\log_2 N)$  algorithm only increases by one unit of time whereas an  $O(N)$  algorithm doubles the time it takes.

If you are not familiar with the  $\log_2$



# RAYTECH PC




**20MHZ  
HIGH-SPEED  
386**

**\*COMPACT-286 COMPUTER**  
CPU 80286-10, 12MHZ LEGAL BIOS

**\*COMPACT-88 COMPUTER**  
CPU 8088-1, 10/4.77MHZ, LEGAL BIOS

**A 24-HOUR CONTINEOUS BURNING  
TEST ENSURES THE QUALITY  
RAYTECH COMPUTER**



*new*

- \*PGA CARD (PGA/EGA/HERCULES/CGA MODE)
- \*EMS CARD (RUNS ON 12/10 MHZ SYSTEM)
- \*SUPPORT DOS 3.2/GWBASIC
- \*INTELLEGT EPROM PROGRAMMER
- \*QUAD RS-232 CARD
- AND MANY MORE

**RAYTECH INTERNATIONAL INC.**


P.O. BOX 7-527, TAIPEI, TAIWAN, R.O.C. TELEX: 10177 RAYTECH TEL:(2) 3967657



(that is, log to the base 2) function, it is worth saying that  $\log_2 N$  is simply the power of 2 that equals  $N$ . In other words, if  $a = \log_2 N$  then  $N = 2^a$ . For example,  $\log_2 8 = 3$  because  $2^3 = 8$ , and  $\log_2 2.828 = 1.5$  because  $2^{1.5} = 2.828$  (not so easy to verify by simple arithmetic due to the fractional power).

The reason why  $\log_2$  is involved in the performance of all of the fast methods is no accident and, indeed, it is a clear indication of the division principle that they all embody. This is because asking how many times  $N$  can be divided by 2 before reaching 1 is equivalent to asking how many 2s have to be multiplied together to make  $N$  — that is, what power of 2 equals  $N$ , and this is simply  $\log_2 N$ .

END



Graph to show time in relation to number of items

## The fast median finder

The fast median finder was invented in 1970, and it's a strange blend of binary search and quicksort. The median of a set of numbers is the value that 'lies in the middle': that is, half of the values are smaller or equal to it and the other half are larger or equal to it.

Another definition of the median is that it is the middle value after sorting the set into order. For example, the median of:

4 2 10 3 7 18 60

can be found by first sorting the set into order:


2 3 4 7 10 18 60

and picking the middle value — that is, the median is 7. In statistics, the median is often used in place of the mean to indicate the value that a set of numbers is centred on.


The most common way of finding the median is to proceed as above and sort the numbers into order before finding the middle value. If the best sorting method is used, this takes  $O(N \log_2 N)$ , but there is a much faster method that will find the median in time proportional to  $O(N)$  based on the partitioning operation introduced as part of quicksort.

If you perform the partitioning operation used in quicksort on an array using a value  $A$ , then the result splits the array into two portions: one smaller than or equal to  $A$ ; and one bigger than or equal to  $A$ .


If this division is into two equal parts, then  $A$  is the median of the set of values:



However, as  $A$  was chosen at random, this equal split is unlikely to be obtained. If the left-hand portion of the split is larger, the value  $A$  is too big to be the median which must lie in the left-hand portion:



If, on the other hand, the right-hand portion is larger, the value of  $A$  is too small to be the median which must lie in the right-hand portion:



At this stage you should be able to see that the partitioning operation either finds the median, or pins it down to lying in one of the two portions of the array. This is remarkably similar to the division of the range that a target is assumed to lie in during a binary search.

The next stage is to repeatedly apply the partitioning operation to the portion of the array that the median is located in until it is found. This on average takes  $2N$  operations, so the entire process is  $O(N)$  which is a considerable improvement over  $O(N \log_2 N)$ .

The following program finds the median of the values stored in the array  $X$  using the method described above. The median returned is  $A(K)$ .

```

1000 L=1:R=N:REM SET INITIAL RANGE
1010 K=CINT(N/2) :REM K=POSITION OF MEDIAN I.E. MIDDLE OF ARRAY
1020 REM PARTITION UNTIL L>R
1030 IF L>R THEN GOTO 1200
1040 A=X(K):
1050 I=L:J=R:
1060 REM DO DIVISION OF L TO R
1070 REM SWAP X(I), X(J) LOOP
1080 REM SCAN RIGHT LOOP
1090 IF X(I)<A THEN I=I+1:GOTO 1090
1100 REM SCAN LEFT LOOP
1110 IF X(J)>A THEN J=J-1:GOTO 1110
1120 IF I>J THEN GOTO 1170:
1130 W=X(I):X(I)=X(J):X(J)=W:
1140 I=I+1:J=J-1:
1150 IF I>J THEN GOTO 1170:
1160 GOTO 1070
1170 IF J<K THEN L=I:
1180 IF K<I THEN R=J:
1190 GOTO 1020
1200 RETURN
    
```





# “DON'T BE RASH WITH YOUR COMPUTER CASH TILL YOU TALK TURKEY WITH TRIDENT”

It's a curious fact that many companies rush into buying a computer system without fully exploring all their options — particularly when purchasing a small to medium sized system. At Trident, we can certainly demonstrate a comprehensive range of computer systems at highly competitive prices.

But more importantly, we can also provide a highly professional computer advisory service to ensure you end up with precisely the right system to suit your specific needs. So before you rush off and part with your computer cash, take the time to talk to Trident. We'd hate to see you settle on a system that didn't... well... suit!



## TRIDENT COMPUTER IND.

*Sophisticated computer systems and service.*

### **SYDNEY**

C & S Computer Service  
100 Pacific Highway  
Waitara, 2077  
(02) 487 1742

### **MELBOURNE**

ATAC (Vic) Pty. Ltd.  
111 Little Lonsdale Street  
Melbourne, 3000  
(03) 662 2755

AFOR 151

As modems get better, so does the price.

## Bit Blitzer 12E, only \$349\*

\*Recommended retail price, plus tax if applicable.

The Bit Blitzer makes good business sense. For half the price of competitive modems you enjoy these features.

- CCITT V22 (1200 BPS) and V21 (300 BPS) plus BELL 212A (1200 BPS) and 103 (300 BPS).
- Full Hayes AT command set including all 17 'S' registers.
- Auto dial. • Tone or pulse dialling.
- Full duplex • Auto answer. • Auto redial.
- Call progress monitoring.
- Loop back for remote diagnostics.
- Internal speaker with manual and software volume control.
- 8 LEDs (lights) indicate status and activity.
- Low 1.5 watt power consumption.

This modem is an advanced technology product and offers functions usually only available in a high-cost top of the range model. It is also fully **TELECOM APPROVED**.

PCI's reputation alone is endorsement of a high quality product.

Your reputation will be improved by choosing the BIT Blitzer.

### **COMDEX '87 SPECIAL OFFER**

Visit the PCI stand 1221 at Comdex '87, Commemorative Pavilion, 19-21st August and get \$20 off the recommended retail price, just by presenting this coupon.

Bankcard and Mastercard welcome.



Phone your order through or for more information contact:

**Peripheral Computer Industries Pty. Limited** (Inc. in N.S.W.)

N.S.W. 2/6 Redfern Street, Wetherill Park. 2164. Phone (02) 604 8544.

Vic. 1396 Malvern Road, Tooronga. 3146. Phone (03) 209 9141.

Qld. 379 Queen Street, Brisbane. 4000. Phone (07) 229 8774.





# A Cray on every desktop

***The supercomputers of today could become the desktop machines of tomorrow as the prohibitive factors in their development and manufacture are overcome. Nick Hampshire looks at what the future holds.***

Are there any limits to the potential power of personal computers? They have been in existence for barely ten years, but during that period the processing power and memory of per-

sonal computers has grown at a phenomenal rate. This growth in processing power and memory capacity has resulted in an increasing convergence between the capabilities

of the personal computer and the multi-user mainframe. Indeed the new generation of personal computers are now starting to pose a serious competitive threat to mini and super-mini com-





puters. Will their power continue to increase to a level where they would pose a similar threat to the most powerful of today's computers, the so-called supercomputers?

Some of the most powerful computers in existence today are machines like the Cray 2 or the Cyber 205 which are capable of performing at speeds which are ten thousand times that of the most powerful personal computer. However, if this article had been written ten years ago, then the most powerful machines would have had only a few hundred times the power of an 80386 desktop. Going back a further ten years to 1967, and a mainframe had not much more processing power and frequently far less memory than is possessed by an 80386-based personal computer.

The fact that the power of personal computers has developed so rapidly in just ten years would lead to a superficial conclusion that this rate of development will continue over the next decade. If this happens then it is very likely that personal computers could be produced with the power of the Cray 2 and a price tag comparable to a current top-range PC.

The great reductions in the cost of computing power have been almost exclusively produced by the massive amount of electronic circuitry which can now be condensed onto a single silicon chip. The greater the complexity of circuitry which is contained on a single chip, then either the lower the cost or the more powerful the resulting machine, frequently a combination of both.

However, semiconductor technology is beginning to encounter fundamental physical limits in the continual drive to put more and more circuitry on a single chip. This means that over the next decade the rate of increase in power of low-cost minimal chip count personal computers will slow down very considerably. The driving force behind the technological development of the personal computer market will no longer be the semiconductor industry; it will instead be computer science. Rapid developments in computer science are bringing new computer architectures, new forms of computer software, and new types of man/machine interface. It is these developments which will put the affordable personal supercomputer in the offices, factories and laboratories of the world.

## Necessity

Supercomputers like the Cray 2, and

very large mainframes like the Amdahl 580 series, are very expensive — \$15 million plus, and also relatively uncommon — only a few hundred machines in the whole world. This combination of scarcity and high cost has meant that such machines have usually been acquired for very specific purposes: a considerable proportion of the world's supercomputers are employed in weather forecasting. Scientific researchers, particularly those involved in high energy and nuclear physics are users of such machines. Probably the largest users are the military, particularly in the US where they are applied, among other things, to the computationally enormous problems associated with analysing the vast quantities of data involved in missile detection and warning systems.

The small number of existing machines, most of which have dedicated applications, has meant that there is generally very little experience

---

*'Parallel processors will enable systems to be designed with a whole new range of man/machine interfaces. Voice input is one such interface . . .'*

---

of using such sophisticated and very powerful hardware. There is, firstly, very little software available which fully utilises the capabilities of the machines — most users have produced bespoke packages for their own applications. There are also very few people who fully understand the complexities involved in programming such machines, particularly since there are very few programming tools available to make the programmer's task easier.

With the scarcity of high-level programming tools it is very expensive to create applications programs for supercomputers. It has been estimated that it requires over 50 man-years of work just to optimise a 100,000-line Fortran program so that it would fully utilise the power of a Cray.

The consequence of the very high cost of hardware and software development is that very few attempts have been made at using these machines for anything other than fairly straightforward number-crunching applications. This has started to change in the last few years, particularly in the use of su-

percomputers to generate very high-quality graphics images, and examples of these have been seen in some of the recent Hollywood science fiction film productions. However, like other users of supercomputers, film companies have large budgets and can, therefore, afford the investment.

If the price of supercomputing hardware was to come down to a level where it could be afforded by a large number of people as a personal machine, it is unlikely that its application would be confined to those areas where supercomputers are currently used. Of course, it would be silly to use such powerful machines for simple tasks like word processing; they will instead open up new applications for computers. Indeed, there is a fairly universal rule that the complexity of people's applications will expand in order to fully utilise the maximum power and memory capacity of the available hardware. Equally the prospect of a large software market will prompt software houses to produce and market the tools which are essential if such hardware is to be properly utilised.


The reasons why people will want to use affordable personal supercomputers is fourfold: for purely number-crunching applications such as simulations and modelling; for applications which involve very high-quality graphics outputs; for applications which will support new sophisticated man/machine interfaces such as full interactive voice I/O and natural language comprehension; and, finally, in order to support the new generations of AI software.

## Differences

Mainframes, minicomputers and personal computers all use a common architecture: they are all single instruction, single data stream processors. The principle differences between a mainframe and a personal computer are speed, multi-user capability and data storage capacity. It is these three factors which account for the enormous price range from several hundred dollars for a bottom-range PC to a few million dollars for a top-range mainframe.

The much higher processing speed of a mainframe computer is basically achieved in two ways. The electronic components used in mainframes are frequently constructed using semiconductor technologies such as ECL (Emitter Coupled Logic). These forms of semiconductor are capable of operat-





# THIS MONITOR COULD PUT US OUT OF BUSINESS.

The NEC MULTISYNC colour monitor is so advanced it will probably never need to be upgraded. That means once you've bought one, you'll possibly never need to replace it.

You see the MULTISYNC automatically scans all frequencies between 15.5kHz and 35kHz – which includes every colour graphics board now in use. And it adjusts itself to suit, with a maximum resolution of 800 (horizontal) by 560 (vertical). It's also compatible with IBM PCs. And all IBM compatibles.

In layman's terms this simply means that the MULTISYNC not only has a superior clarity of display. And superior database applications. But with MULTISYNC, when the time comes to upgrade your computer, you won't have the added expense of changing over your monitor.

Now despite the fact that we call the MULTISYNC the 'intelligent' monitor, it may not be the most intelligent business move we've made. However we're sure the MULTISYNC will keep you ahead of everyone else for a long time to come. To find out more telephone (02) 8681811.

**M U L T I S Y N C**

**NEC**

**NEC HOME ELECTRONICS**

Sydney (02) 8681811; Newcastle (049) 262466; Melbourne (03) 5449200;  
Brisbane (07) 2770888; Adelaide (08) 2949033; Perth (09) 4453499.

NEC484/87 USPNeedham

## **commodore** PC-5

**\$1999**

'The WORKHORSE'  
640K, 20 Meg Hard Disk,  
Able-1 WP,SS,DB software,  
Sidekick pop-up utilities.



'The THOROUGHbred'  
640K, Turbo, 8087 Chip, Mono  
graphics, 40 Mb 40ms H/Disk,  
Able-1 & Sidekick software

**\$3299**

**IBM COMPATIBLE**

## **AMSTRAD**

**PC-1512**

'The SPEED DEMON' **\$2799**  
640k, Turbo, Colour screen,  
30 Megabyte Hard Disk.

'The ACCOUNTANT'  
512k, Dual Disk, B&W screen,  
120cps Dot-matrix printer,  
Ability WP,SS,DB software, **\$2599**  
In-House Accountant software.



**IBM COMPATIBLE**

**Ask us about...**

- \* Commodore Amiga 500, 1000, 2000
- \* Stunning colour printers for Amiga
- \* Toshiba laptops 1100+, 2100, 3100
- \* 5.25" to 3.5" diskette conversions
- \* Printers, monitors, modems, mice
- \* Hard disk supply and installation
- \* Ergonomic furniture and accessories
- \* Contract programming and training

**K&C INFOCOM**

CITY near Town Hall Station:  
278 Sussex Street. 261 3009, 264 7135.  
SURREY HILLS near Central Station:  
232a Elizabeth St. 212-3096, 211-1020.



ing at speeds which are 20 or 30 times faster than the equivalent MOS (metal on silicon) semiconductors found in personal computers. The use of such high-speed semiconductors has its disadvantages; they produce large quantities of heat which means that computers constructed using ECL or similar semiconductors require very elaborate and expensive chip-cooling systems. Blowing air over the chips is totally inadequate — most mainframes pump liquid refrigerant through heat-sinks attached to each chip; this alone is a very expensive component of a mainframe computer.

Higher processing speed is also achieved by using more sophisticated architectures with techniques such as 'pipelining'. These techniques are starting to be employed on some of the most advanced personal computers. Chips like the 80386 use pipelining and the new IBM PS/2 uses high-speed data channels. The function of all of these techniques is to overcome the problem that memory access is usually far slower than the actual processor. (This means that the processor wastes a lot of time simply waiting for memory access.) Pipelining means that while the processor is performing one operation another portion of the processor is simultaneously doing the next memory access, and the processor no longer needs to wait for memory since it is already accessed and ready for the processor.

Because mainframe computers are primarily intended as multi-user machines, another very large component of the cost of such a computer is the large amount of communications circuitry involved. The multi-user environment and the nature of most applications which are run on mainframe systems also means that the machines need reasonably large amounts of core memory and very large amounts of on-

line disk or tape data storage. This large amount of data storage hardware is yet another contributor to the high price of mainframe systems.

However, despite the high speed and enormous data storage capacity of mainframe computers, the actual processing power and storage available to any one user is frequently little better than that of a reasonably powerful PC. This fact has been one of the prime contributors to the growing trend towards distributed processing and local area networking. One of the main justifications for the use of mainframe computers is in situations where very large databases need to be accessed and updated by a large number of separate users — for example, an airline booking system.

Applications which require raw processing power are, however, now increasingly being performed by supercomputers. These do not employ the single instruction, single data stream architecture; instead, they are either parallel processors or vector processors.

A parallel processor is constructed by adding more arithmetic operation modules into the system, so that operands may be operated on in parallel. This increases the speed at which the machine can perform calculations but it also means that certain functions have to be performed in order to achieve this high performance. These are functions like monitoring processor occupancy in order to ensure a smooth flow of the programming steps and the optimum utilisation of the processors.

In a vector processor a single arithmetic operation module is segmented so that an instruction is carried out in a pipeline of independent steps, each step being timed by the basic processor timing cycle. Essentially vector processors are only a sophisticated variation of the architecture employed

in conventional computers, from PCs to mainframes.

Older generations of supercomputers, such as the Cray 1 and the Cyber 205, are vector processors. Their very high speed is attributable not just to the vector architecture but also to the use of very high-speed semiconductor technology, and very careful attention to the construction of the machine in order to ensure that the length of connections between any two components is kept to a minimum (the longest piece of wire in a Cray 1 is 45.7cm).

Newer generations of supercomputers are now being constructed using parallel processing architectures. These have the enormous advantage that the computational power of the machine is dependent on the number of processors and not necessarily on the speed of any one processor. Consequently individual processors can be constructed using low-cost conventional semiconductor technology; these do not require elaborate cooling systems, massive power supplies or ingenious construction techniques to minimise wire length.


Parallel processors are, therefore, potentially relatively cheap to build — even today it would be possible to build a parallel processor with the computational power of a \$15 million Cray 2, for under \$250,000 (that is, transputer-based systems). There is no reason to assume that this cost will not follow the normal downward curve as such machines become more highly integrated and the components are produced in bigger volumes. It will be parallel processors of this form which will constitute the personal supercomputer.

## Development

A parallel computer basically consists of a two or three-dimensional array of memories which are joined together at

# MONITOR MASTERY

Sakata's mastery of producing top-quality monitors is unrivalled. Some monitors are hard on the eyes and the pocket. The Sakata range of mono and colour monitors offer excellent resolution and real value for money. Ask your dealer to show you the Sakata range today.



## Sakata

**Multitech**  
COMPUTERS

Authorised Sakata distributor  
and service agents.  
Telephone (03)3383911



# Built in protection may not be enough!

## Did you know?

■ Mains Muffler with over voltage protection and noise filtering equipment prevents the malfunction of personal computers and peripherals by eliminating RF noise and over voltage spikes.

■ The power grid in Australia very seldom "blacks out" and infrequently "browns out", but has superimposed frequencies ranging from 1 KHz up to many MHz.

■ Mains in Australia often have short duration voltage spikes which exceed 240 VAC by a considerable value.



■ Modern personal computers and peripherals have some componentry to assist in the elimination of mains power noise, but are still susceptible to high levels of RF interference and over-voltage spikes.

## Are you Sure?

■ You should be using your personal computer without protection against RF noise and over voltage spikes?

■ The inexplicable malfunction of your PC was caused by operator error or hardware failure, rather than by mains disturbances:

■ You can afford to see your hardware damaged by over-voltage and have crucial information destroyed by RF and over voltage interference?

## APPLICATIONS

- ☐ Home computers
- ☐ Small office computers
- ☐ Measuring instruments
- ☐ Scientific equipment
- ☐ Audio and Video equipment (Home and Professionals)

# SYCOM

Systems Reliability (Aust) Pty. Ltd.

## Head Office

224-226 Normanby Road,  
South Melbourne, Vic. 3205  
Tel: (03) 646 3666 Fax: 646 5250  
Telex: AA34318

Unit 8/142 James Ruse Drive,  
Rosehill, NSW 2142.  
Tel: (02) 891 1444  
Telex: AA17697 Fax:  
(02) 891 1570

## Mains Muffler

Mains Muffler - Your best insurance.

9 Harvton Street, Stafford,  
Qld. 4053 Tel: (07) 356 9711  
Fax: 356 3879

154 Ashley Street, Underdale,  
S.A. 5032 Tel: (08) 234 0144  
Fax: 234 0173

PBS175

## AUSTRALIA'S BIGGEST DISCOUNTS ON THE WORLD'S BEST HARDWARE

### ULTRA XT

640K RAM on 8 slot motherboard. Parallel, Serial and Games ports. 360K National Matsushita disk drive. Desktop or portable.

**Ultra XT with 4.77MHz 8088 CPU**  
**\$950 ex., \$1,100 inc.**

**Ultra V-20 (4.77MHz/8MHz V20-8 CPU)**  
*Three times the speed of an IBM*  
**\$1,050 ex., \$1,230 inc.**

### ULTRA AT

80286 CPU (8/10MHz or 6/8MHz). NEC 1.2MB disk drive. Printer and serial ports. Desktop or portable.

**Ultra AT 512K 6/8MHz switchable**  
**\$1,850 ex., \$2,140 inc.**

**ULTRA AT** IBM 8MHz and 10MHz switchable  
*The best value computer in Australia.*  
**\$2,100 ex., \$2490 inc.**

Tandon 20MB hard disk with controller  
only \$730 ex., \$850 inc. *With computer*

Every LYSCo machine includes 1 year parts and labour warranty and a large range of software. Additional 360K drives are \$200. Portable versions with 9" green or amber screens are an extra \$500.

# LYSCo

PO Box 265  
BUNBURY, W.A. 6230  
TELEPHONE: (097) 21 4144 (5 lines)  
FAX: (097) 21 7006

*Resellers and sales people wanted nationally, give us a call!*

## SAVE WITH MAIL ORDER

### HARDWARE

HARD DRIVE 20MB

**\$775**

FLOPPY DISKS 5 1/4"

DSDD PACKS OF 10

**\$15.95**

### SOFTWARE

TRACKER — Tracker will keep track of your clients and contacts, a must if you are in a client contact field. **\$149.00**

POSTCODE — Postcode will lie memory resident and display the postcode you require instantaneously. A must for all word processor users. **\$49.00**

CASHBOOK — Cashbook controls up to four separate accounts with 68 separate income/expense fields in each. Approved by leading accountants, and ideal for small business. **\$499.00**

PHONE ORDERS 060 411 214 (24 HOURS)

MAIL ORDERS 510 MACAULEY ST, ALBURY NSW 2640

BANKCARD/VISA/MASTERCARD/CHEQUE

PLEASE SEND \_\_\_\_\_ 20MB HARD DRIVE

PLEASE SEND \_\_\_\_\_ PACKS OF FLOPPY DISKS


PLEASE SEND \_\_\_\_\_ COPIES OF TRACKER

PLEASE SEND \_\_\_\_\_ COPIES OF POSTCODE

## PC Computers

510 Macauley Street,  
Albury NSW, 2640

Ph: (060) 41 1214






nodes consisting of processing elements (shown above). The interconnections between the processors with their associated memory can be fixed as a network, or in some machines is user-definable with the interconnections being made in much the same way as a telephone exchange.

One of the key components which has made powerful parallel systems possible is the development of processors like the Inmos Transputer. These processors have been especially designed to allow the easy and flexible construction of multi-processor systems. What makes a Transputer different from conventional microprocessors is the four high-speed communications channels which are built into the processor. These allow data to be transferred between nodes in a parallel system concurrently at 10Mbytes per second per link. The chip also includes a full 32-bit floating point arithmetic unit and 4k of very high-speed static RAM. The most advanced version of the Transputer chip, the T800, is capable of performing four million full 32-bit floating point calculations per second without any external arithmetic circuitry. Individually this chip has the same power as a supermini: an array of as few as 64 gives a supercomputer with very considerable power.

## Problems

The software problem posed by parallel computers is how to divide a particular task into a number of separate processes which can be performed concurrently by each of the processors in the system. All our computing experience and knowledge acquired over the last 35 years has been with sequential machines. Working with parallel computers requires entirely new techniques and methods of thinking. The clear procedural structure which

## A typical parallel processor system




lies behind every program on a sequential machine is almost impossible on a parallel machine. Each of the separate

processes into which a task is divided will take different times: some processes will require data produced by other

# PRINTER PRECISION

If you're after quality at an affordable price, the range of Super 5 printers are for you. Others may have the name, Super 5 has the performance: Superior letter quality, tractor feed, sturdy metal chassis and a 6-month warranty.

Ask to see the range of Super 5 printers at your Super 5 dealer today.



## Super 5

**Multitech**  
COMPUTERS

Authorised Super 5 distributor  
and service agents.  
Telephone (03)3383911



# ATTENTION NEW PC USERS

## Inexpensive software for IBM and compatibles

Don't listen to others that indicate that cheap software is no good!

We have thousands of professional programs that enable a whole world of application advantages.

We specialize in business programs and our range is as good as any. If we don't have what you want we will get it in for you.

We also supply games and educational software.

We offer you FREE membership to our updating mailing list.

We supply a FREE catalogue.

We take Mastercard, bankcard, money orders and cheques.

We take orders by mail and telephone.

Now is there any other reason to overlook this advertisement.

**THEN GIVE US A RING ON (02) 93 2428**

or write to

**UNI SYSTEMS, PO BOX 683,  
BROOKVALE NSW 2100**

IBM PROGRAM DISKS ONLY ..... \$10.00


COMMODORE PROGRAM DISKS ..... \$6.00

\* plus \$3.00 postage & handling

**Note:** We reserve the right to change prices without notification. We cannot guarantee suitability to equipment or particular need.

## AVNET DATA TRANSFER SYSTEM THE ALTERNATIVE TO PC NETWORKING

AVNet is a Data Transfer System intended for Personal Computer users that require more than a data switch but are not prepared to spend thousands on an expensive networking system.



Features:

- Allows up to 4 IBM compatible PC's to be linked together for sharing of system resources.
- Memory-resident software operates in background mode while other users have access to disks and printers.
- Menu driven operation allows for simple file and message transfers.
- Allows printer sharing. Spool files store print files faster than the printer can print.
- AVNet connects to the serial com-1 port for a quick and simple installation.

**\$995** rec. retail inc. sales tax

**INTERRUPT SYSTEMS**



9 Robinlee Ave, Burwood East 3151.  
Tel: (03) 233 9622 Fax: (03) 232 9617  
Trade Enquiries Welcome

## FTL MODULA-2 Compilers \$90-\$125

You've probably heard of Modula-2, Niklaus Wirth's newest language: It's now available for a range of machines from JED Microprocessors.

This implementation was written in Australia, and is being sold world-wide. It's available for small-memory MS-DOS and CP/M Z-80 at \$90 and large memory MS-DOS and 68000 (Atari) at \$125.

It contains an integrated full-screen editor with fast compilation and linking from libraries, which makes it more powerful than Turbo-P., and much easier to use on large programs. You get 1 meg of software on three full disks, with full sources of the editor and many other modules and utilities. It produces fast, PROM-able code which closely follows Wirth's third edition, with 8087 and LONG support.

## MTBASIC Multitasking BASIC Compiler ..... \$125

MTBASIC is an easy to use BASIC which allows interactive program writing and checkout, followed by easy production of a PROM-able COM file on disk. The multi-tasking allows time or interrupt task switching, ideal for process control where operator I/O and communication occurs while the control work goes on. MT8087: \$160.

Both compilers are available for many MS-DOS and CP/M formats. (Above prices are tax-exempt. Add 14% for tax inc.)

Phone (03) 762 3588 to order (VISA, B/C, cheque OK), or to receive detailed data or a JED 30-page catalogue of STD-bus CMOS single board computers for data logging or control.



**JED MICROPROCESSORS  
PTY. LTD.**

Office: 7, 5-7 Chandler Rd,  
(P.O. Box 30), Boronia, 3155  
VICTORIA, AUSTRALIA



AUTHORISED DEALER



Offers Australia's largest Mail Order range of Hardware, Software and Accessories for AMIGA, COMMODORE C16, PLUS 4, C64, 128 and AMSTRAD 464, 664, 6128 home and small business computers.

Select from a wide range of Printers - Interfaces - Cables - Screen Filters - Blank Disks - Disk Boxes - Data Care Products - Modems - Joysticks - Books - Dust Covers - Printer Ribbons - Paper - Labels - Business Programmes - Spread Sheets - Utilities - Word Processors - Databases - Graphic Designers - Music Makers - Strategy and Arcade Games - War Games and Simulations and more. In fact anything to do with Home and Small Business computers.

Write or phone now for free catalogue.

**SOFTWARE TO GO, P.O. BOX 5A,  
MT. KURING-GAI, N.S.W. 2080.**

**Telephone: (02) 457 8289 (all hours).**



processes, some will require data from external sources — the software problem of controlling and managing a large number of interrelated processes is enormous.

The enormity of the problem is compounded by the fact that it is almost impossible for the human brain to conceptualise what is happening in such a complex system. This makes it very difficult to design and debug.

The initial techniques adopted for dealing with multi-processor systems were to simply dedicate each processor to a specific class of process. This technique is found in many existing personal computer systems, where one processor may be used to handle communications, another for the graphics display and a third as the main arithmetic processor. Similarly multi-user systems have been constructed using multiple processors, where each user is allocated his own dedicated processor rather than time-multiplexing several users' access to a single processor. This type of multi-processor system is very primitive and is certainly not what is meant by the term parallel processor, even though all the processors may be working in parallel.

In a true parallel processing system such as that shown diagrammatically on the previous page, the problem of controlling all the individual processes has to a large degree now been solved. It involves the use of a host processor which is responsible for booting up the system, performing hardware monitoring, performing housekeeping functions and running the control software.

Probably the best-known piece of control software for use in parallel computer systems is Occam. This was designed by Inmos to act as a development environment for Transputer-based parallel computing systems. Occam handles the concurrency of a

system and is designed to manage a number of independent processes which can run either concurrently or sequentially and communicate with each other via self-synchronising data channels. The great advantage of Occam is that it is independent of the number of processors in the system. Programs using it will work equally well using one processor or a thousand, the only difference being that with a thousand Transputers it should run nearly a thousand times faster.

## *Alice — a working parallel system*

An example of a true parallel computer is 'Alice', which is an acronym for Application Language Idealised Computing Engine. It was first conceived back in the early 1980s by a team at Imperial College in London.

The design of Alice is intended to overcome some of the programming limitations of both conventional computers and previous parallel computers, both in terms of speed and power as well as reducing the enormous cost and complexity of software development. Some of these limitations can be overcome by writing programs in what are known as declarative languages; Alice is specifically designed to run declarative languages.

Alice is a parallel processor built around the Inmos Transputer. In its present form Alice has 16 processing elements, each processing element consisting of five Transputer chips and 128k of memory. Memory consists of 16 storage elements, each element having a controlling Transputer and 2Mbytes of RAM. The processors are connected with the storage elements by a sophisticated electronic switching network, which operates like a telephone exchange and allows any

processor to access any storage element. The whole machine is front-ended by an ICL 2900 mainframe computer which performs all the I/O, file-handling and system monitoring. Even restricted to these simple tasks, the 2900 could be the bottleneck of the system.

In operation the data on which the program is operating is divided into small blocks and distributed through the various storage elements. These blocks of data with their associated control information form what are known as the 'packet pool' — each piece of data being a packet. All the processors are continually accessing this pool looking for data on which to operate. When a processor finds data on which it can operate it removes it from the pool and processes it, an operation which is referred to as a 'reduction'. Having completed this reduction, the packet is returned to the pool in its rewritten form and the processor looks for another packet on which it can operate.

The way Alice operates means that so long as there is data available within the packet pool then all the processors will be operating in full parallel. Obviously the operating system software and high-level languages employed by this kind of machine are very sophisticated. The machine utilises Occam to perform control of process concurrency, and is already running a high-level language called 'Hope' which makes full use of the machine's power.

## *Advanced software*

The development over the last few years of declarative and other non-procedural programming techniques for use on parallel processing systems, is opening up whole new areas of potential computer applications. Foremost

# PC PERFECTION

Mitac's reputation for quality is well earned. With over 12 years' computer manufacturing experience, the Mitac range of PCs offer both brilliant performance and uncompromising reliability. Whether it's XT, AT or the new 386 rely on Mitac.



3009 B

**mitac**  
**Multitech**  
C O M P U T E R S

Authorised Mitac distributor  
and service agents.  
Telephone (03)3383911.



## EIT PERSONAL SCANNER

## EIT pc-FAX

### HERE AT LAST — FROM OSHIMA!

The EIT Personal Scanner gives your computer eyes to read text, graphics, images, photos, even newspaper clippings, and more, creating a file on disk, ready for instant processing.

#### THE EIT PC-FAX CARD

- \* Turn your PC into a Facsimile Machine
- \* Turn your Fax into a Scanner
- \* Add graphic to word processing easily
- \* Complete 2-way communication between PC and FAX machines

#### THE INFAX STACK REMOVABLE HARD DISK FROM PC/XT/AT

- \* State-of-the-Art Bernoulli Technology
- \* Fast speed, 10msec seek time
- \* Dual drives system with 10MB Cartridge each drive
- \* Microprocessor-based error correction
- \* Automatic start-up diagnostics
- \* Cartridge write protect switch



**Sole distributor. Dealer enquiries welcome. Ask also about new bar-code reader equipment.**

**OSHIMA COMPUTERS PTY. LTD.**

56 BURWOOD ROAD,  
HAWTHORN, VIC. 3122  
TEL: (03) 8196060  
TELEX: AA 154126 OSH

## Data Communications



**The Cable Garden**  
THE GROWING FORCE IN CABLES

**COMPUTER COMMUNICATIONS EQUIPMENT & ACCESSORIES**

- Cable Assemblies, Bulk Cable, Connectors, Patching Systems, Data Switches, Modems.

**WE'VE GOT IT ALL**

**Call "THE CABLE GARDEN" first!**

- CUSTOMER RESPONSIVENESS... you get the service and advice you want
- FAST SERVICE... within 24 hours due to our large stockholding
- QUALITY... assured by our rigid testing procedure

FULL CATALOGUE AVAILABLE

**The Cable Garden**  
(Div. of Bertech Australia Pty. Ltd.)  
26 Cato Street, Hawthorn East, Vic., 3123  
Phone (03) 20 6801 Telex AA 35553



**SUPER TURBO**  
WAS \$2030 NOW

**\$1850**

Companies, Colleges, Businessmen, Teachers, Accountants, Doctors and Hackers buy our HIGH QUALITY JAPANESE SYSTEM for performance, IBM compatibility, operational speed (up to 350% faster than the standard IBM system) RELIABILITY (15 month warranty), friendly and professional service. We provide you with a total solution to your computer problem.

- \* 640K-RAM
- \* 4 Layer Japanese M/B
- \* 4.77/8/10 MHz
- \* Dual Floppy with Auto-Eject
- \* Color/Mono Graphic Card
- \* Choice of Keyboards
- \* Multi function Card
- \* Legal BIOS
- \* 15 month warranty
- \* free word processor, database and other software

EPSON PC/PC+ Please Call  
NEC Computers Please Call  
Others PC-XT from \$1000

#### MONITORS

Green Monitor \$195  
NEC 14" RGB \$760  
TVM MD-3 RGB \$660  
TVM MD-7 EGC & CARD \$1380  
NEC MONOCHROME \$280

20 MB HARD DISK W/C from \$770  
40 MB NEC HARD DISK W/C \$1694

#### COMPUTER TRAINING

Introduction to Microcomputer  
Introduction to DOS  
LOTUS 1-2-3  
SYMPHONY

**SPECIALIZE IN REPAIRING POWER SUPPLY and All types of MONITORS**

*Finance available for approved Customers*

**SUPERCOMPUTER ENTERPRISES**  
48 RISDON DRIVE, NOTTING HILL, VIC. 3168  
TEL: (03) 561 7130

\*IBM is the trademark of IBM Corp.

## ALPHA XT & AT

Top quality IBM compatible computers using Japanese motherboards for maximum reliability. All ALPHA sold with 12 MONTHS WARRANTY.

### ALPHA XT

4.77 MHZ clock speed  
640 K RAM on board  
8 expansion slots  
2x360 K National drive  
Serial, parallel & game port  
Mono or colour graphic card  
Battery back up clock/calender  
150 watts power supply  
At style keyboard

**Price: \$1200.00**

### ALPHA "BABY" AT

6 & 10 MHZ switchable speed  
1 MB RAM, 8 expansion slots  
1.2 MB TEAC floppy drive  
20 MB Miniscribe hard disk  
Mono or Colour graphic card  
Parallel port & 2 serial ports  
Battery back up clock/calender  
200 watts power supply  
Enhanced At style keyboard

**Price: \$3000.00**

ALPHA XT/TURBO (V20 CPU, 4.77/8 MHZ)	\$1300.00
TANDON 20MB hard disk & National controller	\$750.00
STAR NX 10 printer	\$470.00
SAMSUNG compositor or TTL monitor	\$180.00
TVM MD3 colour monitor	\$700.00

**NET**

New Concept Technology (Aust.) Pty Ltd  
157 Sydney Road, Brunswick, 3056  
Tel: 388 0087



among these is the area of artificial intelligence and the associated improvements in the man/machine interface; these are things like voice input, natural language comprehension and machine vision.

Declarative languages are designed to be structurally transparent to the user; this means that they can be verified and optimised mechanistically. They are also designed to divide a problem into a large number of sub-problems; and it is this feature which facilitates their use in parallel computers which employ multiple instruction and multiple data parallelism. A declarative language achieves these goals by separating the task that the program is to perform from the way that the computer performs that task. Declarative programs do not, therefore, specify the flow of control within the program, just the flow of data. A well-known first generation declarative language is Prolog.

These concepts are mainly being used in artificial intelligence systems, foremost among which are the so-called 'expert systems'. These programs use declarative techniques to separate 'knowledge' from 'control' and are used to encapsulate human problem-solving techniques in specific problem areas. The 'knowledge' which such programs contain is derived from a human expert and stored as a set of rules; the structure of the expertise inherent within these expert systems is very loose and can in no way be regarded as having the kind of strict procedural flow found in conventional programs. As such they are ideal candidates for parallel processors since expert systems are easily divided into a large number of small components whose main connection with each other is via a database.

The advent of small personal parallel supercomputers will increase the

power and versatility of such systems to a level where the designers can start to incorporate such features as 'common sense reasoning', which is currently impossible because of machine speed and size limitations. Systems of this power will offer users levels of intellectual and skill amplification as well as expertise encapsulation and dissemination, which will show the true potential of expert system and artificial intelligence technology.

Parallel processors will enable systems to be designed with a whole new range of man/machine interfaces. Voice input is one such interface; the techniques are well-understood, but the current range of hardware is just too slow to be able to handle the search techniques necessary for real-time comprehension of speaker-independent continuous speech.

Pattern recognition problems such as this are ideal for parallel processors where each processor can perform a search on a limited part of a very large database.

Researchers at IBM are already starting to follow this route and have demonstrated a practical voice recognition system which has a vocabulary of 20,000 words. It uses an IBM PC RT as the host processor with a parallel array of eight very high-speed processors which perform the actual recognition. However, even this very powerful system is only able to recognise real-time speech from a single individual.

The problems associated with machine vision are very similar to those for voice recognition, only far more complex.

Experimental parallel processor systems have already shown that in limited and controlled conditions it is possible to build practical image recognition devices. However, general-purpose machine vision systems are very unlikely within the foreseeable future;

the computational problems are too large for even the largest parallel system. The personal parallel computer will prove very useful in image analysis; these are applications like the analysis of satellite images, or photomicrographs. These much more powerful machines will make such analysis far quicker and also allow a greater range of tests to be performed on the image than is currently possible.

Natural language comprehension is another area where parallel processors will have a considerable impact. Natural language comprehension is the ability of a machine to recognise commands and other inputs which are given in the normal linguistic terms which we use to converse with each other, rather than the very formal command syntax currently used for computer input. The basic techniques are already quite well understood but, as with voice input and image recognition, progress has been limited by restrictions on available computer power.

It is, therefore, quite likely that once parallel computer systems with a reasonable power and at a relatively low price start being commercially produced in volume, they will be accompanied by the new generation of man/machine interfaces. These will remove most of the psychological barriers which many people feel when using computers. Communicating with computers will become virtually identical to communicating with other people.

Besides the more exotic applications which are currently impossible on existing serial computer systems, parallel processors will also offer users the facility to greatly expand the power of existing applications: the use of computers for modelling complex systems, such as engineering structures, chemical processes, design simulations and financial and economic systems. These are all applications which currently re-


# CARD CHARISMA

The MF-3000, 10mhz, AT multifunction card from DFI has a full 3mb of memory expansion.

This expanded power combined with 2 serial ports, 1 printer port, 1 game port and a full 12-month warranty, can make your PC a really powerful business tool.

The MF-3000 is just one of the range of quality add-on cards from DFI.

Ask your dealer to show you the whole range.



## DFI


**Multitech**  
COMPUTERS

Authorised DFI distributors  
and service agents.  
Telephone (03)3383911.



# **PRO-FAX**

## **OPENS YOUR PC TO THE WORLD**



### **CTC-8000 Fax Board**

#### **Faxware Feature**

A software package "Faxware" is attached.

- \* Background multi-task operation
- \* Background sending & receiving fax message, even when PC is off or running other program
- \* A powerful image editor is included to facilitate reading, writing, printing, scaling, framing and scraping etc.
- \* Group sending, scheduled sending, speed dialing, pooling, turnaround pooling etc
- \* Text editor function is included. Message can be edited and sent out directly

#### **Hardware Feature**

- \* Auto power ON/OFF PC
- \* An auxiliary printer port is provided to facilitate simultaneously hard copy of fax message
- \* The printer is automatically switched over between PC and fax.
- \* 512K memory buffer on board

#### **SPECIFICATION:**

- \* Compatibility: Group III
- \* Speed: 9600 bps with automatic fall back to 7200, 4800, and 2400 bps.
- \* Coding scheme: 1 dimension / 2 dimension

### **CTC-8020 SCANBOX**

We make the most of your old fax machine by truning it into a **scanner** and a **printer**.



**Climax TECHNOLOGY CO., LTD.**

11th Fl., No. 2, Lane 183, Yung Chi Road Taipei, Taiwan, R.O.C.  
P. O. Box 78-9 Taipei, Taiwan, R.O.C.

Telex: 28732 CLIMAXCO

Tel: (02) 7646848 (Rep.)  
Fax: 886-2-7611445



## FUTURE TECH

quire a mainframe computer to run on. Given a high-powered personal parallel supercomputer, the users of these types of applications programs will be able to make much greater use of them since they will be freed from the constraints of limited machine time.

Another computationally very intensive process is the graphics generation for CAD, desktop publishing and real-time graphics simulations. These are all applications which are currently severely limited by available processor power. Many are only possible by making a frequently undesirable concession that limited processing power necessitates a long processing time. As with modelling, long delays in

producing images inhibits the user from being more adventurous with his use of the system. Parallel processing techniques are already being applied in this area — plug-in Inmos Transputer boards have been used to create small but very powerful parallel processor systems which run with an IBM PC host with a very high-resolution graphics card to generate high-quality images. This type of system has been applied to the generation of computer images for animated films and advertising graphics.

### The future

Parallel processing supercomputers

and the software which is necessary to make full use of them, are under development in many universities and computer companies around the world. At the top of the market there are already products like the Computing Surface from Meiko whose arrays of transputers can rival a Cray 1. At the bottom end of the market come self-assembly systems which use Inmos's IMS-B003-1 card and plug into a PC.

Personal supercomputers are at a very early stage of their development, but as more people gain experience in using such systems and developing software for them, so the price will come down and the hardware become more readily available. Personal supercomputers are at a stage in their development now which is very similar to that of personal computers ten years ago: the next ten years are likely to see great advances in this area.

END



'And how long have you thought that someone has been watching you?'

Details of a 20MHz Transputer card for 8088-based PCs running DOS under its own operating system, Occam, can be obtained from Micro General, telephone (02) 439 8400.



**80386**

**NEW**

**MORETEC IS NO. 1!**

**When You Want the Best,  
Come to MORETEC!**

Established in 1979, Moretec is a specialist of full range of IBM PC/AT compatible computers and add-on cards.

Contact us today for full details and ask about products not listed.







**MORETEC**

**MORETEC ELECTRONICS IND. CO., LTD.**

2nd Fl., No. 10, Lane 575, Tun Hwa S. Rd., Taipei, Taiwan, R.O.C.

Fax: 886-2-7009832 Tel: 02-7089551 Tlx: 20190 AUDIVIO

Factory:

2nd Fl., No. 565, Sec. 7, Chung Shiao E. Rd. Taipei, Taiwan, R.O.C.





# MX-Pascal

***This Australian-made Pascal compiler does not compete with Borland's Turbo Pascal. But then, Turbo doesn't compete with it, either. Ian Davies explains.***

Just as you can't mention movie investment without someone bringing up 'Crocodile Dundee', so you can't mention Pascal compilers without Borland's Turbo cropping up. Turbo has been one of the best value languages available for many years. It is one of the cheapest by a mile, offers extremely fast compilation speed, and massive language extensions which take Pascal from an elegant training language to a practical workhorse. Of course, it has its limitations. The most noticeable being the 64k code segment limit, inadequate overlay features, no long integers, no support for IEEE 64-bit reals, no separately compiled 'run units' and the inability of functions to return structured results. Despite these constraints, Turbo still offers the best price performance ratio on the market. There. We've mentioned it. All of these comments are, however, quite irrelevant when discussing MX-Pascal, for MX-Pascal is a 'cross-compiler'. Now, there won't be many people who'll rush out with cheque book in hand upon learning that MX is a cross-compiler, but those who do will do so at great speed. What is a cross-compiler and how do you know if you need one? Read on.

## ***Cross-compilation***

Virtually everything contains a microprocessor these days — record players, cash registers, microwave

ovens, telephones, cars, petrol station pumps, aircraft, printers, communications controllers, radios, photocopiers, fax machines, telex machines, security systems, and modems. If you made the effort to count up how many microprocessor-controlled devices you actually own, the result would be surprising. In many cases, the presence of a CPU could only be detected by prising the top off and examining the PCBs. There is a good reason for this. In the old days, hardware designers used to utilise masses of discrete logic (AND gates, OR gates, decoders, J-K flip flops, counters and multiplexers) and laboriously craft out the required functionality. The result was a complex design, a very high component count, lots of hardware bugs and late engineering revisions. The cost was correspondingly high, and the effort required to enhance the functionality grew exponentially, as did the manufacturing cost.

These days, designers simply place a microprocessor CPU in the middle of the printed circuit board, attach inputs and outputs, add RAM and ROM, and then program the CPU to do whatever the job at hand is. It almost reaches the point where the function of the hardware is incidental to the hardware design because all the action happens in the software. The control software is blown into a PROM and installed permanently on the board. A Z80 CPU

chip costs around \$6.50 these days, and devices such as the 8085 have been around for many years which provide a complete computer in only three chips. The component count drops and the manufacturing cost plummets. Moreover, once intelligence has been added to the device, functional enhancements may be made at a very small incremental cost.

Effectively, this has allowed hardware engineers to transform their bugs from hardware shortcomings into software shortcomings.

Secretly, all hardware engineers think they can program. They just love to hack about in machine code, grappling with advanced concepts such as parameters, subroutines, stacks and arrays. If a piece of code doesn't work, they solder the damn thing down. There is at least one brand of modem currently available which has been programmed in this way, and it is pathetic to see it try to parse AT commands.

Hardware engineers have gradually come to realise that machine code is not a good tool to work with. Many have been converted to the joys of macro assemblers.

Now, if you're designing a new petrol pump, it is not really feasible to program it by plonking the pump on your desk, plugging in a printer and terminal and firing up a 'Texaco-brand' unleaded assembler.

For a start, the test-bed hardware is not going to include a floppy disk con-



troller, additional RAM and all the other bits and pieces required for development usage. Additionally, there will not be an operating system, ROM BIOS and development software tools available. While it might be possible to base the hardware around a recognised device such as an 8086 and build an IBM PC compatible petrol pump, doing so would prohibitively raise the cost.

For this reason, developers have made use of cross-assemblers. These are assemblers which run on machine A, but generate object code to execute on machine B. The two types of machine might be totally different, for example, a cross-assembler could run on a Cyber and generate 8080 code. Cross-assemblers are usually accompanied by target machine emulators which provide some ability to test the program without transferring it to the development hardware. The idea is to perform the software development in an environment which provides a rich variety of tools (editors, debuggers, code generators, terminals, printers) and then move the resultant code to a very poorly supported computing environment (a microwave oven running a Fairchild F8).

Some hardware engineers have carefully developed the ability to generate some pretty atrocious assembly language, so MX-Pascal allows this entire process to take place in a high level language. This dramatically reduces software complexity and the incidence of bugs, increasing productivity and system reliability.

## MX-Pascal

MX-Pascal is a heavily truncated subset of standard Pascal which includes several important extensions to make large scale developments more feasible in a Pascal-like environment.

Labelling MX-Pascal as 'Pascal' is stretching things a little. The strength of Pascal lies in its data types and the ability to build data structures, basing program code around the structures designed, rather than the other way around. Of the four high level data structures (not types) offered by standard Pascal, MX-Pascal implements only one. Of the five standard data types, MX-Pascal offers only three. MX-Pascal could perhaps more appropriately be gathered into that group of 'Pascal-like' languages.

This does not, however, detract from MX-Pascal as a language to a great extent. Its purpose is cross-compilation, not being a general purpose programming language. The types of applica-

tion MX-Pascal will be used for will inherently not be so complex as to require the full problem solving power of standard Pascal. It could also be argued that the additional language features are not essential, and do not prevent any particular program from being constructed. This is true, but is like saying all possible circuits can be constructed solely through the use of the 7400 Quad NAND gate.

MX-Pascal is written in Fortran, and began its life in 1984, in France. Originally constructed on a PE 3200, and generating Fortran as an inter-

mediate code, the compiler was soon ported to a Z80 based CP/M system. One of the first target CPUs supported was the Motorola 68000.

The compiler is heavily based around an intermediate I-Code. The front-end compiler reads the Pascal source file and produces an I-Code output file. A back-end then reads the I-Code file and generates assembly language source code for the target processor. This structure is shown in Fig 1.

The resultant I-Code may then be run directly on the development system using an I-Code interpreter, or may be





Figure 1 Structure of MX-PASCAL



# THE REMARKABLE BABY



## TAM-10C SUPER BABY AT MAINBOARD

- 6/8/10/12 MHz Software and Hardware Switchable
- 80286-8 or 80286-10 CPU
- 6 Chip Sets
- 384K RAM Disk
- Hard Reset Jumper
- 7 Channel D.M.A.
- 16 Level Interrupt
- Clock w/Battery
- Maximum 1 MB Memory
- 8 I/O Slots

## PREVIOUS ELECTRONICS CO., LTD.


P.O. Box 12-18, Hsintien City,  
Taipei, Taiwan, R.O.C.  
Telex: 33455 PREVIOUS  
Tel: (02)917-2053

IBM PC/AT/XT are registered trademarks  
of the IBM Corp.

**OUR PRICES ADD MORE SELLING  
POWER TO YOUR COMPUTERS**  
**COME WITH US, YOU WILL ALWAYS BE THE LEADER**  
**NO LEGAL PROBLEMS!**

**80386 — 16MHz**

**80286 — 12MHz**



### 16 BIT PERSONAL COMPUTER (PC-640) PC/XT COMPATIBLE

- \* Keyboard available in English, German, French, Spanish, Danish, and other language.
- \* Color or mono/graphics card selectable.
- \* Supports 10MB or 20MB hard disk.

### ADD-ON CARDS FOR PC/XT/AT: MINI AT Board

#### AT Board (XT SIZE)

- \* 640K Main Board
- \* Turbo Board
- \* Multi I/O Card
- \* Mono/Graphic/Printer Card
- \* EGA Card.
- \* Color/Mono/Graphic/Printer Card
- \* 80286 Speed Card

- \* D-Link Card
- \* Multi User Card (for AT)
- \* IEEE 488 Card
- \* 3MB Multifunction Card
- \* Serial/Parallel Card
- \* Color/Graphic/Printer Card
- \* And many more!

❖ OEM/SKD requests welcome.




**P & C SHITEN ENTERPRISE CO., LTD.**

RM 7, 8 FL., NO. 100, ROOSEVELT RD., SEC. 3, TAIPEI, TAIWAN, R.O.C. CABLE: PCSHITEN TLX: 19206 PCSHITEN  
TEL: (02) 395-1400 P.O. BOX: 30-291, TAIPEI, TAIWAN, R.O.C. FAX: 886-2-3512073

### 6/8/10/12 MHz SWITCHABLE BOARD PC-3200 AT COMPATIBLE COMPUTER

- Mini AT Board. or Standard AT board
- 80286 CPU, 8 slots, 512K/640K/1024K (option) 6/8/10/12 MHz Switchable.
- Color Graphics Card, Monochrome Graphics Printer Card Enhance Graphic Adapter (option).
- One Serial and one parallel and one Game
- One 1.2MB Floppy Disk Drive.
- Hard Disk/Floppy Disk Controller.
- 20MB Hard Disk.
- 101 Keys Keyboard.
- 200W Power Supply,





passed through the code generator to produce assembly source. This source may then be assembled and linked with the MX-Pascal run time library to produce an executable file. The assembly and linkage processes may be performed either on the development system using a conventional cross-assembler and cross-linker, or the source may be transmitted to the target machine for final preparation using whatever facilities are available.

Thus in addition to MX-Pascal, the user requires either a third party cross-assembler for the development system, or an assembler which runs directly on the target machine. MX-Pascal should support a variety of target assemblers, but the Avocet products are particularly recommended.

Transmission of the final executable program to the target system is achieved by means of a normal communications link, or by blowing an EPROM on the development system and physically transferring the EPROM to the target system. The communications approach is preferable, particularly with the availability of PROM pin compatible RAM chips. Most monitor programs on commercial evaluation boards feature the ability to load absolute code through a serial port, or a small monitor program could be hand crafted into PROM in a few hours, or compiled and stored in an EPROM using MX-Pascal.

Pragmatics acknowledge that there will be many iterations in the development cycle, and MX-Pascal both reduces the number of cycles and makes each iteration easier. This is a natural side effect of using a high level language instead of pure assembler. Additionally, the ability to interpret the I-Code directly on the development machine means that the early bugs can be trapped without the time consuming effort of transmission to the target system. The implication is that software development can proceed concurrently with hardware development, and the modular aspect of Pascal makes this particularly practicable as it enables device dependent code to be heavily isolated and thus simulated before the target hardware has been developed.

The other very important reason for using a high level language is the degree of CPU independence it provides. A normal cross-assembler is like writing a program in any assembly language, and porting the program to another CPU involves a 99 per cent rewrite. When the source exists in Pascal, however, only the machine

dependent modules need be altered.

The documentation suggests that customisation or optimisation of the compiler generated assembler source is possible. This is true, but should probably be avoided at all costs as many of the benefits of high level language development will be eliminated and the maintenance problem will become formidable.


MX-Pascal is a fast compiler, operating just a little more slowly than Turbo Pascal. When the code generation, assembly and link times are added, however, the effective speed drops sig-

nificantly. These additional phases are not always necessary, due to the I-Code interpreter. Moreover, MX-Pascal does not abandon parsing upon the first error encountered and so productivity may end up being higher than a fast single error compiler such as Turbo.

## Language features

As has been mentioned, MX-Pascal is a subset of standard Pascal. Fig 2 shows the language features not supported in MX-Pascal. The list may appear alarm-

## Diamond Systems Printer Qr



### PRINTER Qr

The Printer Qr is an intelligent Data Buffering & Queueing device designed to manage shared Printing/Plotting resources with up to 5 computers. Ideal for office, wordprocessing, technical and other areas where productivity and ordered system operations are important.

Some of the Printer Qrs features are:

- Up to 512k of common buffer memory; all inputs can be active simultaneously.
- Printer Qrs can be cascaded to increase capacity and ports.
- Sophisticated character compression techniques: 750K plot file compressed to 120K.
- Comprehensive set of software commands allow selection of printer, copies, single sheet feed control, status report and more.

...ALL AUSTRALIAN... Designed and manufactured by Diamond Systems.  
Call for details (03) 714 8269 P.O. Box 105 Hurstbridge 3099.



ingly large, but many of the entries are consequential of other entries.

The lack of many standard functions is not overly critical, as few control applications require trigonometric facilities and functions such as ABS and ODD are very easy to write if required. The result is that the MX-Pascal runtime library is much smaller than most, not carrying unnecessary routines as Turbo does.

Files are not directly supported by MX-Pascal, although READLN and WRITELN are provided for debugging purposes. This is also understandable, as few control applications will include floppy disks, and those that do may be running under some strange operating system or, more likely, under a home grown real time executive. Using the modular features of Pascal, file handling under recognised operating systems can easily be added by the programmer.

Similarly, the lack of the real data type may not have an impact. Most control systems deal only in integers, or in decimal quantities with a fixed decimal point which may easily be simulated using integers. Many reals tend to be used simply as large integers, but unfortunately MX-Pascal supports only 16-bit integers on 8-bit and 16-bit systems, and 32-bit integers on 32-bit systems. If it supported 32-bit integers on 8-bit and 16-bit systems, then the absence of reals could almost go unnoticed.

Some omissions are more serious. The lack of pointer types, for example, makes memory management more complicated and programmers will have to utilise arrays, selecting absolute upper limits for the number of entries supported. The attraction of pointer types is that multiple dynamic structures may be maintained in memory, with each structure growing as required, limited only by the total available memory.

Most serious of all, however, is the lack of record structures. The usefulness of records is not limited only to files, in fact most usage of record structures is not in the context of files. Without records, the programmer will be forced to build several arrays of scalar types, rather than a single array of records containing the scalar types. In effect, this omission precludes the ability to build data structures. It seriously impacts the productivity savings which may be achieved in Pascal, and in many ways reduces the data structure capability of the language to that of Fortran — certainly less than Cobol.

MXPascal Compiler -- Rev 1.00

(C)opyright Interrupt Systems Pty. Ltd. 1987

Program TEST\_MX

S/N #10000 Page 1

```

1  !Program Test_Mx;
2  !
3  !$Checks_Off
4  !$Source_Out ' ';
5  !
6  !Type Colours = (Red, Yellow, Green, Blue, Magenta, White, Black);
7  ! Stop_Lights = Red .. Green;
8  ! Colour_Count= Array [Stop_Lights] of Integer;
9  !
10 !
11 !Var Counters : Colour_Count;
12 ! a,b,c,d : Integer;
13 ! Colour : Stop_Lights;
14 !
15 !
16 !Function Factorial(x: Integer) : Integer;
17 !
18 ! begin
19 ! If x=0 Then Factorial:= 1
20 ! Else Factorial:= x * Factorial(x-1);
21 ! End;
22 !
23 !
24 ! begin
25 ! a:= 1;
26 ! b:= 1;
27 ! c:= b;
28 ! d:= b;
29 ! a:= 1+2+3+4+b;
30 ! a:= b+1+2+3+4;
31 ! a:= b+(1+2+3+4);
32 ! a:= a+1;
33 ! c:= 4;
34 ! writeln('The Factorial of ',c,' is ', factorial(c));
35 ! For Colour:= Red to Green do begin
36 ! Counters[Colour]:= 1;
37 ! Counters[Colour]:= Counters[Colour]+1;
38 ! End;
39 ! If (a > b) or (b > c) then a:= a*2;
40 ! end.
```

Total Compilation Error(s) 0 I-code instructions 1239  
Source lines read 40 I-code words generated 829  
Table space remaining (bytes) 32031

MXPascal Version 1.00 Copyright (C) 1987 Interrupt Systems Pty.Ltd.  
Beta 1 - Optimizing I8086 code generator 13/07/87 04:03pm

----- TEST.M -----

Global memory Procedure Num Local memory Stack estimate

15 1 2 10

Total string space : 21  
Estimated code size : 404 bytes

Optimization Report :-

Imove	Bmove	Lmove	AImove	ABmove	Pmove			
7	1	0	1	0	8			
Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	
0	3	0	6	1	4	0	1	
Sub 0	Sub 1	Sub 2	Sub 3	Sub 4	Sub 5	Sub 6	Sub 7	
0	0	0	0	0	4	0	0	
Mul 0	Mul 1	Mul 2	Mul 3	Mul 4	Mul 5	Mul 6	Mul 7	
0	0	0	0	0	1	0	0	
Div 0	Div 1	Div 2	Div 3	Div 4	Div 5	Div 6	Div 7	
0	0	0	0	0	0	0	0	
Bnd 0								
0								

Listing 1 Sample program source code



# SCREENTEST

```

CGROUP GROUP CSEG
CSEG SEGMENT 'CODE'
ASSUME CS:CSEG,DS:CSEG,SS:CSEG
EXTRN PASERR:NEAR
EXTRN PASGEQ:NEAR
EXTRN PASLEQ:NEAR
EXTRN PASNEQ:NEAR
EXTRN PASGT:NEAR
EXTRN PASLT:NEAR
EXTRN PASEQ:NEAR
EXTRN PASINT:NEAR
EXTRN PASINC:NEAR
EXTRN PASINI:NEAR
EXTRN PASGLN:NEAR
EXTRN PASCID:NEAR
EXTRN PASCHR:NEAR
EXTRN PASCN:NEAR
EXTRN PASNCR:NEAR
EXTRN PASIOC:NEAR
EXTRN PASIOB:NEAR
EXTRN PASIOA:NEAR
EXTRN PASIOS:NEAR
EXTRN PASBND:NEAR
EXTRN PASPRM:WORD
EXTRN IOPT:NEAR
EXTRN IOBUF:NEAR
EXTRN PASNLF:BYTE
EXTRN PASINL:WORD
EXTRN PASEOL:WORD
EXTRN INBUF:NEAR
EXTRN INBEND:NEAR
EXTRN PASVAR:NEAR
ORG 0100H
MXPASCAL:
MOV BX,CS
MOV DS,BX
MOV SS,BX
MOV SP,0FFFEH
JMP PMAIN
; $Source_Out '
;
; Type Colours      = (Red, Yellow, Green, Blue,
;                      Magenta, White, Black);
;
; Stop_Lights = Red .. Green;
; Colour_Count = Array [Stop_Lights] of Integer;
;
; Var Counters      : Colour_Count;
; a,b,c,d           : Integer;
; Colour            : Stop_Lights;
;
;
P688:
; Function Factorial(x: Integer) : Integer;
;
PUSH BP
MOV BP,SP
SUB SP,2
MOV AX,WORD PTR [BP+4]
MOV WORD PTR [BP+2],AX
; begin
PUSH WORD PTR [BP+2]
MOV AX,0
POP CX
CMP AX,CX
JE J0
JMP L1
J0:
; If x=0 Then Factorial:= 1
MOV WORD PTR [BP+6],1
JMP L2
L1:
PUSH WORD PTR [BP+2]
PUSH AX
MOV AX,WORD PTR [BP+2]
DEC AX
PUSH AX
CALL P688
POP AX
POP CX
IMUL CX
MOV WORD PTR [BP+6],AX
L2:
; Else Factorial:= x * Factorial(x-1);
MOV SP,BP
POP BP
RET 2
;
; End;
;
;

```

```

PMAIN:
; begin
MOV WORD PTR PASVAR+12,1
; a:= 1;
MOV WORD PTR PASVAR+10,1
; b:= 1;
MOV AX,WORD PTR PASVAR+10
MOV WORD PTR PASVAR+8,AX
; c:= b;
MOV AX,WORD PTR PASVAR+10
MOV WORD PTR PASVAR+6,AX
; d:= b;
MOV AX,WORD PTR PASVAR+10
ADD AX,10
MOV WORD PTR PASVAR+12,AX
; a:= 1+2+3+4+b;
MOV AX,WORD PTR PASVAR+10
INC AX
ADD AX,2
ADD AX,3
ADD AX,4
MOV WORD PTR PASVAR+12,AX
; a:= b+1+2+3+4;
PUSH WORD PTR PASVAR+10
POP AX
ADD AX,10
MOV WORD PTR PASVAR+12,AX
; a:= b+(1+2+3+4);
MOV AX,WORD PTR PASVAR+12
INC AX
MOV WORD PTR PASVAR+12,AX
; a:= a+1;
MOV WORD PTR PASVAR+8,4
; c:= 4;
MOV SI,OFFSET CGROUP:PASSTR+0
MOV CX,17
CALL PASIOS
PUSH WORD PTR PASVAR+8
MOV AX,0
CALL PASINT
MOV SI,OFFSET CGROUP:PASSTR+17
MOV CX,4
CALL PASIOS
PUSH AX
PUSH WORD PTR PASVAR+8
CALL P688
POP AX
PUSH AX
MOV AX,0
CALL PASINT
CALL PASCN
; writeln('The Factorial of ',c,' is ', factorial(c));
MOV BYTE PTR PASVAR+ 14,0
MOV AX,2
PUSH AX
L3:
POP AX
PUSH AX
PUSH AX
XOR AH,AH
MOV AL,BYTE PTR PASVAR+14
POP CX
CMP AX,CX
JLE J1
JMP L4
J1:
; For Colour:= Red to Green do begin
XOR AH,AH
MOV AL,BYTE PTR PASVAR+14
PUSH AX
POP DI
SHL DI,1
MOV WORD PTR [DI+OFFSET PASVAR+0],1
; Counters[Colour]:= 1;
XOR AH,AH
MOV AL,BYTE PTR PASVAR+14
PUSH AX
XOR AH,AH
MOV AL,BYTE PTR PASVAR+14
MOV SI,AX
SHL SI,1
MOV AX,WORD PTR [SI+OFFSET PASVAR+0]
INC AX
POP DI
SHL DI,1
MOV WORD PTR [DI+OFFSET PASVAR+0],AX
; Counters[Colour]:= Counters[Colour]+1;

```

Continued...

Listing 2 Assembly code generated from sample program



```

INC AX
MOV BYTE PTR PASVAR+ 14,AL
JMP L3
L4:
POP AX
;                               End;
PUSH WORD PTR PASVAR+12
MOV AX,WORD PTR PASVAR+10
CALL PASGT

PUSH AX
PUSH WORD PTR PASVAR+10
MOV AX,WORD PTR PASVAR+8
CALL PASGT
POP CX
OR AX,CX
OR AL,AL
JNE J2
JMP L5

```

```

J2:
MOV AX,WORD PTR-PASVAR+12
MOV CX,2
IMUL CX
MOV CX,2
MOV WORD PTR PASVAR+12,AX
L5:
;       If (a > b) or (b > c) then a:= a*2;
;       end.
XOR AH,AH
INT 21H
PASSTR: DB 'The Factorial of  is
CSEG ENDS

END MXPASCAL

```

## Listing 2 continued

The set data structure is also another omission. This is not as critical, and can easily be simulated using an array of Booleans as a set is essentially a bit-map. Utilising an array of Booleans would not be as efficient as a properly supported set data type as the array would consume one word per set element, whereas true sets usually consume one bit per element. MX-Pascal does not support PACKED, which would otherwise allow for dense bit-maps through arrays.

Additionally, MX-Pascal does not directly provide language features to address memory locations absolutely, I/O ports, or to position variables at absolute memory locations. These omissions would be particularly missed in a control application, as the ability to interface with devices in a high level manner is desirable. The lack of a record data structure also precludes the use of record variant fields, where two structures may occupy the same bytes in memory. Absolute variables provide a similar capability, but are not supported.

Although not overly critical to programming a control application, these omissions remove the possibility of performing a very neat trick which a full Pascal implementation would allow. Consider the control of a memory mapped device controller chip, where various control registers appear at selected memory locations. Each control register usually provides a number of bit fields. Programmers wishing to access these bits in conventional languages need to be aware of which bits do what, and code up shift and mask instructions to access each subfield in the control words. Under standard Pascal, as definition such as:

```

TYPE UART TYPE = PACKED
RECORD

```

```

PARITY      : BOOLEAN;
SPEED       : 0..7;
STOPS       : 1..2;
LENGTH      : 7..8;
BREAK       : BOOLEAN;
DTR         : BOOLEAN;
END;

```

Being packed, the above structure would occupy a single byte, and with the standard language extension to allow absolute variables, a variable could be declared at the address of the controller chip. Setting the DTR flag without impacting the other subfields would then be as easy as `UART.DTR:= TRUE`.

Similarly, the set data type can be used to map bits in a status register. For example, the definitions:

```

TYPE
STATUS FLAGS = (PE, FE, OE,
BREAK, CTS, TRE, RRE, CD);
STATUS SET = SET OF STATUS
FLAGS;

```

Again, the structure would occupy a single byte and operations such as `IF CTS IN STATUS` would be possible.

Real	File	Pointer	Types
Record	New		Dispose
Nil	Packed		Pack
Unpack	With		Set
In	Get		Put
Case	Label		Goto
Forward	Abs		Arctan
Cos	Eof		Eoln
Exp	Ln		Odd
Pred	Round		Sin
Sqr	Sqrt		Succ
Trunc	Nested Procedures		

Fig 2 Standard language features not supported in MX-Pascal

These are all 'nice to have' features, and there are possibly many reasons why their use would not be desirable in certain contexts. MX-Pascal does, however, provide the ability to define EXTERNAL procedures, and to insert inline assembly language. These are important features, as highly critical portions of code may be isolated into procedures and written in assembler. The inline facility is a compiler directive which effectively copies the assembly code into the output file. As such, the inline code may reference other compiler generated symbols, although access to procedure parameters must be gained through an offset to the stack frame pointer (BX register on 808x series CPUs). Naturally, inline routines bypass I-Code and therefore cannot be run through the I-Code interpreter.

The ability to generate separately compiled modules with defined interfaces is particularly important as it enhances the degree to which programming may be partitioned, and increases productivity by eliminating lengthy recompiles of entire programs. I suspect that this feature also circumvents the otherwise untenable situation which would be caused by the lack of forward declarations.

MX-Pascal allows a simulation of strings through the use of arrays of characters. This is similar to the way in which the original Zurich compiler supported packed arrays of characters. The read and write procedures can deal with these types in an appropriate way, although character string constants cannot be defined.

Compiler directives allow control over run-time range checks, source code insertion into the assembly file, listings, word alignment and the display of intermediate table entries.



# XENER IS YOUR SUCCESSFUL PARTNER!



**XE-500**

## **XE-500 SERIES PC/AT® COMPATIBLE**

- 80286 CPU
- 6/8/10/12 MHZ
- LEGAL BIOS
- 16450 I/O CARD
- WDC HDD/FDD CONTROLLER
- KEY BOARD AVAILABLE IN MAJOR LANGUAGE

## **XE-400 SERIES PC/XT® COMPATIBLE**

- 8088 CPU
- LEGAL BIOS
- MULTI I/O CARD
- WDC HDD CONTROLLER
- KEY BOARD AVAILABLE IN MAJOR LANGUAGE

## **ADD ON CARDS**

- MULTI I/O CARD
- MGP, CGA CARD
- EGA, HEGA CARD
- 16450 I/O CARD
- AND MANY MORE

## **XE-300 PORTABLE COMPUTER**

- 8088 CPU MAIN BOARD  
OR 80286 CPU MAIN BOARD
- LEGAL BIOS
- 9" CRT GREEN OR AMBER



**XE-400**

**OEMs WELCOME!**

Please contact us today for more information!

## **XENER TECHNOLOGY CORP.**

# Xener

8TH FL., 211 Chung Hsiao E. Road, Sec. 4, Taipei, Taiwan.

Cable: "XENERTEK"

Telex: 13053 XENERTEK

TOKYO OFFICE: Telex: 246-7457 DAIEI J Tel: 03-490-8042

Tel: (02)773-4117

FAX: (02)771-2324

IBM PC/XT/AT are registered trademarks of International Business Machines Corp.

**RELIABLE QUALITY from SANWEL**

**New Board  
Coming soon!!**

**286 16MHz PC/AT Compatible  
System with 386 Speed**



6/10MHz 0/1 wait state  
standard/baby AT compatible  
system

6/12MHz 1 wait state  
standard/baby AT  
compatible system



**Also all add-on cards,  
power supplies, keyboard  
and much more...**

Manufacturer & Exporter:

**SANWEL-COMP  
ENTERPRISE CO., LTD.**

P.O. BOX 7-586, Taipei, Taiwan, R.O.C.

TEL: (02)7682170-1, 7660884

TELEX: 14618 SANWEL FAX: 001-886-2-7663346



**Our name ENCOM INTERNATIONAL  
(Enhanced Computers) is your GUARANTEE  
to keep you always ONE STEP AHEAD  
of the LATEST TECHNOLOGY.**

## **Our range includes:**


- ECCEL PRO-386: 16MHz 80386 System  
(Norton SI = 18.7)
- ECCEL AT-FLASH: 12MHz 80286  
System (Norton SI = 13.3)
- ECCEL XT-BABY: 10MHz V-20 System  
(Norton SI = 7.7)
- Full range of standard Add-On cards.
- Largest range of Enhanced  
Add-On cards.

## **We are specialists in:**

- Small order manufacture
- Special systems-made  
to your spec.

## **Your reasons to buy from us:**

- Longest Warranty — 2 years unconditional
- Highest Quality — Minimum 72 hours burn-in test
- Fast Delivery — within 10 days from receipt of order
- Competitive Price — Best 'value-for-money' deal in Taiwan
- Customer Support — we are engineers & our native tongue is ENGLISH



## **OEM & AGENTS WANTED**

WE ARE AN AUSTRALIAN COMPANY

**ENCOM INTERNATIONAL CO., LTD.**

Head Office: 8F-6, No. 46, Min-Sheng E. Road, Taipei, Taiwan, R.O.C.

Tel: (02)521-3902 521-4410 Telex: 29640 ENCOM



## Code generation

The back-end code generator performs a degree of optimisation for the target CPU. Listing 1 shows the code generated for a sample Pascal program. Constant sub-expressions are eliminated with a little help from the programmer. Very little register optimisation is performed. Listings 1 and 2 show the code generated for a sample program we constructed to evaluate optimisation. Analysis of the listing shows that little optimisation of array subscripting is performed, and that incrementing a variable by one is not dealt with in any special way.

While the generator isn't overly strong on optimisation, it does achieve better results than Turbo Pascal. The sample program was compiled by MX-Pascal into 416 code bytes, with a final .COM file size of 1800 bytes. Turbo, on the other hand, generated 596 code bytes, with a file size of 11792 bytes due to its large run-time system being included in its entirety.

The structure of MX-Pascal lends itself to easy support of many target systems. The generator currently supports the 8088/8086 series, Z80 and 68000 processors, with plans afoot to cater for the 680x series, 8080 and 8085. Plans also exist to generate other high level languages at the back-end.

Moreover, Interrupt Systems is looking at the possibility of alternative front-end parsers, such as one for the C language. Because the I-Code is common to all front and back-end processors, providing three front-ends and six back-ends will allow 18 combinations of source to object, with each front-end being quite independent of the back-

end. The result will be a highly flexible development environment which will allow a wide mixture of source and targets without dozens of cross-compilers being written.

The run-time system is provided in source form to allow customisation and enhancement, and sample files show how to perform disk I/O under MS-DOS. This is really good stuff, and is essential for any serious usage.

## Documentation

The documentation is, unfortunately, not good. It really lets the product down, consisting of a two-page Users Manual and 48-page Reference Manual. The Reference Manual gets into good internal detail about the structure of the I-Code file and other issues which advanced users would find invaluable, but skips many of the essential basics.

A language definition, for example, is not provided. Sections deal with the rules for identifiers and constants, as well as usage of some of the common statements. It is not, however, complete. It does not cover the differences between MX-Pascal and standard Pascal, except for the CASE statement. The manual even makes a passing reference to MXedit, a program source editor supplied with the product, of which there was no sign on the disk.

Really, it could do with a large section dedicated to the language itself, a section on language differences, sections on language enhancements, and then details of code generation and the like. If you are planning to get MX-Pascal, then you should allow a reasonable amount of time for experimentation with the software rather than expecting

to find everything you'll need in the manual.

## Conclusion

MX-Pascal is a specialist product, and as such, does not really have to conform to the packaging standards of Lotus 1-2-3 and dBase.

Anyone considering the purchase of MX-Pascal would have serious applications in mind and the documentation, although a let down, should not be too detrimental to the productivity gains possible through the use of a high level language. Interrupt Systems is continually enhancing its product, and it is entirely likely that the documentation will have been revamped by the time you're ready to buy.

The omissions from the language are perhaps less serious in Pascal than they would be in other languages. The modular nature of Pascal, the MX-Pascal MODULE and inline features all tend to indicate that many omissions could be written around. Perhaps the only serious consideration is the lack of record data structures — but again, the product is continually being enhanced and this may appear before too long.

The price is yet to be finalised, but Interrupt Systems suggests around \$500 including the back-end of your choice. Add to this a target machine assembler or cross-assembler and you still have high productivity gains at a very reasonable price.

END

*MX-Pascal is available from Interrupt Systems on (03) 233 9622.*



NEW! NEW! NEW — LOWER PRICES!

## SONY DRIVES DISK PRICES DOWN

single sided: \$37.50 (plus \$1.50 p&p)  
**Sony** double sided: \$53.50 (plus \$1.50 p&p)  
 Even lower prices for orders of 100 or more

**MacWare**

(008) 99 8006

201 Adelaide Terrace, Perth 6000. Phone (09) 325 9919 Postal Address: PO Box 539, Kalamunda WA 6076. Allow 5 days for delivery. Mastercard and Bankcard OK.





**APC's monthly pot-pourri of hardware and software productivity tips. APC will pay between \$100 and \$200 for each tip published. Write to TJ's Workshop, APC, 124 Castlereagh Street, Sydney 2000.**

## Easy range deletion

The macro in Fig 1 makes it easy to delete range names in either Symphony or in Release 2.0 of 1-2-3. All you have to do is put the cursor on the name of a range you want to eliminate and hit Alt-D.

As long as the range name \D includes both lines of the macro, you can use it to run the macro as well as to update the @cellpointer function in the second line by means of the {recalc \D} in the first line. As soon as @cellpointer is updated, the second line of the macro will display whatever label is contained in the cell you put the cursor on. In Fig 1, you would have last had the cursor on a cell that contained the label TOTAL. The /RND sequence in the first line, of course, deletes the range that has the name of whatever is displayed in the second line.

This macro can be especially handy for cleaning up a spreadsheet after you have done most of your development work. Create a table of range names and then zap the ones you no longer need. Dead range names take up valuable memory! If you have a whole series of range names to delete, you can add a third line to the macro in Fig 1 to make it an endless loop:

**{down}{branch \D}**

This moves the cursor down one cell and restarts the macro so as to delete

```
\D      {recalc \D}/rnd
        TOTAL~

        Second line of macro contains
        the following formula:

        @CELLPOINTER("contents")&"~"
```

**Fig 1** A two-line macro that deletes a range name from a table of range names

another range name. Ctrl-Break will get you out of the loop.

**Mark McGilvray**

*Mr McGilvray seems to like that @cellpointer function. And, for that matter, so do I — JT.*

## LAN time of day

After installing our IBM Token-Ring Network, we found we needed to get the date and time from one of the servers and transfer it to any of the network nodes. Most of the workstations on our network are IBM PC XT's without a real-time clock. Getting the time and date from the server saves us from having to buy clock boards for every workstation. IBM supplies the information necessary to write network applications in the IBM PC Network Technical Reference manual and in the IBM PC Local Area Network manual.

Together, the programs SRVCLOCK.ASM and NETCLOCK.ASM transfer the time to the workstations. SRVCLOCK, a RAM-resident program, furnishes time and date information. It can run on any network node, although running it on a dedicated, continuously powered network server makes more sense. Since DOS isn't reentrant, it is necessary to read the CMOS RAM directly; hence this routine will only work on AT-type machines.

NETCLOCK is the calling program. It uses the machine name (always unique) and calls SRVCLOCK. SRVCLOCK responds by sending the date and time to NETCLOCK. It then installs the date and time in the node using DOS interrupts 2BH and 2DH.

The programs have been tested on the IBM Token-Ring Network; they should function correctly on the IBM PC Network and maybe other networks using NETBIOS.

**Alan Queen**

*We tested these two programs in a system using the IBM PC Network (Sytek) networking cards, and both of them worked well. We have tried it only on IBM PC/AT servers.*

*Mr Queen's programs are an excellent example of how NETBIOS establishes a session between stations across the network. In the section of SRVCLOCK documented as NETBIOS ADD NAME CALL, the program generates a 5C hex interrupt to call NETBIOS. This call directly addresses the IBM network adaptor card. In the preceding section, the ES:BX register pair is set to the address of an important part of NETBIOS called the Network Control Block (NCB).*

*The NCB gives NETBIOS certain data elements in a specific format. The last section of both programs sets up this NCB. Note that the program sets all fields to binary zero at the beginning. These fill characters are part of the NCB format. The buffers must be specified for the corresponding NCB fields, and each outstanding NCB command needs a minimum stack space of 20 bytes.*

*Command 14H transmits the data at the address specified in BUFFER@. The BUF\_LENGTH statement sets the size of the buffer to be transmitted. The POST field tells NETBIOS the address of the routine to be executed after a command process is completed. Command 12H is used later to 'hang up' on the session.*

*In the NETCLOCK program, the line*

**ADAPTER\_STAT MOV COMMAND,33H**

*initiates a sequence that gets status information from the local network adaptor card and lets NETBIOS know its own address.*

*The CALL sequence in the NETCLOCK program*



**CALL:**

```

MOV COMMAND,10H
MOV BX,OFFSET MCB
INT 5CH
CMP AL,00H
JE GET_TIME

```

works with the LISTEN sequence in

the SRVCLOCK program

**LISTEN:**

```

MOV COMMAND,91H
MOV POST@,OFFSET GET_CLOCK
MOV POST@+2,CS
MOV BX,OFFSET MCB
INT 5CH

```

to exchange the time across the network. NETBIOS is used in the same way by many networked applications programs to send electronic mail and especially to facilitate communications gateway services between stations on the network.

```

SRVCLOCK.ASM

; A background task for use on any AT running netbios. This routine will
; get and send its date and time information to a any node executing
; NETCLOCK.EXE. NETCLOCK.EXE then installs the received date and time in the
; node. Since SRVCLOCK.EXE reads the AT's CMOS RAM chip directly, it works
; only on ATs.

CR      EQU     0DH
LF      EQU     0AH

CSEG    SEGMENT PARA PUBLIC 'CODE'
NET      PROC    FAR
ASSUME  CS:CSEG,DS:NETDATA,SS:STACK,ES:NETDATA
PUSH    DS
XOR     AX,AX
PUSH    AX
MOV     AX,NETDATA
MOV     DS,AX
MOV     ES,AX

; deallocate block containing environment
;
MOV     AH,62H          ;get program segment prefix
INT     21H             ;address
PUSH    DS              ;save old data segment
MOV     DS,BX           ;mov PSP segment to DS
MOV     ES,DS+02CH      ;move the block address
MOV     AH,49H          ;containing the environment
INT     21H             ;and deallocate it
POP     DS              ;restore DS
MOV     AX,DS           ;and ES
MOV     ES,AX

; netbios add name call (waits for completion)
;
ADD_NAME: MOV     COMMAND,30H      ;Command 30H adds a name
MOV     BX,OFFSET MCB            ;point BX at MCB
INT     5CH                      ;call netbios
CMP     RETCODE,00H              ;check for success
JE      PREP_RES                 ;prepare for TSR if good
MOV     DX,OFFSET ADD_ERR        ;else write error message
JMP     ERROR                    ;name that was not successful

PREP_RES: MOV     DX,30H          ;number of paragraphs for
                                ;terminate and stay resident

; do netbios listen posting into get_clock, then terminate and stay resident
;
MOV     COMMAND,91H              ;Move listen to MCB no wait
MOV     POST@,OFFSET GET_CLOCK   ;and post at get clock
MOV     POST@+2,CS               ;routine
MOV     BX,OFFSET MCB            ;point BX to MCB
INT     5CH                      ;netbios call
CMP     AL,00H                  ;check for good return
JE      GO_RES                   ;if good make resident
MOV     DX,OFFSET LSN_ERR        ;else write error
JMP     ERROR                    ;
GO_RES:  MOV     AH,31H           ;DOS terminate and stay
INT     21H                     ;resident

; this listen is returned to after a post into GET_CLOCK
;
LISTEN:  MOV     COMMAND,91H      ;Move listen to MCB
MOV     POST@,OFFSET GET_CLOCK   ;also posts to clock
MOV     POST@+2,CS               ;routine
MOV     BX,OFFSET MCB            ;point BX to block
INT     5CH                      ;netbios call
STI                                     ;restore interrupts
IRET                                ;and return

; get date and time to send to requesting node
;
GET_CLOCK: CLI                    ;cut off interrupts
MOV     AX,ES                    ;ES is restored by network
MOV     DS,AX                   ;use to restore DS
XOR     AX,AX                   ;clear AX
MOV     AL,09                   ;09 = Year
OUT     70H,AL                  ;Real time clock at 70H
IN      AL,71H                  ;returns at 71H
CALL    BCD2BIN                 ;convert to binary
ADD     AX,76CH                  ;add 1900 decimal, only works
                                ;until 1999
MOV     YEAR,AX                 ;load buffer with year

XOR     AX,AX
MOV     AL,08                   ;get month
OUT     70H,AL
IN      AL,71H
CALL    BCD2BIN
MOV     MONTH,AL

XOR     AX,AX
MOV     AL,07                   ;get date of month
OUT     70H,AL
IN      AL,71H
CALL    BCD2BIN
MOV     DAY,AL

XOR     AX,AX
MOV     AL,04                   ;get hours
OUT     70H,AL
IN      AL,71H
CALL    BCD2BIN
MOV     HOURS,AL

XOR     AX,AX
MOV     AL,02                   ;get minutes
OUT     70H,AL
IN      AL,71H
CALL    BCD2BIN

MOV     MINUTES,AL
XOR     AX,AX
MOV     AL,00
OUT     70H,AL
IN      AL,71H
CALL    BCD2BIN
MOV     SECONDS,AL

; send clock data to requesting node using a netbios send
;
MOV     BUFFER@,OFFSET CLOCK    ;point to clock data area
MOV     BUFFER@+2,DS            ;insure correct segment
MOV     BUF_LENGTH,8            ;clock takes 8 bytes
MOV     COMMAND,14H             ;14H=send and wait
MOV     BX,OFFSET MCB           ;point to MCB
INT     5CH                     ;netbios

HANGUP:  MOV     COMMAND,12H      ;12H=hangup
MOV     BX,OFFSET MCB           ;point BX
INT     5CH                     ;netbios call

MOV     SI,OFFSET FILL_NAME      ;fill name=listen any
MOV     DI,OFFSET CALLNAME       ;move to call name
MOV     CX,0FH                  ;names are 16 bytes
REPNE    SCASB                  ;back to waiting for a call

; error message, failed before becoming resident
;
ERROR:   MOV     AH,09H          ;display error message
INT     21H                     ;if routine fails before
                                ;becoming resident
MOV     COMMAND,12H            ;hang up session if any
MOV     BX,OFFSET MCB          ;point BX
INT     5CH                    ;netbios call
QUIT:    RET

NET      ENDP

; procedure to convert time as delivered from CMOS clock (binary coded decimal)
; to binary (as used by DOS function calls and NETCLOCK.EXE) (returns in AL)
;
BCD2BIN PROC NEAR
PUSH    AX                      ;save contents
AND     AL,0F0H                 ;clear out low nibble
SHR     AL,1                    ;divide by 16
SHR     AL,1                    ;so that hi nibble is
SHR     AL,1                    ;now in lo position
MOV     BL,AL                   ;hold in al
SHL     AL,1                    ;multiply by ten, two here
SHL     AL,1                    ;four
SHL     AL,1                    ;eight
ADD     AL,BL                   ;nine
ADD     AL,BL                   ;ten
POP     BX                      ;get previous AX contents
AND     BL,0FH                 ;clear out hi nibble
ADD     AL,BL                   ;add to total
RET
BCD2BIN ENDP

CSEG    ENDS

; message data
;
NETDATA SEGMENT PARA PUBLIC 'DATA'
ADD_ERR DB CR,LF,"ADD NAME" COMMAND FAILED',CR,LF,'S'
LSN_ERR DB CR,LF,"LISTEN" COMMAND FAILED',CR,LF,'S'
FILL_NAME DB " "
; clock data area
;
CLOCK EQU $
YEAR DW 0000H
MONTH DB 00H
DAY DB 00H
HOURS DB 00H
MINUTES DB 00H
SECONDS DB 00H
HUNDREDTHS DB 00H
; message control block
;
MCB EQU $
COMMAND DB 00H
RETCODE DB 00H
LSN DB 00H
NUM DB 00H
BUFFER@ DW 0000H
BUF_LENGTH DW 0000H
CALLNAME DB " "
OUR_NAME DB 'SRV_CLOCK'
RTO DB 00H
STO DB 00H
POST@ DW 0000H
ADAPTER_NUM DB 00H
CMD_STAT DB 00H
RESERVE DB 14 DUP(0)
NETDATA ENDS

STACK  SEGMENT PARA STACK 'STACK'
DB 32 DUP('STACK ')
STACK ENDS
END

```

Continued . . .

The assembly language listing for SRVCLOCK



```

NETCLOCK

; Netclock runs on the IBM PCLAN and PCNP programs and obtains the time and
; date from a network server running SRVCLOCK.EXE or SRVCLOCKF.EXE. Netclock
; must be executed in a workstation after the "net start" command.

CR      EQU      0DH
LF      EQU      0AH

CSEG    SEGMENT PARA PUBLIC 'CODE'
NET
    ASSUME CS:CSEG,DS:NETDATA,SS:STACK,ES:NETDATA
    PUSH    DS
    XOR     AX,AX
    PUSH    AX
    MOV     AX,NETDATA
    MOV     DS,AX
    MOV     ES,AX
    MOV     CX,00H

; do netbios adapter status to obtain machine name (wait for completion)
;
ADAPTER_STAT:  MOV     COMMAND,33H      ;Command 33=adapter status
                MOV     BUFFER+2,DS    ;high word buffer=data segment
                MOV     AX,OFFSET RET#  ;move offset of
                MOV     BUFFER,AX      ;return area into NCB buffer
                MOV     BUF_LENGTH,60  ;minimum possible space=60
                MOV     BX,OFFSET MCB   ;point BX to MCB
                INT     5CH             ;call to netbios
                CMP     RETCODE,06H     ;return code should be an
                JE      GET_NAME        ;error of buffer to small(06)
                MOV     DX,OFFSET STAT_ERR ;get machine name returned
                JMP     ERROR           ;else status error message

GET_NAME:      MOV     SI,OFFSET RET#   ;move machine name to position
                MOV     DI,OFFSET OUR_NAME+10 ;after 10 bytes of 00h
                MOV     CX,6            ;6 bytes = machine name
                REPNE  MOVSB
                ;
                ;change callname to SRV_CLOCK
                ;
                MOV     SI,OFFSET SERVER_NAME ;Move server name
                MOV     DI,OFFSET CALLNAME    ;into MCB
                MOV     CX,16                 ;use all 16 bytes
                REPNE  MOVSB
                ;
                ;do netbios call (wait for completion)
                ;
CALL:          MOV     COMMAND,10H      ;Move call command code to MCB
                MOV     BX,OFFSET MCB    ;point BX at MCB
                INT     5CH              ;call netbios
                CMP     AL,00H           ;check completion code
                JE      GET_TIME         ;if ok, receive server time
                MOV     DX,OFFSET CAL_ERR ;else write error message
                JMP     ERROR
                ;
; receive time from server
;
GET_TIME:      MOV     COMMAND,15H      ;Move receive command to MCB
                MOV     BUFFER,OFFSET CLOCK ;point buffer to clock area
                MOV     BUFFER+2,DS      ;initialize segment
                MOV     BUF_LENGTH,98    ;clock needs 8 bytes
                INT     5CH              ;call netbios
                CMP     AL,00H           ;check for errors
                JE      HANGUP           ;if none close the session
                ;time and date now in CLOCK
                ;area
                MOV     DX,OFFSET RCV_ERR ;else receive error
                JMP     ERROR
                ;
;hangup session
;
HANGUP:        MOV     COMMAND,12H      ;Move hang-up command to MCB
                INT     5CH              ;Netbios call
                ;
                MOV     AH,09H          ;display success
                MOV     DX,OFFSET SUCCESS ;message to user
                INT     21H
                ;
;install the date and time
;
                MOV     CX,YEAR         ;Prepare to set
                MOV     DH,MONTH         ;the date
                MOV     DL,DAY           ;using function call
                MOV     AH,2BH           ;2BH
                INT     21H
                ;
                MOV     CH,HOURS         ;and set the date
                MOV     CL,MINUTES       ;using data in
                MOV     DH,SECONDS       ;clock area
                MOV     DL,HUNDREDTHS    ;using function
                MOV     AH,2DH           ;call 2DH
                INT     21H
                JMP     QUIT
                ;
;error message and closing
;
ERROR:         MOV     AH,09H           ;write error message to screen
                INT     21H
                MOV     COMMAND,12H     ;hang-up session if any
                INT     5CH
                ;
QUIT:          RET

NET           ENDP
CSEG          ENDS

; message data
;
NETDATA      SEGMENT PARA PUBLIC 'DATA'
;
STAT_ERR     DB      CR,LF,"GET NAME" COMMAND FAILED',CR,LF,'$'
CAL_ERR      DB      CR,LF,"CALL" COMMAND FAILED',CR,LF,'$'
RCV_ERR      DB      CR,LF,"RECEIVE" COMMAND FAILED',CR,LF,'$'
SUCCESS      DB      CR,LF,"Network clock installed",CR,LF,'$'
SERVER_NAME   DB      'SRV_CLOCK'
;
; clock data area
;
CLOCK        EQU     $
YEAR         DB      0000H
MONTH        DB      00H
DAY          DB      00H
HOURS        DB      00H
MINUTES      DB      00H
SECONDS      DB      00H
HUNDREDTHS   DB      00H
;
; message control block data
;
MCB           EQU     $
COMMAND       DB      00H
RETCODE       DB      00H
LSN           DB      00H
NUM           DB      00H
BUFFER        DW      0000H
              DW      0000H
              DW      0000H
              DB      ' '
BUF_LENGTH    DW      0000H
CALLNAME      DB      16 dup(0)
RTO           DB      00H
STO           DB      00H
POST#         DW      0000H
              DW      0000H
ADAPTER_NUM   DB      00H
CMD_STAT      DB      00H
RESERVE       DB      14 dup(0)
;
; buffer for adapter status request
; (Minimum allowable adapter status buffer=60, this program uses only first 6)
;
RET#          EQU     $
ID_NUM        DB      6 dup(0)
FILLER        DB      54 dup(0)
NETDATA       ENDS

STACK        SEGMENT PARA STACK 'STACK'
              DB      32 dup('STACK ')
STACK         ENDS
END

```

The assembly language listing for NETCLOCK (continued)

## Where was I!

When you exit WordPerfect before finishing editing a file, you lose your place: when you later retrieve the file, the cursor is at the beginning of the document. The simple solution is to type in a special character at the cursor before saving the file. I use the caret ( ^ ), since I never use that symbol in my text.

When I retrieve the document, I invoke the macro Alt-F, which automatically finds the caret and backspaces over it, deleting it and leaving the cursor where it was before I saved the document. Alt-F consists of the following keystrokes:

<Home><Home><Up Arrow>

F2^<Esc>  
<Backspace>  
Shirley Anderson

As with most WordPerfect macros, this tip can be applied to Microsoft Word, WordStar, or any other word processor that will work with SuperKey, ProKey, or the like. The one addition I would make is to automate the process of inserting the caret when saving. In WordPerfect, you might create the macro Alt-E (for exit):

^F7 Y Ret Y

This translates to type the caret, then Exit, Yes save, accept the old name, and Yes overwrite the old file. This macro, of course, can also be applied to other word processors with ap-



propriate changes in the commands — David Stone.

## Making F1 the 'IN' key

The PC's function keys are a natural device for soliciting the user's choice in a menu. The one problem is that dBase pre-empts control of the F1 key for its own Help system, so you can't SET FUNCTION 1 TO anything.

With dBase III Plus, however, there's a work-around. Use the INKEY() function (instead of a conventional GET or ACCEPT) to solicit the user's menu choice and route the program accordingly. For example, INKEY() returns a value of 28 if F1 is pressed inside the following DO






**SUPERIOR QUALITY,  
FINEST WORKMANSHIP,  
COMPETITIVE PRICE  
ITI - AT YOUR SERVICE**

**ITI-2000 TURBO AT 12MHz  
(fully IBM PC/AT compatible)**

**ITI-8010 TURBO XT 10MHz  
(fully IBM PC/XT compatible)**

**CPU-2000 AT main board**

**CPU-8010 XT main board**



**We also supply peripherals & add-on cards**



**OEM &  
DISTRIBUTORS ARE WELCOME!!**

**INTELL-TRONIC INDUSTRIAL CO., LTD.**

6F-2, No. 236, Fu Hsing S. Rd., Sec. 2, Taipei, Taiwan, R.O.C.

Telex: 29932 ENTERITI Fax: 886-2-708-0925 Tel: (02) 701-9054


**ITI-2000 TURBO AT 12MHz**

- CPU 80286-10 with 6/12 MHz, 80287 optional
- 1 MB RAM with 8 expansion slots
- 360K/1.2MB FDD, 20MB/40MB HDD,
- 200W switching power supply (FCC approved)
- System clock & battery backup
- Serial & parallel adapter
- HDD/FDD controller
- M/G/P, C/G/A, or EGA display card
- O/S: MS DOS 3.1, 3.2

**ITI-8010 TURBO XT 10MHz**

- CPU 8088-2 with 4.77/10MHz, 8087 optional
- 640K RAM with 8 expansion slots
- Multi I/O card
- 360K FDD, 20MB HDD
- Mechanical Type keyboard (FCC approved)
- 150W switching power supply (FCC approved)
- M/G/P, C/G/A, or EGA display card
- Flip-top case with keylock, LED indicator for Turbo & Power on
- O/S: MS DOS 3.1, 3.2

**32 Bit 80386**



- CPU: 80386
- With 80387 socket
- RAM: 512K
- PC/AT size
- Speed selectable
- 6 slots for 16 bit expansion card
- 2 slots for 32-bit expansion card
- IBM PC/XT/AT compatible


**M-3366 80386 Complete Set Available**

**LCD PORTABLE COMPUTER**



- M-3377 LCD Portable AT**
- Built in LCD display
  - Dimension: 24 x 40 x 20 cm
  - Weight: 8 Kgs
  - CPU: 80286
  - Other spec same as M-3355
- full IBM PC/AT compatible

**FULLY IBM PC/XT/AT**



- M-3355 PC/AT Turbo Computer**
- RAM: 1M on board
  - ROM: 16K BIOS expandable 32K
  - CPU: 80286 w/80287 socket
  - 1X 1.2MB FDD
  - FDD/HDD controller, Hercules card, serial/parallel card

**M-3322 PC/XT Turbo Computer**

- CPU: 8088-2
- RAM: 640K on board
- 2X 360K FDD
- ROM: 8K BIOS expandable 40K
- FDD card/Hercules card
- I/O: RS-232/RTC/PRINTER/GAME port

**MICROWAY ENTERPRISES CO., LTD.**

P. O. Box 32-30, Taipei, Taiwan, R.O.C. Fax: 886-2-781-4212

Tel: (02)771-4809 721-8530 Telex: 23125 MICROWAY



## TJ'S WORKSHOP

WHILE loop:

```
i=0
DO WHILE i=0
  i=INKEY()
ENDD
DO CASE
CASE i=28    && F1 was pressed
  DO CHOICE1
CASE i=-1    && F2 was pressed
DO CHOICE2  && ETC.
ENDCASE
```

Note that INKEY() returns some strange values for function keys, number keypad, and control characters. The program below will display the INKEY() value of any keypress:

```
SET TALK OFF
i=0
DO WHILE .NOT. i=27
  i=0
  @ROW(),26 SAY "INKEY() = "
  DO WHILE i=0
    i=INKEY()
  ENDDO
  ?? STR (i,3)
ENDDO
```

Steve Westwood

*He likes the function keys, she wants mnemonic letters, the boss wants numbers, and the guy in the back row insists on a highlighted menu bar.*

*If you're willing to go through the exercise, Mr Westwood's INKEY() method can be used to satisfy just about everyone. For example, suppose the first menu choice is 'Goto the next record'. The CASE statements will have to reflect all the possible responses: F1, G, g, and the numeral 1 from the upper keyboard row or the number pad. The INKEY() values of these*

*keypresses are 28, 71, 103, 49, and 6. With a long group like this, it's economical to convert the INKEY() possibilities into a character string and test that way:*

```
CASE STR(i,3)$" 28, 71, 103, 49, 6"
I've seen menu bar applications in dBase, but they're slow and bulky. Clipper's built-in menu bar system is preferable and works just like 1-2-3, complete with a changing information line — BS.
```

### Form letters help

If you use form letters in Apple Writer, here is a tip for you. Instead of using the Control-P DO commands to retrieve each form letter you want from a disk, you can substitute the help screen menu with your own form letter menu.

To access the help screen, you type open-apple and ?. The program then transfers you to a file named HELP80 on the ProDOS Apple Writer disk, or HELP8E (if you're in 80 columns) or HELP4e (if you're in 40 columns) on the DOS 3.3 Apple Writer disk.

All you need to do is change the help screen. Type in your list of form letter filenames, along with corresponding numbers. Following the menu, add the commands to execute Control-P DO for the selected letter in the sample program listing.

You need not delete your help menu. Keep your form letters on a different disk, and whenever you type open-apple/?, make sure your form letter disk is in the disk drive.


David Martin

```
START PND
PPR (CTRL-L) {see note below}
PPR
PPR          FORM LETTER LIST MENU
PPR
PPR          1. CREDIT REFUSAL LETTER
PPR          2. CREDIT ACCEPTANCE LETTER
PPR          3. AFTER SALES THANK YOU LETTER
PPR
PPR          PRESS RETURN TO EXIT
PIN          ENTER YOUR SELECTION (1 - 3) : =$A
PSC /$A//
PGO QUIT
PSC /$A/1/
PDO NO.CREDIT
PCS /$A/2/
PDO YES.CREDIT
PCS /$A/3/
PDO AFT.SALE THANK YOU
PGO START
QUIT PPR
```

NOTE: To type in the CTRL-L you must press CTRL-V, CTRL-L, VTRL-V. The CTRL-L simply tells the computer that you want the screen cleared before the menu screen is shown.

VALUE ADS - 1 OF 3

## MACINTOSH NETWORK?



same size as a power point

**SMALLTALK** by KENT DESIGN - Permanent - Inexpensive Cable functionally equivalent to Appletalk™.

10A CLAREMONT AVE. MALVERN 3144

(03) 509 8751

**KENT DESIGN**

## VIDEO TERMINAL \$299!

We wanted an alternative to the expense and inflexibility of existing alternatives. So we designed a little 130mm square "black box" with its own power supply. Just plug in YOUR choice of PC compatible keyboards, plus a good TTL monitor (or we'll supply the lot), and you have an intelligent video terminal with multiple emulations and up to 38,400 baud! A standard D25 connector is on the back of the box. Of if you don't need a keyboard, use the unit for remote display.


Another great idea from ASP!

MALVERN, VICTORIA

**asp**  
microcomputers

(03) 500 0628

## PORT SWITCH



Serial, Parallel or Special (tape backup etc) complete with All Cables and Connectors.

**KENT DESIGN** (03) 509 8751  
10A Claremont Ave. Malvern 3144



GATE  
ARRAY

ZERO  
WAIT STATE

12 MHz

# JET WAY TO FUTURE


## PC/XT/AT COMPATIBLE SYSTEM

- ☐ J-286 SYSTEM
- ☐ J-8088 SYSTEM



## ADD ON CARD SERIAL

- ☐ EGA SHORT CARD
- ☐ MGP SHORT CARD
- ☐ CGP SHORT CARD
- ☐ CGA SHORT CARD
- ☐ SPEED CARD



# JET-WAY

**JET WAY INFORMATION CO., LTD.**

2, LANE 66, KUANG FU S. RD., TAIPEI,  
TAIWAN, R. O. C. TELEX: 15321 JETWAY  
FAX: 886-2-7711051 TEL: (02)7210617


IBM PC/XT/AT are registered trademarks of the IBM Corp.

**PLEASE CONTACT US  
FOR MORE DETAIL!**

**NEW**

Our Own Design

SIO-01



### Functions:

**DISPLAY MODE**

- \* Monochrome Graphics (720 x 348)
- \* Color Graphics (640 x 400)
- \* Text Display
- \* Hercules Compatible

### I/O MODE

- \* Serial
- \* Parallel
- \* Game
- \* FDD Controller (for XT)
- \* Clock
- \* Light Pen

**PC HOUSE**

**ALL-IN-ONE**

**MGA+CGA+MULTI I/O  
+EGA SIMULATION  
SUPER I/O CARD FOR XT/AT**

**PC HOUSE -  
PROFESSIONAL  
COMPUTER SUPPLIER**

**PC HOUSE INCORPORATION**

6th Fl. - 5, No. 202, Nanking E. Rd., Sec. 5  
Taipei, Taiwan, R.O.C. Tel: (02) 760-6680-1 769-4247  
Fax: 886-2-766-6220 Cable: "PCHOUSE"  
Telex: 20229 PCHOUSE





## IIGS Auto Repeater

I discovered this tip by accident: Holding down Control/Delete on a IIGS gives you an auto-repeat feature. Since the Control and Option keys correspond to the buttons on a joystick, you can use the Control/Delete combination for rapid fire in shoot-'em-up games. Doing so produces the same effect as pressing and releasing the joystick button repeatedly, and you can change the speed with the Control Panel repeat-speed setting.

**S Corley**

## MacWrite

If you want to keep track of time while using MacWrite it is often troublesome to either move your window or select a menu item to display the Alarm Clock desk accessory. Try opening a header of footer and inserting the time icon into it. Now, every time you want to know the time you just have to scroll to the nearest header or footer. MacWrite automatically updates the time every minute, so the time will always be correct (assuming your clock is set properly). When you have had a look at the time, hit the Enter key and MacWrite will jump back to where you last left the insertion point.

**T Nichols**

## Cricket Draw


When working with documents that have a large number of grouped objects, you can save some time when printing to the LaserWriter by ungrouping your objects prior to generating the PostScript code.

**M Young**


## Ready, Set, Go! 3

Ready, Set, Go! 3 has a problem with losing its icon, and that sometimes leads to a 'Couldn't Find The Application' error when attempting to open one of its documents. You can use ResEdit to patch Ready, Set, Go! 3. Be sure to work with a backup of Ready, Set, Go! 3.

- Launch ResEdit and select the Ready, Set, Go! 3 application.
- Choose GET INFO from the File menu and click on the Bundle box, turning it on. Close the window and save the changes. Setting the 'bundle bit' in an application specifies that that application 'owns' documents and that it has its own, individual icon.
- Double-click on the Ready, Set,



1 To get Ready, Set, Go! 3 to recognise its icon and its associated documents we need to begin in ResEdit. In ResEdit's Get Info window for Ready, Set, Go! 3 you should start by turning the bundle bit on





## FOR THOSE WHO PREFER QUALITY AND STYLE!

We at WINTECH have several models of the XT, AT, 80386 compatibles available. We are professional manufacturers specializing in high speed personal computers.



You can choose from the 6/8, 6/10, 6/12MHz one/zero Wait-State models. With zero wait-state, the CPU operates at high performance, yet remains the flexibility to use most software available to AT compatibles.

### Other products:

- \* 286-speed Card: makes PC/XT 7 times faster
- \* 286-Accelerator: makes PC/XT 10 times faster
- \* EGA, HEGA, SEGA, etc.



### Products information available for your requirements.



### Wintech enterprise co.

5F., No. 6, Lane 50 Yat-Sen Rd. Taipei, Taiwan, ROC  
Telex: 29866 WITS Tel: (02) 7053540, 7053524

XT, AT are registered trademarks of International Business Machines Corp.


## HAREWARE SOFTWARE & BOOK CENTER



IBM PC/XT/AT Compatible  
80386, 80286, 8088  
microprocessor

### "SOFTWARE BANK"

about 3000 species of software  
program we have.



Write us today for catalogue.



**FORMOSA L&M ENTERPRISE CO., LTD.**

P.O. Box 27 Taipei, Taiwan, R.O.C.


Telex: 10760 LFORMOSA

Fax: 886-2-80089 Tel: 7080104

IBM PC/XT/AT are registered trademarks of International Business Machines Corp.

## We'd Like to Hear From You! The highest resolution AT compatibles in its class at very attractive price.

Introducing the new 12MHz UNIJET  
Mother Board More Smart! More  
Stable!



- \* 6/8/10/12 MHz  
standard or Baby AT M/B
  - \* 101-key RT style click keyboard
  - \* LED's CPU-speed display  
smartcase
- More interface cards for AT are  
available.

### Call for further information

on parts available: (02) 776-9587 Taipei

Manufacturer/Exporeter

**UNIJET COMPUTER CO., LTD.**

3F-1, 189, Sec. 2, Chan An E. Rd., Taipei, Taiwan, R.O.C.


Fax: 886-2-7414226 Telex: 21939 FA YUAN

## SATISFY!!

Top Quality!  
Competitive Price!

Specialist for  
PC/AT,  
BABY AT  
cases

SMC-004



SMC-003



**STARCOM  
MANUFACTURE CORP.**

No. 1, Lane 10, Tzu Yu St.

Kwei-Shan, Taoyuan, Taiwan, ROC

Tel: (02) 902-1105/7

Fax: 886-2-9028206

TELEX: 34108 SMCTPE



## TJ'S WORKSHOP

says 'Version 3.0'. The MRSN resource, for Ready, Set, Go! 3, is the signature resource, and we just added the version information.

- Choose the window and notice how the only listing in the MRSN window is highlighted. Choose GET INFO from the File menu and change the ID to zero.
- Quit ResEdit, saving the changes made to Ready, Set, Go! 3. Now reboot and use Ready, Set, Go! 3.

**R Clark**


### Word 3.0

Word 3.0 has a problem with draft printing on the ImageWriter when using the ImageWriter driver, version 2.5. To obtain draft printing with the ImageWriters, place the Serial Printer Driver and Typewriter driver into your System Folder. Then, using the Chooser DA, click on the SerialPrinter icon and select Typewriter. You should now be able to print draft text on your ImageWriter.

**D Earnest**


### Word 3.0 . . . again

It's easy to create tables using Word 3.0. Determine where you wish to place the table and insert a blank line there (by hit-



**1** Tables can be created fairly easily with Word 3.0. Start by creating a blank line, selecting it and create the table with the ruler found after choosing PARAGRAPH from the Format menu. Set a few vertical markers and place tab markers just after them. You can also adjust the size of the table here by adjusting the margin

ting Return). Select the blank line and choose PARAGRAPH from the Formats menu. The Paragraph dialog box will appear with a ruler. In the dialog, choose a Border with BOX and SINGLE and adjust the size of the table using the left and right margin markers on the ruler. Now, place the vertical line markers (found in the ruler) precisely where you want vertical bars to appear in your table



**2** The final table as created with the settings shown in the previous figure. Data was input with tabs as delimiters. We were able to get the double-spaced line by typing Shift-Return at the end of the first line to be extended

and then place tab markers after the vertical line markers. You may use any type of tab (left, right, centre or numeric), but be sure that no tab markers are placed on top of any vertical line markers. Click OK and the beginnings of your table appear. Enter your data, making sure you use the tab key to place information in the correct column.

You may spice up the table by selecting any line and changing the border thickness to emphasise that entry. You may also use Shift-Return to produce a double-spaced line for any entry line.

**K Lee**

### MacDraw

Using MacDraw, it is often a pain to attempt to centre an item, such as a page number exactly in the middle of the page. There is, however, a way of doing this that takes minimal effort and is sure to produce correct results.

After creating your page, type the text you wish to centre in the approximate area you want it placed. Choose REDUCE TO FIT and create a rectangle as wide as possible so that it covers the entire width of the page. Choose NONE from the Fill menu so that you are able to see the objects behind your rectangle. Simply select the rectangle and Shift-Click the text item you want properly aligned. Now, choose ALIGN OBJECTS from the Arrange menu and click on L-R CENTRE and click OK. Your text will now be centred on the midpoint of the box (since the box is too large to move).

You can use this technique to centre objects horizontally as well by clicking TOP-BOTTOM instead.

**M Herrington**

### Finder

Have you ever wanted to see your

VALUE ADS - 3 OF 3



## BARS AND STRIPES

ASP's Australian made BARCODE READER connects between the keyboard and IBM PC/XT/AT or clones. When a barcode is scanned the PC is tricked into thinking the scanned characters have been typed on the keyboard, so there are no software hassles! Including wand and cable \$649 plus Sales Tax. We also make RS232 Readers, Readers/Printers, Label Printing Software, OEM Modules, combined Video Terminal/Barcode Reader and Custom Keyboards for the PC/XT/AT. Ring for brochure and prices.

**asp**  
microcomputers

(03) 500 0628



AMERICAN QUALITY

**KAYPRO 2861**  
AT Compatible  
from \$3,700

**KAYPRO 386**  
from \$8,900

**KAYPRO PC**  
from \$2,300

Full 12 Months Warranty

**FIFTH GENERATION**  
Systems Pty Ltd

(03) 29 2600  
Camberwell, Victoria

## WHY PAY THEIR PRICES ?

Seagate ST225 & cont	A\$790
Tandon Business Card 21	A\$805
80286 Speed Card	A\$385
80287 Co-processor	from A\$355
EGA Card	from A\$265

(all above prices include post)


We can also supply add-on cards, mother boards, coloured printer ribbons, manuals and more.

Public domain software for IBM from \$5 and Amiga from A\$9 (both plus postage)

## SHAW

Box 9573, G.P.O., Hong Kong  
(9 Peak Mansions, 110-116 Peak Rd., Hong Kong)






**1** You can arrange the icons shown in a Finder window alphabetically. Start by bringing the window to be sorted to the front and choose **BY NAME** from the View menu. This will produce a listing of files/folders sorted by name.


icons listed in alphabetical order but just didn't want to sit down to manually reorganise each window? Now, while at the Finder, you can have the Macintosh automatically alphabetise your files for you.

Bring the window you want to sort to



**2** Choose **SELECT ALL** from the Edit menu and drag all the files to the desktop. While the files are on the desktop, select **BY ICON** from the View menu

the front and select **BY NAME** from the View menu. Choose **SELECT ALL** from the Edit menu and drag all of the selected files to the desktop. While that window is still in front, select **BY ICON** from the View menu and close that window. Now, drag all of the icons that



**3** Close the window you want sorted and now drag all of the files on the desktop back into the icon representing that closed disk/folder. When you later open the folder you will find all of the files have been sorted alphabetically

were placed on the desktop back into the disk/folder where the files originated. When you reopen the disk/folder you will find the icons are in alphabetical order.

**T Nichols**

END

# High Quality Doesn't Always Mean High Price.

ST-150W  
ST-180W (FOR BABY AT)

ST-150WZ (FOR XT)  
ST-200WZ (FOR BABY AT)

ST-150WD  
ST-180WD (FOR BABY AT)

ST-200WP (FOR AT)

ST-150WL  
ST-180WL (FOR BABY AT)

We're specialist manufacturers offering high technology and on-the-spot service.

Our R&D is devoted to developing the finest quality Switching Power Supplies, Wattage range 60-250W. We also offer Switching Power Supplies for TV games.

Your own design specifications, and OEM orders, are most welcome.

Contact us today!

**Seventeam**


SEVENTEAM ELECTRONICS CO., LTD.

P.O. Box 42 - 133 Taipei, Taiwan, R.O.C.

Office: 10F, No. 1160, Cheng Teh Rd., Taipei, Taiwan,

R.O.C. Tel: (02) 882-1110 (Rep.). Telex: 29195 SEPTTEAM.





**Connectivity news this month includes the continuing battle for LAN standards in the light of OS/2 promises, and enhanced connectivity between PCs and Macintoshes.**

## 3Com, Microsoft join forces to set OS/2 as LAN standard

The goal of a strategic partnership announced last month by Microsoft and 3Com is to promote OS/2 as the industry-standard operating environment — not just for PCs, but for network-based communications as well.

Speaking to financial analysts last month, the presidents of the two companies made it official that they were co-developing the Microsoft OS/2 LAN Manager, which they will then promote as a standard for PC networks.


The LAN Manager, an extension to OS/2 that supports multi-user applications on a network, was announced by Microsoft on April 2 as part of its OS/2 offering and is scheduled to be shipped in the first half of 1988. IBM, which will also offer OS/2, has not announced a corresponding LAN operating product.

"This is the most significant announcement for 3Com since we pioneered with EtherSeries [the company's first network product] back in October 1982," said 3Com President Bill Krause.

"OS/2 is going to reset the clock — not only for applications developers, but for systems developers as well," he said.

Mr Krause said that in the coming year his company would make use of the LAN Manager in upgrades to its

### The OS/2 LAN Manager: Platform for future LAN applications



**A likely LAN scenario would be a mix of PCs, PS/2s and ATs, operating from the same server regardless of whether the workstations are running OS/2 or DOS. Some PCs could run the same application simultaneously**

network servers and networking software products, with a name change from '3+' to '3+open' to mark the change.

Three products will be affected, he said. The 3+ workstation software will be upgraded; the 3+ 3Server software will provide support for OS/2; and a hardware upgrade will be offered for the 3Server to allow it to run a '386 processor.

3Com is banking on OS/2's success as a network operating system because of its built-in communications capabilities, and, more important, because it holds the promise of establishing a standard platform for network-applications development, said Wes Raffel, 3Com's director

of marketing in the software products division.

"Until now, DOS and networking software were separate. What we are trying to do is make [the PC operating system and the network] inherently the same thing," he said. "Our whole goal in life is to make the LAN Manager the de facto standard."

OS/2 has facilities, referred to as interprocess communications (IPC), that allow two processes running on a single PC to communicate with each other. The LAN Manager will extend the IPC link over a network so that programs running on different PCs can communicate with each other. This technique greatly simplifies the development of dis-

tributed applications on a PC network, according to Paul Maritz, general manager of the networking business unit at Microsoft.

Until now, network applications have been written to the network functions of DOS 3.x — a single-user environment — and IBM's NetBIOS programming interface. If OS/2 succeeds as the standard platform for network software development, users will be able to choose from a wide variety of sophisticated multi-tasking programs that will run on any OS/2-compatible network, according to Mr Raffel.

Microsoft is currently working with software developers to write network applications for OS/2, although to date only Ashton-Tate has announced that it will support the environment. "The goal is to have networking applications available at the same time as the LAN Manager," said Microsoft's president, Jon Shirley.

"The open architecture of OS/2 and the OS/2 LAN Manager will quickly establish it as the leading network platform," said Mr Shirley.

Although the OS/2 LAN Manager may be a technically appealing solution, no one can claim a standard until IBM shows its hand, analysts said last week.

"The intent of [Microsoft and 3Com's] effort is the best network solution in the marketplace in order to offer IBM a compelling alternative to any IBM in-house development," said Rick Shurland, an analyst with the Goldman Sachs investment-banking firm in New York.



"There are three criteria by which to judge the LAN Manager: performance, network-management functionality and applications portability," said an analyst with Hambrecht & Quist.

"For applications portability, OS/2 makes sense. As for performance and network management — you can't tell because the LAN Manager is vaporware.

"We really won't know if this is a standard until we benchmark its performance," he added.

"This is not a zero-sum game," said Ruthann Quindlen, an analyst with investment-banking firm Alex Brown and Sons.

"There could easily be three solutions in the marketplace — IBM's, Novell's and Microsoft's — for a long time."

## The battle for OS/2 LAN dominance

The race for first place in the next generation of LAN operating systems started with a bang last month as Microsoft and 3Com began their sprint against Novell for dominance in the network market.

In a 10-page position paper prepared last month and released the day after the 3Com/Microsoft announcement, Novell stated publicly for the first time that it will not license the Microsoft/3Com LAN Manager. Instead, Novell said it will develop its own network operating system for network workstations running OS/2.

Analysts said Novell is banking on history to prove the company right. In the past, Novell chose not to license Microsoft's network technology and met with resounding success with its own DOS solution, NetWare.

Novell also is trying to retain a proprietary edge, since Microsoft intends to license the LAN Manager to any network vendor willing

to pay them a licensing fee. 3Com, as the first license holder, will gain a significant time advantage.

According to Novell, development is now under way for a new version of NetWare that will support network workstations running OS/2, but like existing versions, will be Novell's proprietary solution. Novell said it will support the LAN Manager's technical specifications, thus providing compatibility with applications written for the LAN Manager.

Emphasising its track record in networks, Novell's statement said, "The LAN Manager is Microsoft's second generation operating system design. Novell is entering the eighth genera-

tion of development behind NetWare."

3Com and Microsoft are already championing the LAN Manager as the coming standard for networks running OS/2.

The LAN Manager will become "the standard platform of advanced personal computer networking," said Microsoft President Jon Shirley.

However, analysts say the local area network Manager has a way to go before it can lay claim to the lucrative title of industry standard.

"If there is a [network software] standard today, it is NetWare," said an analyst with Hambrecht and Quist.

Speed is key, analysts agree, as the first company to market with the new

operating system will have a marked advantage toward winning market presence and, perhaps, IBM's favour.

According to analysts, IBM will soon begin firming up its network operating system strategy and may adopt elements of either Microsoft's or Novell's offering in its final plans. A third option for IBM, and the scenario most favoured by analysts, has IBM continuing to develop its own personal computer LAN program and sell both Microsoft's and Novell's offerings as alternatives to customers.

Observers say Novell may have an edge in the race because of its existing relationship with IBM. IBM now sells NetWare to its educational accounts and reportedly will sell the software to business

## Novell to let Macs and PCs share LAN

Novell is developing software to allow Apple Macintosh computers and IBM PCs and their compatibles to share data on a Novell local area network (LAN).

The software will let users transparently connect Macs running Apple's AppleTalk LAN and AppleShare software to a network file server running Novell's Advanced NetWare operating system, according to a product specification drafted by Novell developers in April.

The software is "fairly far along in development," said a source close to Novell, and it may be ready for release by year's end.

Novell officials refused to comment on the subject except to reiterate the company's previously announced intention to support Apple's networking protocol, called the Apple File Protocol (AFP).

"We have not yet announced such a product," said Craig Burton, vice president of development and corporate planning at Novell. "We announced

last year that (Novell's) Universal Network Architecture would support multiple client/server protocols, including AFP."

The software under development will give Macintosh users access to data and messages on a NetWare file server as if they were accessing information on their own machine, according to the draft specification.

The software, which will run on a NetWare file server connected to the Apple network with an AppleTalk PC card, will make shared files on the NetWare server look like Macintosh files on a local disk drive. Macintosh users will be able to access information on a NetWare server and an AppleShare server on the same network.

Novell's entry into the Macintosh networking arena is the latest in a series of moves made by several networking vendors to bridge the gulf between PC and Apple workstations.

For the past two years, Apple has been committed to Mac networking and to coexistence with the PC,

and, along with other vendors, it has been delivering on that commitment.

Apple has provided an AppleTalk network card that fits into a PC expansion slot, allowing PC compatibles to participate in an AppleTalk network. (Using only Apple products, such participation is limited to sharing Apple's Laser Writer printer.)

PC MacBridge AFT, from Tangent Technologies, also allows PCs to participate fully in AppleTalk networks.

The TOPS network-operating system from Centram Systems West, runs on both Macs and PCs, allowing them to share files.

3Com offers Mac EtherSeries software which links Macs to 3Com network servers using AppleTalk cables. The software is compatible with the company's out-of-date EtherSeries networking operating system, but by the time you read this, 3Com will release 3+ for Mac, according to Elaine Hanson, product manager for the new product.



You've trusted us to keep you on time for years,  
now you can trust in our printers...

# SEIKOSHA



**SL-80AI**



**SP-1200**

## Don't pay through the nose for premium print quality!

Let's face it, there are times when NEAR letter quality is not quite near enough. Until now if you needed real quality printing you were forced into using an expensive daisy wheel.

Well, the AWA-Seikosha SP-80AI has changed all that. Its 24 pin printhead delivers premium quality output that compares very favourably with a daisy wheel - At around half the price.

Not only do you save money, but you get a lot more besides. You get features that no daisy wheel can ever offer. Features such as 135cps draft mode, graphics, down loadable character sets, double width printing, cut-sheet feeder options and much more.

So if you want premium print quality without sacrificing all the advantages of a dot matrix printer, at the right price, ask your dealer to see the new SL80AI in action - You'll be suitably impressed.

## The ideal match for your PC

Introducing the AWA-Seikosha SP-1200 family. The very latest in PC printer design. No longer do you have to pay heavily for top quality printing.

Packed with a host of advanced features such as auto paper load, draft and NLQ modes, 8K buffer, enhanced printing, graphics, optional cut-sheet feeder and many others, the SP-1200 series gives you professional output at a price you can afford.

**NOW WITH optional  
Multi Strike  
Carbon Ribbons**



**Measurement & Control Division**

Sydney (02) 888 9000 Melbourne (03) 427 0188 Brisbane (07) 870 7555

Adelaide (08) 272 3588 Perth (09) 275 6655

**One of Australia's most switched on companies**



users if a hardware sale depends on it.

Craig Burton, Novell's vice-president of marketing said his company's relationship with IBM is still very strong. "Fifty per cent of the Token-Ring adaptors that are going out of IBM have NetWare on them," he said.

According to John Girtan, an industry analyst, "[Novell] will try to get the same kind of better functionality on their own."

"They can probably get better profitability that way because they don't have to license it."

## Field-to-office comms from Asher

Comdex saw a plethora of 'turn your PC into a fax' products. All of them need a scanner to input graphics, though they can send ASCII files off your disks as well.

And they all need a laser printer to output the received message, though you could view the files onscreen.

Nonetheless, the possibility of sending text from your computer to the office fax

holds extra attractions if your PC is a laptop being used out in the field.

In some ways, PC to PC comms has a long way to go before it matches the ease of sending a fax. You never see someone standing by a fax wondering whether the baud rate and protocol of the fax is set right, or searching through the manual to see how to tell the machine to dial a number. There are only three universal standards for fax transmission and the machines are smart enough to work out which one to use for themselves.

In view of this the JT Fax from Asher should find many buyers. It's battery operated, uses any phone line and works off a standard COM port on a lapheld computer. The price is \$US495. Asher is in Roswell, Georgia, US.

## Apple to allow PC on its Mac LAN

Apple Computer is developing local area network communications software that will enable IBM PCs equipped with AppleTalk adaptor cards to be used with the AppleShare LAN package, according to sources inside and close to Apple.

Also on tap from Apple, the sources said, is a facsimile modem that can be used to send and receive bit-mapped images and fax transmissions.

Both products are designed to bolster the appeal of the company's Macintosh computers among corporations, analysts said.

The LAN package, called PC AppleShare, might be demonstrated next month, according to Guy Mariande, a vice president with Tangent Technologies.

"Apple is committed to providing a method by which PCs can be attached to AppleShare local area networks," he said. "Apple [rep-



Asher's JT Fax Portable

representatives] told me earlier this year they were working on an [MS-DOS software] AppleShare product and that it could be released this year."

Apple, however, has not yet decided whether to release the product, according to sources within the company.

An Apple spokesman declined to comment on the reports.

Direct connection of PCs on AppleShare LANs will allow IBM PC users to share data with Macintoshes and gain access to such network resources as Apple's LaserWriter. In turn, connected PCs can be designated as AppleShare resources.

The fax modem is designed as a stand-alone peripheral for the Macintosh. The 9000bps modem and a graphic-based telecommunications package are part of a new family of Apple peripherals (including an optical scanner) that are aimed at the desktop publishing market, Apple sources said.

END

## Novell's technological challenge

As Microsoft has moved to establish a presence for OS/2 in the networking arena, Novell, the leading vendor of network operating software, is faced with a technological challenge, say industry observers.

Novell responded to Microsoft's introduction of the LAN Manager on April 2 by issuing a 10-page position statement of OS/2 and the LAN Manager. That statement says that although Novell will be supporting OS/2 as a workstation operating system, it 'does not intend to use OS/2 as a platform for a network operating system in the server and, therefore, will not license the Microsoft OS/2 LAN Manager'.

Novell contended that NetWare already contains all the major features promised by the LAN Manager specification, such as multi-tasking and support of the '286 protected mode.

Moreover, the company said, NetWare supports a wide range of sophisticated communications functions not included in the LAN Manager.

NetWare has an installed base of 770,000 PCs, according to Novell officials.

"If there is a standard

today, it's NetWare," said Osman Eralp, an analyst with Hambrecht & Quist.

Experts said that the OS/2 LAN Manager's only compelling technical advantage is its potential to establish an industry-standard platform for applications development. In theory, any application written to OS/2 will run on any network that uses the LAN Manager.

OS/2 dictates changes in networking procedures because it defines a new set of Application Program Interfaces (APIs) for applications to be written to an OS/2 network. Novell is committed to supporting these APIs in NetWare.

'Just as Novell moved quickly to support the interfaces defined by DOS 3.1, the company is moving to support the application interfaces within OS/2 and the LAN Manager,' the document read.

Because Novell does not have access to all of OS/2's specifications, the effort represents a significant engineering challenge. Nevertheless, it is too early to judge whether Novell will be able to maintain compatibility with an as-yet-undefined standard, Mr Eralp said.





# The DOS-LAN juncture

***J Scott Haugdahl discusses the challenge of designing and maintaining PC-compatible DOS applications — never an easy task with the steady progression of machines and operating systems, and one which is intensified by the LAN factor.***

For software developers, it is not enough any more to keep pace with the IBM line of machines — the PC, PC XT, PC/AT, IBM compatibles, IBM Personal System/2, not to mention DOS 1.x, 2.x, 3.x. Now the software developer also must ask: will the program run on a PC connected to a LAN, and can it use LAN resources?

The answer is yes, many DOS applications will run on a PC connected to a LAN, and these programs fall into two groups. Most applications fit into a first group that needs only to coexist with the LAN; they cannot use LAN files and devices. Fortunately for such programs, refinements to DOS in the LAN area have been made in an upwardly compatible manner. By following a few conventions and handling LAN-related errors from DOS, files can be accessed and devices connected to the LAN. A second group does exploit the LAN's data-sharing and communications capabilities using the rudimentary tools provided in the most recent versions of DOS for developing multi-user software. Although some desirable capabilities are absent, a few current DOS features can be used to craft substitutes.

The LAN-software situation is further complicated by many conflicting vendor implementations: IBM, Novell, 3Com, Nestar, Corvus, and others each defines its own unique interface to certain LAN facilities. Although support for NETBIOS (a peer-to-peer networking standard sired by IBM) is growing, many vendors support only a subset of its functionality. In addition, NETBIOS is inappropriate for applications that

need only to share files. Thus, the route most likely to result in LAN-portable software is the one that uses only those few facilities offered by DOS.

This article examines the issues inherent to implementing multi-user applications within the scope of functions provided by DOS 3.1 or later (hereafter referred to as DOS 3.x). In addition, application will mean the traditional DOS programs invoked by the end user, such as word processors or data managers, not systems software, such as file servers, gateways, or communications servers. Note that a diminishing number of LANs do not use DOS to provide their services, but instead use a disk-server environment. Typically they intercept the BIOS disk I/O calls to provide virtual disk volumes on the server. Because DOS is unaware of the redirection taking place, these LANs cannot provide DOS networking functionality to applications. The Nestar LAN falls into this category, as did earlier offerings from 3Com and Corvus.

IBM and Microsoft began to accommodate LANs with DOS 3.0 in August 1984. The new ATTRIB, SHARE, and LASTDRIVE commands support multi-user environments. File sharing, also introduced with DOS 3.0, requires executable (.COM and .EXE) files on a LAN server to be marked read-only so that multiple users can load the file simultaneously — ATTRIB performs this function. SHARE is used to install the DOS file-sharing support on servers that use DOS (such as IBM's PC LAN) for file services. LASTDRIVE (which is added to CONFIG.SYS) al-

lows the last accessible DOS drive (up to Z:) to be used as a virtual disk designator.

DOS 3.1 introduced the commands JOIN and SUBST, primarily to support stand-alone applications that want to share network resources. JOIN connects a drive to a directory on another drive to create a new directory structure; thus, only one drive specifier is necessary to access files from multiple drives or directories. This is useful if, for example a hard disk becomes full and has to be divided across two disks. A directory subtree of the original disk would be moved to the new disk, and JOIN used to maintain the original directory structure. SUBST substitutes a drive letter for a drive or directory. Essentially, it provides a means of accessing files on that drive by referring to the drive letter. SUBST supersedes the ASSIGN command.

New LAN-related commands added with DOS 3.3 include FASTOPEN and APPEND. FASTOPEN is a terminate-and-stay-resident (TSR) command that supports file-name caching. It improves file-name search response times (one of the bottlenecks when using the DOS-based PC LAN Program as a server). APPEND is like a PATH command for data files. It allows an application to run in one subdirectory and find (that is, open) files in a different subdirectory without specifying the path name.

Although DOS provides some of the frills that are needed to work on a LAN, it stops short of providing standard commands to attach to remote resources and share files. Instead, each LAN vendor must provide a set of



commands to manage LAN resource connections. Table 1 shows the command sequence for redirecting devices on various LANs. Many vendors also provide a menu-driven interface.

## Processing DOS calls

The manner in which LAN workstation software processes DOS function calls (the functions provided by interrupt 21H) also varies from vendor to vendor. For example, Novell's NetWare shell intercepts any interrupt 21H request, checks to see if it is for a local or remote device, and processes the call accordingly. Calls for remote services by the IBM PC LAN Program (as well as 3Com 3Plus and Microsoft Networks) must be previously 'redirected'. The Redirector software is licensed from Microsoft to original equipment manufacturers (OEM). The Redirector checks the interrupt 21H function call for redirection to the network. If the request is not for a redirected device, it is passed on to local DOS. Otherwise, the Redirector converts the call into a server message block (SMB) request and, in the case of PC LAN, calls NETBIOS. Fig 1 demonstrates the relation of network support components to DOS applications with the IBM and Novell approaches. Fig 2 shows the various functions added to interrupt 21H (from DOS 3.0 on) that enhance LAN application capabilities. These functions are discussed below.

At the heart of DOS LAN support is Open File (interrupt 21H, function call 3DH). Open File controls access to a file in two ways. The first control, made through access mode, specifies how the process making the Open File call will use the file, as read-only, write-only, or read-write. The second control, sharing mode, determines what access can be granted on subsequent file open attempts: compatibility, deny-read, deny-write, deny-read/write, or deny-none.

Upon entrance to interrupt 21H, the following registers must be set: AH is 3DH, DS:DX points to an ASCII path name (just as it is typed in a DOS command, such as C:\WP\TEMP), and AL is the open mode. Upon return, AX will contain the file handle, if the file were successfully opened, or an error code.

The open mode defined in AL is subdivided into fields that specify inheritance (bit 7), sharing (bits 6, 5, 4), and access (bits 2, 1, 0). Bit 3 is reserved and should be set to zero. Specific values for the fields are shown in Fig 3. If the inheritance bit is set to 0, the file is inherited (including all shar-

### Connect Drive E: to server sales, directory/customer Local Area Network Command

<b>IBM PC LAN</b>	Net use E: \\Sales\Customer
<b>Novell NetWare</b>	Map E:=Sales/Sys:Customer
<b>3Com 3Plus</b>	3F Link \\Sales\Customer

### Define LPT2 as Printer Taxform (Printer 3) on Server Accting Local Area Network Command

<b>IBM PC LAN</b>	Net Use LPT2: \\Accting\Taxform
<b>Novell NetWare</b>	Spool Server=Accting Local=2 Printer=3
<b>3Com 3Plus</b>	3P Link LPT2: \\Accting\Taxform

Table 1 Typical LAN commands. Each vendor of a LAN environment uses a slightly different command sequence to establish a connection between a workstation and a server's devices




Fig 1 LAN support schemes. The strategy diagrammed on the left uses the Microsoft Redirector to capture requests from within DOS and direct them towards the LAN. NETBIOS, or another vendor-specific protocol, is used to send requests through the network. At right, Novell uses a shell to intercept any LAN-related functions before they get to DOS



AH	AL	Function	DOS Version
3D		Open file (with sharing)	3.0
44	09	IOCTL	Is device redirected?
	0A		Is handle local or remote?
	0B		Change sharing retry count
59		Get extended error	3.0
5A		Create unique file	3.0
5B		Create new file	3.0
5C	00	Lock byte range	3.0
	01	Unlock byte range	3.0
5E	00	Get machine name	3.1
	02	Set printer setup	3.1
	03	Get printer setup	3.1
5F	02	Get redirection list entry	3.1
	03	Redirect device	3.1
	04	Cancel redirection	3.1
67		Set handle count	3.3
68		Commit file	3.3

Fig 2 LAN-related DOS functions. Beginning with version 3.0, several DOS functions (as accessed through interrupt 21H) have been introduced to facilitate the interface to local area networks

ing and access restrictions) by a child process (one created by the DOS EXEC function). If the bit is set to 1, the file is private to the current process.

When the Open File function was initially introduced in DOS 2.0, the open mode included only the access mode information (bits 0 to 2); all other bits were to be left as zero. File sharing in DOS 3.0 was added by using these previously undefined bits. However, to retain some measure of compatibility with old programs, the sharing mode value of zero (in bits 4 to 6) is defined as compatibility mode.

Compatibility mode enables old applications to share files without compromising the integrity of new applications. Mixing compatibility mode with other file sharing modes is allowed in only one case: a file that is made read-only (by DOS ATTRIB) can be opened multiple times for read-only access in compatibility mode, and can simultaneously be opened for read-only access in deny-write or deny-none shar-

ing mode. This exception allows .COM, .EXE, and data files to be opened by both old and new programs if they first are made read-only. Any other attempt to open a file with a mix of compatibility mode and any of the deny modes will result in Open File returning error 5 (access denied), with an extended error code of 32 (sharing violation).

Developers of new application programs (even programs that are not intended for use on a LAN) should not use compatibility mode, but instead should choose an appropriate deny mode. Indeed, the DOS method for flagging sharing violations would seem to be sufficient incentive not to use compatibility mode: when an attempt is made to open a file in compatibility mode, but that file is already open in a conflicting deny mode, an interrupt 24H (critical error) is generated. If the program has installed its own critical error handler, a call to DOS function 59H (Get Ex-

tended Error) will (again) return error 32. However, if the standard DOS error handler is in use, an obscure message such as the following

**Sharing Violation error reading drive F:**

**Abort, Retry, Ignore?**

will be returned on the screen. In contrast, a file open call with any of the deny modes will simply return an error code that can be tested by program logic immediately following the call.

All other DOS file open and/or create functions, including the ancient FCB functions, use the equivalent of compatibility mode when opening a file. When using DOS functions such as 5AH (create unique file), it is advisable to use the call to obtain the name of the created file, then close the associated handle and open with function 3DH using the appropriate sharing mode. (Note that FCB functions are obsolete and should be avoided.)

The sharing matrix in Fig 4, adapted from IBM's *PC-DOS Technical Reference*, shows the results of opening a file for the first time, then, while the file is open, opening it subsequent times. The sharing mode overrules the access mode whenever a subsequent application opens the same file. If the file is first opened with deny-write sharing and read/write access, then it may be read and written to freely for the first open, but subsequent opens will be denied write access to the file, regardless of how it was opened.

File sharing also seriously impacts DOS I/O performance. Typically, when DOS is asked to read data from a file, it will read a block of data from disk into an internal buffer, and satisfy the read request from the buffer. A subsequent read request might be satisfied by using the already filled buffer, rather than performing a disk read. Incidentally, these buffers are the ones specified by the BUFFERS statement in CONFIG.SYS.

When a file is being shared among multiple PCs, having each DOS buffer the file locally could produce unexpected results. If user A were to read data from a file that was locally buffered by DOS, and user B then wrote to that file, the new data written by user B would not be read by user A. DOS performs local buffering on shared files only when such a situation cannot occur. Thus, local buffering is used when a file is opened with deny-read/write sharing, or when a file is opened for read access and deny-write sharing. To accommodate older applications, DOS also performs local buffering on files opened in compatibility






Fig 3 Open file mode information. The access field describes the intended use of the file by the opening program. DOS 3.0 augmented the open mode by adding two more fields. The sharing field specifies the maximum access that subsequent users can obtain. The inheritance field allows greater security when a child process is created using DOS EXEC

mode; in this case, the situation just described can occur and must be handled.

The recently announced DOS version 3.3 has added the COMMIT function, which flushes any locally buffered data to disk. Prior to this, the only way to flush the buffer was to close the file, then reopen it. This created a window of vulnerability in which another program could seize the file between the close and open functions, thus denying access to the original owner before processing of the file was complete.

COMMIT is invoked through DOS function 68H. Upon entry, register BX holds the file handle; upon exit, AX contains an error code if the carry flag is set.

Another DOS 3.3 function that enhances file processing in LAN environments is Set Handle Count. Previously, an application was limited to 20 open file handles. Now this can be increased using DOS function 67H; register BX passes the maximum handle count. This function requires a 4k memory block, so the program first must release memory using function 4AH (Set Block).

## DOS region locking

Many applications will want to obtain finer control over data sharing than Open File can provide. For example, a LAN database might contain all data records in the same file; multiple users would need some method to coordinate access to records in that file. A typical DOS implementation would have each user open the file in deny-none sharing mode, then use region locking to control access into the file.

Region locking is performed using DOS function 5CH (lock/unlock byte range). The registers that must be set upon entry are shown in Table 2. Upon return, AX will contain an error code if the carry flag has been set; attempting to lock a previously locked region will result in error code 33 (lock violation). As little as a single byte or as much as the entire file may be locked depending on the offset into the file and the number of bytes. Locking beyond the physical end-of-file is allowed, and is valuable in certain situations, for example, when data is being appended to the file by multiple users.

DOS is designed to protect regions of a file that have been locked from read-

ing, writing, and overlapping locks by other users of the file. If another application attempts to read, write, or lock an already-locked region, DOS will return failure, and the extended error code (from DOS function 59H) will be 33 (lock violation). Applications that open a file in compatibility mode and attempt to violate a lock by reading or writing are notified in a more assertive manner: a critical error (interrupt 24H) is generated, similar to the Open File situation described above.

DOS region locking is functional, but by no means friendly. A one-to-one match must be present between lock and unlock calls in an application; DOS will not permit multiple locks to be undone by a single unlock. The effect of closing a file (or exiting a program) with locks still in effect is undefined. Although some LANs will clean up locks when a file is closed, such amenities are not mandated by DOS. In extreme cases, the only way to clear a lock left in effect is to reboot the server.

To ensure that locks are released, applications should keep a table of active locks for each open file. Handlers should be installed for Ctrl-C exit (interrupt 23H) and critical error (interrupt 24H) so that abnormal exits (as well as normal exits) will perform lock cleanup. But all of this housekeeping is annoying, considering that DOS itself must keep a similar table to manage locks and certainly could improve system integrity by releasing abandoned locks from its own information.

Incidentally, the use of record locking for the DOS locking feature is a misnomer. DOS provides locking for a range of bytes in a file — nothing more. The application must determine which bytes to lock based on the file's logical structure: a record in a database, a screen of a word proces-

Register	Contents
AH	5CH
AL	0 to LOCK; 1 to UNLOCK
BX	File handle
CX	File offset high word
DX	File offset low word
SI	Length high word
DI	Length low word

Table 2 Byte Lock/Unlock. Using DOS function 5CH, applications can lock and/or unlock any range of bytes in a file. Locations that are past the end-of-file also can be locked



## Second and subsequent fileopen attempts

		Second and subsequent fileopen attempts														
First file open mode	Sharing	DENY READ/ WRITE			DENY WRITE			DENY READ			DENY NONE			COMPAT-IBILITY		
	Access															
		R	R/W	W	R	R/W	W	R	R/W	W	R	R/W	W	R	R/W	W
DENY READ/ WRITE	R															
	R/W															
	W															
DENY WRITE	R															
	R/W															
	W															
DENY READ	R															
	R/W															
	W															
DENY NONE	R															
	R/W															
	W															
COMPAT-IBILITY	R															
	R/W															
	W															

Open succeeds

Open fails with DOS error code 5 (access denied)

Open fails, interrupt 24H is generated

Open succeeds if file is read-only; else fails with error code

Open succeeds if file is read-only; else interrupt 24H is generated

R = Read  
R/W = Read/Write  
W = Write

R = Read  
R/W = Read/Write  
W = Write






-  Open succeeds
-  Open fails with DOS error code 5 (access denied)
-  Open fails, interrupt 24H is generated
-  Open succeeds if file is read-only; else fails with error code
-  Open succeeds if file is read-only; else interrupt 24H is generated

Fig 4 File-sharing matrix. Most of the relationships in file sharing are predictable, as indicated above. Compatibility mode is quirky and should be avoided by newly written applications

sor, a group of cells in a spreadsheet, or other application-defined data organisation.

DOS supports automatic retries on both region locks and file opens. If a file open request conflicts with an existing open on the same file, or if a lock request overlaps a previously locked region, DOS will delay a short time, then retry the request. Because locks in many applications may be of short duration, this reduces the number of lock failures that must be explicitly handled within the application.

Retry counts and the delay between retries can be set with DOS function

44H (IOCTL), subfunction 0BH. Upon entry, AH contains 44H, AL contains 0BH, CX contains the number of times to execute a delay loop, and DX contains the number of retries. Upon return, AX will contain an error code if carry is set. In a default situation, DOS will retry three times before accepting failure, executing the delay loop once between each retry.

The time spent in the retry delay loop is machine-dependent, in that it depends on processor speed. The delay loop count set for an XT, for example, may be too fast for a Compaq Deskpro 386, causing retries to fail be-

cause they were made too quickly. Developers can disable retries (by setting them to zero) and use a machine-independent delay within the application.

Even developers who do not have access to a LAN can experiment with the file-sharing and region-locking features of DOS on a stand-alone PC. SHARE.EXE, a TSR program on the DOS distribution diskette, provides these features. Typically, it finds use on PCs that function as network servers. It performs equally well as a test bed for exploring LAN file-access questions.



Code	Error
32	Sharing violation
33	Lock violation
50	Network request not supported
51	Remote computer not listening
52	Duplicate name on network
53	Network name not found
54	Network busy
55	Network device no longer exists
56	NETBIOS command limit exceeded
57	Network adaptor hardware error
58	Incorrect response from network
59	Unexpected network error
60	Incompatible remote adaptor
61	Print queue full
62	Not enough space for print file
63	Print file was deleted
64	Network name was deleted
65	Access denied
66	Network device type incorrect
67	Network name not found
68	Network name limit exceeded
69	NETBIOS session limit exceeded
70	Temporarily paused
71	Network request not accepted
72	Print or disk redirection is paused
84	Too many redirections
85	Duplicate redirection
86	Invalid password
87	Invalid parameter
88	Network device fault

*Table 3 LAN-related error codes. These codes are returned from a call to DOS function 59H. Many are specific to NETBIOS or the IBM PC LAN Program, and should not be used for other vendors*

**Deadlocks.** In any kind of resource locking scheme, an application must be prepared for deadlock. This circular wait condition develops as follows: application A has a lock on record 100 in database X and application B has a lock on record 150, also in database X. To complete its transaction, application A needs to update information in record 150 that is related to information in record 100. Application A will attempt to lock record 150, but is rejected and must retry. But suppose that application B will not relinquish the lock for record 150 because it, too, must access record 100 to complete its transaction. A waits for B while B waits for A. The application must provide a means of backing out of such a transaction and retrying the entire operation later. This deadlock situation is illustrated as follows:

Application A	Application B
WAIT(RECORD:100)	
	WAIT(RECORD:150)
	WAIT(RECORD:100)
WAIT(RECORD:150)	

A situation such as this points out a

capability lacking in DOS 3.x — the ability to perform transaction processing efficiently and reliably. As a result, some LAN vendors provide proprietary calls to perform transaction processing. Novell, for example, supports the idea of an atomic lock, in which an application can request multiple record locks with a single call and will be rejected if even a single byte of any requested lock is being used by another application.

**Semaphores.** DOS also is lacking the synchronisation operation known as a semaphore, a software 'traffic light' that is visible to suitably written programs. The two fundamental operations of a semaphore are wait and signal. The wait operation checks to see if a semaphore is being used. If it is not, the applications can proceed and perform the operation. At the end of the operation, the application will signal the semaphore to indicate completion.

Applications must acknowledge the semaphore for it to work. Like a car running a red light, an application might choose to ignore a semaphore,

which could lead to corrupted or lost data. For this reason, semaphores are more suitable for distributed applications that rely on multiple processes (such as simulation) rather than with applications that share a common database. Programs in the latter category are better served by DOS region locking.

Relatively speaking, a semaphore is a soft lock and DOS region locking is a hard lock. For region locking, the application must tell DOS where critical data is located within a file by specifying the offset into the file and how many bytes are to be locked. This allows DOS to reject a write request from a non-cooperative application. In contrast, a semaphore's interpretation, and the compliance with that interpretation depend entirely on the application.

One means of creating semaphores in DOS is to define a SEMAPHOR file stored on a certain server. Then, by always opening the file with Deny None sharing, the application could interpret each byte in the file as a semaphore number. For example, semaphore (byte) 10 could be interpreted to mean something like 'wait until process X is completed'. By invoking DOS function 5CH with a request to lock, the application, in effect, has performed a wait operation. The application would continue to attempt to lock the byte until DOS indicated the lock had succeeded. By invoking DOS function 5CH with a request to unlock, the application would perform a signal operation.

## Extended error codes

More exasperating than any feature missing from DOS is the variability of error information when using a LAN. Because much of the functionality of a LAN is not actually contained in DOS, the errors returned often reflect nuances in a vendor's implementation; thus, they must be treated carefully.

DOS 3.0 introduced function call 59H, which retrieves extended error information. Upon entry, register AH is set to 59H and BX to 0. Upon return, register AX obtains the extended error number, BH indicates the error class, BL indicates a suggested action, and CH, the locus. About 70 error codes exist that might be returned; the LAN error codes of note are listed in Table 3. Interestingly, of the codes listed, only 32 (sharing violation) and 33 (lock violation) were defined in DOS 3.0.

Many of the error codes are fairly specific to PC LAN and/or NETBIOS and are returned only from NETBIOS



## LAN copy protection

In the pre-LAN era of PCs, one copy of an application was sold for every user wanting to run it. A LAN presents pricing problems for software vendors because one copy of an application might be placed on a server and shared by many users. It is difficult to maintain a per-user price in a multi-user environment. Solutions include:

- Requiring each network user to purchase a copy of the package, even if it will be installed on a LAN.
- Site licensing — allowing the purchaser to make copies of the documentation for internal users and install it on any of their PCs or LANs.
- Providing an *N*-user package that has one set of diskettes and *N* manuals. Typically, the price is lower than for *N* single packages.

The first solution is straightforward, if not appealing, and the second one is more attractive to very large users. However, most LAN packages are sold under some variation of the third approach. Although most vendors of multi-user LAN software permit users to copy freely software to a server and to make backups, some use a copy-protection scheme in order to limit the maximum number of users that can access the ap-

plication. This is accomplished in several ways.

The worst method (from a user standpoint) is to require a key disk in the workstation. The application is loaded into a PC from a file server, executed, and then it checks for a key disk in the PC's disk drive or a signature on a hard disk. This technique is a carry-over from copy-protection schemes used on stand-alone PCs and is disappearing rapidly.

A better method is to license the software to a server and then have an installation procedure that reads the serial number from a key card or the unique LAN adaptor address from the server. Most major vendors that market server hardware (Nestar, Novell, and 3Com, for example) offer this capability. Often, the LAN vendors themselves distribute their file server software in this manner. The major drawback to this approach is that the method varies among LAN vendors. The applications vendors must provide installation drivers for the different LANs in order to retrieve the file server's serial number (such as the NetWare file server key card number).

A LAN vendor could require that the software be installed for *N* number of PCs by having the purchaser supply the LAN adaptor addresses of those

PCs wishing to operate the software. Unfortunately, this multiplies the problem of the scheme above, as more different kinds of LAN hardware are available than are file servers.

The maximum number of users can be controlled: (1) via the fake semaphore scheme, (2) by creating a unique temporary file on a server each time the application is invoked and counting the number of open temporary files, or (3) by simply using a shared file with a length of one byte to indicate the number of current users. The user must be careful, however, to resolve problems such as users turning their machines off without exiting an application. DOS locks are not necessarily released when a PC is turned off. The second scheme is attractive because many vendor LANs occasionally poll a workstation to make sure it is still alive, and they close its files and release locks once they determine it is not.

The most interesting aspect of the various techniques to connect an application to a LAN is that they do not involve physically encrypting or changing the format of a disk. Software can easily be copied onto the network from disks, but it will run only under certain conditions.

**J Scott Haugdahl**

emulators when writing applications for non-IBM LANs. The locus value in CH should be 3 when a network problem is detected, but all LAN-related errors may not set it consistently. Wherever possible, it is best to avoid creating dependencies on any but the most general error codes.

### Other LAN functions

Through interrupt 21H, DOS provides some LAN-related functions that are best avoided by portable LAN software. They are used by DOS itself or by networks such as IBM PC LAN. Access to the functions they provide is usually incorporated into each vendor's network shell.

DOS function 44H (IOCTL) includes three LAN-related subfunctions: 09H determines if a device has been redirected — programs such as CHKDSK use this call to avoid examining a network drive; 0AH determines if a file handle is local or remote; and 0BH sets retry counts and delays.

Function 5EH also has three LAN subfunctions. Subfunction 0 (get machine name) is supported by the IBM, Microsoft, Novell, and 3Com networks. Curiously, no corresponding function is offered for setting the machine name — that depends, instead, upon the implementation. This function would be useful in designing an electronic mail system in which a mailbox file for each user was created on a server using the machine name; however, because that name can contain 15 characters, a more complex scheme is needed.

Subfunctions 2 and 3 (set printer setup and get printer setup, respectively) set or get a printer set-up string that is sent to a printer just before the user output. The string could be used to select printer options, such as compressed or draft-quality output. Unfortunately, no 'printer reset string' function exists to deselect options; subsequent printer users will be subject to the selections already existing from the previous print job unless they counter with their own printer set-up string.

DOS function 5FH contains two subfunctions to control device redirections. Calling subfunction 3 (redirect device) once a printer has been specified, the printer output is buffered and sent to the remote printer spooler for that device. Printers are redirected at the BIOS (interrupt 17H) level, not just the DOS level. If a file is specified, then a source drive letter is redirected to a destination network path. Device redirections are cancelled using subfunction 4 (cancel redirection).

### Multi-user databases

Because virtually every true multi-user LAN application (including simultaneous file sharing, not just file lock out) is built on top of a DBMS (database management system) that, in turn, runs on top of DOS, LAN databases warrant discussion. Bringing a DBMS into a LAN opens up new capabilities, not the least of which is multi-user access. This can mean that an 'unlimited' number of users have access to a database, but performance of



the network and server will dictate otherwise. The vendor may restrict the number of users for licensing reasons. (See the box 'LAN Copy Protection' on the previous page.)

Whenever possible, the DBMS should also add value to DOS, such as providing additional user name/password security and audit trails of file usage. The security or integrity of a database file can be enhanced further by permitting different levels of access to records and even fields. Unfortunately, DOS provides no hooks for these features, so the application must supply its own methods of security.

If multiple servers are supported, then databases and index files may be split across servers for security, performance, or fail-safe operation. For example, an accounts receivable database may be on one server and the general ledger database on another, provided that the DBMS application integrates the two servers together. Under such an arrangement, failure of the general ledger server should not disrupt the operation of accounts receivable.

In a LAN environment, users are accessing records, changing them, adding new ones, and so on. In such a dynamic situation, the DBMS should provide an automatic retry mechanism on locked data. A user's request for data should not always be rejected the first time, because the desired data may become available a second or two later.

LANs provide some new choices to the designer of a data manager. One such choice is essentially an extension of the stand-alone PC design. The DBMS and the application both operate in the same PC. This means that, in addition to the DBMS being loaded into every PC operating the application and consuming a lot of RAM (memory overhead), the DBMS must handle all of the file-access, record-locking details (CPU and LAN I/O overhead). (Ashton-Tate's dBase III Plus falls into this category.) A better approach has the PC acting as a back-end DBMS and handling all transactions in an orderly fashion as they are received from application PCs. This 'DBMS server', or back-end database may have its own hard disk or use a file server's disk. Security is also enhanced because users will not be able to modify the DBMS code. Some drawbacks are that the developer has to use interprocess communications protocols not provided by DOS but unique to a particular LAN, and that a failed DBMS server may mean that

users will not be able to run the application.

## *Operational pitfalls*

The predicaments that arise in operating DOS applications on LANs generally result from a misunderstanding of the use of an application (assuming it can be used on a LAN in the same way it is used on a stand-alone PC) or a procedural problem (thus the need for LAN administrators). Often, a vendor's LAN application is simply a warmed-over version of its original stand-alone offering. Mostly, DOS is not the culprit.

One procedural problem arises with the use of RAM disks. Users may find a particular operation too slow on a LAN and resort to temporarily copying a file from a server to a local RAM disk. If more than one user does this, obviously the last user to copy it back to the server has made that file the permanent copy. In such a case, the file-sharing safeguards imposed by DOS are circumvented and therefore nullified.

Shared printers seem to cause more problems than any other components. LANs give users access to a large variety of printers, including laser

---

*'It is hard to build a LAN environment with current DOS services. Some issues must be addressed using DOS and server processes.'*

---

printers, and even plotters. In a common situation, the user sends a job to a printer that includes control strings to select unusual printer options, leaving the printer in some unknown state. The next print job may be interpreted as dot graphics when it should have been text. DOS addresses this problem with function 5EH, but in an incomplete and vendor-dependent fashion.

Fortunately, this situation has many acceptable non-DOS solutions, the simplest of which is to require all users to attach a printer reset string to the top of every print job. Another is to have the word processor automatically send a control string to the printer before the text (WordPerfect allows for such an action). Still another approach is to have the server include, in its banner page, a printer reset sequence.

This leads to another issue: control over printer selection. Most LANs can specify parameters such as printer type, where it is located, what type of form should be used, number of copies, and whether a banner page is desired. The most LAN-portable means to use these features is to configure them (using LAN-specific commands) before entering the application and to assign to one of the standard DOS printers (LPT1, LPT2, or LPT3) or communications ports (COM1, COM2). However, not all LANs support network printing to all devices; some redirect only LPT1.

Some LANs, such as Novell's NetWare, require the user (not the application) to set these parameters before they are to use the network printers. Others, such as Nestar's system, allow an application to insert a control string (before the printer control string discussed above) to select which printer to use, number of copies, type of form, priority of job, and so on. The LAN-provided software that drives the shared printer must have operator control for setting forms, name of printer, etc.

Because output to LAN printers is spooled, the user often must decide when to actually send the spooled output to the remote printer. Many LANs provide an explicit command for this function. Some experience a time-out after so many seconds of not receiving data and automatically send the spooled output that has been received; this can lead to fragmented output jobs. Others (Novell, for example) automatically send the spooled output when DOS function calls are used and the printer handle is closed. Most networks offer some combination of these techniques.

Applications that directly access the printer or communications port hardware are not LAN-compatible: printer output cannot be redirected. A possible solution for such ill-behaved programs is to send printer output to a disk file, then print that file. Although many LANs redirect the BIOS printer interface and the DOS interface, the most portable strategy is to use DOS file open, write, and close calls for the printer.

Printers, however, are not the only difficulties confronting a LAN-compatible program. Suppose a text editor creates and uses a temporary file called EDIT.TMP in the current directory while it is running. If two operators on a LAN are using this editor in the same directory, they will both try to use this file, with undesirable results. Even a temporary file name based on the



name of the file being edited is not guaranteed to be unique. The best assurance of creating a unique temporary file name is to use DOS function 5AH.

Another problem involves application defaults. If the defaults are not contained with the file itself, users may be faced with default settings they do not like or some that are not applicable to that file. In a single-user environment, defaults typically are placed in the directory where the application is installed, or possibly in the current directory. If the application is installed on a server, or multiple users operate in the same directory, this approach prevents users from selecting personal defaults. Worse, a change of defaults by one user affects all other users. One possible solution is to use DOS environment variables to specify the configuration settings or the location of a configuration file. This method also can be convenient to control the location of temporary files so the user can have them placed on a RAM disk.

## *The missing links*

For most applications, DOS support for LANs is summarised by just two functions: open file and lock/unlock. To fit the model DOS provides, all information shared by a multi-user LAN application must be communicated through files. No functions are available in DOS that would allow, for example, two programs to communicate data by sending messages to each other.

Moreover, DOS currently offers no facilities for establishing sessions between applications. Protocols such as IBM's Advanced Program-to-Program Communications (APPC) or NETBIOS

can be used, but then the application is, in essence, bypassing DOS. DOS provides but a tiny bit of the functions required at layer 7 (application services) of the Open System Interconnect (OSI) reference model as defined by the International Standards Organisation (ISO) — the layer that supports end-user applications in a network. (The OSI model defines seven layers of architecture for use in the design of heterogeneous networks.)

These missing links will only become standardised in future releases of DOS. As information becomes available about IBM's new Operating System/2 (OS/2, the recently announced 80286 protected-mode version of DOS), perhaps some of the gaps will be filled. Until then, de facto standards such as NETBIOS will have to suffice. Other issues that need to be resolved include security, audit trails, and fault tolerance.

For the present; it is difficult to build an efficient LAN environment entirely with DOS services (the infamous PC LAN Program versus Novell NetWare argument). Thus, these issues should be addressed using a combination of DOS and server processes. This is precisely the approach taken by OS/2, which can be used as a server to DOS-based workstations, as well as other OS/2 workstations. OS/2 also will support interprocess communications with other OS/2 workstations (but not with DOS 3.x).

But even though OS/2 is a major improvement, it would seem that DOS could add LAN support features without becoming overly complex. A wish list for DOS features includes interprocess communications, transaction support, and semaphores. In spite

of OS/2, DOS 3.x will continue to serve well into the future as a platform for both stand-alone and LAN-based applications.

Ensuring that DOS applications are transportable from LAN to LAN requires the avoidance of dependencies on individual LAN workstation and server software. This signals the need for the creation of functions that are already available in some vendor's services, as was shown with semaphores.

Applications that merely need to access LAN resources can coexist with LANs if they follow some basic rules. They should open files using the new file sharing modes rather than compatibility mode. Wherever possible, they should use DOS services in preference to BIOS or hardware interfaces, especially for printers. Ambitious applications that want to use the multi-user potential of a LAN may find DOS seriously lacking. Although the file-sharing and locking features of DOS can mediate multi-user access to files, DOS cannot provide true interprocess communications. Operations such as semaphores and transaction processing must be implemented primarily by the application.

The practical implementation of LANs was hampered initially by DOS's lack of functionality. Now that DOS supports the bare LAN essentials, such as file and device sharing, it defines a standard for these functions. However, LANs are becoming more sophisticated, and DOS is again being pushed beyond its capabilities. Users can look to progressive developments in DOS (and its new sibling, OS/2) to deliver the next level of standardisation.

END

# computing

## AUSTRALIA

*Make sure you get your  
copy of Australia's new  
#1 computer newspaper.*

*Available on Sydney  
newsstands every Monday.*

For further information, call our  
Circulation Manager on (02) 264 1266.



# On a high

*Steve Withers and Peter Tootill examine the advantages of high speed modems.*

Until a few years ago the most common standard for dial-up computer systems was V21 (300bps). The introduction of Viatel gave a boost to V23 — this standard gives 1200bps to the user, but only 75bps back to the host system — which is fairly good if you only want to look at or download information. More recently, V22 modems

have become popular. They provide 1200bps in both directions at the same time, but even this speed means it takes about 15 seconds to fill an 80 column screen. V22 modems have now fallen to a price that more hobbyists can afford. In the last few weeks I have seen branded models selling at around \$500.

If you want to go faster, V22bis gives 2400bps. Several bulletin boards now offer this speed, but the modems are still expensive — expect to pay over \$1000.

As speeds increase some sort of error correction becomes essential. In recent issues I've discussed protocols like Kermit and Xmodem, but they are only concerned with file transfer. At high speeds a poor line can make it hard to sign on to a system. Try entering your password when the phone line is trying to help by adding the odd curly bracket!

Noise can also be a problem when searching a database. A few extra characters appearing in a command string can have a very different effect from what you expected, so it is possible to waste a lot of (possibly expensive) time until the command gets through unaffected.

ARQ (Automatic Repeat on reQuest) modems get round this problem by sending the data in blocks with a CRC check, but this results in data being transmitted in fits and starts which can be very intrusive. The new V32 modem standard uses a system called Trellis Code Modulation (TCM) which interleaves the data with extra information that allows the receiving modem to determine the most likely format of the data. Very nice, very fast, but (at present) prohibitively expensive for domestic use.

## Crosstalk add-on

An APC reader has written a program to allow IBM users to run Crosstalk XVI with a V23 modem without a baud rate converter. The program sells for \$19.95, post paid. Orders or enquiries should be addressed to Peter Johnson, 50 Bayswater Road, Moonah, Tas 7009. Telephone (002) 72 6412.

## PC-Talk

PC-Talk IV has now appeared, and in a significant break with tradition it is

# Sujon

## Computer Services

### Software — Specials

Lotus 1, 2, 3	\$599
Lotus HAL	\$215
Symphony	\$910
dBase III +	\$890
M/Mate Adv.2	\$740

### Hard Disk — Specials

20Mb Seagate Kit	\$680
30Mb Seagate Kit	\$740
30Mb Voice Coil	\$1120
40Mb Voice Coil	\$1350
80Mb Voice Coil	\$1980

### ULTRA PC XT Turbo — From Imagineering

With 640Kb RAM, Dual 360Kb Floppy Drives, Serial, Parallel & Games Ports plus clock MS-DOS 3.2/GW-Basic with Manuals.

### 12 Months — Full Warranty

With ADI 14" Monochrome	—	\$1890
With ADI Hi-Res Color	—	\$2390
With ADI EGA Monitor	—	\$2750

ADD — 20Mb Hard Disk — \$700

All Prices Include Sales Tax, Delivery Extra.

## Sujon Computer Services

A Division of Sujon Enterprises P/L

905 Toorak Road, Camberwell 3124  
Phone (03) 299 2100 Fax (03) 29 1307



# COMMUNICATIONS

being sold as a commercial product (earlier versions were distributed as Shareware). Priced at \$US99, the new version provides macros, Xmodem /CRC and Kermit protocols, and V100 emulation. Although I haven't seen the programs, I have heard that it is unlikely to make a fortune for its author.

## System news

Victoria now has three public-access videotex systems. Videotext/4000 acts as a demonstration system for the videotex host package written and sold by its sysop, Luke Groeveneld. The other two systems — Teletex Connection and Mousetext — both use Luke's software.

In Queensland, SVI is back online following extensive repairs necessitated by a power spike. Cynthia is also back in action, but I haven't heard the reasons for its absence. Some other changes from this part of the world will be found below.

Although the ACT's Comtel system has closed, it should be back in operation in a different part of the country in a short time.

Acknowledgements: Jeff Campbell, Bill Cholakovski, Glen McBride, Greg Noonan and Brendan Pratt.

## New systems

### Vic

Melbourne Atari Computer Enthusiasts (03) 391 5927. Weekends only.

Teletex Connection (03) 470 6827. P. Darren Sapwell. 6am-10pm daily. V23 videotex only.

Mousetext (059) 42 5528. P. Glen McBride. 10am-10pm daily. V23 videotex only.

### Qld

Recliffe Library (07) 283 0315. 6pm-8am Mon-Fri, 24 hours weekends.

### WA

WA Atari Computer Enthusiasts (09) 306 2134. Graham Basden.

## Updates

### NSW

Your Computer (02) 669 1385. MV. 24 hours daily.

### ACT

Comtel Offline

### Vic

DECUS Melbourne (03) 63 9133. M. Peter Hill. 24 hours daily. V21, V22, V22bis, V23. FidoNet 155/310.

Videotext/4000 (03) 741 3295. P. Luke Groeveneld. 6am-11pm daily. V23 videotex only.

### Qld

Cynthia (07) 262 1269. Martin Josephson. 24 hours daily.

Kangaroo Point TAFE (07) 393 1767. Troy O'Malley and Tim Mansfield. 9am-10pm weekdays, 24 hours weekends. V21, V23.

Microlynx (07) 393 5352. Craig Upton. 7pm-7am weekdays, 24 hours weekends. Formerly Connect-64.

END

The material in this column is presented in good faith, but as it is collated from material provided by readers, APC cannot take responsibility for its accuracy. New information and corrections are always welcome (but please mention whether or not you can vouch for accuracy of the material provided), and should be sent to: Steve Withers, C/- Computer Publications, 47 Glenhuntly Road, Elwood, Vic 3184 or to Viatel mailbox 063000030. Acknowledgements will normally be made through this column. You may also like to send a copy of the information to the Australian PAMS Coordinator at one of these addresses:

PO Box E41, Emerton, NSW 2770.

ASCnet prophet@runx

Prophet BBBs (02) 628 7030.

## NEW CASE FOR THE SYSTEM II NEW PANEL DISPLAY FOR THE ALL COMPUTER SYSTEM (Including 386 System)

FCC APPROVED OEMS WELCOME

3 1/2" FDD CABINET AND POWER CORD  
(WE OFFER THE DATA CABLE TOO)

POWER SWITCH  
(WE OFFER THE POWER SUPPLY)



**IN WIN DEVELOPMENT INC.**

5-1 F1., No. 486, Fu Hsing N. Rd. Taipei, 10483, Taiwan, R.O.C. P. O. Box 101-346, Taipei, Taiwan

Tel: (02)501-2451 Fax: 886-2-501-2450 Telex: 27092 INWIN



RESET TURBO 8.8MHz

PD-003  
(AVAILABLE)




All prices  
include sales tax

"The Australia-wide mail-order  
software and board supplier for  
computer professionals . . ."

# PROGRAMS

## PLUS



dBase III +  
**\$875**

Lotus 1-2-3  
**\$569**

### Specials

Wordstar 2000 +  
**\$345**

Turbo Pascal  
**\$129**

Microsoft C  
**\$780**

Javelin  
**\$295**

Windows  
**\$179**

Multimate Adv II  
**\$795**

Word 3.1  
**\$549**

### IBM Software

MS Access	\$399
MS Chart	\$495
Chartmaster	\$585
Clickart Personal Publisher	\$289
Clipper	\$875
Copy II PC	\$89
Copywrite	\$89
Crosstalk XVI	\$199
dBase III Plus	\$875
Desqview	\$169
Diagram Master	\$595
Fastback	\$179
Fastgraphs	\$395
First Choice	\$299
MS Flight Simulator	\$99
Framework II	\$999
Graphwriter	\$795
Harvard Presentation Graphics	\$595
Harvard Project Manager	\$699
Icontrol UK 2.3	\$99
Javelin	\$295
Lotus 1-2-3 2.01	\$569
Lotus Hal	\$270
Lotus Manuscript	\$795
Multimate Advantage II	\$795
MS Multiplan	\$369
Norton Commander	\$129
Norton's Utilities 4.0	\$139
Paradox	\$995
Printshop	\$103
Printworks DM	\$129
MS Project	\$649
Q&A	\$629
Rbase System V	\$1195
Reflex	\$185

Sidekick NCP	\$109
Sideways	\$148
SignMaster	\$395
Silk	\$299
Superkey	\$119
Super Calc IV	\$650
Symphony 1.2	\$895
Timeline	\$595
MS Windows/Mouse	\$369
MS Word 3.1/Mouse	\$799
Ventura Publisher	\$1195
WordPerfect 4.2	\$625
Wordstar 2000+	\$345
X-Tree	\$99
and much more . . .	Phone

### IBM Boards

AST Sixpak Plus (Desqview)	\$430
AST Fourport/Xenix	\$865
AST Rampage	\$1140
DCA IRMA	\$1795
Hercules Graphics Plus	\$550
Intel Above Board AT	\$865
Intel Above Board PC	\$599
MFA96 PC/FAX Card	\$1599
Paradise AutoSwitch EGA	\$795
Persyst BOB 16	\$860
Quadram EGA+	\$725
STB EGA	\$549

### Accessories

Logitech Mouse	\$199
Microsoft Mouse	\$269
Xidex DSHD Diskettes (10)	\$49
and much more . . .	Phone

### Macintosh Corner

Filevision	\$159
Flight Simulator	\$99
Jazz 1A	\$455
dBase	Phone
MegaFiler	\$269
MS Chart	\$189
MS Excel	\$699
MS File	\$359
MS Works	\$499
MS Word	\$669
MS Multiplan	\$349
Overvue	\$399
Ragtime	\$625
Reflex	\$169

### Programmer's Corner

Microsoft	C Compiler	\$780
	Cobol Compiler	\$1099
	Fortran Compiler	\$780
	Macro Assembler	\$330
	Quick Basic	\$169
Borland	Eureka	\$139
	Turbo Basic	\$139
	Turbo C	\$139
	Turbo Database	\$105
	Turbo Editor	\$105
	Turbo Lightening	\$139
	Turbo Pascal	\$129
	Turbo Tutor	\$59
	Turbo Prolog	\$139
B-Trieve		\$550
BRIEF		\$315
Dan Bricklin's Demo Program		\$149
Modula 2/86 Plus		\$315
Multi Halo		\$605
P-link 86 Plus		\$825
Large library of programs . . .		Phone

## JULY TOP 10

1. Lotus 1-2-3 2.01
2. dBase III+ 1.1
3. Microsoft C Compiler 4.0
4. Mac Omnis 3+
5. Lotus Hal 1.0
6. Borland Turbo Pascal
7. Microsoft Word
8. Microsoft Excel
9. Multimate Adv. II 1.0
10. Mac Overvue



**HOTLINE:**  
**(08) 326 1313**

8 / 230 South Road Morphett Vale SA 5162.  
PO Box 80 Morphett Vale SA 5162.  
Facsimile: (08) 338 1621

Phone now for our special  
Government and Corporate  
Price Lists for even bigger  
savings!

- \* All prices **include** sales tax and full factory warranty.
- \* Australia-wide delivery extra.
- \* Phone us first for any item.
- \* All software is latest release.
- \* Dealer enquiries welcome.



All prices subject to availability E & OE.



## DIARY DATA

**Readers are strongly advised to check details with exhibition organisers before making travel arrangements to avoid wasted journeys due to cancellations, printers' errors, etc.**

<b>Adelaide</b>	Comtec '87 Contact: Comtec Administration Office 112 Magill Road Norwood SA 5067 (08) 42 9093	August 3-5, 1987
<b>Sydney</b>	Macworld Expo '87 Contact: Stephen Moore, Karen Rickwood (02) 439 5133	August 3-5, 1987
<b>Sydney</b>	Comdex '87 TIG Australia Inc. 8 West Street North Sydney NSW 2060 (02) 959 5555	August 19-21, 1987
<b>Melbourne</b>	ACC '87 Contact: Riddell Exhibition Promotions 135-141 Burnley Street Richmond Vic 3121 (03) 429 6088	September 8-10, 1987
<b>Melbourne</b>	Labex '87 Contact: BPI Exhibitions Pty Ltd PO Box 204 Strawberry Hills NSW 2012 (02) 266 9799 or (03) 699 9266	September 21-24, 1987
<b>Jakarta</b>	Computer Indonesia & Business Indonesia Contact: Australian Exhibition Services Pty Ltd Suite 3.3 Illoura Plaza 424 St Kilda Road Melbourne Vic 3004 (03) 267 4500	October 20-24, 1987

## USER GROUPS

**Below is a list of updates and additions to the full User Group listing which is available to readers on request. Please send a SSA envelope to 'User Groups', APC, 124 Castlereagh Street, Sydney 2000.**

### NSW

The Macarthur Microbee Users Group has recently been formed catering for Microbee users in the south west area of Sydney. The group meets on the second Friday of each month commencing at 7.30pm. Meetings are held at Sarah Redfern High School, Room 402, Pembroke Road, Minto. For further information contact Daryl Hadkins, Secretary, 29 Brisbane Road, Campbelltown. Telephone (046) 252 900.

The Sydney Commodore Users

Group now meets on the second Friday of each month (changed from the second Wednesday). The venue of Ryde Catering College and the time of 7.15pm remain the same. For more details contact the Sydney Commodore Users Group, Box 1542 GPO, Sydney 2001. RCOM BBS (02) 667 1930.

### Vic

A new user group catering for IBM-compatibles has been formed in Wangaratta, Victoria. The group is called the North East Personal Computer

Users Group (NEPCUG), and meets on the first Thursday of each month commencing at 7.30pm. For more information contact Jane Bartram on (057) 214 201.

The Computer Users of Victoria (CUVIC) caters for Compucolor II, Intelcolor and IBM computers, meets on the first Wednesday of each month at the Surrey Hills Neighbourhood Centre, 157 Union Road, Surrey Hills 3127. For more details contact the Secretary, Howard Rice, PO Box 420, Camberwell Vic 3126. Telephone (03) 277 2957.



## USER GROUPS

## ACT

The Canberra Micro-80 Users Group Inc caters for Tandy 8-bit or 16-bit machines or similar microcomputer systems. The group meets on the third Monday of each month commencing at 7.30pm in Room 2 of the Griffin Centre, Bunda Street, Civic Centre, Canberra. For more information contact the Secretary, Don Jender, 18 Callabonna Street, Kaleen ACT 2617. Telephone (062) 413 764 (AH).

## Qld

The Townsville PC Club meets on the

first Monday of each month commencing at 7.30pm. For more information about the Club, contact the Secretary, Tony Moore, Townsville PC Club, PO Box 92, Townsville 4810. Telephone (077) 722 722.

A new General Secretary of the Brisbane TRS-80/System 80 Computer Group has recently been elected at its recent annual general meeting. All correspondence should be now addressed to Mr F J Seccull, 41 Montclair Street, Aspley 4034. Telephone (07) 263 6313.

## WA

The new postal address for the

Microbee Users Group of WA is GPO Box N1090, Perth WA 6001. The group caters for both Microbee and Mitac computers and meets on the first Sunday of each month at 7pm at the Leederville Technical College Cafeteria, corner of Oxford and Richmond Streets, Leederville. Membership information may be obtained by telephoning (09) 417 1374 or (09) 446 8619.

END

## NUMBERS COUNT

*This month Mike Mudge looks at Cyprian's Last Theorem*

This theorem is due to the Reverend DC Stockford; acknowledgement is also due to Mr M Kochanski who has carried out significant empirical and theoretical studies related to the theorem.

Clearly  $3^2+4^2=5^2$ , the smallest integer-sided Pythagorean triangle, is familiar to many readers; however, it is less well-known, although equally trivial, that  $3^3+4^3+5^3=6^3$ .

The geometrical model of a cube with side 6 units, dissected into three smaller cubes with sides 3, 4 and 5 units respectively, is an interesting application of computer graphics. Clearly more than three portions have to be dissected and then some reassembled. What is the smallest number of parts needed?

**Cyprian's Last Theorem**

$$\sum_{k=1}^n (x-1+r)^k = (x+k)^k$$

has no  $r=1$  solutions in positive integers other than  $x=3$  with  $k=2$  or 3.

**Note.** The notation on the left-hand side is simply shorthand for  $x^k+(x+1)^k+(x+2)^k+\dots+(x+k-1)^k$  there are  $k$  terms.

As an appetiser readers are first invited to find 64 consecutive positive integers, the sum of whose cubes is a perfect cube. It is known that only one such set exists. What about the sum of the  $n^{\text{th}}$  powers of 64 consecutive integers being an  $n^{\text{th}}$  power?

What about the sum of the  $n^{\text{th}}$  powers of  $k$  consecutive integers being an  $n^{\text{th}}$  power?

What about the sum of the  $n^{\text{th}}$  powers of two integers being an  $n^{\text{th}}$  power? ... Fermat's Last Theorem.

Readers are invited to send their thoughts together with complete or partial attempts at the investigations of the above questions to Mike Mudge, C/- APC, 124 Castlereagh Street, Sydney 2000, to arrive by 15 September 1987.

It would be appreciated if such submissions contained a brief summary of results obtained in a form suitable for publication in APC. These submissions will be judged using subjective criteria and a prize will be awarded by APC to the 'best' contribution received by the closing date.

Please note that submissions can only be returned if a stamped addressed envelope is provided.

**Review: February 1987**

This problem involving Bernoulli's Numbers, Euler's Numbers and the connection with Regular Primes can be further studied by reference to *13 Lectures on Fermat's Last Theorem* by Paulo Ribenboim (Springer Verlag 1979). It proved to be a very popular problem among regular contributors but did not appeal to new readers. Why is this so?

The very worthy prizewinner was John B Cook of East Burwood, Victoria. John used a Tandy TRS-80 Model 4P to compute  $N(X)$  and  $D(X)$ , to find irregular primes as defined in the article, and to calculate and factorise  $E(X)$ , the latter up to  $X=28$ .

Test data, together with much other interesting material is to be found in *A Handbook of Integer Sequences* by NJA Sloane (Academic Press 1973).

It must be recorded, however, that Geoff Lockwood computed Bernoulli Numbers up to the 200<sup>th</sup> halting then because the computation was taking two hours per number.

Geoff, however, unfortunately did not have time to consider the computation of the Euler Numbers but obtained some rather interesting results comparing true Bernoulli Numbers with the asymptotic formula in Ribenboim's book referred to above.

END

*Mike Mudge welcomes correspondence of any subject within the areas of number theory and other computational mathematics. Particularly welcome are suggestions, either general or particular, for future Numbers Count articles; all letters will be answered in due course.*



# LAZING AROUND

Brainteasers courtesy of JJ Clessa

## Prize puzzle

A simple optimisation problem this month. Starting at any square in the first column of the grid shown, proceed to the next column, and so on, until you reach the right-hand edge of the grid. Add up the values in each square that you have entered. The prize will be awarded to the entrant whose total score is the highest. All moves must be in an East, North East, or South East direction — that is only 12 squares may be traversed.

Answers on postcards please, or backs of envelopes only, to reach APC, Lazing Around August, 124 Castlereagh Street, Sydney 2000, no later than 30 August 1987.

## May prize puzzle winner

This month's puzzle in logic was obviously more difficult than usual; even though several different answers were possible, only 36 entries were received. Although logic puzzles are not usually well-supported, several readers have specifically asked for them, so we do try to include them from time to time.

Unfortunately, no winning entry was received for this puzzle. Perhaps you'll find the next one a bit easier. The solution to the puzzle is:

	A	B	C	D	E	F	G
Shorthand	46	36	30	56	47	32	42
Typing	29	40	47	22	32	48	39
Total	75	76	77	78	79	80	81

29	35	35	22	30	33	39	25	23	38	22	23
32	22	40	30	33	33	29	38	31	25	36	27
35	25	30	35	31	24	37	39	22	22	30	29
38	27	28	22	38	26	36	29	34	40	39	33
24	40	26	30	24	36	38	38	32	22	40	23
27	29	40	23	31	29	30	23	28	37	36	26
21	36	29	40	23	38	24	23	40	36	21	32
35	37	37	22	36	39	33	28	38	37	37	31
35	34	22	27	33	29	40	28	33	26	28	40
32	23	31	32	23	39	21	25	35	34	29	31
30	35	34	34	33	37	23	35	36	35	31	25
21	34	35	23	33	33	38	32	31	24	35	34

## Quickie

Can you find a single word anagram of CHESTY?

No prizes for this one.

END

IT'S BEEN USED BY ONE LITTLE OLD LADY TO PLAY KILLER GORILLA.



## dBASE PROGRAMMING

LOTUS 123 TURBO PASCAL  
ENABLE ETC...

MULTI USER SYSTEMS

INEXPENSIVE PC  
COMPATIBLE HARD-  
WARE AVAILABLE.

**Proware P/L**

DAVID YOUNGER

**(02) 371 9800**

WE PROVIDE A TOTAL SOLUTION



# AD INDEX

Abacus .....	255	Fujitsu.....	33, 157	PCI .....	236
ABE Computers .....	150	Future Business Systems .....	80	PC Network .....	20, 21
ACD.....	174	General Control Systems .....	215	P+C Shitten Ent .....	246
ADE.....	130	Hantron Data Systems .....	183	Perfect Interface .....	26, 27, 110, 159
Advance Peripherals .....	116	Hercules Computer .....	44, 45	Peripheral Computers .....	231
Allaw Sales.....	OBE	Hewlett- Packard.....	18, 19	Personal Computer Software .....	43
Alldata .....	66	Hypertech.....	86	Peter Bancroft .....	183
American Business Machine .....	207	ICT .....	139, 141	PH Computers.....	218
Anchor Pad .....	158	Idea Associates.....	123	Photon.....	77
Apple Computers.....	13, 14, 15	In Win International .....	277	Porchester.....	218
Archive Computers.....	163	Information Unlimited .....	60	Press Cash.....	236
ASP Microcomputers.....	257, 259, 261	Intell Tronic.....	256	Previous Electronics.....	246
Atlantis.....	195	Interface Publications .....	94, 95	Programs Plus.....	278
Atronics .....	102	International Software Distributors .....	35	Proware.....	281
ATS Computing .....	128	Interrupt Systems .....	238	Rampage Computers .....	65
Attache Software .....	85	Irreecon.....	83	Raytech International .....	229
Austin Code Works .....	209	JED Microprocessors .....	238	Rectron Ltd.....	242
Australia Post .....	47	Jetway Information Corp .....	258	Robs Computer	
AWA .....	265	Just in Time.....	9	Centre .....	136, 138, 143, 145
Awanet .....	30	Kaypro Computer .....	51, 53	Sarwell Computer Ent .....	2512
Basic Time .....	181	K+C Infocorp .....	234	Select Software .....	88, 89
BJE Enterprises .....	31	Kent Design.....	259	Seventeam Electronics.....	262
Blue Chip Electronics .....	75	Kodak .....	191	Shaw .....	259
Business Model Systems .....	150	Lysco .....	218, 236	Simon + May Consulting Service.....	183
Cable Garden .....	240	Mac Bureau.....	150	Software Express .....	164, 168, 227
Cartel Personal Computer.....	59, 61	Macware.....	252	Software To Go .....	240
C+D Technology .....	170	Magnetic Data Management .....	107	Solid Software .....	214
Climax Technology.....	242	Manacom.....	205	Sony .....	16
Compact Software.....	190	Maxwell Office Equipment.....	210	Sourceware.....	69
Compaq.....	23, 25	Metheun LBC Ltd .....	103	Star Micronics .....	225
Computer Dimensions.....	39	Metropole .....	34	Starcom Manufacture .....	260
Computer & Electronic Services .....	213	Micro Data Management.....	107	Sujon .....	276
Computer Interface.....	140	Microdos.....	178	Super Computer Enterprises.....	240
Computer-Mart .....	222, 238	Microgram .....	185, 187	Sybiz Software .....	183
Computerscope.....	124	Microland.....	54, 55, 62, 63	Sycom Nexus .....	236
Computer Shark .....	105	Micromania.....	48, 49	Syspak.....	162
Computers 2000 .....	147	Micromart .....	117	Technology Interface.....	184
Computer-Ware for Micros.....	222	Microshack.....	98	Telecomputing.....	7, IBC
Copy Cat Software .....	257	Microsoft Pty ltd .....	IFC, 1	The Computer House .....	72, 73
CPM Data Systems.....	196	Microway .....	106, 256	The Interface Group.....	4
C+S Computer Services .....	182, 231	Mini Comp .....	125	The Local Computer Shop .....	76
Custom-Made Software.....	101	Moore Business Systems.....	84	The Nice Computer Co .....	127
Dataparts.....	198, 199	Moretec Electronics.....	243	Time Life Books .....	Insert
Diamond Systems .....	177, 247	MPA .....	29	Toshiba.....	126, 169
Dick Smith Electronics .....	93	Multisource .....	121	Total Peripherals .....	188
Discware Pty Ltd .....	166, 167, 202, 203	Multitech.....	235, 237, 239, 241	Tristar Documentation Services .....	98
DOS-Tech Computers.....	151	NEC Home Electronics .....	234	Trycosopht.....	98
East Computer Services .....	212	Netcomm.....	41	Tseng International.....	148, 149
Edcom Computer .....	154	New Concept Technology .....	240	Uni Systems .....	238
Efficient Computer Services .....	216	Nth Queensland Computer + Video .....	176	Unijet Comptuter Company .....	260
Elders Videotex .....	64	Nostrodomous.....	161	Unix Systems .....	171
Electronic Para Legal Network.....	216	Oceanic Electronics.....	192	Vahive .....	70, 71
Encom International .....	251	Oemmax Electronics .....	176	Vapour Ware .....	90
Epson .....	113	Optsoft.....	96	Verbatim.....	56
Fairstar .....	50	Oshima.....	240	Video Technology.....	179
FBN Software .....	191	Pantek .....	115, 165	Wilbro Print.....	78
Fifth Generation Systems.....	259	PC Accessories .....	212	Wintech Enterprises .....	260
Formosa L+M Enterprises.....	260	PC House Inc.....	258	Xener Technology .....	251



# THE BEST POSSIBLE NEWS FOR IBM PC USERS

LOTUS 1-2-3

**\$595**

SEAGATE 20MB

**\$695**

COMPAQ PORTABLE

III 80286 12 MHz

20MB HD

**\$8895**

NEC MULTISYNCH SCREEN  
& NEC EGA CARD

**\$1395**

NEC POWERMATE  
80286 AT 20Mb  
640K Multisynch EGA

CALL FOR A PRICE

DESKTOP 80386  
AT Software Compatible  
16MHz 512K 30MB  
DRIVE 1.2MB FD Mono

**\$6969**

## HARD DISKS

Seagate 20MB + controller..... \$695  
Seagate 30MB Voice Coil..... \$1195  
Miniscribe 44MB Voice Coil..... \$1625  
Tandon 20MB + controller..... \$695

## MICROSOFT WINDOW

Access..... \$415	<b>APPLE</b>
Chart..... \$490	Chart..... \$195
Learning/Dos.. \$82	Excel..... \$717
Project..... \$674	File..... \$335
RBase..... \$778	
Windows..... \$195	
Windows/	
Draw..... \$344	
Word..... \$525	<b>WORD</b>
Mouse..... \$250	<b>\$525</b>
Windows/	
Mouse..... \$404	
C Compiler..... \$795	
Cobol/	
Compiler..... \$1095	

## PRINTERS

NEC P5..... \$1599  
NEC P7..... \$1075  
Epson FX1000..... \$1025  
Fujitsu DL2400..... \$1300

## CLONE CORNER

BABY AT - 640K  
1.2 MB FD 8MHz  
80286 AT  
20MB Disk Drive

**\$3636**

TURBO XT - 640K

**\$2395**

## HARDWARE

### COMMUNICATIONS

IRMA..... \$1795  
Tangolynk (ICL)..... \$1850

### MODEMS (netcom)

123 in Modem..... \$787  
1234 in Modem..... \$976  
1200 in Modem..... \$576  
12345a Datalock..... \$1400  
123a Smartmodem..... \$936  
2400a Smartmodem..... \$828

### TOSHIBA LAP TOPS

2100 F/F..... CALL  
3100 20MB..... CALL

## SOFTWARE

Lotus - HAL..... \$250  
Lotus 1-2-3..... \$595  
dBase III..... \$855  
Symphony..... \$875  
Wordperfect..... \$499  
Copywrite..... \$95  
Crosstalk..... \$213  
Reflex..... \$244  
Microsoft Word..... \$525  
Multimate Advantage..... \$880  
Turbo Prolog..... \$145  
Paradox..... \$895  
Fastback..... \$180  
Wordstar 2000 Plus..... \$300  
The Auditor V III..... \$207  
Lotus Manuscript..... \$745  
Norton Commander..... \$130

## TAPE BACKUP SYSTEMS

25MB External..... \$1350  
60MB External..... \$2495  
60MB Internal..... \$1785  
125MB Internal..... \$2175

PLEASE CALL FOR ANY ITEMS NOT LISTED

To order or for further information simply call:

**SYDNEY (02) 439 7500 MELBOURNE (03) 696 2333**

Or the toll free order hotline (008) 226 981

Or visit our MC-P centres at:

**SYDNEY: (02) 329 7500** 2nd Floor, 156 Pacific Highway, St. Leonards 2065.  
**MELBOURNE: (03) 696 2333** 29 Park Street, Melbourne, 3000.

**MC-P**  
**APPLICATIONS**

ALL PRICES INCLUDE SALES TAX

3% DISCOUNT FOR CASH



# 50.5 MBytes 5 1/4" Half-Height Disk Drive

## NEW

### 3650

Responding to the demand for a higher capacity, cost-effective, 5 1/4-inch half-height disk drive with increased performance, MiniScribe has met the challenge with its new model 3650. Based on MiniScribe's rugged 3000 family of 5 1/4-inch half-height Winchester disk drives, the 3650 is an innovative three disk, six head, 50.5 MByte configuration with an average access time of 61 milliseconds.

The 3650 features a tri-colored LED which allows the operator to view various operational phases of the disk drive by displaying a green light during normal operation, a blinking red light for error codes and an amber light while the heads are parked at the landing zone.

Another innovative feature of the 3650 is the self-regulated head parking feature which will automatically park the heads at the landing zone after 30 seconds of inactivity to insure the operator that the heads are parked in a nondata area.

Like other MiniScribe products, the 3650 incorporates the company's high standards of quality and innovation. The 3650 utilizes MiniScribe's field-proven rack and pinion linear actuator system which provides positioning accuracy throughout temperature extremes as well as rugged resistance to shock and vibration. In addition, the drive incorporates the industry standard ST412/506 interface.

With planned enhancements to higher storage capacities, the 3650 demonstrates MiniScribe's technical leadership by delivering one of the most favorable cost per megabyte solutions for your current and future storage requirements.

In addition to the 3650, MiniScribe produces a complete line of 3 1/2-inch and 5 1/4-inch Winchester disk drives which begins at 12.75 MBytes, extends to high capacity, high performance models, and includes a variety of standard, intelligent and custom interfaces.

- Based on MiniScribe's 3000 family of 5 1/4-inch half-height disk drives.
- Field-proven rack and pinion actuator provides positioning accuracy throughout temperature extremes
- 50.5 MByte (unformatted)
- 61 msec. average access time
- Self-regulated head parking feature
- Tri-colored LED
- Product family growth to higher capacities
- Industry standard ST412 interface



CALL  
**ALLAW SALES** PTY LTD  
FOR YOUR NEAREST DEALER

SYDNEY (02) 406 9111 MELBOURNE (03) 699 5333 BRISBANE (07) 854 1461 NEW ZEALAND AUCKLAND (09) 371 334

## MiniScribe